

Bis(2-methylbenzoato- κ^2O,O')(1,10'-phenanthroline- κ^2N,N')copper(II)

Sheng-Liang Ni,* Feng Zhou and Jin-Li Qi

Department of Chemistry, Huzhou Teachers College, Huzhou, Zhejiang, 313000, People's Republic of China
Correspondence e-mail: shengliangni@163.com


Received 10 May 2011; accepted 13 May 2011

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.008\text{ \AA}$; R factor = 0.045; wR factor = 0.150; data-to-parameter ratio = 12.6.

In the title compound, $[\text{Cu}(\text{C}_8\text{H}_7\text{O}_2)_2(\text{C}_{12}\text{H}_8\text{N}_2)]$, the Cu^{II} atom assumes a distorted octahedral coordination geometry, chelated by two N atoms from the 1,10'-phenanthroline ligand and four O atoms from two 2-methylbenzoate anions. A significant Jahn–Teller distortion is observed with two axial $\text{Cu}-\text{O}$ distances significantly longer than those in the equatorial CuO_2N_2 plane. In the crystal, $\pi-\pi$ stacking interactions, with centroid–centroid distances of 3.547 (3) or 3.728 (3) \AA between the phenanthroline rings, form layers parallel to (011).

Related literature

For Jahn–Teller distortions in copper complexes, see: Yang & Vittal (2003); Su *et al.* (2005); Liu *et al.* (2010). For phenanthroline complexes, see: Wang *et al.* (1996); Wall *et al.* (1999); Naing *et al.* (1995). For related structures, see: Cano *et al.* (1997); Rodrigues *et al.* (1999); Xu & Xu (2004).



Experimental

Crystal data

| | |
|--|--|
| $[\text{Cu}(\text{C}_8\text{H}_7\text{O}_2)_2(\text{C}_{12}\text{H}_8\text{N}_2)]$ | $V = 2283.7 (8)\text{ \AA}^3$ |
| $M_r = 514.02$ | $Z = 4$ |
| Monoclinic, $P2_1/c$ | Mo $K\alpha$ radiation |
| $a = 16.245 (3)\text{ \AA}$ | $\mu = 1.00\text{ mm}^{-1}$ |
| $b = 10.136 (2)\text{ \AA}$ | $T = 293\text{ K}$ |
| $c = 14.048 (3)\text{ \AA}$ | $0.15 \times 0.10 \times 0.10\text{ mm}$ |
| $\beta = 99.15 (3)^\circ$ | |

Data collection

| | |
|--|--|
| Rigaku R-AXIS RAPID diffractometer | 17441 measured reflections |
| Absorption correction: multi-scan (<i>ABSCOR</i> ; Higashi, 1995) | 4021 independent reflections |
| $T_{\min} = 0.866$, $T_{\max} = 0.900$ | 2509 reflections with $I > 2\sigma(I)$ |
| | $R_{\text{int}} = 0.063$ |
| | |

Refinement

| | |
|---------------------------------|---|
| $R[F^2 > 2\sigma(F^2)] = 0.045$ | 319 parameters |
| $wR(F^2) = 0.150$ | H-atom parameters constrained |
| $S = 1.13$ | $\Delta\rho_{\text{max}} = 0.74\text{ e \AA}^{-3}$ |
| 4021 reflections | $\Delta\rho_{\text{min}} = -1.04\text{ e \AA}^{-3}$ |
| | |

Table 1
Selected bond lengths (\AA).

| | | | |
|-------|-----------|-------|-----------|
| Cu—O3 | 1.919 (4) | Cu—N2 | 2.010 (4) |
| Cu—O1 | 1.927 (4) | Cu—N1 | 2.025 (4) |

Data collection: *RAPID-AUTO* (Rigaku, 1998); cell refinement: *RAPID-AUTO*; data reduction: *CrystalStructure* (Rigaku/MSC, 2004); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

This project was supported by the Foundation of the Education Department of Zhejiang Province (ZC200805662).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SJ5144).

References

- Cano, J., De Munno, G., Sanz, J. L., Ruiz, R., Faus, J., Lloret, F., Julve, M. & Caneschi, A. (1997). *J. Chem. Soc. Dalton Trans.* pp. 1915–1920.
- Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
- Liu, Y., Sun, J. & Niu, X. (2010). *Acta Cryst. E66*, m34.
- Naing, K., Takahashi, M., Taniguchi, M. & Yamagishi, A. (1995). *Inorg. Chem. 34*, 350–356.
- Rigaku (1998). *RAPID-AUTO*. Rigaku Corporation, Tokyo, Japan.
- Rigaku/MSC (2004). *CrystalStructure*. Rigaku/MSC Inc., The Woodlands, Texas, USA.
- Rodrigues, B. L., Costa, M. D. D. & Fernandes, N. G. (1999). *Acta Cryst. C55*, 1997–2000.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Su, J.-R., Gu, J.-M. & Xu, D.-J. (2005). *Acta Cryst. E61*, m379–m381.
- Wall, M., Linkletter, B., Williams, D., Lebuis, A. M., Hynes, R. C. & Chin, J. (1999). *J. Am. Chem. Soc.* **121**, 4710–4711.
- Wang, J., Cai, X., Rivas, G., Shiraishi, H., Farias, P. A. M. & Dontha, N. (1996). *Anal. Chem.* **68**, 2629–2634.
- Xu, T.-G. & Xu, D.-J. (2004). *Acta Cryst. E60*, m1650–m1652.
- Yang, C. T. & Vittal, J. J. (2003). *Inorg. Chim. Acta*, **344**, 65–76.

supplementary materials

Acta Cryst. (2011). E67, m779 [doi:10.1107/S1600536811018162]

Bis(2-methylbenzoato- κ^2O,O')(1,10'-phenanthroline- κ^2N,N')copper(II)

S.-L. Ni, F. Zhou and J.-L. Qi

Comment

The Jahn-Teller distortion of copper(II) complexes is well known. Most copper(II) complexes display an elongated distortion, and the coordinate bonds in the axial direction are usually longer than those in the equatorial coordination plane by 0.2–0.6 Å (Yang & Vittal, 2003; Su *et al.*, 2005; Liu *et al.*, 2010). Metal-phenanthroline complexes and their derivatives have also attracted much attention (Wang *et al.*, 1996; Wall *et al.*, 1999; Naing *et al.*, 1995). In the title copper(II) phenanthroline complex, (I), a pair of long Cu-O bonds is observed.

The molecular structure of the title complex is shown in Fig. 1. The Cu^{II} ion binds to a phenanthroline molecule and two 2-methylbenzoate anions in a distorted octahedral geometry. Two N atoms from phen and two O atoms from carboxyl groups form a tetrahedrally distorted equatorial coordination plane, with a dihedral angle of 7.3 (2) ° between the Cu/O1/O3 and Cu/N1/N2 planes. The bond lengths in the equatorial plane are normal (Table 1). In the axial direction, the Cu-O distances (Cu-O2 2.609 (4) Å, Cu-O4 2.666 (4) Å) are longer than the Cu-O distances (Cu-O1 1.927 (4) Å, Cu-O3 1.919 (4) Å) in the equatorial plane.

The Cu-O-C angles of (Cu-O1-C13 105.9 (3) °, Cu-O3-C21 108.2 (3) °) are similar to values found in copper(II) complexes with a chelating benzoate ligand, for example, 106.1 (4) ° (Cano *et al.*, 1997) and 104.5 (1) ° (Xu & Xu, 2004), but are much smaller than those in copper(II) complexes with a monodentate benzoate ligand, for example, 131.8 (1) ° (Rodrigues *et al.*, 1999). This suggests the existence of a bonding interaction between atoms Cu and O2, Cu and O4. Besides the elongated Jahn-Teller distortion, the smaller O2-Cu-O4 angle of 132.1 (1) Å is also a possible reason for the larger differences within the same carboxylate group.

In the crystal structure two-dimensional layers form parallel to (011) through π–π packing interactions with centroid to centroid distances 3.547 (3) Å and 3.728 (3) Å between the phenanthroline rings, as shown in Fig. 2.

Experimental

Freshly prepared CuCO₃ was essential for an optimal synthesis. 1.0 cm³ (1 M) aqueous Na₂CO₃ was added dropwise to a stirred aqueous solution of (0.2490 g, 1.0 mmol) CuSO₄·5H₂O in 4 cm³ of doubly distilled water. This produced a blue precipitate, of Cu(OH)_{2-2x}(CO₃)_x·yH₂O, which was centrifuged and washed with doubly distilled water until no SO₄²⁻ anions were detected in the supernatant liquid. The fresh blue precipitate was subsequently added to a stirred solution of 2-methylbenzoic acid (0.2725 g, 2.0 mmol) and 1,10'-phenanthroline (0.1982 g, 1.0 mmol) in 20 cm³ C₂H₅OH-H₂O (1:1, v/v). The mixture was stirred for 30 min and filtered. The insoluble solid was then filtered off, and the resulting blue filtrate (pH = 5.20) was allowed to stand at room temperature. Blue block-like crystals were grown by slow evaporation over a week. Yield: 45% based on the initial CuSO₄·5 H₂O.

supplementary materials

Refinement

All H-atoms bonded to C were positioned geometrically and refined using a riding model with $d(C-H) = 0.093 \text{ \AA}$, $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}(\text{C})$ for aromatic, and 0.96 \AA , $U_{\text{iso}}(\text{H}) = 1.5 U_{\text{eq}}(\text{C})$ for CH_3 atoms. H atoms attached to O atoms were found in a difference Fourier synthesis and were refined using a riding model, with the O-H distances fixed as initially found and with $U_{\text{iso}}(\text{H})$ values set at $1.5 U_{\text{eq}}(\text{O})$.

Figures




Fig. 1. The structure of the title compound with displacement ellipsoids drawn at the 45% probability level.




Fig. 2. Crystal packing showing the two-dimensional layer structure linked through $\pi-\pi$ stacking interactions.

Bis(2-methylbenzoato- κ^2O,O')(1,10'-phenanthroline- κ^2N,N')copper(II)

Crystal data

| | |
|--|---|
| $[\text{Cu}(\text{C}_8\text{H}_7\text{O}_2)_2(\text{C}_{12}\text{H}_8\text{N}_2)]$ | $F(000) = 1060$ |
| $M_r = 514.02$ | $D_x = 1.495 \text{ Mg m}^{-3}$ |
| Monoclinic, $P2_1/c$ | Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$ |
| Hall symbol: -P 2ybc | Cell parameters from 25 reflections |
| $a = 16.245 (3) \text{ \AA}$ | $\theta = 3.0\text{--}25.0^\circ$ |
| $b = 10.136 (2) \text{ \AA}$ | $\mu = 1.00 \text{ mm}^{-1}$ |
| $c = 14.048 (3) \text{ \AA}$ | $T = 293 \text{ K}$ |
| $\beta = 99.15 (3)^\circ$ | Plate, blue |
| $V = 2283.7 (8) \text{ \AA}^3$ | $0.15 \times 0.10 \times 0.10 \text{ mm}$ |
| $Z = 4$ | |

Data collection

| | |
|---|---|
| Rigaku R-AXIS RAPID diffractometer | 4021 independent reflections |
| Radiation source: fine-focus sealed tube graphite | 2509 reflections with $I > 2\sigma(I)$ |
| ω scans | $R_{\text{int}} = 0.063$ |
| Absorption correction: multi-scan | $\theta_{\text{max}} = 25.0^\circ, \theta_{\text{min}} = 3.0^\circ$ |
| | $h = -19 \rightarrow 19$ |

(ABSCOR; Higashi, 1995)

$T_{\min} = 0.866$, $T_{\max} = 0.900$

17441 measured reflections

$k = -12 \rightarrow 12$

$l = -16 \rightarrow 16$

Refinement

Refinement on F^2

Secondary atom site location: difference Fourier map

Least-squares matrix: full

Hydrogen site location: inferred from neighbouring sites

$R[F^2 > 2\sigma(F^2)] = 0.045$

H-atom parameters constrained

$wR(F^2) = 0.150$

$$w = 1/[\sigma^2(F_o^2) + (0.0447P)^2 + 4.7675P]$$

$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$S = 1.13$

$$(\Delta/\sigma)_{\max} < 0.001$$

4021 reflections

$$\Delta\rho_{\max} = 0.74 \text{ e \AA}^{-3}$$

319 parameters

$$\Delta\rho_{\min} = -1.04 \text{ e \AA}^{-3}$$

0 restraints

Extinction correction: SHEXL97 (Sheldrick, 2008),

$$F_c^* = k F_c [1 + 0.001 x F_c^2 \lambda^3 / \sin(2\theta)]^{1/4}$$

Primary atom site location: structure-invariant direct methods

Extinction coefficient: 0.0013 (5)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|----|--------------|-------------|--------------|----------------------------------|
| Cu | -0.33221 (4) | 0.96309 (7) | -0.17022 (4) | 0.0480 (2) |
| O1 | -0.2996 (2) | 1.1433 (4) | -0.1871 (3) | 0.0703 (12) |
| O2 | -0.2404 (2) | 1.1033 (4) | -0.0382 (3) | 0.0606 (10) |
| O3 | -0.2325 (2) | 0.8925 (4) | -0.2077 (3) | 0.0635 (11) |
| O4 | -0.3140 (2) | 0.8977 (4) | -0.3495 (3) | 0.0609 (10) |
| N1 | -0.3735 (2) | 0.7809 (4) | -0.1419 (3) | 0.0450 (10) |
| N2 | -0.4462 (2) | 1.0137 (4) | -0.1442 (3) | 0.0423 (9) |
| C1 | -0.3348 (4) | 0.6641 (6) | -0.1404 (4) | 0.0584 (15) |
| H1 | -0.2794 | 0.6613 | -0.1496 | 0.070* |
| C2 | -0.3756 (5) | 0.5461 (6) | -0.1255 (4) | 0.0698 (17) |
| H2 | -0.3471 | 0.4665 | -0.1251 | 0.084* |
| C3 | -0.4558 (4) | 0.5468 (6) | -0.1115 (4) | 0.0607 (15) |
| H3 | -0.4825 | 0.4678 | -0.1024 | 0.073* |

supplementary materials

| | | | | |
|------|-------------|------------|-------------|-------------|
| C4 | -0.4990 (3) | 0.6670 (5) | -0.1108 (3) | 0.0478 (13) |
| C5 | -0.5834 (3) | 0.6805 (6) | -0.0943 (4) | 0.0587 (15) |
| H5 | -0.6141 | 0.6053 | -0.0854 | 0.070* |
| C6 | -0.6191 (3) | 0.7998 (7) | -0.0914 (4) | 0.0588 (15) |
| H6 | -0.6734 | 0.8055 | -0.0785 | 0.071* |
| C7 | -0.5753 (3) | 0.9185 (6) | -0.1076 (3) | 0.0482 (13) |
| C8 | -0.6084 (4) | 1.0457 (6) | -0.1077 (4) | 0.0606 (16) |
| H8 | -0.6627 | 1.0579 | -0.0962 | 0.073* |
| C9 | -0.5615 (4) | 1.1519 (6) | -0.1244 (4) | 0.0623 (16) |
| H9 | -0.5833 | 1.2366 | -0.1235 | 0.075* |
| C10 | -0.4806 (4) | 1.1328 (5) | -0.1431 (4) | 0.0565 (14) |
| H10 | -0.4494 | 1.2061 | -0.1552 | 0.068* |
| C11 | -0.4933 (3) | 0.9076 (5) | -0.1268 (3) | 0.0395 (11) |
| C12 | -0.4540 (3) | 0.7812 (5) | -0.1262 (3) | 0.0406 (11) |
| C13 | -0.2490 (3) | 1.1732 (5) | -0.1108 (4) | 0.0476 (12) |
| C14 | -0.2009 (3) | 1.3008 (5) | -0.1152 (3) | 0.0416 (11) |
| C15 | -0.2043 (3) | 1.3578 (5) | -0.2067 (4) | 0.0509 (13) |
| H15 | -0.2348 | 1.3161 | -0.2599 | 0.061* |
| C16 | -0.1637 (3) | 1.4737 (6) | -0.2196 (4) | 0.0619 (15) |
| H16 | -0.1660 | 1.5092 | -0.2811 | 0.074* |
| C17 | -0.1197 (4) | 1.5370 (6) | -0.1411 (5) | 0.0667 (16) |
| H17 | -0.0928 | 1.6163 | -0.1490 | 0.080* |
| C18 | -0.1157 (3) | 1.4830 (6) | -0.0517 (5) | 0.0604 (15) |
| H18 | -0.0859 | 1.5272 | 0.0008 | 0.072* |
| C19 | -0.1545 (3) | 1.3636 (5) | -0.0356 (4) | 0.0496 (13) |
| C20 | -0.1458 (4) | 1.3130 (7) | 0.0666 (4) | 0.080 (2) |
| H20A | -0.1327 | 1.2206 | 0.0676 | 0.120* |
| H20B | -0.1973 | 1.3262 | 0.0907 | 0.120* |
| H20C | -0.1019 | 1.3600 | 0.1063 | 0.120* |
| C21 | -0.2458 (3) | 0.8741 (5) | -0.2988 (4) | 0.0494 (13) |
| C22 | -0.1747 (3) | 0.8162 (5) | -0.3429 (3) | 0.0425 (11) |
| C23 | -0.1959 (3) | 0.7396 (5) | -0.4251 (3) | 0.0531 (14) |
| H23 | -0.2517 | 0.7325 | -0.4527 | 0.064* |
| C24 | -0.1363 (4) | 0.6736 (6) | -0.4669 (4) | 0.0615 (15) |
| H24 | -0.1517 | 0.6217 | -0.5214 | 0.074* |
| C25 | -0.0538 (4) | 0.6861 (6) | -0.4265 (4) | 0.0612 (15) |
| H25 | -0.0130 | 0.6410 | -0.4528 | 0.073* |
| C26 | -0.0319 (3) | 0.7651 (6) | -0.3470 (4) | 0.0555 (14) |
| H26 | 0.0243 | 0.7750 | -0.3220 | 0.067* |
| C27 | -0.0903 (3) | 0.8306 (5) | -0.3028 (3) | 0.0430 (12) |
| C28 | -0.0598 (3) | 0.9171 (6) | -0.2164 (4) | 0.0629 (16) |
| H18A | -0.0909 | 0.9981 | -0.2215 | 0.094* |
| H28B | -0.0017 | 0.9361 | -0.2144 | 0.094* |
| H28C | -0.0676 | 0.8720 | -0.1584 | 0.094* |

Atomic displacement parameters (\AA^2)

$$U^{11} \quad U^{22} \quad U^{33} \quad U^{12} \quad U^{13} \quad U^{23}$$

| | | | | | | |
|-----|------------|------------|------------|--------------|--------------|-------------|
| Cu | 0.0409 (4) | 0.0540 (4) | 0.0480 (4) | -0.0059 (3) | 0.0037 (3) | 0.0006 (3) |
| O1 | 0.067 (2) | 0.074 (3) | 0.063 (2) | -0.024 (2) | -0.011 (2) | 0.009 (2) |
| O2 | 0.075 (3) | 0.049 (2) | 0.057 (2) | -0.006 (2) | 0.0108 (19) | 0.0059 (19) |
| O3 | 0.049 (2) | 0.094 (3) | 0.048 (2) | -0.005 (2) | 0.0121 (17) | 0.000 (2) |
| O4 | 0.045 (2) | 0.060 (2) | 0.074 (3) | -0.0035 (18) | -0.0034 (18) | 0.005 (2) |
| N1 | 0.040 (2) | 0.053 (3) | 0.041 (2) | 0.010 (2) | 0.0046 (17) | -0.003 (2) |
| N2 | 0.051 (2) | 0.035 (2) | 0.039 (2) | 0.0028 (19) | 0.0003 (18) | 0.0003 (18) |
| C1 | 0.059 (3) | 0.059 (4) | 0.056 (3) | 0.022 (3) | 0.005 (3) | -0.002 (3) |
| C2 | 0.105 (5) | 0.041 (3) | 0.065 (4) | 0.018 (4) | 0.019 (4) | 0.004 (3) |
| C3 | 0.091 (5) | 0.044 (3) | 0.050 (3) | -0.007 (3) | 0.019 (3) | -0.001 (3) |
| C4 | 0.056 (3) | 0.047 (3) | 0.039 (3) | -0.009 (3) | 0.001 (2) | -0.003 (2) |
| C5 | 0.054 (3) | 0.075 (4) | 0.047 (3) | -0.027 (3) | 0.005 (3) | -0.001 (3) |
| C6 | 0.041 (3) | 0.084 (5) | 0.050 (3) | -0.007 (3) | 0.004 (2) | -0.007 (3) |
| C7 | 0.040 (3) | 0.062 (4) | 0.039 (3) | 0.006 (3) | -0.002 (2) | -0.005 (2) |
| C8 | 0.050 (3) | 0.078 (4) | 0.050 (3) | 0.025 (3) | -0.002 (2) | -0.009 (3) |
| C9 | 0.070 (4) | 0.059 (4) | 0.053 (3) | 0.031 (3) | -0.004 (3) | -0.009 (3) |
| C10 | 0.081 (4) | 0.040 (3) | 0.044 (3) | 0.006 (3) | -0.004 (3) | 0.003 (2) |
| C11 | 0.039 (3) | 0.044 (3) | 0.033 (2) | 0.002 (2) | -0.003 (2) | -0.002 (2) |
| C12 | 0.041 (3) | 0.042 (3) | 0.035 (2) | 0.005 (2) | -0.003 (2) | -0.005 (2) |
| C13 | 0.041 (3) | 0.042 (3) | 0.061 (3) | 0.001 (2) | 0.013 (3) | 0.000 (3) |
| C14 | 0.036 (2) | 0.039 (3) | 0.050 (3) | 0.000 (2) | 0.007 (2) | -0.001 (2) |
| C15 | 0.043 (3) | 0.054 (3) | 0.056 (3) | -0.003 (2) | 0.006 (2) | 0.005 (3) |
| C16 | 0.057 (3) | 0.061 (4) | 0.071 (4) | 0.003 (3) | 0.021 (3) | 0.021 (3) |
| C17 | 0.060 (4) | 0.047 (3) | 0.096 (5) | -0.006 (3) | 0.023 (3) | 0.000 (4) |
| C18 | 0.049 (3) | 0.053 (4) | 0.079 (4) | -0.007 (3) | 0.008 (3) | -0.018 (3) |
| C19 | 0.046 (3) | 0.053 (3) | 0.051 (3) | -0.005 (3) | 0.011 (2) | -0.006 (3) |
| C20 | 0.086 (5) | 0.098 (5) | 0.053 (4) | -0.023 (4) | 0.002 (3) | -0.003 (3) |
| C21 | 0.039 (3) | 0.053 (3) | 0.057 (3) | -0.013 (2) | 0.007 (2) | 0.006 (3) |
| C22 | 0.044 (3) | 0.042 (3) | 0.043 (3) | -0.005 (2) | 0.009 (2) | 0.007 (2) |
| C23 | 0.058 (3) | 0.056 (3) | 0.043 (3) | -0.015 (3) | 0.002 (2) | 0.003 (3) |
| C24 | 0.088 (4) | 0.050 (3) | 0.049 (3) | -0.014 (3) | 0.017 (3) | -0.007 (3) |
| C25 | 0.070 (4) | 0.054 (4) | 0.063 (4) | 0.006 (3) | 0.022 (3) | 0.000 (3) |
| C26 | 0.051 (3) | 0.062 (4) | 0.053 (3) | -0.001 (3) | 0.007 (3) | 0.002 (3) |
| C27 | 0.042 (3) | 0.041 (3) | 0.045 (3) | -0.002 (2) | 0.007 (2) | 0.005 (2) |
| C28 | 0.048 (3) | 0.079 (4) | 0.061 (3) | -0.014 (3) | 0.003 (3) | -0.013 (3) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|--------|-----------|---------|-----------|
| Cu—O3 | 1.919 (4) | C11—C12 | 1.431 (6) |
| Cu—O1 | 1.927 (4) | C13—C14 | 1.518 (7) |
| Cu—N2 | 2.010 (4) | C14—C19 | 1.399 (7) |
| Cu—N1 | 2.025 (4) | C14—C15 | 1.402 (7) |
| O1—C13 | 1.279 (6) | C15—C16 | 1.374 (7) |
| O2—C13 | 1.230 (6) | C15—H15 | 0.9300 |
| O3—C21 | 1.277 (6) | C16—C17 | 1.374 (8) |
| O4—C21 | 1.240 (6) | C16—H16 | 0.9300 |
| N1—C1 | 1.339 (6) | C17—C18 | 1.362 (8) |
| N1—C12 | 1.361 (6) | C17—H17 | 0.9300 |
| N2—C10 | 1.332 (6) | C18—C19 | 1.399 (7) |

supplementary materials

| | | | |
|------------|-------------|---------------|-----------|
| N2—C11 | 1.364 (6) | C18—H18 | 0.9300 |
| C1—C2 | 1.399 (8) | C19—C20 | 1.510 (7) |
| C1—H1 | 0.9300 | C20—H20A | 0.9600 |
| C2—C3 | 1.348 (8) | C20—H20B | 0.9600 |
| C2—H2 | 0.9300 | C20—H20C | 0.9600 |
| C3—C4 | 1.406 (7) | C21—C22 | 1.515 (7) |
| C3—H3 | 0.9300 | C22—C23 | 1.388 (7) |
| C4—C12 | 1.404 (7) | C22—C27 | 1.404 (6) |
| C4—C5 | 1.434 (7) | C23—C24 | 1.382 (8) |
| C5—C6 | 1.345 (8) | C23—H23 | 0.9300 |
| C5—H5 | 0.9300 | C24—C25 | 1.375 (8) |
| C6—C7 | 1.435 (8) | C24—H24 | 0.9300 |
| C6—H6 | 0.9300 | C25—C26 | 1.374 (7) |
| C7—C8 | 1.398 (7) | C25—H25 | 0.9300 |
| C7—C11 | 1.404 (7) | C26—C27 | 1.383 (7) |
| C8—C9 | 1.360 (8) | C26—H26 | 0.9300 |
| C8—H8 | 0.9300 | C27—C28 | 1.516 (7) |
| C9—C10 | 1.393 (8) | C28—H18A | 0.9600 |
| C9—H9 | 0.9300 | C28—H28B | 0.9600 |
| C10—H10 | 0.9300 | C28—H28C | 0.9600 |
| O3—Cu—O1 | 93.39 (18) | O1—C13—C14 | 115.7 (5) |
| O3—Cu—N2 | 170.71 (16) | C19—C14—C15 | 118.9 (5) |
| O1—Cu—N2 | 93.45 (17) | C19—C14—C13 | 124.8 (4) |
| O3—Cu—N1 | 91.94 (17) | C15—C14—C13 | 116.3 (4) |
| O1—Cu—N1 | 173.96 (17) | C16—C15—C14 | 121.6 (5) |
| N2—Cu—N1 | 81.58 (15) | C16—C15—H15 | 119.2 |
| C13—O1—Cu | 105.9 (3) | C14—C15—H15 | 119.2 |
| C21—O3—Cu | 108.2 (3) | C15—C16—C17 | 119.5 (5) |
| C1—N1—C12 | 117.4 (5) | C15—C16—H16 | 120.3 |
| C1—N1—Cu | 129.8 (4) | C17—C16—H16 | 120.3 |
| C12—N1—Cu | 112.7 (3) | C18—C17—C16 | 119.7 (6) |
| C10—N2—C11 | 117.7 (4) | C18—C17—H17 | 120.2 |
| C10—N2—Cu | 129.3 (4) | C16—C17—H17 | 120.2 |
| C11—N2—Cu | 113.0 (3) | C17—C18—C19 | 122.7 (5) |
| N1—C1—C2 | 121.7 (5) | C17—C18—H18 | 118.7 |
| N1—C1—H1 | 119.1 | C19—C18—H18 | 118.7 |
| C2—C1—H1 | 119.1 | C14—C19—C18 | 117.6 (5) |
| C3—C2—C1 | 120.6 (6) | C14—C19—C20 | 124.2 (5) |
| C3—C2—H2 | 119.7 | C18—C19—C20 | 118.1 (5) |
| C1—C2—H2 | 119.7 | C19—C20—H20A | 109.5 |
| C2—C3—C4 | 120.0 (5) | C19—C20—H20B | 109.5 |
| C2—C3—H3 | 120.0 | H20A—C20—H20B | 109.5 |
| C4—C3—H3 | 120.0 | C19—C20—H20C | 109.5 |
| C12—C4—C3 | 116.2 (5) | H20A—C20—H20C | 109.5 |
| C12—C4—C5 | 118.7 (5) | H20B—C20—H20C | 109.5 |
| C3—C4—C5 | 125.1 (5) | O4—C21—O3 | 122.7 (5) |
| C6—C5—C4 | 121.3 (5) | O4—C21—C22 | 120.6 (5) |
| C6—C5—H5 | 119.4 | O3—C21—C22 | 116.6 (4) |
| C4—C5—H5 | 119.4 | C23—C22—C27 | 119.3 (5) |

supplementary materials

| | | | |
|------------|-----------|---------------|-----------|
| C5—C6—C7 | 121.4 (5) | C23—C22—C21 | 116.9 (4) |
| C5—C6—H6 | 119.3 | C27—C22—C21 | 123.7 (4) |
| C7—C6—H6 | 119.3 | C24—C23—C22 | 121.7 (5) |
| C8—C7—C11 | 116.7 (5) | C24—C23—H23 | 119.2 |
| C8—C7—C6 | 124.9 (5) | C22—C23—H23 | 119.2 |
| C11—C7—C6 | 118.4 (5) | C25—C24—C23 | 118.8 (5) |
| C9—C8—C7 | 120.3 (5) | C25—C24—H24 | 120.6 |
| C9—C8—H8 | 119.9 | C23—C24—H24 | 120.6 |
| C7—C8—H8 | 119.9 | C26—C25—C24 | 119.9 (5) |
| C8—C9—C10 | 119.6 (5) | C26—C25—H25 | 120.0 |
| C8—C9—H9 | 120.2 | C24—C25—H25 | 120.0 |
| C10—C9—H9 | 120.2 | C25—C26—C27 | 122.4 (5) |
| N2—C10—C9 | 122.5 (5) | C25—C26—H26 | 118.8 |
| N2—C10—H10 | 118.7 | C27—C26—H26 | 118.8 |
| C9—C10—H10 | 118.7 | C26—C27—C22 | 117.7 (5) |
| N2—C11—C7 | 123.2 (5) | C26—C27—C28 | 118.5 (4) |
| N2—C11—C12 | 116.4 (4) | C22—C27—C28 | 123.7 (4) |
| C7—C11—C12 | 120.3 (5) | C27—C28—H18A | 109.5 |
| N1—C12—C4 | 124.1 (4) | C27—C28—H28B | 109.5 |
| N1—C12—C11 | 116.1 (4) | H18A—C28—H28B | 109.5 |
| C4—C12—C11 | 119.8 (4) | C27—C28—H28C | 109.5 |
| O2—C13—O1 | 122.1 (5) | H18A—C28—H28C | 109.5 |
| O2—C13—C14 | 122.2 (5) | H28B—C28—H28C | 109.5 |

supplementary materials

Fig. 1




Fig. 2

