

2-Amino-4-methyl-6-oxo-3,6-dihydropyrimidin-1-ium perchlorate–2-amino-6-methylpyrimidin-4(1*H*)-one–water (1/1/1)

Kamel Kaabi,^a Maher El Glaoui,^a Valeria Ferretti,^b Matthias Zeller^c and Cherif Ben Nasr^{a*}

^aLaboratoire de Chimie des Matériaux, Faculté des Sciences de Bizerte, 7021 Zarzouna, Tunisia, ^bChemistry Department and Centro di Strutturistica Diffraattometrica, University of Ferrara, Via L. Borsari 46, I-44121 Ferrara, Italy, and ^cYoungstown State University, Department of Chemistry, One University Plaza, Youngstown, Ohio 44555-3663, USA

Correspondence e-mail: cherif_bennasr@yahoo.fr


Received 9 August 2011; accepted 20 August 2011

Key indicators: single-crystal X-ray study; $T = 295$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; disorder in main residue; R factor = 0.059; wR factor = 0.184; data-to-parameter ratio = 17.0.

In the title compound, $\text{C}_5\text{H}_8\text{N}_3\text{O}^+\cdot\text{ClO}_4^-\cdot\text{C}_5\text{H}_7\text{N}_3\text{O}\cdot\text{H}_2\text{O}$, each perchlorate anion is paired with a protonated cationic 2-amino-6-methylpyrimidin-4(1*H*)-one and another non-protonated entity of the same organic pyrimidinone. The crystal structure is stabilized by $\text{N}-\text{H}\cdots\text{O}_{\text{org}}$, $\text{N}-\text{H}\cdots\text{O}_{\text{water}}$, $\text{N}-\text{H}\cdots\text{O}_{\text{ClO}_4}$, $\text{O}-\text{H}\cdots\text{O}_{\text{ClO}_4}$, $\text{N}-\text{H}\cdots\text{N}$ and $\text{C}-\text{H}\cdots\text{O}_{\text{ClO}_4}$ hydrogen bonds between the anions, organic entities and water molecules. Intermolecular $\pi-\pi$ stacking interactions between neighbouring organic rings are observed with a face-to-face distance of 3.776 (2) Å, and $\text{O}-\text{H}\cdots\text{O}$ hydrogen bonds link the perchlorate anions and the water molecules into chains along the b -axis direction. The perchlorate anion and the interstitial water molecule are disordered over two mutually incompatible positions with a common occupancy ratio of 0.678 (16):0.322 (16).

Related literature

For general background to perchlorate salts with organic cations, see: Czarnecki *et al.* (1994); Czupinski *et al.* (2002, 2006). For enamine-imino resonance, see: Oueslati *et al.* (2007). For $\pi-\pi$ stacking interactions, see: Janiak (2000).



Experimental

Crystal data

$\text{C}_5\text{H}_8\text{N}_3\text{O}^+\cdot\text{ClO}_4^-\cdot\text{C}_5\text{H}_7\text{N}_3\text{O}\cdot\text{H}_2\text{O}$ $V = 1629.11$ (9) Å³
 $M_r = 368.75$ $Z = 4$
 Monoclinic, $P2_1/c$ $\text{Mo } K\alpha$ radiation
 $a = 10.3669$ (3) Å $\mu = 0.28$ mm⁻¹
 $b = 10.4342$ (3) Å $T = 295$ K
 $c = 15.0780$ (5) Å $0.30 \times 0.15 \times 0.12$ mm
 $\beta = 92.751$ (2)°

Data collection

Nonius Kappa CCD diffractometer 2765 reflections with $I > 2\sigma(I)$
 7792 measured reflections $R_{\text{int}} = 0.027$
 4739 independent reflections

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.059$ H atoms treated by a mixture of independent and constrained refinement
 $wR(F^2) = 0.184$
 $S = 1.02$
 4739 reflections $\Delta\rho_{\text{max}} = 0.38$ e Å⁻³
 279 parameters $\Delta\rho_{\text{min}} = -0.47$ e Å⁻³
 64 restraints

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{O1WA}-\text{H2WA}\cdots\text{O2}$	0.82 (2)	2.26 (6)	3.07 (4)	169 (16)
$\text{C5}-\text{H5B}\cdots\text{O3}^i$	0.96	2.55	3.509 (6)	173
$\text{N5}-\text{H5}\cdots\text{O1WB}$	0.86	1.95	2.797 (8)	166
$\text{O1WB}-\text{H2WB}\cdots\text{O4}^i$	0.82 (2)	2.30 (4)	3.071 (14)	159 (6)
$\text{N1}-\text{H1}\cdots\text{N4}^i$	0.86	1.98	2.839 (2)	174
$\text{N3}-\text{H3B}\cdots\text{O6}^i$	0.86	1.93	2.787 (2)	178
$\text{N6}-\text{H6A}\cdots\text{O5}^i$	0.86	2.05	2.895 (2)	168
$\text{N2}-\text{H2}\cdots\text{O6}^{ii}$	0.86	1.84	2.6560 (18)	158
$\text{N3}-\text{H3A}\cdots\text{O5}^{ii}$	0.86	2.24	3.0363 (18)	154
$\text{N6}-\text{H6B}\cdots\text{O1}^{iii}$	0.86	2.35	3.095 (17)	145
$\text{C3}-\text{H3}\cdots\text{O1}^{iv}$	0.93	2.56	3.466 (17)	166

Symmetry codes: (i) $-x+2, -y+1, -z+1$; (ii) $x, -y+\frac{1}{2}, z+\frac{1}{2}$; (iii) $-x+1, y+\frac{1}{2}, -z+\frac{3}{2}$; (iv) $-x+1, -y, -z+1$.

Data collection: Kappa CCD server software (Nonius, 1997); cell refinement: *DENZO-SMN* (Otwinowski & Minor, 1997); data reduction: *DENZO-SMN*; program(s) used to solve structure: *SIR97* (Altomare *et al.*, 1999); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEPIII* (Burnett & Johnson, 1996); software used to prepare material for publication: *SHELXL97*, *PARST* (Nardelli, 1983, 1995), *WinGX* (Farrugia, 1999).

The authors acknowledge the support provided by the Secretary of State for Scientific Research and Technology of Tunisia.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BX2369).

References

- Altomare, A., Burla, M. C., Camalli, M., Cascarano, G. L., Giacovazzo, C., Guagliardi, A., Moliterni, A. G. G., Polidori, G. & Spagna, R. (1999). *J. Appl. Cryst.* **32**, 115–119.
 Burnett, M. N. & Johnson, C. K. (1996). *ORTEPIII*. Report ORNL-6895. Oak Ridge National Laboratory, Tennessee, USA.

- Czarnecki, P., Nawrocik, W., Pajaxk, Z. & Nawrocik, J. (1994). *J. Phys. Condens. Matter*, **6**, 4955–4960.
- Czupinski, O., Bator, G., Ciunik, Z., Jakubas, R., Medycki, W. & Wiergiel, J. S. (2002). *J. Phys. Condens. Matter*, **14**, 8497–8512.
- Czupinski, O., Wojtas, M., Zaleski, J., Jakubas, R. & Medycki, W. (2006). *J. Phys. Condens. Matter*, **88**, 3307–3324.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Janiak, J. (2000). *J. Chem. Soc. Dalton Trans.* pp. 3885–3896.
- Nardelli, M. (1983). *Acta Cryst.* **C39**, 1141–1142.
- Nardelli, M. (1995). *J. Appl. Cryst.* **28**, 659.
- Nonius (1997). KappaCCD Software. Nonius BV, Delft, The Netherlands.
- Otwinowski, Z. & Minor, W. (1997). *Methods Enzymol.* **276**, 307–326.
- Oueslati, A., Kefi, R., Ben Nasr, C. & Lefebvre, F. (2007). *J. Mol. Struct.* **871**, 49–58.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supplementary materials

Acta Cryst. (2011). E67, o2507-o2508 [doi:10.1107/S1600536811034106]

2-Amino-4-methyl-6-oxo-3,6-dihydropyrimidin-1-ium perchlorate-2-amino-6-methylpyrimidin-4(1*H*)-one-water (1/1/1)

K. Kaabi, M. El Glaoui, V. Ferretti, M. Zeller and C. Ben Nasr

Comment

Perchlorate salts containing organic cations have been studied extensively in recent years owing to some of their interesting properties such as *e.g.* ferroelectric and dielectric behaviour (Czarnecki *et al.*, 1994; Czupinski *et al.*, 2002; Czupinski *et al.*, 2006). Here, we report the synthesis and the crystal structure of one such compound, (C₅H₈N₃O)(C₅H₇N₃O)ClO₄.H₂O.

The crystal structure of the title compound (Fig. 1) contains one perchlorate anion, one water molecule, and two 2-amino-6-methylpyrimidin-4(1*H*)-one molecules. One of these molecules is protonated at the nitrogen atom of the six membered ring, thus formally changing the molecule into a 2-amino-4-methyl-6-oxo-3,6-dihydropyrimidin-1-ium cation. The atomic arrangement of (C₅H₈N₃O)(C₅H₇N₃O)ClO₄.H₂O can be divided into an organic and an inorganic part. The inorganic section is composed of chains of [ClO₄][−] tetrahedra and water molecules that extend along the *b* axis direction, held together by O_{water}—H[⋯]O(ClO₄) hydrogen bonds. Two such chains cross the unit cell at $z = (2n + 1)/4$ and $x = 0.5$ (Fig. 2, Table 1). The organic groups are located between these chains and connect to them through N—H[⋯]O_{water}, N—H[⋯]O(ClO₄) and C—H[⋯]O(ClO₄) hydrogen bonds to form a three dimensional infinite network (Fig. 3, Table 1). Of the hydrogen bonds, one is bifurcated: O1WA—H2WA[⋯](O2, O4) (Fig. 2, Table 1). The organic entities are associated with each other *via* N—H[⋯]O_{org} and N—H[⋯]N hydrogen bonds (Fig. 3, Table 1). Intermolecular π - π stacking interactions between neighbouring organic rings are observed with a face-to-face distance of 3.776 (2) Å, less than 3.8 Å, the maximum regarded as relevant for π - π interactions (Janiak, 2000).

The C—N bond distances of the NH₂ groups, N3—C1 and N6—C6, are 1.311 (2) and 1.327 (2) Å, respectively, which is short for a C—N single bond, but still not quite as contracted as one would expect for a fully established C=N double bond. These bond length features are consistent with an imino resonance form as it is commonly found for C—N single bonds involving *sp*² hybridized C and N atoms (Oueslati *et al.*, 2007). The distance values of C2—O5 [1.233 (2) Å] and C7—O6 [1.260 (2) Å] clearly indicate two C=O double bonds. This confirms that the first step of the formation of the title compound consists in the tautomerization of the starting material 2-amino-4-hydroxy-6-methylpyrimidine into 2-amino-6-methylpyrimidin-4(1*H*)-one.

Experimental

An aqueous solution of Cu(ClO₄)₂ (1 mmol, 0.263 g) was added dropwise to a solution of 2-amino-4-hydroxy-6-methylpyrimidine (1 mmol, 0.125 g) in ethanol. The resultant mixture was evaporated at room temperature. Crystals of the title compound, which remained stable under normal conditions of temperature and humidity, were isolated after several days and subjected to X-ray diffraction analysis (yield 56%).

Refinement

Reflections (1 1 0), (1 0 0), (-1 0 2), (0 0 2), (0 1 1), (-1 1 1) and (-1 1 2) were obscured by the beamstop and were omitted from the refinement. The oxygen atoms of the perchlorate ion were refined as disordered over two mutually exclusive sets of positions with a refined occupancy ratio of 0.678 (16) to 0.322 (16) for the two orientations. Associated with the perchlorate disorder is disorder of a water molecule, which is distributed over two positions in the same ratio as the anions. All Cl—O bond distances and O···O distances within each disordered moiety were restrained to be each the same within a standard deviation of 0.02 Å. C—H and N—H hydrogen atoms were placed in calculated positions with C—H distances of 0.93 and 0.96 Å and N—H distances of 0.86 Å. The water hydrogen atom positions were refined with O—H distance restraints of 0.82 (2) Å and H···H distance restraints within each water molecule of 1.35 (2) Å. $U_{\text{iso}}(\text{H})$ values of all H atoms were constrained to 1.2 (amine, C—H) or 1.5 (CH₃, O—H) times U_{eq} of the respective parent atom.

Figures




Fig. 1. A view of the title compound, showing 50% probability displacement ellipsoids, arbitrary spheres for the H atoms, and the atom numbering scheme.




Fig. 2. Packing of the title compound viewed down the *b* axis, showing the hydrogen bonding scheme between the water molecules, perchlorate anions and organic entities. Disorder of perchlorate anions and of water molecules is omitted for clarity.




Fig. 3. Crystal packing arrangement showing the hydrogen bonding scheme between the organic entities. Hydrogen bonds are denoted by dotted lines. Disorder of perchlorate anions and of water molecules is omitted for clarity.

2-Amino-4-methyl-6-oxo-3,6-dihydropyrimidin-1-ium perchlorate– 2-amino-6-methylpyrimidin-4(1*H*)-one–water (1/1/1)

Crystal data

$\text{C}_5\text{H}_8\text{N}_3\text{O}^+\cdot\text{ClO}_4^-\cdot\text{C}_5\text{H}_7\text{N}_3\text{O}\cdot\text{H}_2\text{O}$

$M_r = 368.75$

Monoclinic, $P2_1/c$

$F(000) = 768$

$D_x = 1.503 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Hall symbol: -P 2ybc
 $a = 10.3669$ (3) Å
 $b = 10.4342$ (3) Å
 $c = 15.0780$ (5) Å
 $\beta = 92.751$ (2)°
 $V = 1629.11$ (9) Å³
 $Z = 4$

Cell parameters from 7792 reflections
 $\theta = 2.0$ – 30.0 °
 $\mu = 0.28$ mm⁻¹
 $T = 295$ K
 Prismatic, colourless
 $0.30 \times 0.15 \times 0.12$ mm

Data collection

Nonius Kappa CCD
 diffractometer

Radiation source: fine-focus sealed tube
 graphite
 φ scans and ω scans
 7792 measured reflections
 4739 independent reflections

2765 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.027$
 $\theta_{\text{max}} = 30.1$ °, $\theta_{\text{min}} = 3.9$ °
 $h = -14 \rightarrow 14$
 $k = -13 \rightarrow 14$
 $l = -21 \rightarrow 21$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.059$

$wR(F^2) = 0.184$

$S = 1.02$

4739 reflections

279 parameters

64 restraints

Primary atom site location: structure-invariant direct
 methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring
 sites

H atoms treated by a mixture of independent and
 constrained refinement

$w = 1/[\sigma^2(F_o^2) + (0.1048P)^2 + 0.0794P]$

where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\text{max}} = 0.001$

$\Delta\rho_{\text{max}} = 0.38$ e Å⁻³

$\Delta\rho_{\text{min}} = -0.47$ e Å⁻³

Extinction correction: *SHELXL*,

$F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$

Extinction coefficient: 0.033 (6)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

supplementary materials

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
O5	0.98648 (14)	0.24064 (14)	0.41381 (8)	0.0481 (4)	
N1	0.98287 (15)	0.26652 (14)	0.56248 (9)	0.0370 (4)	
H1	1.0315	0.3329	0.5589	0.044*	
N2	0.87048 (15)	0.12750 (14)	0.64911 (9)	0.0386 (4)	
H2	0.8495	0.1022	0.7007	0.046*	
N3	0.98691 (18)	0.29455 (16)	0.71393 (10)	0.0489 (4)	
H3A	0.9635	0.2717	0.7656	0.059*	
H3B	1.0363	0.3600	0.7086	0.059*	
C1	0.94722 (17)	0.22960 (16)	0.64336 (11)	0.0357 (4)	
C2	0.94490 (18)	0.20263 (17)	0.48438 (11)	0.0384 (4)	
C3	0.85884 (19)	0.09806 (19)	0.49410 (12)	0.0452 (5)	
H3	0.8263	0.0545	0.4441	0.054*	
C4	0.82387 (18)	0.06148 (17)	0.57560 (12)	0.0407 (4)	
C5	0.7351 (2)	-0.0476 (2)	0.59327 (15)	0.0579 (6)	
H5A	0.7149	-0.0929	0.5390	0.087*	
H5B	0.6569	-0.0151	0.6165	0.087*	
H5C	0.7763	-0.1048	0.6357	0.087*	
C11	0.32526 (6)	0.13475 (6)	0.68097 (4)	0.0630 (2)	
O1	0.2053 (11)	0.0786 (17)	0.6977 (12)	0.098 (5)	0.322 (16)
O2	0.308 (2)	0.2428 (18)	0.6303 (18)	0.206 (11)	0.322 (16)
O3	0.3952 (12)	0.0439 (15)	0.6352 (11)	0.109 (4)	0.322 (16)
O4	0.3901 (18)	0.161 (3)	0.7605 (10)	0.163 (9)	0.322 (16)
O1'	0.2309 (8)	0.0465 (8)	0.7085 (4)	0.100 (2)	0.678 (16)
O2'	0.2776 (6)	0.2018 (6)	0.6061 (3)	0.0944 (18)	0.678 (16)
O3'	0.4372 (9)	0.0699 (10)	0.6589 (6)	0.133 (3)	0.678 (16)
O4'	0.3540 (11)	0.2203 (8)	0.7502 (5)	0.125 (3)	0.678 (16)
O1WA	0.559 (2)	0.3844 (18)	0.6839 (13)	0.097 (5)	0.322 (16)
H1WA	0.543 (12)	0.457 (6)	0.702 (10)	0.146*	0.322 (16)
H2WA	0.493 (7)	0.342 (10)	0.676 (11)	0.146*	0.322 (16)
O1WB	0.6081 (9)	0.3409 (9)	0.6947 (5)	0.089 (2)	0.678 (16)
H1WB	0.620 (6)	0.387 (5)	0.739 (3)	0.134*	0.678 (16)
H2WB	0.549 (5)	0.292 (5)	0.703 (4)	0.134*	0.678 (16)
O6	0.85711 (15)	0.49047 (14)	0.30449 (8)	0.0523 (4)	
N4	0.84030 (15)	0.52739 (15)	0.45051 (9)	0.0389 (4)	
N5	0.68242 (16)	0.41812 (16)	0.52703 (11)	0.0481 (4)	
H5	0.6483	0.4026	0.5768	0.058*	
N6	0.82368 (19)	0.55766 (18)	0.59950 (11)	0.0582 (5)	
H6A	0.8880	0.6097	0.5994	0.070*	
H6B	0.7866	0.5420	0.6482	0.070*	
C6	0.78157 (18)	0.50162 (17)	0.52456 (12)	0.0410 (4)	
C7	0.79858 (19)	0.46791 (18)	0.37411 (12)	0.0417 (4)	
C8	0.6914 (2)	0.3822 (2)	0.37529 (14)	0.0538 (5)	
H8	0.6605	0.3434	0.3230	0.065*	
C9	0.6351 (2)	0.3576 (2)	0.45156 (14)	0.0508 (5)	
C10	0.5254 (3)	0.2665 (3)	0.46219 (18)	0.0743 (7)	

H10A	0.4962	0.2344	0.4050	0.111*
H10B	0.4558	0.3103	0.4890	0.111*
H10C	0.5538	0.1963	0.4994	0.111*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O5	0.0660 (9)	0.0544 (8)	0.0244 (6)	-0.0120 (7)	0.0079 (6)	-0.0008 (5)
N1	0.0466 (9)	0.0390 (8)	0.0257 (7)	-0.0069 (6)	0.0037 (6)	-0.0001 (6)
N2	0.0459 (9)	0.0422 (8)	0.0281 (7)	-0.0032 (6)	0.0066 (6)	0.0057 (6)
N3	0.0691 (11)	0.0525 (9)	0.0256 (7)	-0.0143 (8)	0.0069 (7)	0.0002 (7)
C1	0.0412 (10)	0.0392 (9)	0.0269 (8)	0.0025 (7)	0.0041 (7)	0.0035 (7)
C2	0.0454 (10)	0.0436 (9)	0.0264 (8)	-0.0001 (8)	0.0039 (7)	-0.0011 (7)
C3	0.0527 (12)	0.0493 (10)	0.0335 (9)	-0.0091 (9)	0.0005 (8)	-0.0039 (8)
C4	0.0415 (10)	0.0420 (9)	0.0388 (9)	-0.0020 (8)	0.0030 (8)	0.0032 (8)
C5	0.0631 (14)	0.0588 (13)	0.0523 (12)	-0.0214 (11)	0.0065 (10)	0.0013 (10)
Cl1	0.0656 (4)	0.0782 (4)	0.0458 (3)	-0.0041 (3)	0.0098 (3)	-0.0022 (3)
O1	0.053 (5)	0.129 (10)	0.116 (11)	-0.008 (5)	0.037 (5)	-0.013 (7)
O2	0.25 (2)	0.100 (10)	0.28 (2)	0.081 (11)	0.129 (16)	0.109 (12)
O3	0.064 (6)	0.143 (8)	0.120 (8)	0.019 (5)	0.000 (5)	-0.057 (7)
O4	0.125 (11)	0.28 (3)	0.081 (7)	-0.063 (14)	-0.040 (7)	-0.040 (12)
O1'	0.147 (6)	0.103 (4)	0.050 (2)	-0.066 (4)	0.023 (3)	-0.003 (2)
O2'	0.111 (3)	0.114 (4)	0.058 (2)	0.019 (3)	0.005 (2)	0.025 (2)
O3'	0.090 (5)	0.173 (7)	0.137 (6)	0.060 (5)	0.026 (4)	0.024 (4)
O4'	0.145 (6)	0.139 (5)	0.091 (4)	-0.052 (4)	0.010 (3)	-0.053 (3)
O1WA	0.117 (12)	0.095 (10)	0.083 (9)	-0.046 (8)	0.044 (9)	-0.025 (7)
O1WB	0.108 (5)	0.096 (5)	0.063 (2)	-0.035 (3)	0.008 (3)	0.013 (3)
O6	0.0736 (10)	0.0537 (8)	0.0303 (7)	-0.0154 (7)	0.0105 (7)	-0.0060 (6)
N4	0.0467 (9)	0.0413 (8)	0.0292 (7)	-0.0049 (7)	0.0057 (6)	-0.0030 (6)
N5	0.0461 (9)	0.0579 (10)	0.0412 (8)	-0.0084 (8)	0.0100 (7)	0.0035 (7)
N6	0.0717 (12)	0.0730 (12)	0.0312 (8)	-0.0255 (10)	0.0160 (8)	-0.0090 (8)
C6	0.0465 (10)	0.0425 (9)	0.0346 (9)	-0.0010 (8)	0.0076 (8)	-0.0003 (7)
C7	0.0500 (11)	0.0432 (10)	0.0321 (8)	-0.0030 (8)	0.0029 (8)	-0.0029 (7)
C8	0.0576 (13)	0.0617 (12)	0.0415 (10)	-0.0159 (10)	-0.0029 (9)	-0.0029 (9)
C9	0.0449 (11)	0.0559 (11)	0.0513 (11)	-0.0096 (9)	-0.0010 (9)	0.0020 (10)
C10	0.0633 (16)	0.0858 (18)	0.0738 (16)	-0.0298 (13)	0.0041 (13)	0.0066 (14)

Geometric parameters (\AA , $^\circ$)

O5—C2	1.233 (2)	Cl1—O1	1.408 (10)
N1—C1	1.347 (2)	Cl1—O1'	1.419 (5)
N1—C2	1.393 (2)	O1WA—H1WA	0.82 (2)
N1—H1	0.8600	O1WA—H2WA	0.82 (2)
N2—C1	1.335 (2)	O1WB—H1WB	0.831 (19)
N2—C4	1.373 (2)	O1WB—H2WB	0.82 (2)
N2—H2	0.8600	O6—C7	1.260 (2)
N3—C1	1.311 (2)	N4—C6	1.325 (2)
N3—H3A	0.8600	N4—C7	1.361 (2)
N3—H3B	0.8600	N5—C6	1.349 (2)

supplementary materials

C2—C3	1.421 (3)	N5—C9	1.371 (3)
C3—C4	1.353 (2)	N5—H5	0.8600
C3—H3	0.9300	N6—C6	1.327 (2)
C4—C5	1.496 (3)	N6—H6A	0.8600
C5—H5A	0.9600	N6—H6B	0.8600
C5—H5B	0.9600	C7—C8	1.427 (3)
C5—H5C	0.9600	C8—C9	1.339 (3)
C11—O2	1.369 (10)	C8—H8	0.9300
C11—O4	1.373 (10)	C9—C10	1.497 (3)
C11—O4'	1.395 (5)	C10—H10A	0.9600
C11—O3	1.396 (10)	C10—H10B	0.9600
C11—O3'	1.397 (6)	C10—H10C	0.9600
C11—O2'	1.398 (4)		
C1—N1—C2	123.33 (15)	O2—C11—O1	110.4 (9)
C1—N1—H1	118.3	O4—C11—O1	109.0 (9)
C2—N1—H1	118.3	O3—C11—O1	106.8 (8)
C1—N2—C4	122.40 (14)	O4'—C11—O1'	108.8 (4)
C1—N2—H2	118.8	O3'—C11—O1'	110.3 (4)
C4—N2—H2	118.8	O2'—C11—O1'	109.8 (4)
C1—N3—H3A	120.0	H1WA—O1WA—H2WA	111 (4)
C1—N3—H3B	120.0	H1WB—O1WB—H2WB	109 (3)
H3A—N3—H3B	120.0	C6—N4—C7	118.73 (15)
N3—C1—N2	121.65 (15)	C6—N5—C9	121.13 (16)
N3—C1—N1	119.85 (16)	C6—N5—H5	119.4
N2—C1—N1	118.50 (15)	C9—N5—H5	119.4
O5—C2—N1	118.64 (16)	C6—N6—H6A	120.0
O5—C2—C3	125.68 (16)	C6—N6—H6B	120.0
N1—C2—C3	115.68 (15)	H6A—N6—H6B	120.0
C4—C3—C2	120.48 (17)	N4—C6—N6	118.84 (17)
C4—C3—H3	119.8	N4—C6—N5	122.41 (16)
C2—C3—H3	119.8	N6—C6—N5	118.74 (16)
C3—C4—N2	119.50 (16)	O6—C7—N4	118.29 (16)
C3—C4—C5	124.79 (18)	O6—C7—C8	122.28 (17)
N2—C4—C5	115.70 (16)	N4—C7—C8	119.43 (16)
C4—C5—H5A	109.5	C9—C8—C7	120.16 (19)
C4—C5—H5B	109.5	C9—C8—H8	119.9
H5A—C5—H5B	109.5	C7—C8—H8	119.9
C4—C5—H5C	109.5	C8—C9—N5	118.10 (18)
H5A—C5—H5C	109.5	C8—C9—C10	125.3 (2)
H5B—C5—H5C	109.5	N5—C9—C10	116.56 (19)
O2—C11—O4	111.9 (9)	C9—C10—H10A	109.5
O2—C11—O3	109.9 (9)	C9—C10—H10B	109.5
O4—C11—O3	108.7 (8)	H10A—C10—H10B	109.5
O4'—C11—O3'	109.8 (5)	C9—C10—H10C	109.5
O4'—C11—O2'	109.8 (4)	H10A—C10—H10C	109.5
O3'—C11—O2'	108.4 (4)	H10B—C10—H10C	109.5
C4—N2—C1—N3	177.34 (17)	C7—N4—C6—N6	178.73 (18)
C4—N2—C1—N1	-1.9 (3)	C7—N4—C6—N5	0.4 (3)

C2—N1—C1—N3	179.95 (17)	C9—N5—C6—N4	-1.6 (3)
C2—N1—C1—N2	-0.8 (3)	C9—N5—C6—N6	179.98 (19)
C1—N1—C2—O5	-177.23 (18)	C6—N4—C7—O6	-178.20 (18)
C1—N1—C2—C3	3.4 (3)	C6—N4—C7—C8	1.5 (3)
O5—C2—C3—C4	177.18 (19)	O6—C7—C8—C9	177.6 (2)
N1—C2—C3—C4	-3.4 (3)	N4—C7—C8—C9	-2.1 (3)
C2—C3—C4—N2	1.1 (3)	C7—C8—C9—N5	0.9 (3)
C2—C3—C4—C5	-179.47 (19)	C7—C8—C9—C10	-177.8 (2)
C1—N2—C4—C3	1.8 (3)	C6—N5—C9—C8	1.0 (3)
C1—N2—C4—C5	-177.75 (17)	C6—N5—C9—C10	179.7 (2)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
O1WA—H2WA...O2	0.82 (2)	2.26 (6)	3.07 (4)	169 (16)
C5—H5B...O3'	0.96	2.55	3.509 (6)	173.
N5—H5...O1WB	0.86	1.95	2.797 (8)	166.
O1WB—H2WB...O4'	0.82 (2)	2.30 (4)	3.071 (14)	159 (6)
N1—H1...N4 ⁱ	0.86	1.98	2.839 (2)	174.
N3—H3B...O6 ⁱ	0.86	1.93	2.787 (2)	178.
N6—H6A...O5 ⁱ	0.86	2.05	2.895 (2)	168.
N2—H2...O6 ⁱⁱ	0.86	1.84	2.6560 (18)	158.
N3—H3A...O5 ⁱⁱ	0.86	2.24	3.0363 (18)	154.
N6—H6B...O1 ⁱⁱⁱ	0.86	2.35	3.095 (17)	145.
C3—H3...O1 ^{iv}	0.93	2.56	3.466 (17)	166.

Symmetry codes: (i) $-x+2, -y+1, -z+1$; (ii) $x, -y+1/2, z+1/2$; (iii) $-x+1, y+1/2, -z+3/2$; (iv) $-x+1, -y, -z+1$.

Fig. 1




Fig. 2




Fig. 3

