

## Bis[1-(2-hydroxyethyl)-2-methyl-5-nitro-1H-imidazole- $\kappa N^3$ ]silver(I) nitrate

Hoong-Kun Fun,<sup>a\*</sup> Samuel Robinson Jebas<sup>a‡</sup> and T. Balasubramanian<sup>b</sup>

<sup>a</sup>X-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, and <sup>b</sup>Department of Physics, National Institute of Technology, Tiruchirappalli 620 015, India  
Correspondence e-mail: hkfun@usm.my


Received 7 March 2008; accepted 10 April 2008

Key indicators: single-crystal X-ray study;  $T = 100$  K; mean  $\sigma(C-C) = 0.002$  Å; disorder in main residue;  $R$  factor = 0.024;  $wR$  factor = 0.060; data-to-parameter ratio = 22.4.

In the title compound,  $[Ag(C_6H_9N_3O_3)_2]NO_3$ , the Ag atom is bicoordinated in a distorted linear configuration by two 1-(2-hydroxyethyl)-2-methyl-5-nitroimidazole ligands through one of the N atoms. The dihedral angle between the two imidazole rings is  $16.1(2)^\circ$ . The O atoms of the nitrate anion are disordered over two positions; the site occupancy factors are 0.8 and 0.2. The ions are connected by C–H $\cdots$ O interactions, while two weak intramolecular C–H $\cdots$ O interactions producing an S(6) ring motif are observed. The nitrate anion is linked to the hydroxyl groups of two neighbouring cations by O–H $\cdots$ O hydrogen bonds. The ions are packed into infinite chains along the [100] direction.

### Related literature

For related literature regarding pharmaceutical uses of nitroimidazole derivatives, see: Credito *et al.* (2000); Edwards (1981); Mendz & Megraud (2002). For comparable crystal structures, see: Blaton *et al.* (1979); Gao *et al.* (2004); Ni *et al.* (2003); Pi *et al.* (2005); Tong & Chen (2000); Yang *et al.* (2005); You & Zhu (2004).



‡ Permanent address: Department of Physics, Karunya University, Karunya Nagar, Coimbatore 641 114, India.

### Experimental

#### Crystal data

$[Ag(C_6H_9N_3O_3)_2]NO_3$	$\gamma = 87.486(1)^\circ$
$M_r = 512.2$	$V = 903.72(3)$ Å $^3$
Triclinic, $P\bar{1}$	$Z = 2$
$a = 6.6912(1)$ Å	Mo $K\alpha$ radiation
$b = 11.6846(3)$ Å	$\mu = 1.18$ mm $^{-1}$
$c = 12.9052(3)$ Å	$T = 100.0(1)$ K
$\alpha = 63.707(1)^\circ$	$0.74 \times 0.22 \times 0.1$ mm
$\beta = 88.820(1)^\circ$	

#### Data collection

Bruker SMART APEXII CCD area-detector diffractometer	20384 measured reflections
Absorption correction: multi-scan ( <i>SADABS</i> ; Bruker, 2005)	6509 independent reflections
$T_{min} = 0.476$ , $T_{max} = 0.892$	5958 reflections with $I > 2\sigma(I)$
	$R_{int} = 0.026$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.024$	291 parameters
$wR(F^2) = 0.059$	H-atom parameters constrained
$S = 1.08$	$\Delta\rho_{\text{max}} = 0.58$ e Å $^{-3}$
6509 reflections	$\Delta\rho_{\text{min}} = -0.65$ e Å $^{-3}$

**Table 1**  
Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
O1–H1O1 $\cdots$ O9B <sup>i</sup>	0.75	2.01	2.685 (5)	150
O1–H1O1 $\cdots$ O8A <sup>i</sup>	0.75	2.15	2.8872 (17)	164
O4–H1O4 $\cdots$ O7A <sup>ii</sup>	0.75	2.02	2.7225 (18)	158
O4–H1O4 $\cdots$ O8B <sup>ii</sup>	0.75	2.29	2.985 (5)	156
C3–H3A $\cdots$ O8A	0.93	2.27	3.0820	145
C4–H4A $\cdots$ O9A	0.93	2.42	3.0269	122
C8–H8B $\cdots$ O2	0.97	2.35	2.891 (2)	115
C10–H10B $\cdots$ O5	0.97	2.36	2.888 (2)	113

Symmetry codes: (i)  $-x + 1, -y, -z + 2$ ; (ii)  $-x, -y, -z + 2$ .

Data collection: *APEX2* (Bruker, 2005); cell refinement: *APEX2*; data reduction: *SAINT* (Bruker, 2005); program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL* and *PLATON* (Spek, 2003).

HKF and SRJ thank the Malaysian Government and Universiti Sains Malaysia for the Science Fund grant No. 305/PFIZIK/613312. SRJ thanks the Universiti Sains Malaysia for awarding a post-doctoral research fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: EZ2123).

### References

- Blaton, N. M., Peeters, O. M. & De Ranter, C. J. (1979). *Acta Cryst. B* **35**, 2465–2467.
- Bruker (2005). *APEX2, SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Credito, K. L., Jacobs, M. R. & Applebaum, P. C. (2000). *Diagn. Microbiol. Infect. Dis.* **38**, 181–183.
- Edwards, D. I. (1981). *Prog. Med. Chem.* **18**, 88–116.
- Gao, S., Lu, Z.-Z., Huo, L.-H. & Zhao, H. (2004). *Acta Cryst. C* **60**, m651–m653.
- Mendz, G. L. & Megraud, F. (2002). *Trends Microbiol.* **10**, 370–375.

- Ni, J., Li, Y.-Z., Xue, Z., Chen, H.-L. & Wang, Z.-L. (2003). *Acta Cryst.* **C59**, m201–m203.  
Pi, W.-X., Yang, Y.-M., Li, H.-Q. & Zhu, H.-L. (2005). *Acta Cryst.* **E61**, o2880–o2881.  
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7–13.  
Tong, M.-L. & Chen, X.-M. (2000). *Acta Cryst.* **C56**, 1075–1076.  
Yang, Y.-M., Li, H.-Q., Shi, L. & Zhu, H.-L. (2005). *Acta Cryst.* **E61**, o2882–o2883.  
You, Z.-L. & Zhu, H.-L. (2004). *Acta Cryst.* **C60**, m515–m516.

## **supplementary materials**

*Acta Cryst.* (2008). E64, m668-m669 [ doi:10.1107/S1600536808009860 ]

## Bis[1-(2-hydroxyethyl)-2-methyl-5-nitro-1*H*-imidazole- $\kappa N^3$ ]silver(I) nitrate

**H.-K. Fun, S. R. Jebas and T. Balasubramanian**

### Comment

Nitroimidazole derivatives are of special interest due to their chemical and pharmacological properties. Nitroimidazoles are generally known as antiprotozoic and radiosensitizing drugs (Edwards, 1981). (1-(2-hydroxyethyl)-2-methyl-5-nitroimidazole), known as metronidazole in pharmaceuticals, is a widely used antibacterial drug (Credito *et al.*, 2000; Mendz & Megraud, 2002). The structure of the title compound (I) has been determined to examine the influence of the coordination of silver on the geometry of the heterocycle.

The structure consists of two 1-(2-hydroxyethyl)-2-methyl-5-nitroimidazole ligands coordinating to the silver through the N atoms in a distorted linear configuration, indicated by the N3—Ag1—N1 angle of 165.34 (4)°. The bond lengths of Ag1—N3 = 2.147 (11) Å and Ag1—N1 = 2.148 (11) Å, are comparable to the values reported for similar silver coordinated complexes (Tong & Chen, 2000; Ni *et al.*, 2003; You & Zhu, 2004; Gao *et al.*, 2004). The bond lengths of the heterocyclic five membered rings are comparable with the values found in 1-(2-hydroxyethyl)-2-methyl-5-nitroimidazole in its un-coordinated form (Blaton *et al.*, 1979), iodometronidazole (Yang *et al.*, 2005), and chlorometronidazole (Pi *et al.*, 2005).

Both the hydroxyl oxygen atoms, O1 and O4, attached to the imidazole rings are twisted from the mean plane, with O1—C9—C8—N2 and O4—C11—C10—N4 torsion angles being -66.96 (14)° and -71.9 (14)° respectively. The nitro groups attached to the imidazole rings are slightly twisted, with O3—N5—C5—C4 and O6—N6—C2—C3 torsion angles of -10.8 (2)° and -13.3 (2)° respectively. Both imidazole rings are essentially planar, with the maximum deviation from planarity being 0.007 (1) Å for atom C1 and 0.003 (2) Å for atom N2. The nitrate anion is disordered over two positions with site occupancies of 0.8:0.2. The molecules in the asymmetric unit are interconnected by C—H···O hydrogen bonds. Intramolecular C—H···O hydrogen bonding results in an S(6) a ring motif, while two oxygen atoms of the major component of the disordered nitrate anion form C—H···O interations with the cation, forming an  $R^2_2(10)$  motif (Fig. 1). The nitrate ions are linked to the hydroxyl groups on neighbouring cations by O—H···O hydrogen bonds. The molecules are packed into infinite one dimensional chains along the [1 0 0] direction.

### Experimental

1-(2-hydroxyethyl)-2-methyl-5-nitroimidazole (0.350 g) [ALDRICH] was dissolved in 25 ml hot ethanol and silver nitrate [Sigma] (0.150 g) was dissolved in 20 ml ammonia solution in the molar ratio 2:1. These two solutions were mixed and heated under reflux for 48 h at a temperature of 363 K. Colourless plate shaped crystals were obtained after a month upon slow evaporation of the solvent.

### Refinement

After confirming their presence in the difference map, all H atoms were placed in calculated positions [C—H = 0.93 Å, CH<sub>3</sub> = 0.96 Å CH<sub>2</sub> = 0.97 Å and O—H = 0.86 Å and refined using a riding model, with  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C}, \text{O})$  and  $U_{\text{iso}}(\text{H}) =$

## supplementary materials

---

-1.5 $U_{\text{eq}}$ (methyl)]. The ratio of the occupancies for the major and minor components of the disordered nitro group O atoms were refined to 0.786 (3):0.214 (3). In the final refinement, this ratio was fixed at 0.8:0.2.

### Figures




Fig. 1. The asymmetric unit of the title compound, showing 50% probability displacement ellipsoids and the atomic numbering. Hydrogen bonds are shown as dashed lines.




Fig. 2. The crystal packing of the title compound, viewed down the  $b$  axis. Hydrogen bonds are shown as dashed lines.

### Bis[1-(2-hydroxyethyl)-2-methyl-5-nitro-1H-imidazole- $\kappa$ N<sup>3</sup>]silver(I) nitrate

#### Crystal data

[Ag(C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>3</sub> ) <sub>2</sub> ]NO <sub>3</sub>	$Z = 2$
$M_r = 512.2$	$F_{000} = 516$
Triclinic, $P\bar{1}$	$D_x = 1.882 \text{ Mg m}^{-3}$
Hall symbol: -P 1	Mo $K\alpha$ radiation
$a = 6.6912 (1) \text{ \AA}$	$\lambda = 0.71073 \text{ \AA}$
$b = 11.6846 (3) \text{ \AA}$	Cell parameters from 9959 reflections
$c = 12.9052 (3) \text{ \AA}$	$\theta = 3.2\text{--}37.8^\circ$
$\alpha = 63.707 (1)^\circ$	$\mu = 1.18 \text{ mm}^{-1}$
$\beta = 88.820 (1)^\circ$	$T = 100.0 (1) \text{ K}$
$\gamma = 87.486 (1)^\circ$	Plate, colourless
$V = 903.72 (3) \text{ \AA}^3$	$0.74 \times 0.22 \times 0.1 \text{ mm}$

#### Data collection

Bruker SMART APEXII CCD area-detector	$R_{\text{int}} = 0.026$
diffractometer	
$\varphi$ and $\omega$ scans	$\theta_{\text{max}} = 32.5^\circ$
Absorption correction: multi-scan	$\theta_{\text{min}} = 2.0^\circ$
(SADABS; Bruker, 2005)	
$T_{\text{min}} = 0.476$ , $T_{\text{max}} = 0.892$	$h = -10 \rightarrow 10$

20384 measured reflections  
 6509 independent reflections  
 5958 reflections with  $I > 2\sigma(I)$

### *Refinement*

Refinement on  $F^2$  H-atom parameters constrained  
 Least-squares matrix: full  $w = 1/[\sigma^2(F_o^2) + (0.0281P)^2 + 0.2414P]$   
 $P = (F_o^2 + 2F_c^2)/3$   
 $R[F^2 > 2\sigma(F^2)] = 0.024$   $(\Delta/\sigma)_{\max} = 0.005$   
 $wR(F^2) = 0.059$   $\Delta\rho_{\max} = 0.58 \text{ e \AA}^{-3}$   
 $S = 1.08$   $\Delta\rho_{\min} = -0.65 \text{ e \AA}^{-3}$   
 6509 reflections Extinction correction: none  
 291 parameters

### *Special details*

**Geometry.** Experimental. The low-temperature data was collected with the Oxford Cryosystem Cobra low-temperature attachment.

All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

### *Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
Ag1	0.247504 (15)	0.147593 (9)	1.004773 (8)	0.01643 (3)	
O1	0.93316 (17)	0.44665 (10)	0.82229 (9)	0.0223 (2)	
H1O1	0.9052	0.3785	0.8594	0.027*	
O2	0.70475 (17)	0.41493 (11)	0.50145 (9)	0.0243 (2)	
O3	0.62322 (18)	0.21652 (11)	0.56769 (10)	0.0250 (2)	
O4	-0.46849 (17)	0.21717 (10)	1.24656 (9)	0.0214 (2)	
H1O4	-0.4288	0.2002	1.2003	0.026*	
O5	-0.18196 (16)	-0.16629 (10)	1.51008 (8)	0.0191 (2)	
O6	-0.10089 (17)	-0.26774 (9)	1.40801 (9)	0.0211 (2)	
N1	0.39023 (17)	0.26342 (10)	0.84333 (9)	0.01355 (19)	
N2	0.56794 (17)	0.41644 (10)	0.71061 (9)	0.01301 (19)	
N3	0.10790 (17)	0.07543 (11)	1.17193 (9)	0.0136 (2)	
N4	-0.07227 (16)	0.06598 (10)	1.32188 (9)	0.01194 (19)	
N5	0.63543 (18)	0.31651 (12)	0.57702 (10)	0.0168 (2)	
N6	-0.11678 (17)	-0.16962 (11)	1.42100 (9)	0.0139 (2)	
C1	0.02601 (19)	0.14301 (12)	1.22443 (11)	0.0127 (2)	
C2	-0.0527 (2)	-0.05563 (12)	1.32798 (11)	0.0124 (2)	
C3	0.0586 (2)	-0.04857 (12)	1.23573 (11)	0.0137 (2)	
H3A	0.0947	-0.1165	1.2192	0.016*	
C4	0.4512 (2)	0.22327 (12)	0.76340 (11)	0.0140 (2)	
H4A	0.4226	0.1455	0.7645	0.017*	

## supplementary materials

---

C5	0.5613 (2)	0.31599 (12)	0.68117 (11)	0.0135 (2)	
C6	0.46316 (19)	0.38035 (12)	0.80999 (11)	0.0133 (2)	
C7	0.4302 (2)	0.45784 (13)	0.87398 (13)	0.0190 (3)	
H7A	0.3141	0.4296	0.9223	0.028*	
H7B	0.4103	0.5461	0.8201	0.028*	
H7C	0.5449	0.4481	0.9211	0.028*	
C8	0.6977 (2)	0.52691 (12)	0.66141 (12)	0.0170 (2)	
H8A	0.6491	0.5913	0.685	0.02*	
H8B	0.6931	0.5642	0.5777	0.02*	
C9	0.9125 (2)	0.48636 (14)	0.70209 (13)	0.0188 (3)	
H9A	0.9564	0.4168	0.6844	0.023*	
H9B	0.9982	0.5574	0.6603	0.023*	
C10	-0.2072 (2)	0.10938 (13)	1.39020 (11)	0.0147 (2)	
H10A	-0.1702	0.1934	1.379	0.018*	
H10B	-0.1919	0.0513	1.4716	0.018*	
C11	-0.4241 (2)	0.11526 (13)	1.35576 (12)	0.0165 (2)	
H11A	-0.4541	0.0354	1.3545	0.02*	
H11B	-0.5093	0.1245	1.4135	0.02*	
C12	0.0442 (2)	0.28233 (13)	1.18237 (13)	0.0182 (3)	
H12A	0.0993	0.3183	1.1057	0.027*	
H12B	0.1306	0.2977	1.233	0.027*	
H12C	-0.0856	0.3213	1.1812	0.027*	
N7	0.25847 (17)	-0.14402 (10)	0.98555 (9)	0.0148 (2)	
O7A	0.2995 (2)	-0.22646 (13)	0.95060 (13)	0.0197 (3)	0.8
O8A	0.1492 (2)	-0.17829 (13)	1.07672 (11)	0.0195 (2)	0.8
O9A	0.3251 (2)	-0.03721 (13)	0.93965 (13)	0.0255 (3)	0.8
O7B	0.1786 (8)	-0.0844 (5)	1.0334 (4)	0.0190 (10)	0.2
O8B	0.3686 (7)	-0.0715 (5)	0.8893 (4)	0.0154 (9)	0.2
O9B	0.2298 (9)	-0.2500 (5)	0.9990 (5)	0.0163 (9)	0.2

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Ag1	0.01378 (5)	0.01905 (5)	0.01297 (5)	-0.00266 (4)	0.00451 (3)	-0.00392 (4)
O1	0.0242 (5)	0.0180 (5)	0.0232 (5)	-0.0036 (4)	-0.0036 (4)	-0.0073 (4)
O2	0.0234 (5)	0.0286 (6)	0.0147 (4)	-0.0036 (4)	0.0057 (4)	-0.0041 (4)
O3	0.0304 (6)	0.0284 (6)	0.0222 (5)	-0.0004 (5)	0.0003 (4)	-0.0168 (4)
O4	0.0219 (5)	0.0204 (5)	0.0198 (5)	0.0055 (4)	-0.0027 (4)	-0.0075 (4)
O5	0.0193 (5)	0.0222 (5)	0.0135 (4)	-0.0019 (4)	0.0060 (4)	-0.0060 (4)
O6	0.0281 (6)	0.0133 (4)	0.0208 (5)	-0.0021 (4)	0.0040 (4)	-0.0065 (4)
N1	0.0130 (5)	0.0130 (5)	0.0132 (5)	-0.0023 (4)	0.0022 (4)	-0.0044 (4)
N2	0.0127 (5)	0.0115 (4)	0.0127 (4)	-0.0016 (4)	0.0002 (4)	-0.0033 (4)
N3	0.0131 (5)	0.0140 (5)	0.0124 (4)	-0.0002 (4)	0.0023 (4)	-0.0049 (4)
N4	0.0111 (5)	0.0135 (5)	0.0121 (4)	-0.0002 (4)	0.0009 (4)	-0.0065 (4)
N5	0.0141 (5)	0.0230 (6)	0.0128 (5)	0.0005 (4)	-0.0001 (4)	-0.0074 (4)
N6	0.0119 (5)	0.0149 (5)	0.0133 (5)	-0.0005 (4)	0.0008 (4)	-0.0048 (4)
C1	0.0107 (5)	0.0141 (5)	0.0134 (5)	-0.0006 (4)	0.0004 (4)	-0.0061 (4)
C2	0.0136 (5)	0.0114 (5)	0.0115 (5)	-0.0006 (4)	0.0013 (4)	-0.0044 (4)

C3	0.0148 (6)	0.0125 (5)	0.0126 (5)	0.0015 (4)	0.0013 (4)	-0.0046 (4)
C4	0.0146 (6)	0.0137 (5)	0.0137 (5)	-0.0022 (4)	0.0006 (4)	-0.0059 (4)
C5	0.0136 (5)	0.0151 (5)	0.0115 (5)	-0.0016 (4)	0.0008 (4)	-0.0056 (4)
C6	0.0119 (5)	0.0122 (5)	0.0142 (5)	-0.0002 (4)	0.0003 (4)	-0.0044 (4)
C7	0.0205 (6)	0.0159 (6)	0.0227 (6)	-0.0001 (5)	0.0030 (5)	-0.0106 (5)
C8	0.0173 (6)	0.0124 (5)	0.0172 (6)	-0.0055 (5)	0.0023 (5)	-0.0026 (4)
C9	0.0152 (6)	0.0185 (6)	0.0232 (6)	-0.0056 (5)	0.0028 (5)	-0.0094 (5)
C10	0.0154 (6)	0.0175 (6)	0.0135 (5)	0.0011 (5)	0.0022 (5)	-0.0091 (5)
C11	0.0138 (6)	0.0183 (6)	0.0167 (6)	0.0007 (5)	0.0030 (5)	-0.0072 (5)
C12	0.0188 (6)	0.0136 (5)	0.0221 (6)	-0.0023 (5)	0.0027 (5)	-0.0078 (5)
N7	0.0136 (5)	0.0157 (5)	0.0162 (5)	0.0004 (4)	-0.0016 (4)	-0.0082 (4)
O7A	0.0249 (7)	0.0191 (6)	0.0181 (6)	0.0024 (5)	-0.0005 (6)	-0.0111 (5)
O8A	0.0195 (6)	0.0248 (7)	0.0148 (5)	-0.0011 (5)	0.0033 (5)	-0.0095 (5)
O9A	0.0274 (7)	0.0148 (6)	0.0300 (7)	-0.0050 (5)	0.0031 (6)	-0.0059 (5)
O7B	0.018 (2)	0.026 (3)	0.020 (2)	0.003 (2)	0.0041 (19)	-0.017 (2)
O8B	0.013 (2)	0.016 (2)	0.013 (2)	-0.0043 (17)	0.0042 (17)	-0.0027 (17)
O9B	0.023 (3)	0.010 (2)	0.012 (2)	-0.0014 (19)	0.001 (2)	-0.0019 (17)

*Geometric parameters ( $\text{\AA}$ ,  $^{\circ}$ )*

Ag1—N3	2.1475 (11)	C4—C5	1.3646 (17)
Ag1—N1	2.1489 (11)	C4—H4A	0.93
O1—C9	1.4165 (18)	C6—C7	1.4791 (18)
O1—H101	0.7548	C7—H7A	0.96
O2—N5	1.2342 (15)	C7—H7B	0.96
O3—N5	1.2327 (16)	C7—H7C	0.96
O4—C11	1.4112 (17)	C8—C9	1.522 (2)
O4—H1O4	0.7478	C8—H8A	0.97
O5—N6	1.2372 (14)	C8—H8B	0.97
O6—N6	1.2299 (15)	C9—H9A	0.97
N1—C6	1.3487 (16)	C9—H9B	0.97
N1—C4	1.3583 (17)	C10—C11	1.5160 (19)
N2—C6	1.3505 (16)	C10—H10A	0.97
N2—C5	1.3871 (16)	C10—H10B	0.97
N2—C8	1.4738 (16)	C11—H11A	0.97
N3—C1	1.3430 (16)	C11—H11B	0.97
N3—C3	1.3638 (16)	C12—H12A	0.96
N4—C1	1.3561 (16)	C12—H12B	0.96
N4—C2	1.3884 (16)	C12—H12C	0.96
N4—C10	1.4742 (16)	N7—O9B	1.195 (5)
N5—C5	1.4206 (17)	N7—O7B	1.219 (5)
N6—C2	1.4182 (16)	N7—O9A	1.2207 (17)
C1—C12	1.4803 (18)	N7—O7A	1.2503 (17)
C2—C3	1.3643 (17)	N7—O8A	1.2854 (16)
C3—H3A	0.93	N7—O8B	1.374 (5)
N3—Ag1—N1	165.34 (4)	N2—C8—C9	110.63 (11)
C9—O1—H101	114.1	N2—C8—H8A	109.5
C11—O4—H1O4	109.2	C9—C8—H8A	109.5
C6—N1—C4	106.90 (10)	N2—C8—H8B	109.5

## supplementary materials

---

C6—N1—Ag1	127.13 (9)	C9—C8—H8B	109.5
C4—N1—Ag1	125.25 (9)	H8A—C8—H8B	108.1
C6—N2—C5	105.98 (10)	O1—C9—C8	112.19 (11)
C6—N2—C8	124.90 (11)	O1—C9—H9A	109.2
C5—N2—C8	127.79 (11)	C8—C9—H9A	109.2
C1—N3—C3	107.24 (10)	O1—C9—H9B	109.2
C1—N3—Ag1	127.60 (9)	C8—C9—H9B	109.2
C3—N3—Ag1	124.41 (9)	H9A—C9—H9B	107.9
C1—N4—C2	105.63 (10)	N4—C10—C11	111.72 (11)
C1—N4—C10	125.57 (11)	N4—C10—H10A	109.3
C2—N4—C10	127.52 (10)	C11—C10—H10A	109.3
O3—N5—O2	123.88 (12)	N4—C10—H10B	109.3
O3—N5—C5	116.63 (11)	C11—C10—H10B	109.3
O2—N5—C5	119.48 (12)	H10A—C10—H10B	107.9
O6—N6—O5	123.70 (11)	O4—C11—C10	112.83 (11)
O6—N6—C2	116.89 (11)	O4—C11—H11A	109
O5—N6—C2	119.40 (11)	C10—C11—H11A	109
N3—C1—N4	110.81 (11)	O4—C11—H11B	109
N3—C1—C12	124.38 (11)	C10—C11—H11B	109
N4—C1—C12	124.80 (11)	H11A—C11—H11B	107.8
C3—C2—N4	108.17 (11)	C1—C12—H12A	109.5
C3—C2—N6	125.67 (12)	C1—C12—H12B	109.5
N4—C2—N6	125.76 (11)	H12A—C12—H12B	109.5
N3—C3—C2	108.13 (11)	C1—C12—H12C	109.5
N3—C3—H3A	125.9	H12B—C12—H12C	109.5
C2—C3—H3A	125.9	O9B—N7—O7B	129.1 (4)
N1—C4—C5	108.62 (11)	O9B—N7—O9A	157.0 (3)
N1—C4—H4A	125.7	O7B—N7—O9A	73.6 (3)
C5—C4—H4A	125.7	O9B—N7—O7A	34.6 (3)
C4—C5—N2	107.74 (11)	O7B—N7—O7A	163.2 (3)
C4—C5—N5	126.13 (12)	O9A—N7—O7A	122.53 (14)
N2—C5—N5	125.74 (11)	O9B—N7—O8A	82.5 (3)
N1—C6—N2	110.75 (11)	O7B—N7—O8A	47.6 (3)
N1—C6—C7	124.08 (12)	O9A—N7—O8A	120.45 (13)
N2—C6—C7	125.16 (11)	O7A—N7—O8A	116.95 (13)
C6—C7—H7A	109.5	O9B—N7—O8B	115.2 (4)
C6—C7—H7B	109.5	O7B—N7—O8B	114.5 (4)
H7A—C7—H7B	109.5	O9A—N7—O8B	41.9 (2)
C6—C7—H7C	109.5	O7A—N7—O8B	80.9 (2)
H7A—C7—H7C	109.5	O8A—N7—O8B	162.1 (2)
H7B—C7—H7C	109.5	Ag1—N1—C4—C5	-170.95 (9)
N3—Ag1—N1—C6	8.8 (2)	N1—C4—C5—N2	-0.29 (16)
N3—Ag1—N1—C4	177.85 (15)	N1—C4—C5—N5	-173.38 (13)
N1—Ag1—N3—C1	17.4 (2)	C6—N2—C5—C4	0.52 (15)
N1—Ag1—N3—C3	-173.76 (15)	C8—N2—C5—C4	167.74 (12)
C3—N3—C1—N4	1.10 (15)	C6—N2—C5—N5	173.64 (13)
Ag1—N3—C1—N4	171.44 (9)	C8—N2—C5—N5	-19.1 (2)
C3—N3—C1—C12	-179.92 (13)	O3—N5—C5—C4	-10.8 (2)
Ag1—N3—C1—C12	-9.6 (2)		

C2—N4—C1—N3	-1.28 (15)	O2—N5—C5—C4	168.30 (14)
C10—N4—C1—N3	-169.09 (12)	O3—N5—C5—N2	177.36 (13)
C2—N4—C1—C12	179.75 (13)	O2—N5—C5—N2	-3.6 (2)
C10—N4—C1—C12	11.9 (2)	C4—N1—C6—N2	0.39 (15)
C1—N4—C2—C3	0.96 (15)	Ag1—N1—C6—N2	171.07 (9)
C10—N4—C2—C3	168.46 (12)	C4—N1—C6—C7	179.94 (13)
C1—N4—C2—N6	174.09 (13)	Ag1—N1—C6—C7	-9.39 (19)
C10—N4—C2—N6	-18.4 (2)	C5—N2—C6—N1	-0.57 (15)
O6—N6—C2—C3	-13.3 (2)	C8—N2—C6—N1	-168.26 (12)
O5—N6—C2—C3	165.71 (13)	C5—N2—C6—C7	179.89 (13)
O6—N6—C2—N4	174.73 (13)	C8—N2—C6—C7	12.2 (2)
O5—N6—C2—N4	-6.2 (2)	C6—N2—C8—C9	92.52 (15)
C1—N3—C3—C2	-0.46 (16)	C5—N2—C8—C9	-72.45 (17)
Ag1—N3—C3—C2	-171.18 (9)	N2—C8—C9—O1	-66.96 (14)
N4—C2—C3—N3	-0.32 (16)	C1—N4—C10—C11	94.80 (15)
N6—C2—C3—N3	-173.46 (12)	C2—N4—C10—C11	-70.35 (17)
C6—N1—C4—C5	-0.05 (15)	N4—C10—C11—O4	-71.90 (14)

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
O1—H101···O9B <sup>i</sup>	0.75	2.01	2.685 (5)	150
O1—H101···O8A <sup>i</sup>	0.75	2.15	2.8872 (17)	164
O4—H1O4···O7A <sup>ii</sup>	0.75	2.02	2.7225 (18)	158
O4—H1O4···O8B <sup>ii</sup>	0.75	2.29	2.985 (5)	156
C3—H3A···O8A	0.93	2.27	3.0820	145
C4—H4A···O9A	0.93	2.42	3.0269	122
C8—H8B···O2	0.97	2.35	2.891 (2)	115
C10—H10B···O5	0.97	2.36	2.888 (2)	113

Symmetry codes: (i)  $-x+1, -y, -z+2$ ; (ii)  $-x, -y, -z+2$ .

## supplementary materials

---

Fig. 1




Fig. 2

