

Design of Group IIA Secreted/Synovial Phospholipase A₂ Inhibitors: An Oxadiazolone Derivative Suppresses Chondrocyte Prostaglandin E₂ Secretion

Jean-Edouard Ombetta^{1,9}, Natacha Thelier^{2,9}, Chang Zhi Dong³, Stéphanie Plocki³, Lydia Tsagris², François Rannou^{2,4}, France Massicot⁵, Atimé Djimdé³, Elissar El-Hayek², Yiming Shi³, Françoise Heymans³, Nohad Gresh⁶, Caroline Chauvet²*

1 Laboratoire de Chimie Organique, Faculté de Pharmacie, Université François Rabelais, Tours, France, 2 Laboratoire de Pharmacologie, Toxicologie et Signalisation Cellulaire, INSERM UMR-S-747, UFR Biomédicale des Saints Pères, Université Paris Descartes, Paris, France, 3 Equipe de Pharmacochimie, ITODYS, CNRS UMR7086, Université Paris Diderot, Paris, France, 4 Service de rééducation, AP-HP, Hôpital Cochin, Paris, France, 5 Laboratoire de Chimie-Toxicologie analytique et cellulaire, EA4463, Faculté de Pharmacie, Université Paris Descartes, Paris, France, 6 Laboratoire de Chimie et Biochimie Pharmacologique et Toxicologique, CNRS UMR8601, UFR Biomédicale des Saints Pères, Université Paris Descartes, Paris, France

Abstract

Group IIA secreted/synovial phospholipase A_2 (GIIAPLA₂) is an enzyme involved in the synthesis of eicosanoids such as prostaglandin E_2 (PGE₂), the main eicosanoid contributing to pain and inflammation in rheumatic diseases. We designed, by molecular modeling, 7 novel analogs of 3-{4-[5(indol-1-yl)pentoxy]benzyl}-4H-1,2,4-oxadiazol-5-one, denoted **C1**, an inhibitor of the GIIAPLA₂ enzyme. We report the results of molecular dynamics studies of the complexes between these derivatives and GIIAPLA₂, along with their chemical synthesis and results from PLA₂ inhibition tests. Modeling predicted some derivatives to display greater GIIAPLA₂ affinities than did **C1**, and such predictions were confirmed by *in vitro* PLA₂ enzymatic tests. Compound **C8**, endowed with the most favorable energy balance, was shown experimentally to be the strongest GIIAPLA₂ inhibitor. Moreover, it displayed an anti-inflammatory activity on rabbit articular chondrocytes, as shown by its capacity to inhibit IL-1 β -stimulated PGE₂ secretion in these cells. Interestingly, it did not modify the COX-1 to COX-2 ratio. **C8** is therefore a potential candidate for anti-inflammatory therapy in joints.

Citation: Ombetta J-E, Thelier N, Dong CZ, Plocki S, Tsagris L, et al. (2010) Design of Group IIA Secreted/Synovial Phospholipase A₂ Inhibitors: An Oxadiazolone Derivative Suppresses Chondrocyte Prostaglandin E₂ Secretion. PLoS ONE 5(6): e10914. doi:10.1371/journal.pone.0010914

Editor: Sudha Agarwal, Ohio State University, United States of America

Received January 19, 2010; Accepted April 1, 2010; Published June 1, 2010

Copyright: © 2010 Ombetta et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: This study was supported in part by INSERM, University Paris Descartes, Arthritis Foundation Courtin and a program of Paris Centre University (Paris Descartes and Paris Diderot). The authors thank the computer center CINES-Montpellier for computer time and technical support. The authors also thank the Ligue Nationale Contre le Cancer for support. NT was supported by Assistance Publique-Hopitaux de Paris. The funders had no role in study design, data collection and analysis. decision to publish, or preparation of the manuscript.

1

Competing Interests: The authors have declared that no competing interests exist.

- * E-mail: caroline.chauvet@parisdescartes.fr
- These authors contributed equally to this work.

Introduction

Inflammation is a multi-faceted process involving numerous enzymes, such as phospholipases A₂ (PLA₂s) and cyclo-oxygenases (COXs) [1]. PLA₂s catalyze the hydrolysis of cell-membrane glycerophospholipids at the sn-2 position leading to the generation of free fatty acids such as arachidonic acid. The later is subsequently metabolized into potent pro-inflammatory mediators such as eicosanoids (e.g. prostaglandin E2 [PGE2]) through a pathway involving COX-1 and COX-2 in part [2]. PGE₂ is the main eicosanoid contributing to pain and inflammation in rheumatic diseases [3,4]. Nonsteroidal anti-inflammatory drugs (NSAIDs) reduce the production of PGE2, which leads to a significant improvement in rheumatic symptoms. However, these drugs exhibit gastrointestinal toxicity mainly because of a marked decrease in COX-1 activity [4] and renal and blood pressure toxicities mainly because of a decrease in COX-2 activity. COX-1 is constitutively expressed in most tissues and appears to be responsible for maintaining normal physiological function. However, COX-2 is absent in most tissues under normal resting conditions but is induced in inflamed tissues and is responsible for increased PGE_2 production. This activation has motivated the development of selective COX-2 inhibitors. However, these inhibitors also have severe side effects such as myocardial infarction [5,6]. Overcoming this problem could involve the development of novel anti-inflammatory agents to efficiently inhibit the PLA_2 -dependent production of COX substrates without impairing the balance between COX-1 and COX-2.

PLA₂s represent a growing family of enzymes of two main categories, intracellular and secreted. Among the 10 human secreted PLA₂s (sPLA₂s) known to date, the most studied is the non-pancreatic Group IIA, denoted GIIAPLA₂, because of its involvement in the pathogenesis of many inflammatory diseases (for a review, see [7]). GIIAPLA₂ was originally purified from the synovial fluid of patients with rheumatoid arthritis [8,9,10]. The number of rheumatoid arthritis-affected joints and the presence of destructive erosion correlate with the amount of GIIAPLA₂ in the serum of patients [11]. Moreover, GIIAPLA₂ induces an

inflammatory response when injected in rabbit joints [12] and exacerbates rat adjuvant arthitis after intradermal injection [13].

The systemic implication of sPLA₂s in inflammation has prompted a number of research groups to develop selective inhibitors of different types of these enzymes. Some potent candidates have been evaluated in phase II clinical trials. Surprisingly, no effect was observed when such inhibitors were used to treat patients with sepsis or rheumatoid arthritis [14,15]. This failure could be due to the complexity of the inflammation process and the existence of compensatory pathways. However, these molecules have been tested only in high-level systemic inflammatory diseases, not in low-level inflammatory diseases such as atherosclerosis, diabetes, Alzheimer's, and osteoarthritis. Varespladib, a sPLA₂ inhibitor, was recently found to reduce atherosclerosis in apolipoprotein-E-null mice [16]. Thus, the efficacy of sPLA₂ inhibitors in these low-level inflammatory diseases should be re-examined.

We have developed various selective inhibitors of sPLA₂s [17,18,19,20,21]. Previously, we reported on the computer-assisted design and synthesis of a series of novel oxadiazolone derivatives that were shown to exhibit potent inhibitory properties against GIIAPLA₂ [20]. In this series, a Ca(II)-binding oxadiazolone ring was connected through a polymethylene chain of varying lengths to an indole ring, which has been shown to be involved in apolar and cation- π interactions with GIIAPLA₂ residues. The optimal length of the linker was found to encompass 5 methylenes, and the corresponding compound, (3-{4-[5-(indol-1-yl)pentoxy]-benzyl}-4H-1,2,4-oxadiazol-5-one), is denoted **C1** in the present study. In the current work, the indole moiety was replaced by other aromatic groups, which gave rise to compounds **C2** to **C8**. Using molecular modeling, we computed and ranked energy balances for the binding of these inhibitors to GIIAPLA₂. The

inhibitory potencies of **C2** to **C8** against GIIAPLA₂ was analyzed by enzymatic assay, and the anti-inflammatory activity of the most potent compound, **C8**, was evaluated in IL-1 β -treated articular chondrocytes.

Results

Molecular modeling

We previously reported that one of the essential interactions between ${\bf C1}$ and the target GIIAPLA₂ is Ca(II) bidentate chelation by the oxadiazolone moiety in its anionic form [20]. Because ${\bf C2-C8}$ are structurally similar to ${\bf C1}$ (Fig. 1), docking was performed upon first anchoring the oxadiazolone ring in the same position as compound ${\bf C1}$, followed by energy minimization and molecular dynamics. As was observed for compound ${\bf C1}$, the lowest-energy frames of ${\bf C2-C8}$ /enzyme complexes are stabilized by $\pi-\pi$ and cation- π interactions involving His6, Phe23, and Phe63 on the one hand and Arg7 and Arg33 of GIIAPLA₂ on the other. Table 1 lists the energy values corresponding to the lowest-energy frames from molecular dynamics.

Chemistry

As outlined in Figure 1, 4-(5-bromopent-1-yloxy)benzyl cyanide 1 is prepared according to Dehaen and Hassner [22] by monosubstitution of 1,5-dibromopentane with 4-hydroxybenzyl cyanide in moderate yield. Compound 1 is then condensed in 25% to 50% yields, with 5-substituted indole derivatives or different aromatic alcohols, through their sodium salts prepared prior to use, to give 2a–g. The nitrile function of 2a–g is converted into amidoxime, by use of hydroxylamine released *in situ* from its HCl salt, to provide 3a–g in 35% to 80% yields. The action of phenyl chloroformate to the amidoximes 3a–g leads to the corresponding

Figure 1. Synthesis scheme. Reagents and conditions: (a) Br(CH₂)₅Br, K₂CO₃, DMF, RT, 10 days; (b) Ar-NH, K₂CO₃, CH₃CN, reflux; (c) NaOH, Abs EtOH; (d) 1, DMF, RT, 24 h; (e) NH₂OH-HCl, K₂CO₃, Abs EtOH; (f) PhOCOCl, Et₃N, CH₂Cl₂; (g) toluene, reflux. The terms **1**, **2a-g** and **3a-g** written in bold refer to the **C2-C8** precursors. The terms **a** to **g** written in bold in the bottom of the figure refer to the radicals (R) of the **C2** to **C8** compounds, respectively. The radical of the **C1** compound is also shown. doi:10.1371/journal.pone.0010914.q001

Table 1. Energy balances (ϵ =4) from performing single-point Poisson-Boltzmann calculations of continuum solvation energies.

Cpd	E _{int}	$\delta \textbf{E}_{\textbf{prot}}$	$\delta \textbf{E}_{\text{lig}}$	δE_1	E _{solv}	E _{solvlig}	E _{solvprot}	δE_{solv}	δE ₂
C1	-129.5	5.5	8.1	-115.9	-344.3	-22.5	-385.1	63.3	-52.6
C2	-131.8	7.8	10.6	-113.4	-343.6	-23.9	-385.1	65.4	-48.0
C3	-129.6	6.0	8.7	-114.9	-344.1	-22.7	-385.1	63.7	-51.2
C4	-130.1	5.6	8.0	-116.5	-343.7	-21.7	-385.1	63.1	-53.2
C5	-131.2	5.1	9.9	-116.2	-350.0	-21.8	-385.1	56.9	-59.3
C6	-130.8	10.0	9.5	-111.3	-350.1	-21.7	-385.1	56.7	-54.6
C7	-122.6	5.1	8.5	-109.0	-340.2	-21.8	-385.1	66.7	-42.3
C8	-135.1	7.1	9.8	-118.2	-349.7	-21.8	-385.1	57.2	-61.0

All energies are given in kcal/mol. E_{int} denotes the inhibitor (compounds **C1** to **C8**)-protein interaction energy, and δE_{lig} and δE_{prot} the costs of conformational energy rearrangements of the inhibitor and the protein, respectively, on passing from their free to complexed states, and δE_1 is the sum: $E_{int} + \delta E_{lig} + \delta E_{prot}$. δE_1 corresponds to a gas-phase complexation energy. $E_{solvprot}$ and $E_{solvlig}$ denote the continuum solvation energies of the isolated protein and the ligand, respectively, following gas-phase energy minimization in the absence of complexation. They represent the energy cost necessary to dehydrate both entities prior to complex formation. $E_{solvtot}$ denotes the continuum solvation energy of the complex. Thus, $\delta E_{solv} = E_{solvtot} - E_{solviig} - E_{solvprot}$, which represents the resulting solvation energy balance. The overall energy balance including solvation is denoted as $\delta E_2 = \delta E_1 + \delta E_{solv}$.

carbonate intermediates, which, when heated to reflux of toluene, cyclizes intra-molecularly to generate the substituted oxadiazolones **C2-C8** in 34% to 50% yields.

In vitro inhibition of enzymatic activity of $sPLA_2s$ by C1-C8

The compounds **C1-C8** were submitted to fluorimetric assay to determine their inhibitory potencies and selectivity towards human $GIIAPLA_2$ ($hGIIAPLA_2$) versus porcine group IB PLA_2 ($pGIB-PLA_2$) (Table 2). $GIBPLA_2$ is an enzyme of the same family as $GIIAPLA_2$ ($sPLA_2$) but is mainly involved in digestion of dietary phospholipids and is secreted by the pancreas [23]. Lipophilicity parameters, log P, of these products are calculated by use of

Table 2. Inhibition of enzymatic activities of porcine pancreatic group IB (pGIB) and human group IIA (hGIIA) PLA₂s by compounds **C1** to **C8** and their corresponding log P values.

Cpd	Log P*	IC ₅₀ (μM)			
		hGIIAPLA ₂	pGIBPLA ₂		
C1	3.81	5.0±0.7	>100		
C2	5.59	10.0±1.5	>100		
C3	2.88	5.0 ± 1.2	>100		
C4	4.57	6.5 ± 1.8	>100		
C5	3.91	$2.5\!\pm\!0.5$	>100		
C6	5.59	3.0±0.2	>100		
C 7	3.64	35 ± 1.8	>100		
C8	7.13	0.62±0.15	>100		

^{*:} calculated using the Rekker's hydrophobic fragmental constants doi:10.1371/journal.pone.0010914.t002

Rekker's fragmental data [24] (Table 2). The molecules C1-C8 are specific inhibitors of hGIIAPLA2 because none inhibited pGIBPLA2 at the highest concentration tested (100 $\mu M).$ Such selectivity implies that C1-C8 should not interfere with the digestion process.

The experimentally measured IC₅₀s for hGIIAPLA₂ (Table 2) are associated with the final energy balances, denoted δE_2 in Table 1. The ranking of C1-C8 in terms of IC₅₀ is the same as that of the δE_2 magnitudes. In **C2**, the second phenyl ring is substituted with the ether O in the ortho position and in C6 in the para position. Both IC_{50} and δE_{2} values show **C2** to have a significantly enhanced affinity for PLA2 as compared with C6, even though both are iso-lipophilic (Tables 1 and 2). In C2, the biphenyl group has favorable van der Waals interactions with both Phe23 and Val30 of the enzyme, but in C6, the interactions are limited to Phe23. Such interactions could be further optimized, as when the biphenyl ring was replaced by phenantrene in **C8**. The lowest-energy complex is now stabilized by an enhanced overlap of this ring with Phe63 (Fig. 2). However, the lipophilicity increases in parallel, which could possibly limit the bioavailability of **C8**. We found C8 indeed endowed with the most favorable δE_2 value (Table 1), which was experimentally associated with the lowest IC_{50} value (0.62 μM vs. 5 μM for **C1**).

At the other extreme, replacing the **C1** indole ring by the smaller and less electron-rich phenyl ring, as in **C7**, resulted in a reduction of 10.3 kcal/mol in δE_2 value. Thus, **C7** can be predicted to have the least inhibitory potency in the series. This finding was confirmed by experimentation showing **C7** to have the highest IC₅₀ value (35 μ M vs. 5 μ M for **C1**).

Similar to C1, compounds C3-C5 have a bicyclic ring, whereas C3 possesses a benzo-1,3-thiazole instead of an indole ring. C4 and C5 have a chlorine and a methoxy substituent, respectively, in position 5 of the indole. In C3-C5, the aromatic rings interact simultaneously with His6, Arg7, and Val3, as was previously observed for C1 [20]. The difference in activity between C4 and C5 could be explained by additional electrostatic and/or van der Waals interactions contributed by methoxy substitution. C3 has anti-hGIIAPLA₂ activity close to that of C1, along with substantially reduced lipophilicity (2.88 vs. 3.81 for C1).

Thus, in the **C1-C8** series, **C8** has the most favorable δE_2 value and the lowest IC_{50} on human $GIIAPLA_2$ activity, as evaluated by enzymatic assay. On the bases of the IC_{50} values we focused our cellular assays on the most potent compound **C8**, the sole compound with a sub-micromolar activity. We thus chose to evaluate the cytotoxicity and anti-inflammatory activity of **C8** in primary cultured rabbit articular chondrocytes treated with the pro-inflammatory cytokine IL-1 β , which is known to play a key role in rheumatic diseases such as osteoarthritis (for reviews see [25,26]). Chondrocyte is the unique cell type in joints, and the cell model we chose is widely used to study the effect of inflammatory stress on joint cells.

Evaluation of the cytotoxicity of C8 on articular chondrocytes

We assessed the viability of the chondrocytes by MTT assay to evaluate the cytotoxic effects of ${\bf C8}$ on these cells. Chondrocytes were treated for 20 h with 1 ng/mL IL-1 β alone or 1 h after the addition of ${\bf C8}$ at 0.31 to 9.92 μ M, which corresponded to 0.5- to 5-fold the IC₅₀ of ${\bf C8}$ on human GIIAPLA₂ activity (Table 2). Three different culture medium compositions were used: DMEM alone, or supplemented with 0.1% BSA or 2% FCS. IL-1 β had no cytotoxic effects as compared with the untreated control condition for the three culture media tested (Fig. 3). In chondrocytes cultured in DMEM alone but with IL-1 β , ${\bf C8}$ had no cytotoxic effects at






Figure 2. Representation of the most important interactions between C8 and the binding site of hGlIAPLA₂ found from modeling. The structure presented in the figure was derived from molecular dynamics using the Accelrys software and the cff91 force field (see Supporting Information S1). In this presentation are shown in particular: a) the chelating of Ca(II) by the oxadiazolone moiety of C8, as well as Gly29 (G29), Gly31 (G31) and Asp48 (D48) of hGlIAPLA₂ with their main-chain or side-chain carbonyls; b) the phenoxy binding site [(Leu2 (L2), Phe5 (F5), His6 (H6) and Ala18 (A18)]; and c) the binding site of 5-(phenanthren-9-yloxy)pentyl [Asn1 (N1), Val3 (V3) and Phe63 (F63)]. doi:10.1371/journal.pone.0010914.g002

0.31 to $2.48~\mu M$ (Fig. 3A). In chondrocytes cultured in DMEM with 0.1% BSA or 2% FCS and IL-1 β , $\boldsymbol{C8}$ had no cytotoxic effects at 0.31 to $9.92~\mu M$ (Fig. 3B and 3C). Thus, we evaluated the anti-inflammatory activity of $\boldsymbol{C8}$ in culture conditions from 0.31 to $1.24~\mu M$ in DMEM alone and from 0.31 to $4.96~\mu M$ in DMEM supplemented with 0.1% BSA or 2% FCS.

Effect of C8 on IL-1 β -stimulated PGE₂ secretion in articular chondrocytes

We tested the effect of C8 on the IL-1 β -stimulated secretion of PGE₂ in chondrocytes. PGE₂ synthesis takes place mainly in response to cell activation by IL-1β, and its generation accounts for many of the actions induced by this cytokine [27]. In vitro, IL-1 β induces the expression of COX-2 by chondrocytes, which results in increased PGE₂ production [28]. PGE₂ release thus represents a powerful IL-1β- and PLA₂-dependent inflammatory marker in our cell model. Chondrocytes were treated for 20 h with IL-1\beta alone or 1 h after the addition of **C8**. As expected, IL-1β significantly stimulated PGE₂ secretion by chondrocytes in the three different culture media: 23.3-, 18.3- and 2.8-fold induction as compared with untreated control conditions, in DMEM alone or supplemented with 0.1% BSA or 2% FCS, respectively (Fig. 4). In chondrocytes treated with IL-1β, C8 had a strong and statistically significant inhibitory effect on PGE₂ secretion at all concentrations tested: from 0.31 to 1.24 μM in DMEM alone or from 0.31 to 4.96 µM in DMEM supplemented with 0.1% BSA or 2% FCS (Fig. 4). In DMEM alone, at concentrations of 0.31-, 0.62-, 0.94-, and 1.24-µM, C8 decreased the production of PGE₂ induced by IL-1 β by 59-, 58-, 74-, and 80-%, respectively (Fig. 4A). In DMEM supplemented with 0.1% BSA, at concentrations of 0.31-, 0.62-, 0.94-, 1.24-, 2.48-, and 4.96-µM, C8 decreased the production of PGE₂ induced by IL-1β by 31-, 30-, 45-, 43-, 81-, and 92-%, respectively (Fig. 4B). In DMEM supplemented with 2% FCS, at concentrations of 0.31-, 0.62-, 0.94-, 1.24-, 2.48-, and 4.96-μM, **C8** decreased the production of PGE₂ induced by IL-1β by 26-, 48-, 49-, 54-, 68-, and 68-%, respectively (Fig. 4C). It is important to note that C8 down-regulated the IL-1β-stimulated secretion of PGE₂ to the level of the control untreated condition at 4.96 µM in DMEM supplemented with 0.1% BSA and at 2.48 and 4.96 µM in DMEM supplemented with 2% FCS. The effect of C8 was then evaluated at the extreme concentrations (0.31- and 4.96μM) in DMEM supplemented with 2% FCS and containing decreasing (1-, 0.5-, and 0.25-ng/mL) IL-1β concentrations (Table 3). The anti-IL-1 β inhibitory effect of **C8** at 0.31 μ M increases when IL-1β concentration decreases. The inhibitory effect of C8 at 4.96 μM does not change when IL-1β concentration decreases. This is probably due to the fact that at 4.96 µM, the inhibitory effect of C8 on IL-1 \beta-induced PGE2 production is maximal. A parallel cellular test was performed on the compound C1 whose IC_{50} is 5 μM (Table 2) and we observed that a 8 μM dose of C1, corresponding to 1.6-fold the IC_{50} of C1 on human $GIIAPLA_2$ activity, does not decrease the stimulated PGE₂ secretion by IL-1β at 1 ng/mL (data not shown). Thus, C8, but not C1, decreases the IL-









Figure 3. Effect of IL-1β **and C8 on viability of articular chondrocytes.** Chondrocytes were untreated (white bars) or treated for 20 h with IL-1β alone (black bars) or 1 h after the addition of **C8** (grey bars) in DMEM alone (A) or supplemented with 0.1% BSA (B) or 2% FCS (C). Cell viability was evaluated by an MTT-based test. Data represent the absorbance_{570nm} - absorbance_{690nm} and are expressed as relative arbitrary units, where the IL-1β-untreated group represents 100%. Values are means \pm SEM (n=3 to 8 independent determinations). ‡ P<0.05, ‡‡ P<0.01, ‡‡ P<0.001 between untreated and IL-1β-treated groups; ‡ P<0.05, ‡ P<0.01, ‡‡ P<0.001 between IL-1β- and IL-1β-treated groups.


doi:10.1371/journal.pone.0010914.g003

 1β -stimulated PGE $_2$ secretion in a dose-dependent manner in the three culture medium compositions used.

Effect of C8 on IL-1 β -stimulated NO secretion in articular chondrocytes

We tested the effect of C8 on the IL-1 β -stimulated secretion of NO in chondrocytes. NO is a mediator of immune and








Figure 4. Effect of IL-1β and C8 on PGE₂ secretion by articular chondrocytes. Chondrocytes were untreated (white bars) or treated for 20 h with IL-1β alone (black bars) or 1 h after the addition of **C8** (grey bars) in DMEM alone (A) or with 0.1% BSA (B) or with 2% FCS (C). PGE₂ concentration was determined in conditioned culture medium, and protein concentration was determined in whole-cell protein extracts. Data represent the ratio of PGE₂ concentration relative to whole cell protein concentration (pg PGE₂/μg proteins). Values are means \pm SEM (n=3 to 7 independent determinations). ‡ P<0.05, ‡‡ P<0.01, ‡‡ P<0.001 between untreated and IL-1β-treated groups; ‡ P<0.05, ** ‡ P<0.01, *** ‡ $^{$

doi:10.1371/journal.pone.0010914.g004

inflammatory responses. *In vitro*, IL-1 β induces the expression of inducible NO synthase (iNOS) by chondrocytes, and consequently an increase in NO production [29]. NO secretion, evaluated by nitrite concentration in the cell culture medium, represents a reliable IL-1 β -dependent and PLA₂-independent inflammatory marker in our cell model. Chondrocytes were treated for 20 h with IL-1 β alone or 1 h after the addition of **C8**. As expected, IL-1 β

Table 3. Effect of **C8** on PGE₂ secretion by articular chondrocytes incubated with different IL-1 β concentrations.

	C8 inhibitory effect (%inhibition)				
IL-1β (ng/mL)	C8 at 0.31 μM	C8 at 4.96 μM			
1	25*	68***			
0.5	60*	67*			
0.25	67	65			

Chondrocytes were untreated or treated for 20 h with IL-1 β (1-, 0.5-, or 0.25-ng/mL) alone or 1 h after the addition of **C8** (0.31- or 4.96- μ M) in DMEM with 2% FCS. PGE₂ concentration was determined in conditioned culture medium, and protein concentration was determined in whole-cell protein extracts. The PGE₂ concentration was normalized relatively to whole cell protein concentration (pg PGE₂/ μ g proteins). The means of PGE₂ concentrations from 3 independent determinations were calculated and the anti-IL-1 β inhibitory effect of **C8** was determined with the formula %inhibition = 100 – 100 ×[(mean PGE₂ in IL-1 β +**C8** condition)/(mean PGE₂ in IL-1 β condition)]).

***P<0.001 between IL-1 β - and IL-1 β +**C8**-treated groups. doi:10.1371/journal.pone.0010914.t003


significantly stimulated nitrite secretion by chondrocytes in the three different culture media: 8.1-, 2.6-, and 2.0-fold induction as compared with the control conditions, in DMEM medium alone or supplemented with 0.1% BSA or 2% FCS, respectively (Fig. 5). **C8** did not significantly inhibit the IL-1β-stimulated nitrite secretion in chondrocytes cultured in DMEM medium alone or supplemented with 0.1% BSA (Fig. 5A, B). In DMEM supplemented with 2% FCS, **C8** did not inhibit the IL-1β-stimulated nitrite secretion at 0.31-, 0.62-, and 0.94-μM and slightly decreased by 17-, 19-, 21-% the IL-1β-induced nitrite production at 1.24-, 2.48-, and 4.96-μM, respectively (Fig. 5C). Thus, **C8** did not inhibit the IL-1β-stimulated NO secretion in DMEM alone or supplemented with 0.1% BSA and slightly inhibited IL-1β-stimulated NO secretion in DMEM supplemented with 2% FCS.


Effect of C8 on COX-1, COX-2, and iNOS protein levels in articular chondrocytes

We evaluated the effect of C8 on COX-1, COX-2 and iNOS protein levels in chondrocytes treated with IL-1 β . Chondrocytes were treated for 20 h with IL-1 β alone or 1 h after the addition of C8 (0.31-1.24 μ M) in DMEM, and protein extracts were examined by western blot analysis. As expected, COX-1 protein was detectable but COX-2 and iNOS proteins were undetectable in untreated control conditions (Fig. 6A). Moreover, IL-1 β treatment induced the expression of COX-2 and iNOS proteins without affecting the level of COX-1 protein (Fig. 6A). In the presence of IL-1 β , C8 did not alter the COX-1, COX-2 and iNOS protein levels (Fig. 6A). Consequently, the protein ratio of COX-1 to COX-2 was not modified by C8 (Fig. 6B).

Discussion

Nonsteroidal anti-inflammatory drugs (NSAIDs), which inhibit COX-1 and COX-2, and selective COX-2 inhibitors are currently used to reduce rheumatic symptoms. However, these drugs exhibit gastrointestinal, renal, blood pressure and cardiovascular toxicities. To overcome this problem, GIIAPLA₂ inhibitors could be developed to inhibit the production of COX substrates without impairing the balance between COX-1 and COX-2. We designed and synthesized 7 new oxadiazolone derivatives (C2 to C8) derived from C1. Using molecular modeling, we computed and









Figure 5. Effect of IL-1β and C8 on nitrite secretion by articular chondrocytes. Chondrocytes were untreated (white bars) or treated for 20 h with IL-1β alone (black bars) or 1 h after the addition of **C8** (grey bars) in DMEM alone (A) or supplemented with 0.1% BSA (B) or 2% FCS (C). NO secretion was indirectly evaluated by determination of nitrite concentration in conditioned culture medium. Protein concentration was determined in whole-cell protein extracts. Data represent the ratio of nitrite concentrations relative to whole-cell protein concentration (pmol nitrites/μg protein). Values are means \pm SEM (n=4 to 7 independent determinations). ‡ P < 0.05, ‡‡ P < 0.001 between untreated and IL-1β-treated groups; ‡ P < 0.05, ‡ P < 0.01, ‡ P < 0.01, ‡ P < 0.01 between IL-1β- and IL-1β-treated groups. doi:10.1371/journal.pone.0010914.g005

ranked energy balances for the binding of these inhibitors to $GIIAPLA_2$. The energy balances (Table 1) taking into account solvation effects show a correlation between δE_2 , the overall energy balance for binding, and the experimentally measured IC_{50} for our novel compounds **C1-C8**. This finding should lend additional credence to our previous results [20], despite the approximations of the computational approach used in that study,






Figure 6. Effect of IL-1β and C8 on the COX-1, COX-2, and iNOS protein levels in articular chondrocytes. (A) Chondrocytes were untreated or treated for 20 h with IL-1β alone or 1 h after the addition of C8 in DMEM. 20 μg aliquots of whole-cell protein extracts were examined by western blot analysis with antibodies against COX-1, COX-2, and iNOS. α-tubulin immunodetection is shown as a control for protein loading and transfer. Results from one representative experiment in five are shown. (B) Intensities of the COX-1 and COX-2 immunoreactive bands evaluated by semi-quantitative scanning densitometry. Data represent the COX-1/COX-2 protein ratio and are expressed as relative arbitrary units, where the IL-1β-treated group represents 1. Values are means \pm SEM (n=5 independent determinations). No significant differences were found between the groups. doi:10.1371/journal.pone.0010914.g006

which allows for only single-point computations of Poisson-Boltzmann solvation energies for the most stable minima of the molecular dynamics procedure. Our useful predictions made with the present simplified energy potential may be due to the very local changes we made in the **C1-C8** series. These bear on the series' sole terminal aromatic group and target a limited number of amino acids, so that the accuracy of the energy potential may be sufficient. We plan to study such energy balances with the polarizable molecular mechanics procedure SIBFA [30], which, along with the Langlet-Claverie methodology for Continuum solvation [31], was recently used to investigate the binding of inhibitors to metalloenzymes [32]. This study should also allow for considering changes on other parts of the drugs as well.

One possible unfavorable feature of **C8** is its enhanced lipophilicity as compared with the other compounds. Nevertheless, this feature did not prevent the pharmacological efficiency of **C8** in chondrocytes. Reduction in Log P could be anticipated by replacing phenantrene with heterocyclic analogs and/or substitution with hydrophilic groups. Such reductions were seen on

passing from compound **C1** with an indole ring to **C3** with a benzothiazole. Nevertheless, the high lipophilicity of **C8** should be an interesting option for its prospective clinical development, considering the possibility of local administration (intra-articular infiltration).

The toxicity and anti-inflammatory activity of C8 were evaluated in rabbit articular chondrocytes in primary culture. The toxicity of **C8** was assessed by MTT, which allows an evaluation of the cell number and/or metabolic activity in cells. C8 (from 0.31 to 9.92 µM) did not decrease cell viability in culture medium supplemented with 0.1% BSA or 2% FCS but did (at 4.96) and 9.92 µM) in culture medium alone. This observation is probably due to the cells being weakened in the absence of BSA or FCS. We also observed, as expected, an increase in cell number and/or metabolic activity in response to IL-1\beta. This effect increases in the presence of **C8**, at non toxic doses, whatever the culture conditions. Thus, depending on the culture conditions or C8 doses, C8 increases or decreases cell number and/or metabolic activity. Moreover, C8 from 0.31 μM inhibited IL-1β-induced secretion of PGE₂ by chondrocytes, corresponding to half of the IC₅₀ on human GIIAPLA₂ activity evaluated in vitro by enzymatic assay. Therefore, **C8** could be a potent anti-inflammatory drug in vivo. However, **C8** did not inhibit IL-1β-induced NO secretion by chondrocytes cultured in DMEM alone or supplemented with 0.1% BSA and slightly inhibited IL-1β-stimulated NO secretion in DMEM supplemented with 2% FCS. These data suggest that the anti-inflammatory property of **C8** in chondrocytes mainly depends on its capacity to inhibit PLA₂ activity.

COX-1 is involved in normal physiological functions, whereas COX-2 is involved in the inflammatory response. Antiinflammatory drugs such as NSAIDs and selective COX-2 inhibitors, used to treat rheumatic disease, have severe side effects owing to impairment in the balance between COX-1 and COX-2 [4,5,6]. Interestingly, the present work shows that the potent PLA₂ inhibitor **C8** decreases PGE₂ production without impairing this balance. Consequently, **C8** could be a useful candidate in developing new anti-inflammatory drugs lacking the side effects observed with NSAIDs and selective COX-2 inhibitors.

In summary, we report on the design, synthesis and testing of 7 **C1** analogs that differ from **C1** by indole substitution or by indole replacement by other aromatic rings, the largest being phenanthrene. Compounds C2-C8 show both inhibitory activity on secreted/synovial GIIAPLA2 and selectivity as compared with GIBPLA₂, a pancreatic enzyme involved in the digestion of dietary phospholipids. The order of interaction energies predicted by molecular modeling of these compounds is associated with their experimental IC₅₀ values with GIIAPLA₂ used as a target. The most promising compound is C8 in terms of computed energy balance for binding GIIAPLA2 and experimental potency towards GIIAPLA2, namely one order of magnitude larger than that of **C1**. In addition, **C8** is endowed with anti-inflammatory activity in articular chondrocytes by inhibiting IL-1β-stimulated PGE₂ secretion in these cells. Furthermore, it does not modify the ratio between the COX-1 and COX-2 isoenzymes. **C8** is therefore an attractive candidate for anti-inflammatory therapy in joints. Experiments in animal models of rheumatic diseases are in progress in our laboratory.

Materials and Methods

Ethics Statements

Experimental protocols using rabbits complied with French legislation on animal experimentation and were approved by INSERM (Intitut National de la Santé et de la Recherche Médicale)'s Committee for Animal Studies.

Molecular modeling

Molecular modeling is described in Supporting Information S1.

Synthesis of oxadiazolone derivatives

Synthesis of compounds **C1-C8** is described in Supporting Information S1.

In vitro PLA2 assay

Fatty-acid free BSA and pancreatic PLA2 were from Sigma. hGIIAPLA₂ was prepared as previously described [33]. The fluorescent substrate for PLA2 assay, 1-hexadecanoyl-2-(10pyrenedecanoyl)-sn-glycero-3-phosphoglycerol, ammonium salt (β-py-C₁₀-PG) was from Molecular Probes (Eugene). PLA₂ activity was evaluated as previously described [34] with β-py- C_{10} -PG used as a substrate (2 μ M final concentration). In a total volume of 1 mL, the standard reaction medium contained 50 mM Tris-HCl (pH 7.5), 500 mM NaCl, 1 mM EGTA, 2 μM β-py-C₁₀-PG, 0.1% fatty-acid free BSA and 6 ng/mL pancreatic PLA₂ or 1 ng/mL hGIIAPLA₂. The fluorescence $(\lambda_{\rm ex} = 342 \text{ nm} \text{ and } \lambda_{\rm em} = 398 \text{ nm})$ of the enzymatic reaction medium was recorded for 3 min with use of a spectrofluorimeter LS 50 (Perkin-Elmer) equipped with a Xenon lamp. The reaction was initiated by the addition of CaCl₂ (10 mM, final concentration). The increase in fluorescence was continuously recorded for 1 min, and PLA2 activity was calculated as previously described [34]. When used, the inhibitor was added to the reaction medium after introduction of BSA. The activity is expressed in micromoles of fluorescent β-py-C₁₀-PG hydrolyzed per min. The standard error of the mean of three independent experiments was less than 10%, which allows for the determination of the IC₅₀ values (concentration of inhibitors producing 50% inhibition) of each compound.

Isolation and culture of chondrocytes from rabbit articular cartilage

Articular chondrocytes were isolated from 5-week-old Fauve de Bourgogne female rabbits (CPA, Orleans, France) and cultured at the first passage in conditions avoiding cell dedifferentiation as previously described [35]. Cells were cultured at 37°C in 12-well plates in Ham's F-12 medium containing 10% FCS, 20 IU/mL penicillin, and 20 μ g/mL streptomycin (all from Invitrogen) until nearly confluent. Then medium was replaced with DMEM (Invitrogen) containing 20 IU/mL penicillin, and 20 μ g/mL streptomycin and, if necessary, 0.1% fatty acid free BSA (Sigma) or 2% FCS. At this time the **C8** compound dissolved in DMSO (Sigma) was added to the medium (the amount of DMSO was kept at 1‰ (v/v) in all the wells). 1 h after the addition of **C8**, IL-1 β (PeproTech) was added to the medium. Consequently, chondrocytes were incubated for 20 h with IL-1 β and for 21 h with **C8**.

Evaluation of cell viability

At 18 h after the addition of IL-1 β , 3-[4,5-dimethylthiazol-2-yl]-2,5-diphenyl tetrazolium bromide (MTT; Sigma) was added to the cell culture medium at 0.5 mg/mL. Cells were incubated 2 more hours at 37°C. The medium was then removed, and DMSO was added to dissolve the formazan crystals. The absorbance of the resulting solution was spectrophotometrically measured at 570 and 690 nm (background). The value corresponding to absorbance_{570nm} - absorbance_{690nm} was directly proportional to the number and activity of the viable cells.

Determination of PGE_2 and nitrite concentrations in culture medium

20 h after the addition of IL-1 β to the chondrocytes, culture media were collected, and aliquots were stored at $-80^{\circ}\mathrm{C}$ until PGE₂ and nitrite quantification. PGE₂ concentration in culture media was determined by use of an enzyme immunoassay (EIA) kit (PGE₂ EIA Kit-monoclonal; Cayman Chemical). Nitrite concentration was determined by a spectrophotometry method based on the Griess reaction [36]. Briefly, 200 μ L of culture medium or sodium nitrite (NaNO₂, Merck) standard dilutions were mixed with 100 μ L Griess reagent [0.5% (w/v) sulphanilic acid (Merck), 0.05% (w/v) N(1-naphtyl)ethylenediamine (Merck), 30% (v/v) acetic acid, 1.5 N HCl] and incubated for 10 min at 50°C. The absorbance was measured at 540 nm.

Preparation of whole-cell protein extracts, protein quantification and western blot analysis

Proteins were extracted from the cultured cells by addition of lysis buffer [10 mM Tris (pH 7.4), 0.5% (v/v) NP40, 150 mM NaCl, 1 mM PMSF, 0.1 mM Na₃VO₃, complete-EDTA-free protease inhibitor cocktail (Roche)]. Cell lysates were centrifuged for 15 min at 14000 rpm at 4°C and supernatants were collected. Protein concentrations were determined by the Bradford method [37] by use of the Protein Assay dye reagent (Bio-Rad). Protein extracts (20 µg) were size-separated by SDS-PAGE in a 10% (w/v) polyacrylamide gel and electroblotted to a nitrocellulose membrane. Equal protein loading and transfer was confirmed by staining the membrane with Ponceau Red [0.2% (w/v) in H₂O:acetic acid 99:1]. The membrane was sequentially incubated with antibodies against COX-1 (1:200, Santa Cruz Biotechnology), COX-2 (1:500, Santa Cruz Biotechnology), iNOS (1:400, BD Biosciences) or α-tubulin (1:100, Santa Cruz Biotechnology) and then with peroxidase-conjugated donkey anti-goat IgG (1:20000) or donkey anti-rabbit IgG (1:200, both Santa Cruz Biotechnology). Immunocomplexes were detected by an enhanced chemiluminescence kit (Amersham Bioscience). The membrane was stripped by incubation in 0.2 M NaOH between successive immunodetections. Semi-quantitative scanning densitometry involved use of the ImageJ program (NIH, USA).

Statistical analysis

Results are expressed as means \pm SEM for the number of experiments indicated. Statistical analysis involved use of the Kruskal-Wallis test, then the ANOVA Fisher's test. A P<0.05 was considered statistically significant.

Supporting Information

Supporting Information S1 Materials and Methods in chemistry and molecular modeling.

Found at: doi:10.1371/journal.pone.0010914.s001 (0.12 MB DOC)

Acknowledgments

We thank the computer center CINES-Montpellier for computer time and technical support.

Author Contributions

Conceived and designed the experiments: JEO CZD FPR FH NG CC. Performed the experiments: JEO NT SP LT FM AD EEH YS CC. Analyzed the data: JEO NT CZD SP FPR FM NG CC. Wrote the paper: JEO NT CZD FPR FM NG CC.

References

- 1. Murakami M, Kudo I (2004) Recent advances in molecular biology and physiology of the prostaglandin E2-biosynthetic pathway. Prog Lipid Res 43:
- 2. Dennis EA (1994) Diversity of group types, regulation, and function of phospholipase A2. J Biol Chem 269: 13057-13060.
- 3. McCoy JM, Wicks JR, Audoly LP (2002) The role of prostaglandin E2 receptors in the pathogenesis of rheumatoid arthritis. J Clin Invest 110: 651-658.
- 4. Martel-Pelletier J, Pelletier JP, Fahmi H (2003) Cyclooxygenase-2 and prostaglandins in articular tissues. Semin Arthritis Rheum 33: 155–167.
- 5. Chen YF, Jobanputra P, Barton P, Bryan S, Fry-Smith A, et al. (2008) Cyclooxygenase-2 selective non-steroidal anti-inflammatory drugs (etodolac, meloxicam, celecoxib, rofecoxib, etoricoxib, valdecoxib and lumiracoxib) for osteoarthritis and rheumatoid arthritis: a systematic review and economic evaluation. Health Technol Assess 12: 1-278, iii
- 6. Solomon DH, Avorn J, Sturmer T, Glynn RJ, Mogun H, et al. (2006) Cardiovascular outcomes in new users of coxibs and nonsteroidal antiinflammatory drugs: high-risk subgroups and time course of risk. Arthritis Rheum 54: 1378-1389
- 7. Nevalainen TJ, Haapamaki MM, Gronroos JM (2000) Roles of secretory phospholipases A(2) in inflammatory diseases and trauma. Biochim Biophys Acta 1488: 83-90
- 8. Hara S, Kudo I, Chang HW, Matsuta K, Miyamoto T, et al. (1989) Purification and characterization of extracellular phospholipase A2 from human synovial fluid in rheumatoid arthritis. J Biochem 105: 395-399.
- Kramer RM, Hession C, Johansen B, Hayes G, McGray P, et al. (1989) Structure and properties of a human non-pancreatic phospholipase A2. J Biol Chem 264: 5768-5775.
- Seilhamer JJ, Plant S, Pruzanski W, Schilling J, Stefanski E, et al. (1989) Multiple forms of phospholipase A2 in arthritic synovial fluid. J Biochem 106: 38-42.
- 11. Lin MK, Farewell V, Vadas P, Bookman AA, Keystone EC, et al. (1996) Secretory phospholipase A2 as an index of disease activity in rheumatoid arthritis. Prospective double blind study of 212 patients. J Rheumatol 23:
- 12. Bomalaski JS, Lawton P, Browning JL (1991) Human extracellular recombinant phospholipase A2 induces an inflammatory response in rabbit joints. J Immunol
- 13. Murakami M, Kudo I, Nakamura H, Yokoyama Y, Mori H, et al. (1990) Exacerbation of rat adjuvant arthritis by intradermal injection of purified mammalian 14-kDa group II phospholipase A2. FEBS Lett 268: 113-116.
- 14. Bradley JD, Dmitrienko ÂA, Kivitz AJ, Gluck OS, Weaver AL, et al. (2005) A randomized, double-blinded, placebo-controlled clinical trial of LY333013, a selective inhibitor of group II secretory phospholipase A2, in the treatment of rheumatoid arthritis. J Rheumatol 32: 417-423.
- 15. Zeiher BG, Steingrub J, Laterre PF, Dmitrienko A, Fukiishi Y, et al. (2005) LY315920NA/S-5920, a selective inhibitor of group IIA secretory phospholipase A2, fails to improve clinical outcome for patients with severe sepsis. Crit Care Med 33: 1741-1748.
- 16. Fraser H, Hislop C, Christie RM, Rick HL, Reidy CA, et al. (2009) Varespladib (A-002), a Secretory Phospholipase A2 Inhibitor, Reduces Atherosclerosis and Aneurysm Formation in ApoE-/- Mice. J Cardiovasc Pharmacol.
- 17. Assogba L, Ahamada-Himidi A, Habich NM, Aoun D, Boukli L, et al. (2005) Inhibition of secretory phospholipase A2. 1-design, synthesis and structureactivity relationship studies starting from 4-tetradecyloxybenzamidine to obtain specific inhibitors of group II sPLA2s. Eur J Med Chem 40: 850–861.
- 18. Boukli L, Touaibia M, Meddad-Belhabich N, Djimde A, Park CH, et al. (2008) Design of new potent and selective secretory phospholipase A2 inhibitors. Part 5: synthesis and biological activity of 1-alkyl-4-[4,5-dihydro-1,2,4-[4H]-oxadiazol-5-one-3-ylmethylbenz-4'-yl(oyl)] piperazines. Bioorg Med Chem 16: 1242–1253.
- 19. Dong CZ, Ahamada-Himidi A, Plocki S, Aoun D, Touaibia M, et al. (2005) Inhibition of secretory phospholipase A2. 2-Synthesis and structure-activity

- relationship studies of 4,5-dihydro-3-(4-tetradecyloxybenzyl)-1,2,4-4H-oxadiazol-5-one (PMS1062) derivatives specific for group II enzyme. Bioorg Med Chem 13: 1989-2007
- 20. Plocki S, Aoun D, Ahamada-Himidi A, Tavarès-Camarinha F, Dong CZ, et al. (2005) Molecular modeling, design, and synthesis of less lipophilic derivatives of 3-(4-tetradecyloxybenzyl)-4H-1,2,4-oxadiazol-5-one (PMS1062) specific for group II enzyme. Eur J Org Chem 2005: 2747-2757.
- 21. Touaibia M, Djimde A, Cao F, Boilard E, Bezzine S, et al. (2007) Inhibition of secreted phospholipase A2, 4-glycerol derivatives of 4.5-dihydro-3-(4-tetradecyloxybenzyl)-1,2,4-4H-oxadiazol-5-one with broad activities. J Med Chem 50: 1618-1626
- 22. Dehaen W, Hassner A (1991) Cycloadditions. 45. Annulation of heterocycles via intramolecular nitrile oxide-heterocycle cycloaddition reaction. J Org Chem 56:
- Carey MC, Small DM, Bliss CM (1983) Lipid digestion and absorption. Annu Rev Physiol 45: 651-677
- Rekker RF, De Kort HM (1979) The hydrophobic fragmental constant; an estimation to a 1000 data point set. Eur J Med Chem 14: 479-488.
- 25. Fernandes JC, Martel-Pelletier J, Pelletier JP (2002) The role of cytokines in osteoarthritis pathophysiology. Biorheology 39: 237-246.
- 26. Choy EH, Panayi GS (2001) Cytokine pathways and joint inflammation in rheumatoid arthritis. N Engl J Med 344: 907-916.
- 27. Goetzl EJ, An S, Smith WL (1995) Specificity of expression and effects of eicosanoid mediators in normal physiology and human diseases. FASEB J 9: 1051-1058
- Amin AR, Attur M, Patel RN, Thakker GD, Marshall PJ, et al. (1997) Superinduction of cyclooxygenase-2 activity in human osteoarthritis-affected cartilage. Influence of nitric oxide. J Clin Invest 99: 1231-1237.
- Sakurai H, Kohsaka H, Liu MF, Higashiyama H, Hirata Y, et al. (1995) Nitric oxide production and inducible nitric oxide synthase expression in inflammatory arthritides. J Clin Invest 96: 2357-2363.
- Gresh N, Cisneros GA, Darden TA, Piquemal JP (2007) Anisotropic, Polarizable Molecular Mechanics Studies of Inter- and Intramolecular Interactions and Ligand-Macromolecule Complexes. A Bottom-Up Strategy. J Chem Theory Comput 3: 1960-1986.
- 31. Langlet J, Claverie P, Caillet J, Pullman A (1988) Improvements of the continuum model. 1. Application to the calculation of the vaporization thermodynamic quantities of nonassociated liquids. I Phys Chem 92:
- 32. Roux C, Gresh N, Perera LE, Piquemal JP, Salmon L (2007) Binding of 5phospho-D-arabinonohydroxamate and 5-phospho-D-arabinonate inhibitors to zinc phosphomannose isomerase from Candida albicans studied by polarizable molecular mechanics and quantum mechanics. J Comput Chem 28: 938-957.
- 33. Dong CZ, Romieu A, Mounier CM, Heymans F, Roques BP, et al. (2002) Total direct chemical synthesis and biological activities of human group IIA secretory phospholipase A2. Biochem J 365: 505-511.
- Radvanyi F, Jordan L, Russo-Marie F, Bon C (1989) A sensitive and continuous fluorometric assay for phospholipase A2 using pyrene-labeled phospholipids in the presence of serum albumin. Anal Biochem 177: 103-109.
- 35. Francois M, Richette P, Tsagris L, Raymondjean M, Fulchignoni-Lataud MC, et al. (2004) Peroxisome proliferator-activated receptor-gamma down-regulates chondrocyte matrix metalloproteinase-1 via a novel composite element. J Biol Chem 279: 28411–28418.
- Evans CH, Watkins SC, Stefanovic-Racic M (1996) Nitric oxide and cartilage metabolism. Methods Enzymol 269: 75-88.
- 37. Bradford MM (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Anal Biochem 72: 248-254.