

## (E)-N'-(2-Hydroxy-4-methoxybenzylidene)isonicotinohydrazide monohydrate

San-Jun Peng<sup>a\*</sup> and Hai-Yun Hou<sup>b</sup>

<sup>a</sup>College of Chemistry and Biological Engineering, Changsha University of Science and Technology, Changsha 410076, People's Republic of China, and <sup>b</sup>College of Environmental and Chemical Engineering, Xi'an Polytechnic University, Xi'an 710048, People's Republic of China

Correspondence e-mail: sanjunpeng@163.com


Received 12 September 2008; accepted 16 September 2008

Key indicators: single-crystal X-ray study;  $T = 298\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$ ;  $R$  factor = 0.046;  $wR$  factor = 0.113; data-to-parameter ratio = 15.1.

The title compound,  $\text{C}_{14}\text{H}_{13}\text{N}_3\text{O}_3\cdot\text{H}_2\text{O}$ , was prepared by the reaction of 4-methoxysalicylaldehyde and isonicotinohydrazide in ethanol. The Schiff base molecule is not planar and has an *E* configuration with respect to the methylidene unit. The dihedral angle between the benzene and pyridine rings is  $36.8(2)^\circ$ . In the molecule there is an intramolecular  $\text{O}-\text{H}\cdots\text{N}$  hydrogen bond involving the hydroxyl substituent and the N atom of the 2-hydroxy-4-methoxybenzylidene unit. In the crystal, the molecules are linked through intermolecular  $\text{O}-\text{H}\cdots\text{O}$ ,  $\text{O}-\text{H}\cdots\text{N}$  and  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bonds, forming layers parallel to the *bc* plane.

### Related literature

For bond-length data, see: Allen *et al.* (1987). For background on the biological properties of hydrazones, see: El-Tabl *et al.* (2008); Chen *et al.* (2008); Alvarez *et al.* (2008); Ventura & Martins (2008); Kalinowski *et al.* (2008). For related structures, see: Peng & Hou (2008); Shan *et al.* (2008); Fun *et al.* (2008); Yehye *et al.* (2008); Ejmont *et al.* (2008); Han *et al.* (2006); Lu *et al.* (2008).



### Experimental

#### Crystal data

$\text{C}_{14}\text{H}_{13}\text{N}_3\text{O}_3\cdot\text{H}_2\text{O}$	$V = 1346.9(11)\text{ \AA}^3$
$M_r = 289.29$	$Z = 4$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
$a = 7.299(4)\text{ \AA}$	$\mu = 0.11\text{ mm}^{-1}$
$b = 12.537(6)\text{ \AA}$	$T = 298(2)\text{ K}$
$c = 14.808(7)\text{ \AA}$	$0.23 \times 0.23 \times 0.22\text{ mm}$
$\beta = 96.281(8)^\circ$	

#### Data collection

Bruker SMART 1000 CCD area-detector diffractometer	7804 measured reflections
Absorption correction: multi-scan ( <i>SADABS</i> ; Bruker, 2001)	3041 independent reflections
$T_{\min} = 0.976$ , $T_{\max} = 0.977$	2129 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.030$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.045$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.112$	$\Delta\rho_{\text{max}} = 0.18\text{ e \AA}^{-3}$
$S = 1.03$	$\Delta\rho_{\text{min}} = -0.25\text{ e \AA}^{-3}$
3041 reflections	
201 parameters	
4 restraints	

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
O1—H1 $\cdots$ N1	0.82	1.92	2.644 (2)	146
O4—H4B $\cdots$ O2 <sup>i</sup>	0.853 (9)	2.072 (10)	2.924 (2)	176 (2)
O4—H4A $\cdots$ N3 <sup>ii</sup>	0.861 (9)	1.971 (10)	2.832 (2)	178 (2)
N2—H2 $\cdots$ O4 <sup>iii</sup>	0.903 (9)	2.024 (11)	2.915 (2)	169 (2)

Symmetry codes: (i)  $-x + 1, -y + 1, -z + 1$ ; (ii)  $x, y + 1, z$ ; (iii)  $x, -y + \frac{1}{2}, z + \frac{1}{2}$ .

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL*.

The corresponding author gratefully acknowledges Changsha University of Science and Technology for research grants.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SU2062).

### References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–S19.
- Alvarez, C., Alvarez, R., Corchete, P., Lopez, J. L., Perez-Melero, C., Pelaez, R. & Medarde, M. (2008). *Bioorg. Med. Chem.* **16**, 5952–5961.
- Bruker (2001). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Bruker (2007). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Chen, J., Liu, F., Song, B.-A., Yang, S., Hu, D.-Y., Jin, H.-H., Chen, Z. & Xue, W. (2008). *Chin. J. Org. Chem.* **28**, 894–898.
- Ejmont, K., Zareef, M., Arfan, M., Bashir, S. A. & Zaleski, J. (2008). *Acta Cryst. E64*, o1128.
- El-Tabl, A. S., El-Saied, F. A. & Al-Hakimi, A. N. (2008). *J. Coord. Chem.* **61**, 2380–2401.
- Fun, H.-K., Patil, P. S., Rao, J. N., Kalluraya, B. & Chantrapromma, S. (2008). *Acta Cryst. E64*, o1707.

- Han, J.-R., Wang, X.-F., Zhen, X.-L., Tian, X. & Liu, S.-X. (2006). *Acta Cryst.* **E62**, o5572–o5573.
- Kalinowski, D. S., Sharpe, P. C., Bernhardt, P. V. & Richardson, D. R. (2008). *J. Med. Chem.* **51**, 331–344.
- Lu, J.-F., Min, S.-T., Ji, X.-H. & Dang, Z.-H. (2008). *Acta Cryst.* **E64**, o1695.
- Peng, S.-J. & Hou, H.-Y. (2008). *Acta Cryst.* **E64**, o1864.
- Shan, S., Tian, Y.-L., Wang, S.-H., Wang, W.-L. & Xu, Y.-L. (2008). *Acta Cryst.* **E64**, o1363.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Ventura, C. & Martins, F. (2008). *J. Med. Chem.* **51**, 612–624.
- Yehye, W. A., Ariffin, A. & Ng, S. W. (2008). *Acta Cryst.* **E64**, o960.

## **supplementary materials**

*Acta Cryst.* (2008). E64, o1996-o1997 [doi:10.1107/S1600536808029619]

## (E)-N'-(2-Hydroxy-4-methoxybenzylidene)isonicotinohydrazide monohydrate

S.-J. Peng and H.-Y. Hou

### Comment

Hydrazones derived from the reactions of aldehydes with hydrazides show potential biological properties (El-Tabl *et al.*, 2008; Chen *et al.*, 2008; Alvarez *et al.*, 2008; Ventura & Martins, 2008; Kalinowski *et al.*, 2008). In the last few years, a large number of hydrazones have been reported (Peng & Hou, 2008; Shan *et al.*, 2008; Fun *et al.*, 2008; Yehye *et al.*, 2008; Ejsmont *et al.*, 2008). As a continuous study, the crystal structure of the title compound, (I), is reported in this paper.

The molecular structure of compound (I) is illustrated in Fig. 1. It consists of a Schiff base molecule and a water molecule of crystallization. The C7=N1 bond length of 1.276 (2) Å indicates a typical C=N double bond. The Schiff base molecule has an E configuration with respect to the methylidene unit (C7=N1), as observed in similar compounds (Han *et al.*, 2006; Lu *et al.*, 2008). In the molecule there is an intramolecular O-H···N hydrogen bond involving the hydroxyl substituent and the N-atom of the 2-hydroxy-4-methoxybenzylidene moiety (Table 1). The dihedral angle between the benzene and pyridine rings is 36.8 (2)°, indicating the molecule is not planar. The bond lengths are in normal ranges (Allen *et al.*, 1987).

In the crystal structure, symmetry related molecules are linked through intermolecular O—H···O, O—H···N and N—H···O hydrogen bonds (Table 1), forming layers parallel to the *bc* plane (Fig. 2).

### Experimental

4-Methoxysalicylaldehyde (0.152 g, 1 mmol) was dissolved in 95% ethanol (50 ml), then isonicotinohydrazide (0.137 g, 1 mmol) was added slowly to the solution, and the mixture was heated at reflux with continuous stirring for 1 h. The solution was cooled to room temperature, yielding colorless crystallites. Recrystallization from a 95% ethanol yielded block-like single crystals of compound (I).

### Refinement

H-atoms H2, H4A and H4B were located in a difference Fourier map and refined isotropically, with N—H, O—H and H···H distances restrained to 0.90 (1), 0.85 (1) and 1.37 (2) Å, respectively, and with  $U_{\text{iso}}(\text{H})$  set at  $0.08 \text{ \AA}^2$ . The other H atoms were placed in calculated positions and treated as riding atoms with C—H = 0.93 - 0.96 Å, O—H = 0.82 Å, and  $i>U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$  and  $1.5U_{\text{eq}}(\text{O1 and C14})$ .

### Figures




Fig. 1. The molecular structure of compound (I), with 30% probability displacement ellipsoids for non-H atoms.

# supplementary materials

---




Fig. 2. The crystal packing diagram of compound (I), viewed along the  $a$  axis. Hydrogen bonds are shown as dashed lines.

## (E)-N<sup>1</sup>-(2-Hydroxy-4-methoxybenzylidene)isonicotinohydrazide monohydrate

### Crystal data

C <sub>14</sub> H <sub>13</sub> N <sub>3</sub> O <sub>3</sub> ·H <sub>2</sub> O	$F_{000} = 608$
$M_r = 289.29$	$D_x = 1.427 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
Hall symbol: -P 2ybc	$\lambda = 0.71073 \text{ \AA}$
$a = 7.299 (4) \text{ \AA}$	Cell parameters from 1237 reflections
$b = 12.537 (6) \text{ \AA}$	$\theta = 2.4\text{--}24.5^\circ$
$c = 14.808 (7) \text{ \AA}$	$\mu = 0.11 \text{ mm}^{-1}$
$\beta = 96.281 (8)^\circ$	$T = 298 (2) \text{ K}$
$V = 1346.9 (11) \text{ \AA}^3$	Block, colorless
$Z = 4$	$0.23 \times 0.23 \times 0.22 \text{ mm}$

### Data collection

Bruker SMART 1000 CCD area-detector diffractometer	3041 independent reflections
Radiation source: fine-focus sealed tube	2129 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.030$
$T = 298(2) \text{ K}$	$\theta_{\text{max}} = 27.5^\circ$
$\omega$ scans	$\theta_{\text{min}} = 2.1^\circ$
Absorption correction: multi-scan (SADABS; Bruker, 2001)	$h = -9 \rightarrow 9$
$T_{\text{min}} = 0.976, T_{\text{max}} = 0.977$	$k = -16 \rightarrow 15$
7804 measured reflections	$l = -14 \rightarrow 19$

### Refinement

Refinement on $F^2$	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.046$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.112$	$w = 1/[\sigma^2(F_o^2) + (0.0459P)^2 + 0.2867P]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.03$	$(\Delta/\sigma)_{\text{max}} < 0.001$
3041 reflections	$\Delta\rho_{\text{max}} = 0.18 \text{ e \AA}^{-3}$
201 parameters	$\Delta\rho_{\text{min}} = -0.25 \text{ e \AA}^{-3}$
4 restraints	Extinction correction: none

Primary atom site location: structure-invariant direct methods

### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.1869 (2)	0.17985 (9)	1.00835 (8)	0.0519 (4)
H1	0.2127	0.1524	0.9611	0.078*
O2	0.3338 (2)	0.13791 (9)	0.75220 (8)	0.0490 (4)
O3	0.07206 (17)	0.08252 (9)	1.30718 (7)	0.0407 (3)
O4	0.3910 (2)	0.75061 (10)	0.34205 (9)	0.0532 (4)
N1	0.29393 (19)	0.02521 (11)	0.90464 (9)	0.0348 (3)
N2	0.3324 (2)	-0.02124 (11)	0.82441 (9)	0.0339 (3)
N3	0.3613 (2)	-0.13153 (13)	0.50292 (10)	0.0496 (4)
C1	0.2257 (2)	-0.00223 (12)	1.05635 (10)	0.0307 (4)
C2	0.1816 (2)	0.10410 (13)	1.07253 (10)	0.0324 (4)
C3	0.1288 (2)	0.13524 (13)	1.15565 (10)	0.0342 (4)
H3	0.0991	0.2061	1.1657	0.041*
C4	0.1205 (2)	0.06050 (13)	1.22317 (10)	0.0312 (4)
C5	0.1644 (2)	-0.04517 (13)	1.20894 (11)	0.0370 (4)
H5	0.1592	-0.0953	1.2549	0.044*
C6	0.2154 (2)	-0.07474 (13)	1.12659 (11)	0.0382 (4)
H6	0.2442	-0.1458	1.1172	0.046*
C7	0.2761 (2)	-0.03892 (14)	0.97002 (11)	0.0355 (4)
H7	0.2962	-0.1114	0.9618	0.043*
C8	0.3435 (2)	0.04041 (13)	0.75139 (10)	0.0335 (4)
C9	0.3600 (2)	-0.01964 (12)	0.66533 (10)	0.0317 (4)
C10	0.2673 (3)	0.01868 (15)	0.58540 (11)	0.0417 (4)
H10	0.2037	0.0830	0.5847	0.050*
C11	0.2709 (3)	-0.03991 (16)	0.50692 (12)	0.0501 (5)
H11	0.2064	-0.0139	0.4538	0.060*
C12	0.4556 (3)	-0.16551 (15)	0.57962 (12)	0.0442 (5)
H12	0.5238	-0.2280	0.5776	0.053*
C13	0.4581 (2)	-0.11375 (13)	0.66161 (11)	0.0358 (4)
H13	0.5244	-0.1414	0.7136	0.043*
C14	0.0200 (3)	0.18921 (14)	1.32548 (12)	0.0460 (5)
H14A	0.1199	0.2366	1.3168	0.069*

## supplementary materials

---

H14B	-0.0087	0.1943	1.3871	0.069*
H14C	-0.0864	0.2086	1.2849	0.069*
H2	0.342 (3)	-0.0930 (8)	0.8225 (16)	0.080*
H4A	0.380 (3)	0.7860 (16)	0.3910 (10)	0.080*
H4B	0.476 (2)	0.7815 (17)	0.3165 (13)	0.080*

### *Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
O1	0.0907 (11)	0.0363 (7)	0.0306 (7)	-0.0014 (7)	0.0150 (7)	0.0072 (5)
O2	0.0739 (10)	0.0350 (7)	0.0413 (7)	0.0045 (6)	0.0206 (6)	0.0002 (5)
O3	0.0562 (8)	0.0416 (7)	0.0263 (6)	0.0017 (6)	0.0139 (5)	-0.0029 (5)
O4	0.0814 (11)	0.0405 (8)	0.0406 (8)	-0.0106 (7)	0.0193 (7)	-0.0080 (6)
N1	0.0376 (8)	0.0437 (8)	0.0241 (7)	-0.0035 (6)	0.0080 (6)	-0.0041 (6)
N2	0.0423 (8)	0.0373 (8)	0.0234 (7)	-0.0013 (6)	0.0093 (6)	-0.0038 (6)
N3	0.0564 (11)	0.0604 (11)	0.0340 (9)	-0.0128 (8)	0.0148 (7)	-0.0113 (7)
C1	0.0321 (9)	0.0351 (9)	0.0252 (8)	-0.0028 (7)	0.0045 (6)	-0.0011 (7)
C2	0.0401 (10)	0.0319 (8)	0.0248 (8)	-0.0056 (7)	0.0022 (7)	0.0034 (6)
C3	0.0454 (10)	0.0276 (8)	0.0297 (9)	-0.0012 (7)	0.0050 (7)	-0.0028 (7)
C4	0.0326 (9)	0.0382 (9)	0.0231 (8)	-0.0031 (7)	0.0048 (6)	-0.0021 (7)
C5	0.0497 (11)	0.0346 (9)	0.0279 (9)	0.0011 (8)	0.0095 (7)	0.0067 (7)
C6	0.0505 (11)	0.0308 (9)	0.0345 (9)	0.0045 (8)	0.0105 (8)	0.0007 (7)
C7	0.0401 (10)	0.0380 (9)	0.0289 (9)	-0.0008 (7)	0.0066 (7)	-0.0029 (7)
C8	0.0366 (9)	0.0356 (9)	0.0293 (9)	0.0004 (7)	0.0087 (7)	0.0002 (7)
C9	0.0349 (9)	0.0354 (9)	0.0262 (8)	-0.0042 (7)	0.0094 (6)	0.0010 (7)
C10	0.0488 (11)	0.0458 (10)	0.0313 (9)	0.0046 (8)	0.0081 (8)	0.0052 (8)
C11	0.0562 (13)	0.0653 (13)	0.0286 (10)	-0.0055 (10)	0.0042 (8)	0.0029 (9)
C12	0.0471 (11)	0.0433 (10)	0.0447 (11)	-0.0026 (8)	0.0166 (9)	-0.0090 (8)
C13	0.0364 (10)	0.0408 (9)	0.0312 (9)	-0.0027 (7)	0.0082 (7)	0.0002 (7)
C14	0.0585 (12)	0.0435 (10)	0.0387 (10)	-0.0069 (9)	0.0171 (8)	-0.0122 (8)

### *Geometric parameters ( $\text{\AA}$ , $^\circ$ )*

O1—C2	1.3471 (19)	C3—H3	0.9300
O1—H1	0.8200	C4—C5	1.385 (2)
O2—C8	1.224 (2)	C5—C6	1.365 (2)
O3—C4	1.3583 (19)	C5—H5	0.9300
O3—C14	1.425 (2)	C6—H6	0.9300
O4—H4A	0.861 (9)	C7—H7	0.9300
O4—H4B	0.853 (9)	C8—C9	1.496 (2)
N1—C7	1.276 (2)	C9—C10	1.383 (2)
N1—N2	1.3791 (19)	C9—C13	1.384 (2)
N2—C8	1.339 (2)	C10—C11	1.377 (2)
N2—H2	0.903 (9)	C10—H10	0.9300
N3—C11	1.329 (3)	C11—H11	0.9300
N3—C12	1.332 (2)	C12—C13	1.375 (2)
C1—C6	1.390 (2)	C12—H12	0.9300
C1—C2	1.398 (2)	C13—H13	0.9300
C1—C7	1.444 (2)	C14—H14A	0.9600

C2—C3	1.386 (2)	C14—H14B	0.9600
C3—C4	1.376 (2)	C14—H14C	0.9600
C2—O1—H1	109.5	N1—C7—H7	119.1
C4—O3—C14	117.81 (13)	C1—C7—H7	119.1
H4A—O4—H4B	106.4 (17)	O2—C8—N2	124.03 (15)
C7—N1—N2	115.77 (14)	O2—C8—C9	121.38 (14)
C8—N2—N1	119.21 (14)	N2—C8—C9	114.52 (14)
C8—N2—H2	122.6 (15)	C10—C9—C13	117.94 (15)
N1—N2—H2	118.1 (15)	C10—C9—C8	118.47 (15)
C11—N3—C12	116.82 (15)	C13—C9—C8	123.55 (15)
C6—C1—C2	117.59 (14)	C11—C10—C9	118.96 (17)
C6—C1—C7	119.62 (15)	C11—C10—H10	120.5
C2—C1—C7	122.77 (14)	C9—C10—H10	120.5
O1—C2—C3	117.41 (15)	N3—C11—C10	123.61 (17)
O1—C2—C1	121.76 (14)	N3—C11—H11	118.2
C3—C2—C1	120.83 (14)	C10—C11—H11	118.2
C4—C3—C2	119.47 (15)	N3—C12—C13	123.90 (18)
C4—C3—H3	120.3	N3—C12—H12	118.1
C2—C3—H3	120.3	C13—C12—H12	118.1
O3—C4—C3	124.30 (15)	C12—C13—C9	118.71 (16)
O3—C4—C5	114.93 (14)	C12—C13—H13	120.6
C3—C4—C5	120.77 (15)	C9—C13—H13	120.6
C6—C5—C4	119.09 (15)	O3—C14—H14A	109.5
C6—C5—H5	120.5	O3—C14—H14B	109.5
C4—C5—H5	120.5	H14A—C14—H14B	109.5
C5—C6—C1	122.25 (16)	O3—C14—H14C	109.5
C5—C6—H6	118.9	H14A—C14—H14C	109.5
C1—C6—H6	118.9	H14B—C14—H14C	109.5
N1—C7—C1	121.88 (15)		

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
O1—H1···N1	0.82	1.92	2.644 (2)	146
O4—H4B···O2 <sup>i</sup>	0.853 (9)	2.072 (10)	2.924 (2)	176 (2)
O4—H4A···N3 <sup>ii</sup>	0.861 (9)	1.971 (10)	2.832 (2)	178 (2)
N2—H2···O4 <sup>iii</sup>	0.903 (9)	2.024 (11)	2.915 (2)	169 (2)

Symmetry codes: (i)  $-x+1, -y+1, -z+1$ ; (ii)  $x, y+1, z$ ; (iii)  $x, -y+1/2, z+1/2$ .

## **supplementary materials**

---

**Fig. 1**




Fig. 2

