

■ C–O Bond Activation |Hot Paper|

Unexpected Vulnerability of DPEphos to C—O Activation in the Presence of Nucleophilic Metal Hydrides

Mateusz K. Cybulski,^[a] Nicholas A. Beattie,^[b] Stuart A. Macgregor,^{*[b]} Mary F. Mahon,^[a] and Michael K. Whittlesey^{*[a]}

We dedicate this paper to the memory of friend, colleague and collaborator Professor Jonathan M. J. Williams

Abstract: C–O bond activation of DPEphos occurs upon mild heating in the presence of [Ru(NHC)₂(PPh₃)₂H₂] (NHC = N-heterocyclic carbene) to form phosphinophenolate products. When $NHC = IEt_2Me_2$, C–O activation is accompanied by C-N activation of an NHC ligand to yield a coordinated N-phosphino-functionalised carbene. DFT calculations define a nucleophilic mechanism in which a hydride ligand attacks the aryl carbon of the DPEphos C-O bond. This is promoted by the strongly donating NHC ligands which render a trans dihydride intermediate featuring highly nucleophilic hydride ligands accessible. C-O bond activation also occurs upon heating cis-[Ru(DPEphos)₂H₂]. DFT calculations suggest this reaction is promoted by the steric encumbrance associated with two bulky DPEphos ligands. Our observations that facile degradation of the DPEphos ligand via C-O bond activation is possible under relatively mild reaction conditions has potential ramifications for the use of this ligand in high-temperature catalysis.

Since their introduction ca. 20 years ago,^[1] wide-angle phosphines such as xantphos and DPEphos (Scheme 1) have become indispensable ligands for a range of catalytic reactions.^[2] Their usage stems from two advantageous properties; firstly, the availability of highly flexible bite angles that allow *cis-* and *trans-*, as well as hemilabile P-O-P coordination modes, to be adopted^[3] and, secondly, resistance to the types of P–C degradation reactions reported in tertiary phosphine metal



- Institute of Chemical Sciences, Heriot-Watt University Edinburgh EH14 4AS (UK) E-mail: s.a.macgregor@hw.ac.uk
- Supporting information and the ORCID identification number(s) for the author(s) of this article can be found under: https://doi.org/10.1002/chem.202001685.
- © 2020 The Authors. Published by Wiley-VCH Verlag GmbH & Co. KGaA. This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.



Scheme 1. Structures of xantphos and DPEphos.

complexes.^[4] This latter property has promoted the use of xantphos and DPEphos in reactions that require high temperatures.^[2c,g,l,5]

Any suggestion that such phosphines might be susceptible to degradative reactions, particularly under relatively mild conditions, could therefore have important ramifications for their applications in catalysis. While xantphos has been reported to be susceptible to P-C bond activation at room temperature,^[6] cleavage of DPEphos appears to be restricted to a single example of high temperature C-O bond activation reported by Weller and Willis.^[7] In the course of studies on $[Rh(\eta^6-ortho-xy$ lene)(DPEphos)]⁺ catalysed carbothiolation of alkynes, they reported that heating the Rh complex together with ortho- $MeSC_6H_4C(O)Me$ at 120 °C in the absence of any alkyne led to C-O cleavage of DPEphos to afford a catalytically inactive Rh complex with chelating phosphine aryloxide and bidentate phosphine arylthioether ligands. Herein, we demonstrate that C-O activation of DPEphos can take place even at room temperature in the presence of ruthenium dihydride complexes. DFT calculations reveal that such processes involve attack of highly nucleophilic hydride ligands on the aryl carbon on the C-O bond.

In the course of studies to investigate the substitution chemistry of the all *trans*-dihydride complex [Ru- $(IMe_4)_2(PPh_3)_2H_2$] (1, Scheme 2),^[8] 1 was treated with 1.1–1.5 equiv DPEphos in benzene. No immediate reaction was observed at room temperature, but upon heating to 90°C for ca. 12 h, a single ruthenium-containing product **2** (Scheme 2) was



Scheme 2. C-O activation of DPEphos by 1 to give 2.

Chem. Eur. J. 2020, 26, 11141 - 11145

Wiley Online Library

11141 © 2020 The Authors. Published by Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim

Communication doi.org/10.1002/chem.202001685



formed. An X-ray crystal structure (Figure 1) revealed the presence of a phosphinophenolate ligand generated upon C–O activation of DPEphos.^[9] The P,O-termini of the ligand were *trans* to PPh₃ and Ru–H respectively. The coordination sphere was completed by two mutually *trans* IMe₄ ligands, each of which displayed an *N*-Me group with a short C–H···O contact to the phosphinophenolate ligand (Supporting Information). The *trans* H-Ru-O arrangement led to both a long Ru–O distance (2.2720(16) Å)^[10] and a low frequency ($\delta = -18.40$ ppm) hydride resonance.^[11]



Figure 1. Molecular structures of (left) 2 and (right) 4. Thermal ellipsoids are shown at 30% level. All hydrogen atoms, except for Ru-H have been omitted for clarity.

The formation of **2** was achieved under even milder conditions, although at the expense of longer reaction times (e.g. 6 days at 70 °C), and a low (5%) yield could even be formed at room temperature, albeit only over 3 weeks.^[12] No simple substitution product arising from replacement of the two PPh₃ ligands by DPEphos was observed under these conditions (vide infra). Treatment of **1** with the more-electron rich cyclohexyl diphosphine $Cy_2P(C_6H_4)O(C_6H_4)PCy_2$ also resulted in C–O activation, although the reaction failed to reach completion, even after heating at 120 °C for 2 days. There was no evidence for C–O activation of xantphos by **1**.^[13]

Replacing 1 by the *N*-Et substituted carbene derivative *cis*, *cis*, *trans*-[Ru(IEt₂Me₂)₂(PPh₃)₂H₂] (**3**, Scheme 3) led to an even more unexpected reaction with DPEphos. Heating in toluene at 90 °C gave the phosphinophenolate complex **4** (Scheme 3), in which the {Ph₂P(C₆H₄} moiety generated upon C–O cleavage had combined with a C–N activated IEt₂Me₂ ligand to generate a Ru-bound *N*-phosphino-functionalised carbene ligand.^[14] The X-ray structure of **4** (Figure 1) showed the presence of a distorted octahedral ruthenium centre with a *cis*-arrangement of the two carbenes and two phosphines and the



Scheme 3. C–O and C–N activation to yield 4.

Chem. Eur. J. 2020, 26, 11141 – 11145

www.chemeurj.org

same *trans* H-Ru-OAr arrangement as in 1 (Ru–O=2.265(2) Å). The phosphino moiety appended to N3 exhibited a considerable cone-tilt, with Ru-P-C_{ipso} angles ranging from 102° to 132°. In support of the C–N cleavage process, the ¹H NMR spectrum showed just three NCH₂CH₃ methyl and six NCH₂CH₃ methyl-ene resonances. The Ru–H resonance (δ =-17.7 ppm) was coupled to the two inequivalent phosphorus nuclei (δ =59 and 55 ppm) with *cis*-²J(H,P) coupling constants of 20 and 15 Hz.

C–N activation of a metal-bound NHC ligand has been described previously,^[15] including in studies on Ru-NHC complexes related to those employed here.^[16] However, this process has only rarely been observed alongside the activation of another ligand,^[17] and, certainly not as a route to the formation of a phosphinocarbene.^[18]

The C–O activation of DPEphos was not restricted to NHCcontaining ruthenium hydride precursors. The reaction of $[Ru(PPh_3)_4H_2]$ with DPEphos gave the isolable *cis*-dihydride complex $[Ru(DPEphos)_2H_2]$ (**5**; Supporting Information),^[19] which upon heating to 80 °C overnight underwent C–O activation of one of the DPEphos ligands to afford $[Ru(DPEphos)-(Ph_2PC_6H_4O)H]$ (**6**, Scheme 4).^[20] This was characterized by the



Scheme 4. Formation of the C–O activated DPEphos complex ${\bf 6}$ and chloride derivative ${\bf 7}.$

presence of a quartet Ru–H resonance at $\delta = -14$ ppm with a ²J(H,P) splitting (22 Hz) indicative of hydride *cis* to all three phosphorus nuclei and a ³¹P{¹H} NMR spectrum which showed a triplet at $\delta = 77$ ppm (²J(P,P) = 30 Hz), together with a broad, featureless signal at $\delta = 50$ ppm. We attribute the latter to the intact DPEphos ligand switching rapidly between κ^2 -P,P and κ^3 -P,O,P coordination. At -15 °C, this signal resolved into two doublets, the two ends of the DPEphos ligand becoming inequivalent as a result of the oxygen now staying bound to Ru. Although an X-ray structure of **6** proved elusive, crystals of the chloride derivative **7** were isolated from CH₂Cl₂/pentane solutions of **6**, affording a structure (Figure 2) which confirmed the coordination modes at ruthenium.

DFT calculations^[21] have been used to explore the mechanism of the C–O bond cleavage reactions in **1** and **5** and the factors promoting them. For **1**, no intermediates are observed experimentally and so all free energies are quoted relative to this species plus free DPEphos. PPh₃ substitution in **1** by DPE-phos gives [Ru(IMe₄)₂(DPEphos)H₂], **8**, for which the all-*cis* isomer, **8**_{ccc} (+3.6 kcal mol⁻¹), and the *cis*, *cis*, *trans*-isomer, **8**_{cct} (+4.2 kcal mol⁻¹) are most stable.^[22]

The accessibility of the *trans* dihydride isomer $\mathbf{8}_{cct}$ suggested a hydride nucleophilic attack mechanism may be involved, similar to that characterised for the hydrodefluorination of





Figure 2. Molecular structure of **7**. Thermal ellipsoids are shown at 30% probability. Cl1 is disordered with a hydride ligand in a 75:25 ratio. Hydrogen atoms and all minor disordered components have been for clarity.

at trans-[Ru(NHC)₄H₂] complexes.^[23, 24] (hetero)aromatics Figure 3 shows the computed reaction profiles for this process in $\mathbf{8}_{cct}$ and $\mathbf{8}_{ccc}$. For $\mathbf{8}_{cct}$ the *trans* hydride arrangement gives a long Ru–H¹ bond (1.70 Å) and NBO calculations indicate significant hydridic character (-0.21). Nucleophilic attack proceeds via $TS(8-2)_{cct}$ at +25.0 kcal mol⁻¹, with a short $H^1 - C^1$ distance of 1.56 Å and Ru-H¹ stretching to 1.84 Å. The C¹–O bond also lengthens to 1.48 Å and elongated C¹–C² and C¹–C⁶ distances in the aryl ring suggest a Meisenheimer-type structure consistent with nucleophilic aromatic substitution. Hydride attack is also accompanied by a conformational change in the 8-membered Ru-P-C=C-O-C=C-P ring, from a distorted twist-boat conformation in $\boldsymbol{8}_{cct}$ to a boat conformation in the transition state,^[25] similar to the DPEphos $fac-\kappa^3$ -P,O,P binding mode.^[26] IRC calculations confirm that TS(8-2)_{cct} links directly to 2_{cct} in which H^2 is *trans* to the phosphinophenolate oxygen. The lowest energy conformation of 2_{cct} is at $-31.5 \text{ kcal mol}^{-1}$.^[27]

The equivalent reaction of $\mathbf{8}_{ccc}$ involves an initial conformational change of the Ru–P–C=C–O–C=C–P ring to form $\mathbf{8}_{ccc'}$ at + 14.5 kcal mol⁻¹. C–O bond cleavage then proceeds via **TS(8-2)**_{ccc} at + 34.1 kcal mol⁻¹ with similar geometric changes to those described above for **TS(8-2)**_{cct}. The shorter Ru-H¹ distances in $\mathbf{8}_{ccc}$ and $\mathbf{8}_{ccc'}$ (1.65 Å) and lower NBO charges (ca. –0.12) indicate that H¹ is now less nucleophilic than in $\mathbf{8}_{cct}$ and this reflects the change in the *trans* ligand, from a hydride in $\mathbf{8}_{cct}$ to IMe₄ in $\mathbf{8}_{ccc}$. This also correlates with C–O bond cleavage being less kinetically accessible in $\mathbf{8}_{ccc}$. **TS(8-2)**_{ccc} leads to $\mathbf{2}_{ccc}$ at -25.2 kcal mol⁻¹, substantially less stable than $\mathbf{2}_{cct}$ as this structure lacks the favourable *trans*-H-Ru-O arrangement.^[28]

C–O bond cleavage was also modelled for [Ru(DPEphos)₂H₂] and the most accessible pathway is shown in Figure 4. The allcis isomer, $\mathbf{5}_{ccc'}$ reacts via $\mathbf{5}_{ccc'}$ and $\mathbf{TS(5-9)}_{ccc}$ at +29.9 kcal mol^{-1} to give a phosphinophenolate product, 9_{ccc} at $-23.0 \text{ kcal mol}^{-1}$. The short Ru $-H^1$ distance in $\mathbf{5}_{ccc}$ (1.60 Å) and low NBO charge on H¹ (-0.02) indicate reduced hydride nucleophilicity compared to 8_{ccc}, although the barrier in the bis-DPEphos system is actually lower (see below). In stark contrast to $\mathbf{8}_{cctr}$ the *trans* dihydride isomer of [Ru(DPEphos)₂H₂] $\mathbf{5}_{cctr}$ has a large barrier of +48.5 kcalmol⁻¹. This difference is due in part to the higher energy of 5_{cct} (+13.8 kcal mol⁻¹) and the reduced charge on H^1 (ca. -0.08 cf. -0.21 in $\mathbf{8}_{cct}$). The latter result highlights how the NHC ligands also serve to enhance hydride nucleophilicity. Differential steric effects in the transition states may also be a factor, as probed by calculations on 5_{ccc} and 5_{cct} in which the PPh₂ groups were replaced by PH₂. This model system gave a similar relative energy for 5_{cct} $(+12.6 \text{ kcal mol}^{-1})$, but a reduced barrier for the subsequent nucleophilic attack (i.e. from 5_{cct} to $TS(5-9)_{cct}$: 30.2 kcal mol⁻¹ cf. 34.7 kcalmol⁻¹ in the full system). In contrast, the computed barrier for 5_{ccc} with the small model is 38.6 kcal mol⁻¹, 8.7 kcal mol⁻¹ higher than the full model.



Figure 3. Computed free energy profiles (kcal mol⁻¹, BP86(benzene, D3BJ)) for hydride attack in $\mathbf{8}_{ccc}$ and $\mathbf{8}_{ccc}$ with selected distances in Å. Energies are relative to **1** plus free DPEphos and NBO charges at Ru and H¹ are indicated in italics for dihydride precursors. For clarity, IMe₄ ligands are truncated at the C2 position (i.e. C⁷ and C⁸ in the Figure) and phenyl substituents at the *ipso* carbons. DPEphos hydrogens are also omitted. $\mathbf{8}_{ccc'}$ is a conformer of $\mathbf{8}_{ccc}$ that lies directly on the pathway for C–O cleavage (see text for details).

Chem. Eur. J. 2020, 26, 11141 - 11145

www.chemeurj.org

Communication doi.org/10.1002/chem.202001685





Figure 4. Computed free energy profile (kcalmol⁻¹, BP86(benzene, D3BJ)) for hydride attack in **5**_{ecc}, with selected distances in Å and computed NBO charges at Ru and H¹ in italics for the dihydride precursors. For clarity, phenyl substituents are truncated at the *ipso* carbons and DPEphos hydrogens are omitted.

Computed geometries show significant distortions in the full model: in 5_{ccc} the *trans*-P-Ru-P angle is 142° with the bulky PAr₃ moieties tilting over the hydride ligands. As this angle is only 160° in the small model, we speculate that the greater distortion of the full model enables nucleophilic attack.

Comparing [Ru(IMe₄)₂(DPEphos)H₂] and [Ru(DPEphos)₂H₂] shows C–O bond cleavage via $\mathbf{8}_{cct}$ ($\Delta G^{\pm} = 25.0 \text{ kcal mol}^{-1}$) is more accessible than in $\mathbf{5}_{ccc}$ ($\Delta G^{\pm} = 29.9 \text{ kcal mol}^{-1}$) and this is consistent with the lower reactivity of the bis-DPEphos system observed experimentally. Lower barriers are computed with higher trans influence ligands (H>IMe₄) trans to the hydride nucleophile. The mixed NHC/DPEphos systems appear particularly vulnerable to C-O bond cleavage as the strongly donating NHC ligands both enhance hydride nucleophilicity and render 8_{cct}, the key trans dihydride precursor, accessible. The hydride attack mechanism described here has similarities to the "asynchronous oxidative addition" pathway described by Crimmin and co-workers where a Ru^{II} metal centre acts as a nucleophile prior to C–O bond cleavage.^[12] A similar asynchronicity is seen here, with C-H bond formation in the transition state being far advanced of either C-O bond cleavage or Ru-O bond formation.

In summary, we have characterised the surprisingly facile C– O bond activation of DPEphos ligands in the presence of nucleophilic hydrides. Ligand exchange of all-*trans*-[Ru(IMe₄)₂(PPh₃)₂H₂] with DPEphos results in the formation of phosphinophenolate complex, 2, while with cis, cis, trans-[Ru(IEt₂Me₂)₂(PPh₃)₂H₂], C–O bond cleavage is accompanied by C-N activation of the NHC to form the N-phosphino-functionalised carbene complex 4. DFT calculations indicate that C-O activation involves a nucleophilic pathway in which a hydride ligand attacks the aryl carbon of the DPEphos C-O bond. This process is promoted by the accessibility of a trans dihydride intermediate that features highly nucleophilic hydride ligands. C-O bond activation also occurs upon heating cis-[Ru(DPEphos)₂H₂], a process that DFT calculations indicate is promoted by the steric encumbrance of the mutually cis DPEphos ligands. This undesirable ligand degradation of DPEphos is of particular note given the wide use of this ligand in high temperature homogeneous catalysis. Indeed, degradation of the Rh-DPEphos system described by Weller and Willis is also thought to involve nucleophilic attack, in this case by a thiolate ligand.^[7] On a more constructive note, the hydride nucleophilic attack mechanism proposed here has already been shown to operate in catalytic C-F functionalization,^[23c,d] and so may also be an effective means of promoting C-O bond activation of the type required for the valorization of lignin and of its highly oxygenated monomers.^[29]

Acknowledgements

We thank the EPSRC for financial support (DTP studentships to M.K.C. and N.A.B.) and Dr. Mark Crimmin (Imperial College London) for valuable discussions.

Conflict of interest

The authors declare no conflict of interest.

Keywords: C–O bond activation · density functional calculations · hydride ligands · N-heterocyclic carbenes · phosphines

- a) M. Kranenburg, Y. E. M. van der Burgt, P. C. J. Kamer, P. W. N. M. van Leeuwen, K. Goubitz, J. Fraanje, *Organometallics* **1995**, *14*, 3081–3089;
 b) P. W. N. M. van Leeuwen, P. C. J. Kamer, *Catal. Sci. Technol.* **2018**, *8*, 26–113; c) G. M. Adams, A. S. Weller, *Coord. Chem. Rev.* **2018**, *355*, 150– 172.
- [2] For representative examples; a) S. Wagaw, B. H. Yang, S. L. Buchwald, J. Am. Chem. Soc. 1999, 121, 10251-10263; b) M. Utsunomiya, R. Kuwano, M. Kawatsura, J. F. Hartwig, J. Am. Chem. Soc. 2003, 125, 5608-5609; c) M. Ahmed, A. M. Seayad, R. Jackstell, M. Beller, J. Am. Chem. Soc. 2003, 125, 10311-10318; d) G. L. Moxham, H. E. Randell-Sly, S. K. Brayshaw, R. L. Woodward, A. S. Weller, M. C. Willis, Angew. Chem. Int. Ed. 2006, 45, 7618-7622; Angew. Chem. 2006, 118, 7780-7784; e) A. M. Johns, M. Utsunomiya, C. D. Incarvito, J. F. Hartwig, J. Am. Chem. Soc. 2006, 128, 1828-1839; f) T. Ohshima, Y. Miyamoto, J. Ipposhi, Y. Nakahara, M. Utsunomiya, K. Mashima, J. Am. Chem. Soc. 2009, 131, 14317-14328; g) B. Dudle, K. Rajesh, O. Blacque, H. Berke, J. Am. Chem. Soc. 2011, 133, 8168-8178; h) K. Xu, N. Thieme, B. Breit, Angew. Chem. Int. Ed. 2014, 53, 7268-7271; Angew. Chem. 2014, 126, 7396-7399; i) P.S. Hanley, T. P. Clark, A. L. Krasovskiy, M. S. Ober, J. P. O'Brien, T. S. Staton, ACS Catal. 2016, 6, 3515-3519; j) W. J. Jang, W. L. Lee, J. H. Moon, J. Y. Lee, J. Yun, Org. Lett. 2016, 18, 1390-1393; k) V. Khakyzadeh, Y.-H.

Chem. Eur. J. 2020, 26, 11141 – 11145

www.chemeurj.org

11144 © 2020

© 2020 The Authors. Published by Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim

Wang, B. Breit, *Chem. Commun.* **2017**, *53*, 4966–4968; I) K. Hori, H. Motohashi, D. Saito, K. Mikami, *ACS Catal.* **2019**, *9*, 417–421.

- [3] a) P. W. N. M. van Leeuwen, P. C. J. Kamer, J. N. H. Reek, P. Dierkes, *Chem. Rev.* 2000, 100, 2741–2769; b) P. C. J. Kamer, P. W. N. M. van Leeuwen, J. N. H. Reek, *Acc. Chem. Res.* 2001, *34*, 895–904; c) Z. Freixa, P. W. N. M. van Leeuwen, *Dalton Trans.* 2003, 1890–1901.
- [4] P. E. Garrou, Chem. Rev. 1985, 85, 171-185.
- [5] a) J. Yin, M. M. Zhao, M. A. Huffman, J. M. McNamara, Org. Lett. 2002, 4, 3481–3484; b) P. E. Broutin, I. Berňa, M. Campaniello, F. Leroux, F. Colobert, Org. Lett. 2004, 6, 4419–4422; c) D. Jiang, J. Peng, Y. Chen, Org. Lett. 2008, 10, 1695–1698; d) L. Ackermann, C. Kornhaass, Y. Zhu, Org. Lett. 2012, 14, 1824–1826; e) H. Liu, G. Laurenczy, N. Yan, P. J. Dyson, Chem. Commun. 2014, 50, 341–343.
- [6] a) J.-A. Dimmer, M. Hornung, T. Wuetz, L. Wesemann, Organometallics
 2012, 31, 7044-7051; b) H. C. Johnson, A. S. Weller, Angew. Chem. Int. Ed. 2015, 54, 10173-10177; Angew. Chem. 2015, 127, 10311-10315.
- [7] J. F. Hooper, A. B. Chaplin, C. González-Rodríguez, A. L. Thompson, A. S. Weller, M. C. Willis, J. Am. Chem. Soc. 2012, 134, 2906–2909.
- [8] a) C. J. E. Davies, J. P. Lowe, M. F. Mahon, R. C. Poulten, M. K. Whittlesey, *Organometallics* 2013, 32, 4927–4937; b) M. K. Cybulski, J. E. Nicholls, J. P. Lowe, M. F. Mahon, M. K. Whittlesey, *Organometallics* 2017, 36, 2308–2316.
- [9] For examples of phosphinophenolate complexes made by alternative routes; a) J. Pietsch, P. Braunstein, Y. Chauvin, *New J. Chem.* **1998**, *22*, 467–472; b) L. Dahlenburg, K. Herbst, M. Kühnlein, *Z. Anorg. Allg. Chem.* **1997**, *623*, 250–258; c) A. M. Trzeciak, J. J. Ziółowski, T. Lis, R. Choukroun, *J. Organomet. Chem.* **1999**, *575*, 87–97; d) C. W. Rogers, B. O. Patrick, S. J. Rettig, M. O. Wolf, *J. Chem. Soc. Dalton Trans.* **2001**, 1278– 1283.
- [10] a) S. C. N. Hsu, S.-C. Hu, Z.-S. Wu, M. Y. Chiang, M.-Y. Hung, J. Organomet. Chem. 2009, 694, 1912–1917; b) F. P. Malan, J.-H. Noh, G. Naganagowda, E. Singleton, R. Meijboom, J. Organomet. Chem. 2016, 825–826, 139– 145.
- [11] C. L. Lund, M. J. Sgro, R. Cariou, D. W. Stephan, Organometallics 2012, 31, 802–805.
- [12] For a recent example of room temperature C–O activation of ketonefunctionalised aryl ethers at Ru; S. Lau, B. Ward, X. Zhou, A. J. P. White, I. J. Casely, S. A. Macgregor, M. R. Crimmin, *Organometallics* 2017, *36*, 3654–3663.
- [13] NMR analysis of a C₆D₆ solution of 1 heated with 5 equiv xantphos for 3 days at 70 °C showed formation of a second-order hydride resonance at $\delta = -8.6$ ppm, and a singlet in the ³¹P{¹H} NMR spectrum at $\delta = 27$ ppm, suggestive of the formation of *trans, cis, cis-*[Ru(IMe₄)₂-(xantphos)H₂].
- [14] Conducting the reaction in refluxing Et₂O gave a better yield of 4 as a result of direct precipitation of crystalline material suitable for X-ray diffraction.
- [15] a) S. Caddick, F. G. N. Cloke, P. B. Hitchcock, A. K. de K. Lewis, Angew. Chem. Int. Ed. 2004, 43, 5824–5827; Angew. Chem. 2004, 116, 5948– 5951; b) X. Wang, H. Chen, X. Li, Organometallics 2007, 26, 4684–4687; c) Y.-C. Hu, C.-C. Tsai, W.-C. Shih, G. P. A. Yap, T.-G. Ong, Organometallics 2010, 29, 516–518; d) L. Xiang, J. Xiao, L. Deng, Organometallics 2011, 30, 2018–2025; e) B. M. Day, T. Pugh, D. Hendriks, C. F. Guerra, D. J. Evans, F. M. Bickelhaupt, R. A. Layfield, J. Am. Chem. Soc. 2013, 135, 13338–13341.
- [16] a) S. Burling, M. F. Mahon, R. E. Powell, M. K. Whittlesey, J. M. J. Williams, J. Am. Chem. Soc. 2006, 128, 13702–13703; b) L. J. L. Häller, M. J. Page,
 S. Erhardt, S. A. Macgregor, M. F. Mahon, M. A. Naser, A. Vélez, M. K. Whittlesey, J. Am. Chem. Soc. 2010, 132, 18408–18416.
- [17] W. Zhong, Z. F. Fei, R. Scopelliti, P. J. Dyson, Chem. Eur. J. 2016, 22, 12138–1214.

[18] a) C. C. Brown, P. N. Plessow, F. Rominger, M. Limbach, P. Hofmann, Organometallics 2014, 33, 6754–6759; b) C. C. Brown, F. Rominger, M. Limbach, P. Hofmann, Inorg. Chem. 2015, 54, 10126–10140; c) A. Marchenko, G. Koidan, A. N. Hurieva, Y. Vlasenko, A. Kostyuk, A. Biffis, Organometallics 2016, 35, 762–770; d) E. Mosaferi, L. Pan, T. Wang, Y. Sun, C. Pranckevicius, D. Stephan, Dalton Trans. 2016, 45, 1354–1358.

Chemistry Europe

European Chemical Societies Publishing

- [19] A *cis*-hydride geometry in **5** was apparent from the AA'MM'XX' pattern of the hydride resonance at δ –9.8 ppm in the ¹H NMR spectrum (see, K. A. Lenero, M. Kranenburg, Y. Guari, P. C. J. Kamer, P. W. N. M. van Leeuwen, S. Sabo-Etienne, B. Chaudret, *Inorg. Chem.* **2003**, *42*, 2859–2866). The X-ray structure of **5** is shown in the Supporting Information.
- [20] Chaudret, van Leeuwen and co-workers (ref. [19]) prepared a series of cis-[Ru(P,O,P)₂H₂] complexes (P,O,P = homoxantphos, sixantphos, thixantphos) by treatment of [Ru(cod)(cot)] with the diphosphine and H₂ under forcing conditions (150 °C, 16 h). No degradative C–O activation was reported. The inertness of xantphos is in line with our findings (ref. [13]). Similarly, there is no C–O activation of xantphos reported in the catalytic intermolecular C–O activation of aroyl halides with a Pd(xantphos) system. Y. H. Lee, B. Morandi, *Nat. Chem.* **2018**, *10*, 1016–1022.
- [21] Calculations were run with Gaussian 09 and employed the BP86 functional with SDD pseudopotentials and basis sets on Ru and P (with polarisation added to the latter) and 6-31 g** basis sets on other atoms. Free energies are corrected for solvation (benzene, PCM approach) and dispersion (BJD3) effects. All geometries were obtained after extensive conformational searching following our published protocol (ref. [16b]). See Supporting Information for full details.
- [22] Reaction via alternative isomers proved higher in energy. See the Supporting Information, Figure S16.
- [23] a) J. A. Panetier, S. A. Macgregor, M. K. Whittlesey, Angew. Chem. Int. Ed. 2011, 50, 2783–2786; Angew. Chem. 2011, 123, 2835–2838; b) S. A. Macgregor, D. McKay, J. A. Panetier, M. K. Whittlesey, Dalton Trans. 2013, 42, 7386–7395; c) D. McKay, I. M. Riddlestone, S. A. Macgregor, M. F. Mahon, M. K. Whittlesey, ACS Catal. 2015, 5, 776–787; d) M. K. Cybulski, D. McKay, S. A. Macgregor, M. F. Mahon, M. K. Whittlesey, Angew. Chem. Int. Ed. 2017, 56, 1515–1519; Angew. Chem. 2017, 129, 1537–1541.
- [24] Alternative mechanisms based on oxidative addition were also assessed but were ruled out by the high energy of the ligand dissociations required to form the reactive 5-coordinate intermediates (see the Supporting Information, Figures S15 and S16).
- [25] Nomenclature is related to that employed for 1,4-cyclooctadiene, with the aromatic C=C bonds in the 1- and 4-positions (F. A. L. Anet, I. Yavari, J. Am. Chem. Soc. 1977, 99, 6986–6991). We have not attempted to locate barriers for these conformation changes, but assume such process are more accessible than the C–O bond cleavage transition state.
- [26] a) R. Venkateswaran, J. T. Mague, M. S. Blakrishna, *Inorg. Chem.* 2007, *46*, 809–817; b) R. Dallanegra, A. B. Chaplin, A. S. Weller, *Organometallics* 2012, *31*, 2720–2728; c) R. J. Pawley, M. A. Huertos, G. C. Lloyd-Jones, A. S. Weller, M. C. Willis, *Organometallics* 2012, *31*, 5650–5659.
- [27] All structures located via IRC calculations are provided in the ESI. These are discussed in the main text if a significant conformational change of the DPEphos ligand is involved (as is the case for $8_{ccc}/8_{ccc}$).
- [28] The computed energy of $2_{ttt'}$ the species characterised crystallographically, is -31.3 kcal mol⁻¹.
- [29] Z. Sun, B. Fridrich, A. de Santi, S. Elangovan, K. Barta, Chem. Rev. 2018, 118, 614–678.

Manuscript received: April 7, 2020 Accepted manuscript online: May 19, 2020 Version of record online: July 28, 2020