

Acta Crystallographica Section E **Structure Reports** Online

ISSN 1600-5368

A new polymorph of $N-(2-\{N'-[(1E)-2$ hydroxybenzylidene]hydrazinecarbonyl}phenyl)benzamide

Shaaban K. Mohamed,^{a,b} Joel T. Mague,^c Mehmet Akkurt,^d Herman Potgieter^e and Mustafa R. Albayati^{f*}

^aChemistry and Environmental Division, Manchester Metropolitan University, Manchester M1 5GD, England, ^bChemistry Department, Faculty of Science, Minia University, 61519 El-Minia, Egypt, ^cDepartment of Chemistry, Tulane University, New Orleans, LA 70118, USA, ^dDepartment of Physics, Faculty of Sciences, Erciyes University, 38039 Kayseri, Turkey, ^eAnalytical Development Division, Manchester Metropolitan University, Manchester M1 5GD, England, and ^fKirkuk University, College of Science, Department of Chemistry, Kirkuk, Iraq Correspondence e-mail: shaabankamel@yahoo.com

Received 29 April 2014; accepted 4 May 2014

Key indicators: single-crystal X-ray study; T = 150 K; mean σ (C–C) = 0.002 Å; R factor = 0.046; wR factor = 0.107; data-to-parameter ratio = 20.0.

The title compound, $C_{21}H_{17}N_3O_3$, is a new polymorph of an already published structure [Shashidhar et al. (2006). Acta Cryst. E62, 04473-04475]. The previously reported structure crystallizes in the monoclinic space group C2/c, whereas the structure reported here is in the tetragonal space group $I4_1/a$. The bond lengths and angles are similar in both structures. The molecule adopts an extended conformation via intramolecular $N-H\cdots O$ and $O-H\cdots N$ hydrogen bonds; the terminal phenyl ring and the hydroxylphenyl ring are twisted with respect to the central benzene ring by 44.43 (7) and 21.99 (8) $^{\circ}$, respectively. In the crystal, molecules are linked by $N-H \cdots O$ hydrogen bonds, weak $C-H \cdots O$ hydrogen bonds and weak $C-H \cdot \cdot \pi$ interactions into a three-dimensional supramolecular network.

Related literature

For different medicinal functions of hydrazide-hydrazone compounds, see: Bharti et al. (2010); Loncle et al. (2004); Garoufalias et al. (2002); Vicini et al. (2002); Sondhi et al. (2006); Kaymakçıoğlu & Rollas (2002); Rahman et al. (2005); Ragavendran et al. (2007); Çakır et al. (2001); Terzioglu & Gursoy (2003); Vicini et al. (2009). For a monoclinic polymorph of the title compound, see: Shashidhar et al. (2006).



Z = 16

Mo $K\alpha$ radiation

 $0.22 \times 0.19 \times 0.15 \text{ mm}$

 $\mu = 0.09 \text{ mm}^{-3}$

T = 150 K

Experimental

Crystal data

C21H17N3O3 $M_{\rm r} = 359.38$ Tetragonal, $I4_1/a$ a = 26.7145 (14) Åc = 10.1160 (5) Å V = 7219.4 (8) Å³

Data collection

Bruker SMART APEX CCD diffractometer Absorption correction: multi-scan (SADABS; Bruker, 2013) $T_{\min} = 0.80, \ T_{\max} = 0.99$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.046$ $wR(F^2) = 0.107$ S = 1.044868 reflections

37068 measured reflections

4868 independent reflections 3625 reflections with $I > 2\sigma(I)$ $R_{\rm int} = 0.049$

244 parameters H-atom parameters constrained $\Delta \rho_{\rm max} = 0.23 \ {\rm e} \ {\rm \AA}^ \Delta \rho_{\rm min} = -0.21 \text{ e } \text{\AA}^{-3}$

Table 1

Hydrogen-bond geometry (Å, °).

Cg1 is the centroid of the C1-C6 phenyl ring.

$\overline{D-\mathrm{H}\cdots A}$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - \mathbf{H} \cdots A$
$N2-H2A\cdotsO1^{i}$	0.91	2.02	2.9181 (15)	171
$N3-H3A\cdots O2$	0.91	1.85	2.6373 (16)	143
$O3-H3B\cdots N1$	0.84	1.85	2.6052 (16)	148
$C4-H4\cdots O2^{ii}$	0.95	2.60	3.3388 (19)	135
$C12-H12\cdots O1^{i}$	0.95	2.47	3.2319 (17)	137
C18-H18···O3 ⁱⁱⁱ	0.95	2.53	3.417 (2)	155
$C17 - H17 \cdot \cdot \cdot Cg1^{i}$	0.95	2.73	3.6561 (18)	166
Symmetry codes: $y + \frac{3}{4}, -x + \frac{3}{4}, z - \frac{1}{4}$.	(i) —y +	$\frac{5}{4}, x - \frac{1}{4}, z - \frac{1}{4};$	(ii) $-x + 1, -x$	$y + \frac{1}{2}, z;$ (iii)

Data collection: APEX2 (Bruker, 2013); cell refinement: SAINT (Bruker, 2013); data reduction: SAINT; program(s) used to solve structure: SHELXTL (Sheldrick, 2008); program(s) used to refine structure: SHELXL2014 (Sheldrick, 2008); molecular graphics: DIAMOND (Brandenburg & Putz, 2012); software used to prepare material for publication: SHELXTL.

Manchester Metropolitan University, Tulane University and Ercives University are acknowledged for supporting this study.

Supporting information for this paper is available from the IUCr electronic archives (Reference: XU5789).

References

- Bharti, S. K., Nath, G., Tilak, R. & Singh, S. K. (2010). Eur. J. Med. Chem. 45, 651–660.
- Brandenburg, K. & Putz, H. (2012). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2013). APEX2, SHELXTL, SADABS and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
- Çakır, B., Dağ, Ö., Yıldırım, E., Erol, K. & Şahin, M. F. (2001). J. Fac. Pharm. Gazi, 18, 99–106.
- Garoufalias, S. P., Pouli, N., Marakos, V. & Ladas, A. C. (2002). *Il Farmaco*, **57**, 973–977.

Kaymakçıoğlu, B. K. & Rollas, S. (2002). Il Farmaco, 57, 595-599.

- Loncle, C., Brunel, J. M., Vidal, N., Dherbomez, M. & Letourneux, Y. (2004). *Eur. J. Med. Chem.* 39, 1067–1071.
- Ragavendran, J., Sriram, D., Patel, S., Reddy, I., Bharathwajan, N., Stables, J. & Yogeeswari, P. (2007). Eur. J. Med. Chem. 42, 146–151.
- Rahman, V. M., Mukhtar, S., Ansari, W. H. & Lemiere, G. (2005). Eur. J. Med. Chem. 40, 173–184.
- Shashidhar, Chopra, D., Shivashankar, S. A. & Guru Row, T. N. (2006). Acta Cryst. E62, 04473–04475.
- Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Sondhi, S. M., Dinodia, M. & Kumar, A. (2006). Bioorg. Med. Chem. 14, 4657-4663
- Terzioglu, N. & Gursoy, A. (2003). Eur. J. Med. Chem. 38, 781-786.
- Vicini, P., Incerti, M. I., Colla, P. L. & Loddo, R. (2009). Eur. J. Med. Chem. 44, 1801–1807.
- Vicini, P., Zani, F., Cozzini, P. & Doytchinova, I. (2002). Eur. J. Med. Chem. 37, 553–567.

supplementary materials

Acta Cryst. (2014). E70, o645-o646 [doi:10.1107/S1600536814010010]

A new polymorph of *N*-(2-{*N'*-[(1*E*)-2-hydroxybenzylidene]hydrazinecarbonyl}-phenyl)benzamide

Shaaban K. Mohamed, Joel T. Mague, Mehmet Akkurt, Herman Potgieter and Mustafa R. Albayati

1. Comment

In many reports, hydrazide-hydrazone compounds are considered to be good candidates for different pharmaceutical applications such as anti-bacterial (Bharti *et al.*, 2010), antifugal (Loncle *et al.*, 2004), antimicrobial (Garoufalias *et al.*, 2002; Vicini *et al.*, 2002), anti-inflammatory (Sondhi *et al.*, 2006), anti-malarial and anti-tuberculotic activities (Kaymakçıoğlu & Rollas, 2002; Rahman *et al.*, 2005) as well as anticonvulsant agents (Ragavendran *et al.*, 2007; Çakır *et al.*, 2001). In addition, hydrazide-hydrazones were reported to elicit anti-cancer (Terzioglu & Gursoy, 2003) and anti-HIV properties (Vicini *et al.*, 2009) and hence they have gained an important place in medicinal chemistry. As part of our study to obtain novel hydrazide-hydrazones with a wide spectrum of pharmaceutical properties we report herein the synthesis of the title compound as an example of a series of hydrazide-hydrazones.

The title compound, (I), is a tetragonal polymorph of the previously reported crystal structure which crystallizes in the monoclinic space group C2/c (Shashidhar *et al.*, 2006). The relative arrangement of the molecules in (I) is different from that previously reported.

The "*extended*" conformation of the title molecule (I) is largely determined by the intramolecular N—H···O and O— H···N hydrogen bonds (Table 1 and Fig. 1). The dihedral angle between the central 6-membered ring (C8–C13) and the phenyl ring (C1–C6) of the benzamide group is 44.43 (7)° while that with the phenol ring (C16–C21) is 21.99 (8)°. The molecular packing of (I) is stabilized by intermolecular N—H···O hydrogen bonds a weak C—H··· π interaction (Table 1 and Fig. 2).

2. Experimental

In 25 ml of ethanol, a mixture of 237 mg (1 mmol) 3-amino-2-phenylquinazolin-4(3*H*)-one, 122 mg (1 mmol) of salicaldehyde and a catalytic amount of glacial acetic acid was stirred and refluxed for 6hr. The mixture was cooled and the separated solid was recrystallized from ethanol to afford the pure product as pale-yellow crystals suitable for X-ray diffraction. m.p. 497 - 501 K.

3. Refinement

H-atoms attached to carbon were placed in calculated positions (C—H = 0.95 Å) while those attached to nitrogen and oxygen were placed in locations derived from a difference map and their coordinates adjusted to give N—H = 0.91 and O —H = 0.84 Å. All were included as riding contributions with isotropic displacement parameters 1.2 times those of the attached atoms.



Figure 1

Perspective view of the title molecule with 50% probability ellipsoids. Intramolecular hydrogen bonds are shown by dotted lines.



Figure 2

Packing viewed down the c axis with intermolecular N—H…O hydrogen bonds shown with dotted lines.

N-(2-{*N*'-[(1*E*)-2-Hydroxybenzylidene]hydrazinecarbonyl}phenyl)benzamide

Crystal data

C₂₁H₁₇N₃O₃ $M_r = 359.38$ Tetragonal, $I4_1/a$ Hall symbol: -I 4ad a = 26.7145 (14) Å c = 10.1160 (5) Å V = 7219.4 (8) Å³ Z = 16F(000) = 3008

Data collection

Bruker SMART APEX CCD diffractometer Radiation source: fine-focus sealed tube Graphite monochromator Detector resolution: 8.3660 pixels mm⁻¹ φ and ω scans $D_x = 1.323 \text{ Mg m}^{-3}$ Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ Å}$ Cell parameters from 9997 reflections $\theta = 2.2-29.4^{\circ}$ $\mu = 0.09 \text{ mm}^{-1}$ T = 150 KBlock, pale-yellow $0.22 \times 0.19 \times 0.15 \text{ mm}$

Absorption correction: multi-scan (*SADABS*; Bruker, 2013) $T_{min} = 0.80$, $T_{max} = 0.99$ 37068 measured reflections 4868 independent reflections 3625 reflections with $I > 2\sigma(I)$

$R_{\rm int}=0.049$	$k = -36 \rightarrow 36$
$\theta_{\rm max} = 29.5^{\circ}, \theta_{\rm min} = 2.2^{\circ}$	$l = -13 \rightarrow 13$
$h = -36 \rightarrow 36$	
Refinement	
Refinement on F^2	Hydrogen site location: inferred from
Least-squares matrix: full	neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.046$	H-atom parameters constrained
$wR(F^2) = 0.107$	$w = 1/[\sigma^2(F_o^2) + (0.0318P)^2 + 5.367P]$
S = 1.04	where $P = (F_o^2 + 2F_c^2)/3$
4868 reflections	$(\Delta/\sigma)_{\rm max} = 0.001$
244 parameters	$\Delta ho_{ m max} = 0.23$ e Å ⁻³
0 restraints	$\Delta ho_{ m min} = -0.21$ e Å ⁻³

Special details

Geometry. Bond distances, angles *etc*. have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

Refinement. Refinement on F^2 for ALL reflections except those flagged by the user for potential systematic errors. Weighted *R*-factors *wR* and all goodnesses of fit *S* are based on F^2 , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative F^2 . The observed criterion of $F^2 > \sigma(F^2)$ is used only for calculating *-R*-factor-obs *etc*. and is not relevant to the choice of reflections for refinement. *R*-factors based on F^2 are statistically about twice as large as those based on *F*, and *R*-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters $(Å^2)$

	x	у	Ζ	$U_{\rm iso}$ */ $U_{\rm eq}$
01	0.56564 (4)	0.41265 (4)	0.31994 (10)	0.0379 (3)
O2	0.65352 (4)	0.27173 (4)	0.11479 (12)	0.0444 (4)
O3	0.67750 (4)	0.17105 (4)	-0.15220 (12)	0.0461 (4)
N1	0.72994 (4)	0.23746 (4)	-0.02418 (12)	0.0323 (3)
N2	0.73567 (4)	0.27577 (4)	0.06534 (12)	0.0343 (4)
N3	0.61447 (4)	0.35295 (4)	0.22122 (12)	0.0327 (3)
C1	0.52568 (5)	0.35160 (5)	0.18534 (14)	0.0307 (4)
C2	0.52601 (5)	0.33600 (5)	0.05509 (16)	0.0372 (4)
C3	0.48315 (6)	0.31576 (6)	-0.00106 (17)	0.0416 (5)
C4	0.44051 (6)	0.30914 (5)	0.07402 (17)	0.0407 (5)
C5	0.44026 (6)	0.32438 (7)	0.20375 (18)	0.0521 (6)
C6	0.48221 (6)	0.34632 (7)	0.25975 (16)	0.0457 (5)
C7	0.57029 (5)	0.37577 (5)	0.24815 (14)	0.0302 (4)
C8	0.66281 (5)	0.36385 (5)	0.26991 (14)	0.0310 (4)
C9	0.67193 (6)	0.40316 (6)	0.35685 (16)	0.0401 (5)
C10	0.71960 (6)	0.41150 (6)	0.40559 (16)	0.0419 (5)
C11	0.75900 (6)	0.38104 (6)	0.36873 (15)	0.0389 (5)
C12	0.75057 (5)	0.34228 (5)	0.28113 (14)	0.0342 (4)
C13	0.70295 (5)	0.33311 (5)	0.22863 (14)	0.0298 (4)
C14	0.69475 (5)	0.29129 (5)	0.13280 (15)	0.0325 (4)
C15	0.76871 (5)	0.22376 (6)	-0.08880 (15)	0.0378 (5)
C16	0.76600 (5)	0.18314 (5)	-0.18336 (14)	0.0333 (4)
C17	0.80939 (6)	0.16779 (7)	-0.24892 (18)	0.0525 (6)
C18	0.80889 (7)	0.12900 (8)	-0.33838 (18)	0.0565 (6)
C19	0.76431 (6)	0.10478 (7)	-0.36461 (16)	0.0476 (5)

C20	0.72072 (6)	0.11928 (6)	-0.30239 (16)	0.0416 (5)
C21	0.72114 (5)	0.15829 (5)	-0.21138 (14)	0.0320 (4)
H2	0.55560	0.33910	0.00390	0.0450*
H2A	0.76580	0.29150	0.06880	0.0410*
Н3	0.48320	0.30640	-0.09170	0.0500*
H3A	0.61360	0.32350	0.17590	0.0390*
H3B	0.68340	0.19490	-0.10030	0.0550*
H4	0.41160	0.29420	0.03630	0.0490*
Н5	0.41100	0.31980	0.25570	0.0620*
H6	0.48130	0.35770	0.34870	0.0550*
Н9	0.64520	0.42450	0.38300	0.0480*
H10	0.72530	0.43840	0.46500	0.0500*
H11	0.79160	0.38670	0.40330	0.0470*
H12	0.77770	0.32140	0.25590	0.0410*
H15	0.79970	0.24040	-0.07460	0.0450*
H17	0.84000	0.18460	-0.23130	0.0630*
H18	0.83880	0.11900	-0.38160	0.0680*
H19	0.76370	0.07790	-0.42610	0.0570*
H20	0.69020	0.10250	-0.32180	0.0500*

Atomic displacement parameters (\AA^2)

	U^{11}	<i>U</i> ²²	U^{33}	U^{12}	<i>U</i> ¹³	<i>U</i> ²³
01	0.0422 (6)	0.0323 (5)	0.0391 (6)	0.0078 (4)	-0.0023 (4)	-0.0068 (4)
O2	0.0287 (5)	0.0375 (6)	0.0669 (8)	-0.0050 (4)	0.0089 (5)	-0.0155 (5)
O3	0.0265 (5)	0.0485 (6)	0.0633 (8)	-0.0034 (4)	0.0024 (5)	-0.0142 (5)
N1	0.0298 (6)	0.0300 (6)	0.0370 (6)	0.0003 (4)	0.0016 (5)	-0.0009 (5)
N2	0.0283 (6)	0.0334 (6)	0.0412 (7)	-0.0039 (5)	0.0043 (5)	-0.0057 (5)
N3	0.0301 (6)	0.0276 (5)	0.0404 (7)	0.0001 (4)	0.0010 (5)	-0.0059 (5)
C1	0.0298 (6)	0.0250 (6)	0.0372 (7)	0.0026 (5)	0.0028 (6)	0.0027 (5)
C2	0.0300 (7)	0.0372 (7)	0.0444 (9)	-0.0025 (6)	0.0084 (6)	-0.0096 (6)
C3	0.0362 (8)	0.0401 (8)	0.0485 (9)	-0.0030 (6)	0.0035 (7)	-0.0153 (7)
C4	0.0318 (7)	0.0340 (7)	0.0564 (10)	-0.0049 (6)	0.0011 (7)	0.0010 (7)
C5	0.0329 (8)	0.0766 (12)	0.0467 (10)	-0.0075 (8)	0.0087 (7)	0.0117 (9)
C6	0.0364 (8)	0.0676 (11)	0.0332 (8)	-0.0010 (7)	0.0047 (6)	0.0041 (7)
C7	0.0334 (7)	0.0261 (6)	0.0310 (7)	0.0022 (5)	0.0029 (5)	0.0023 (5)
C8	0.0320 (7)	0.0292 (6)	0.0318 (7)	-0.0013 (5)	0.0013 (5)	0.0026 (5)
C9	0.0398 (8)	0.0375 (8)	0.0430 (9)	0.0015 (6)	-0.0007 (7)	-0.0071 (7)
C10	0.0448 (8)	0.0431 (8)	0.0379 (8)	-0.0041 (7)	-0.0041 (7)	-0.0067 (7)
C11	0.0355 (7)	0.0481 (9)	0.0330 (8)	-0.0050 (6)	-0.0040 (6)	0.0011 (6)
C12	0.0322 (7)	0.0374 (7)	0.0331 (7)	-0.0010 (5)	0.0033 (6)	0.0039 (6)
C13	0.0317 (7)	0.0278 (6)	0.0298 (7)	-0.0026 (5)	0.0042 (5)	0.0035 (5)
C14	0.0303 (7)	0.0275 (6)	0.0398 (8)	-0.0007 (5)	0.0047 (6)	0.0022 (6)
C15	0.0265 (7)	0.0440 (8)	0.0428 (9)	-0.0055 (6)	0.0024 (6)	-0.0054 (7)
C16	0.0270 (6)	0.0403 (8)	0.0325 (7)	-0.0001 (5)	-0.0004 (5)	-0.0015 (6)
C17	0.0299 (8)	0.0763 (12)	0.0514 (10)	-0.0046 (8)	0.0050 (7)	-0.0231 (9)
C18	0.0407 (9)	0.0768 (13)	0.0520 (11)	0.0056 (8)	0.0063 (8)	-0.0239 (9)
C19	0.0531 (10)	0.0507 (9)	0.0390 (9)	0.0032 (7)	-0.0011 (7)	-0.0118 (7)
C20	0.0407 (8)	0.0441 (8)	0.0399 (9)	-0.0047 (7)	-0.0063 (7)	-0.0033 (7)
C21	0.0284 (6)	0.0339 (7)	0.0336 (7)	0.0020 (5)	-0.0023 (5)	0.0049 (6)

Acta Cryst. (2014). E70, o645-o646

Geometric parameters (Å, °)

01	1.2303 (17)	C12—C13	1.4002 (19)
O2—C14	1.2326 (17)	C13—C14	1.495 (2)
O3—C21	1.3542 (17)	C15—C16	1.448 (2)
O3—H3B	0.8400	C16—C21	1.3990 (19)
N1—N2	1.3751 (16)	C16—C17	1.397 (2)
N1—C15	1.2783 (18)	C17—C18	1.376 (3)
N2—C14	1.3537 (18)	C18—C19	1.381 (3)
N3—C7	1.3560 (17)	C19—C20	1.379 (2)
N3—C8	1.4125 (17)	C20—C21	1.391 (2)
N2—H2A	0.9100	С2—Н2	0.9500
N3—H3A	0.9100	С3—Н3	0.9500
C1—C7	1.4970 (19)	C4—H4	0.9500
C1—C2	1.382 (2)	С5—Н5	0.9500
C1—C6	1.391 (2)	С6—Н6	0.9500
C2—C3	1.388 (2)	С9—Н9	0.9500
C3—C4	1.381 (2)	C10—H10	0.9500
C4—C5	1.374 (2)	С11—Н11	0.9500
C5—C6	1.386 (2)	С12—Н12	0.9500
C8—C13	1.4137 (19)	С15—Н15	0.9500
C8—C9	1.391 (2)	С17—Н17	0.9500
C9—C10	1.384 (2)	C18—H18	0.9500
C10—C11	1.382 (2)	С19—Н19	0.9500
C11—C12	1.381 (2)	С20—Н20	0.9500
С21—О3—НЗВ	108.00	C16—C17—C18	121.69 (15)
N2—N1—C15	117.37 (11)	C17—C18—C19	119.18 (17)
N1—N2—C14	118.04 (11)	C18—C19—C20	120.59 (17)
C7—N3—C8	129.27 (12)	C19—C20—C21	120.38 (15)
C14—N2—H2A	124.00	O3—C21—C20	118.32 (13)
N1—N2—H2A	118.00	C16—C21—C20	119.78 (13)
C7—N3—H3A	118.00	O3—C21—C16	121.90 (12)
C8—N3—H3A	112.00	C1—C2—H2	120.00
C6—C1—C7	118.60 (13)	С3—С2—Н2	120.00
C2—C1—C6	119.38 (13)	С2—С3—Н3	120.00
C2—C1—C7	121.98 (12)	С4—С3—Н3	120.00
C1—C2—C3	120.16 (14)	C3—C4—H4	120.00
C2—C3—C4	120.37 (15)	C5—C4—H4	120.00
C3—C4—C5	119.44 (15)	C4—C5—H5	120.00
C4—C5—C6	120.79 (15)	С6—С5—Н5	120.00
C1—C6—C5	119.79 (15)	C1—C6—H6	120.00
N3—C7—C1	114.44 (12)	С5—С6—Н6	120.00
O1—C7—N3	124.51 (13)	С8—С9—Н9	120.00
O1—C7—C1	121.04 (12)	С10—С9—Н9	120.00
N3—C8—C13	118.08 (12)	С9—С10—Н10	120.00
N3—C8—C9	122.42 (12)	C11—C10—H10	120.00
C9—C8—C13	119.50 (13)	C10-C11-H11	120.00
C8—C9—C10	120.53 (14)	C12—C11—H11	120.00
C0 C10 C11	120(67(15))	C11 C12 H12	110.00

C10-C11-C12	119.37 (14)	C13—C12—H12	119.00
C11—C12—C13	121.51 (13)	N1—C15—H15	120.00
C8—C13—C14	120.96 (12)	C16—C15—H15	120.00
C8—C13—C12	118.39 (12)	C16—C17—H17	119.00
C12—C13—C14	120.65 (12)	C18—C17—H17	119.00
O2—C14—N2	121.15 (13)	C17—C18—H18	120.00
O2—C14—C13	122.92 (13)	C19—C18—H18	120.00
N2-C14-C13	115.94 (11)	C18—C19—H19	120.00
N1-C15-C16	120.78 (13)	С20—С19—Н19	120.00
C15—C16—C21	122.15 (12)	С19—С20—Н20	120.00
C17—C16—C21	118.38 (13)	C21—C20—H20	120.00
C15—C16—C17	119.47 (13)		
C15—N1—N2—C14	178.84 (13)	C9—C8—C13—C12	2.4 (2)
N2—N1—C15—C16	178.99 (12)	C9—C8—C13—C14	-178.53 (13)
N1—N2—C14—O2	0.0 (2)	C8—C9—C10—C11	0.1 (2)
N1-N2-C14-C13	-179.85 (11)	C9—C10—C11—C12	0.7 (2)
C8—N3—C7—O1	2.7 (2)	C10-C11-C12-C13	0.0 (2)
C8—N3—C7—C1	-175.82 (13)	C11—C12—C13—C8	-1.6 (2)
C7—N3—C8—C9	-1.3 (2)	C11—C12—C13—C14	179.33 (13)
C7—N3—C8—C13	178.23 (13)	C8—C13—C14—O2	-22.0 (2)
C6—C1—C2—C3	0.7 (2)	C8—C13—C14—N2	157.86 (13)
C7—C1—C2—C3	-177.16 (13)	C12—C13—C14—O2	157.06 (14)
C2-C1-C6-C5	1.7 (2)	C12—C13—C14—N2	-23.07 (19)
C7—C1—C6—C5	179.57 (15)	N1-C15-C16-C17	-177.66 (15)
C2-C1-C7-O1	137.04 (15)	N1-C15-C16-C21	2.1 (2)
C2-C1-C7-N3	-44.39 (18)	C15—C16—C17—C18	179.19 (16)
C6—C1—C7—O1	-40.8 (2)	C21—C16—C17—C18	-0.5 (2)
C6—C1—C7—N3	137.75 (14)	C15—C16—C21—O3	0.5 (2)
C1—C2—C3—C4	-2.7 (2)	C15—C16—C21—C20	-179.54 (14)
C2—C3—C4—C5	2.3 (2)	C17—C16—C21—O3	-179.83 (14)
C3—C4—C5—C6	0.1 (3)	C17—C16—C21—C20	0.2 (2)
C4—C5—C6—C1	-2.1 (3)	C16—C17—C18—C19	0.4 (3)
N3—C8—C9—C10	177.83 (14)	C17—C18—C19—C20	0.2 (3)
C13—C8—C9—C10	-1.7 (2)	C18—C19—C20—C21	-0.5 (3)
N3—C8—C13—C12	-177.16 (12)	C19—C20—C21—O3	-179.64 (14)
N3-C8-C13-C14	1.9 (2)	C19—C20—C21—C16	0.4 (2)

Hydrogen-bond geometry (Å, °)

Cg1 is the centroid of the C1–C6 phenyl ring.

D—H···A	<i>D</i> —Н	H···A	$D^{\dots}A$	D—H…A
N2—H2A····O1 ⁱ	0.91	2.02	2.9181 (15)	171
N3—H3 <i>A</i> ···O2	0.91	1.85	2.6373 (16)	143
O3—H3 <i>B</i> …N1	0.84	1.85	2.6052 (16)	148
C4—H4···O2 ⁱⁱ	0.95	2.60	3.3388 (19)	135
С9—Н9…О1	0.95	2.24	2.8751 (19)	123
C12—H12…O1 ⁱ	0.95	2.47	3.2319 (17)	137

C18—H18···O3ⁱⁱⁱ 0.95 2.53 3.417 (2) 155 C17—H17···Cg1ⁱ 0.95 2.73 3.6561 (18) 166

Symmetry codes: (i) -y+5/4, x-1/4, z-1/4; (ii) -x+1, -y+1/2, z; (iii) y+3/4, -x+3/4, z-1/4.