

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

1,3-Dibenzylimidazolidine-2-thione

Anna Mietlerek-Kropidłowska,* Jaroslaw Chojnacki and Barbara Becker

Department of Inorganic Chemistry, Chemical Faculty, Gdansk University of Technology, 11/12 G. Narutowicza Street, 80-233 Gdańsk, Poland

Correspondence e-mail: anna.mietlerek-kropidlowska@pg.gda.pl


Received 3 July 2012; accepted 18 July 2012

 Key indicators: single-crystal X-ray study; $T = 120$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.037; wR factor = 0.092; data-to-parameter ratio = 16.0.

In the title compound, $\text{C}_{17}\text{H}_{18}\text{N}_2\text{S}$, the imidazolidine ring adopts a twisted conformation. In the crystal, molecules are linked by slipped $\pi-\pi$ interactions between the benzene rings of neighbouring molecules [centroid-to-centroid distance = 3.903 (2) Å].

Related literature

For background information and the synthesis of related compounds, see: Savjani & Gajjar (2011); Wazeer *et al.* (2007); Zhivotova *et al.* (2006); Jayaram *et al.* (2008). For ring-puckering parameters, see: Cremer & Pople (1975).



Experimental

Crystal data

 $\text{C}_{17}\text{H}_{18}\text{N}_2\text{S}$
 $M_r = 282.39$

 Monoclinic, $P2_1/c$
 $a = 14.8492$ (8) Å

 $b = 10.2284$ (5) Å
 $c = 10.1314$ (6) Å
 $\beta = 107.131$ (6)°
 $V = 1470.53$ (14) Å³
 $Z = 4$

 Mo $K\alpha$ radiation
 $\mu = 0.21$ mm⁻¹
 $T = 120$ K
 $0.45 \times 0.15 \times 0.03$ mm

Data collection

 Oxford Xcalibur Sapphire2
 diffractometer
 Absorption correction: analytical
 (*CrysAlis PRO*; Oxford
 Diffraction, 2010)
 $T_{\min} = 0.938$, $T_{\max} = 0.993$

 5840 measured reflections
 2890 independent reflections
 2148 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.020$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.037$
 $wR(F^2) = 0.092$
 $S = 0.94$
 2890 reflections

 181 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.32$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.17$ e Å⁻³

Data collection: *CrysAlis PRO* (Oxford Diffraction, 2010); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

The research was supported by grants from the Polish Ministry of Education and Science (grant Nos. NN204 543339 and NN204 150237).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LX2257).

References

- Cremer, D. & Pople, J. A. (1975). *J. Am. Chem. Soc.* **97**, 1354–1358.
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
 Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
 Jayaram, P. N., Roy, G. & Mugesh, G. (2008). *J. Chem. Sci.* **120**, 143–154.
 Oxford Diffraction (2010). *CrysAlis PRO*. Oxford Diffraction Ltd, Yarnton, Oxfordshire, England.
 Savjani, J. K. & Gajjar, A. K. (2011). *Pak. J. Biol. Sci.* **14**, 1076–1089.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Wazeer, M. I. M., Isab, A. A. & Fettouhi, M. (2007). *Polyhedron*, **26**, 1725–1730.
 Zhivotova, T. S., Gazaliev, A. M., Fazylov, S. D., Aitpaeva, Z. K. & Turdybekov, D. M. (2006). *Zh. Org. Khim.* **42**, 448–450.

supplementary materials

Acta Cryst. (2012). E68, o2521 [doi:10.1107/S1600536812032655]

1,3-Dibenzylimidazolidine-2-thione

Anna Mietlerek-Kropidłowska, Jaroslaw Chojnacki and Barbara Becker

Comment

2-Imidazolidinethione derivatives exhibit applications in diverse therapeutic areas such as antimicrobial activity (Wazeer *et al.*, 2007). Moreover, 2-imidazolidinethiones are also used as a chiral auxiliary and ligands for asymmetric catalysis (Savjani & Gajjar, 2011). Herein, we report the crystal structure of the title compound.

In the title molecule (Fig. 1), the imidazolidine ring has twisted (*T*, *i.e.* half-chair) conformation. In the crystal structure (Fig. 2), molecules are connected by slipped π - π interactions between the benzene rings of neighbouring molecules, with a C_g-C_gⁱ distance of 3.903 (2) Å and an interplanar distance of 3.595 (2) Å resulting in a slippage of 1.519 Å (C_g is the centroid of the C5-C10 benzene ring).

The volume 1470.53 (14) Å³ as well as the number of molecules in the elemental cell (*Z* = 4) of 1,3-dibenzylimidazolidine-2-thione match the values determined for closely related 1,3-dibenzyl-1*H*-imidazole-2(3*H*)-thione (Jayaram *et al.*, 2008). These molecules differ in their 5-membered ring being either aromatic or aliphatic. Nevertheless any closer comparison of the bond lengths and angles between these two compounds is difficult due to the lack of atomic coordinates for 1,3-dibenzyl-1*H*-imidazole-2(3*H*)-thione either in the above mentioned paper or in Cambridge Structural Database. The 5-membered imidazolidine ring in the present structure adopts the conformation which is most closely described as half-chair or twisted (*T*) on C2-C3. Parameter *Q*₂ (Cremer & Pople, 1975), which specifies the puckering amplitude and thus differentiate planar from non-planar systems, is significantly greater than zero 0.1565 (16) Å and φ_2 parameter is 301.2 (6)° pointing to the mentioned *T* type of pucker.

Experimental


The title compound was synthesized according to the procedure reported by Zhivotova *et al.* (2006). The reaction was carried out between N,N'-dibenzylethylenediamine and carbon disulfide in the presence of KOH (molar ratio 1:1:1) in methanol. The mixture was stirred 50 min, filtered and then left for crystallization at 278 K. After a week yellowish needle-like crystals were appeared. These were filtered off and dried. The melting point was determined to be 393 K.

Refinement


All of the C-bonded hydrogen atoms were placed in the calculated positions (aromatic: $d_{\text{CH}} = 0.95$ Å, methylene: $d_{\text{CH}} = 0.99$ Å) and were treated as riding on their parent atoms with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$.

Computing details

Data collection: *CrysAlis PRO* (Oxford Diffraction, 2010); cell refinement: *CrysAlis PRO* (Oxford Diffraction, 2010); data reduction: *CrysAlis PRO* (Oxford Diffraction, 2010); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).


Figure 1

The molecular structure of the title compound with the atom numbering scheme. Displacement ellipsoids are drawn at the 50% probability level. H atoms are presented as small spheres of arbitrary radius.


Figure 2

A view of the π - π interactions (dotted lines) in the crystal structure of the title compound. H atoms non-participating in hydrogen-bonding were omitted for clarity. Cg is the centroid of the C5–C10 benzene ring. [Symmetry code: (i) $-x + 1, -y + 1, -z + 1$.]

1,3-Dibenzylimidazolidine-2-thione

Crystal data

$C_{17}H_{18}N_2S$

$M_r = 282.39$

Monoclinic, $P2_1/c$

Hall symbol: $-P 2_1/c$

$a = 14.8492(8) \text{ \AA}$

$b = 10.2284(5) \text{ \AA}$

$c = 10.1314(6) \text{ \AA}$

$\beta = 107.131(6)^\circ$

$V = 1470.53(14) \text{ \AA}^3$

$Z = 4$

$F(000) = 600$

$D_x = 1.276 \text{ Mg m}^{-3}$

Melting point: 393 K

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 3149 reflections

$\theta = 2.9\text{--}28.3^\circ$

$\mu = 0.21 \text{ mm}^{-1}$

$T = 120 \text{ K}$

Needle, light yellow

$0.45 \times 0.15 \times 0.03 \text{ mm}$

Data collection

Oxford Xcalibur Sapphire2 diffractometer	5840 measured reflections
Graphite monochromator	2890 independent reflections
Detector resolution: 8.1883 pixels mm ⁻¹	2148 reflections with $I > 2\sigma(I)$
ω scans	$R_{\text{int}} = 0.020$
Absorption correction: analytical (<i>CrysAlis PRO</i> ; Oxford Diffraction, 2010)	$\theta_{\text{max}} = 26^\circ$, $\theta_{\text{min}} = 2.9^\circ$
$T_{\text{min}} = 0.938$, $T_{\text{max}} = 0.993$	$h = -17 \rightarrow 18$
	$k = -11 \rightarrow 12$
	$l = -11 \rightarrow 12$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.037$	H-atom parameters constrained
$wR(F^2) = 0.092$	$w = 1/[\sigma^2(F_o^2) + (0.0605P)^2]$
$S = 0.94$	where $P = (F_o^2 + 2F_c^2)/3$
2890 reflections	$(\Delta/\sigma)_{\text{max}} = 0.001$
181 parameters	$\Delta\rho_{\text{max}} = 0.32 \text{ e } \text{\AA}^{-3}$
0 restraints	$\Delta\rho_{\text{min}} = -0.17 \text{ e } \text{\AA}^{-3}$
Primary atom site location: structure-invariant direct methods	

Special details

Geometry. All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.06996 (8)	0.45939 (12)	0.28050 (13)	0.0281 (3)
N2	0.20826 (8)	0.36922 (12)	0.37091 (13)	0.0268 (3)
S1	0.11232 (3)	0.27228 (4)	0.12140 (4)	0.03308 (14)
C1	0.13043 (10)	0.36852 (14)	0.26067 (15)	0.0233 (3)
C2	0.20697 (11)	0.47669 (16)	0.46506 (17)	0.0334 (4)
H2A	0.2501	0.5478	0.4565	0.04*
H2B	0.2246	0.4464	0.5621	0.04*
C3	0.10445 (11)	0.52096 (16)	0.41609 (17)	0.0335 (4)
H3A	0.0692	0.4899	0.4791	0.04*
H3B	0.0997	0.6174	0.4088	0.04*
C4	0.28837 (10)	0.28334 (16)	0.38936 (18)	0.0329 (4)
H4A	0.2685	0.2064	0.3284	0.039*
H4B	0.3081	0.2515	0.4859	0.039*
C5	0.37268 (10)	0.34615 (14)	0.35870 (16)	0.0270 (3)
C6	0.46349 (11)	0.30853 (16)	0.43384 (18)	0.0338 (4)
H6	0.4721	0.246	0.5059	0.041*
C7	0.54126 (11)	0.36151 (16)	0.40445 (19)	0.0388 (4)

H7	0.6028	0.3343	0.4555	0.047*
C8	0.52966 (11)	0.45327 (17)	0.30165 (19)	0.0388 (4)
H8	0.5832	0.49	0.2824	0.047*
C9	0.43962 (12)	0.49221 (17)	0.22599 (18)	0.0365 (4)
H9	0.4314	0.5558	0.1551	0.044*
C10	0.36144 (11)	0.43758 (16)	0.25455 (16)	0.0328 (4)
H10	0.2999	0.4634	0.202	0.039*
C11	-0.02190 (10)	0.48742 (16)	0.18592 (18)	0.0341 (4)
H11A	-0.0199	0.4689	0.0909	0.041*
H11B	-0.0345	0.582	0.1912	0.041*
C12	-0.10361 (10)	0.41236 (14)	0.21001 (15)	0.0234 (3)
C13	-0.09255 (10)	0.31025 (14)	0.30325 (15)	0.0259 (3)
H13	-0.0311	0.2852	0.3572	0.031*
C14	-0.17071 (11)	0.24423 (15)	0.31840 (17)	0.0317 (4)
H14	-0.1623	0.1741	0.3824	0.038*
C15	-0.26067 (11)	0.27991 (17)	0.24095 (18)	0.0360 (4)
H15	-0.3141	0.2351	0.2517	0.043*
C17	-0.27181 (10)	0.38191 (17)	0.14751 (17)	0.0358 (4)
H17	-0.3333	0.4069	0.0939	0.043*
C18	-0.19466 (10)	0.44741 (15)	0.13154 (16)	0.0285 (4)
H18	-0.2034	0.5169	0.0668	0.034*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0252 (6)	0.0280 (7)	0.0329 (8)	-0.0007 (5)	0.0113 (5)	-0.0046 (6)
N2	0.0244 (6)	0.0293 (7)	0.0257 (7)	-0.0010 (5)	0.0059 (5)	-0.0015 (6)
S1	0.0371 (2)	0.0336 (2)	0.0283 (2)	-0.00352 (17)	0.00927 (17)	-0.00815 (18)
C1	0.0240 (7)	0.0229 (7)	0.0252 (8)	-0.0053 (6)	0.0109 (6)	0.0004 (6)
C2	0.0391 (9)	0.0360 (9)	0.0276 (9)	-0.0154 (7)	0.0139 (7)	-0.0060 (7)
C3	0.0452 (10)	0.0290 (8)	0.0328 (9)	-0.0040 (7)	0.0214 (8)	-0.0040 (7)
C4	0.0266 (8)	0.0317 (9)	0.0375 (9)	0.0010 (7)	0.0050 (7)	0.0085 (8)
C5	0.0265 (8)	0.0245 (8)	0.0288 (9)	0.0006 (6)	0.0064 (6)	-0.0026 (6)
C6	0.0293 (8)	0.0303 (9)	0.0384 (10)	0.0034 (7)	0.0044 (7)	0.0008 (7)
C7	0.0237 (8)	0.0355 (10)	0.0542 (12)	0.0050 (7)	0.0066 (7)	-0.0051 (9)
C8	0.0305 (9)	0.0398 (10)	0.0509 (11)	-0.0061 (7)	0.0196 (8)	-0.0116 (8)
C9	0.0388 (9)	0.0378 (10)	0.0348 (10)	-0.0027 (7)	0.0138 (7)	0.0011 (8)
C10	0.0270 (8)	0.0373 (9)	0.0321 (9)	0.0003 (7)	0.0057 (7)	0.0012 (7)
C11	0.0282 (8)	0.0341 (9)	0.0418 (10)	0.0062 (7)	0.0133 (7)	0.0128 (8)
C12	0.0254 (7)	0.0228 (7)	0.0236 (8)	0.0029 (6)	0.0095 (6)	-0.0034 (6)
C13	0.0267 (8)	0.0257 (8)	0.0252 (8)	0.0032 (6)	0.0076 (6)	0.0006 (6)
C14	0.0406 (9)	0.0279 (8)	0.0294 (9)	-0.0035 (7)	0.0145 (7)	-0.0003 (7)
C15	0.0310 (8)	0.0375 (9)	0.0433 (10)	-0.0097 (7)	0.0167 (7)	-0.0102 (8)
C17	0.0242 (8)	0.0425 (10)	0.0371 (10)	0.0022 (7)	0.0036 (7)	-0.0073 (8)
C18	0.0316 (8)	0.0291 (8)	0.0241 (8)	0.0052 (7)	0.0072 (6)	-0.0008 (7)

Geometric parameters (\AA , $^\circ$)

N1—C1	1.3479 (18)	C7—H7	0.95
N1—C11	1.446 (2)	C8—C9	1.389 (2)

N1—C3	1.460 (2)	C8—H8	0.95
N2—C1	1.3501 (19)	C9—C10	1.393 (2)
N2—C4	1.4459 (18)	C9—H9	0.95
N2—C2	1.4591 (19)	C10—H10	0.95
S1—C1	1.6759 (15)	C11—C12	1.515 (2)
C2—C3	1.524 (2)	C11—H11A	0.99
C2—H2A	0.99	C11—H11B	0.99
C2—H2B	0.99	C12—C13	1.385 (2)
C3—H3A	0.99	C12—C18	1.398 (2)
C3—H3B	0.99	C13—C14	1.390 (2)
C4—C5	1.518 (2)	C13—H13	0.95
C4—H4A	0.99	C14—C15	1.384 (2)
C4—H4B	0.99	C14—H14	0.95
C5—C10	1.383 (2)	C15—C17	1.385 (2)
C5—C6	1.393 (2)	C15—H15	0.95
C6—C7	1.385 (2)	C17—C18	1.377 (2)
C6—H6	0.95	C17—H17	0.95
C7—C8	1.375 (3)	C18—H18	0.95
C1—N1—C11	125.29 (13)	C6—C7—H7	119.9
C1—N1—C3	111.91 (12)	C7—C8—C9	119.96 (15)
C11—N1—C3	122.62 (13)	C7—C8—H8	120
C1—N2—C4	125.09 (13)	C9—C8—H8	120
C1—N2—C2	111.84 (12)	C8—C9—C10	119.72 (16)
C4—N2—C2	122.81 (12)	C8—C9—H9	120.1
N1—C1—N2	108.57 (13)	C10—C9—H9	120.1
N1—C1—S1	125.58 (12)	C5—C10—C9	120.59 (14)
N2—C1—S1	125.84 (11)	C5—C10—H10	119.7
N2—C2—C3	102.42 (12)	C9—C10—H10	119.7
N2—C2—H2A	111.3	N1—C11—C12	115.89 (13)
C3—C2—H2A	111.3	N1—C11—H11A	108.3
N2—C2—H2B	111.3	C12—C11—H11A	108.3
C3—C2—H2B	111.3	N1—C11—H11B	108.3
H2A—C2—H2B	109.2	C12—C11—H11B	108.3
N1—C3—C2	102.60 (12)	H11A—C11—H11B	107.4
N1—C3—H3A	111.2	C13—C12—C18	118.78 (13)
C2—C3—H3A	111.2	C13—C12—C11	123.52 (13)
N1—C3—H3B	111.2	C18—C12—C11	117.68 (13)
C2—C3—H3B	111.2	C12—C13—C14	120.44 (14)
H3A—C3—H3B	109.2	C12—C13—H13	119.8
N2—C4—C5	114.39 (12)	C14—C13—H13	119.8
N2—C4—H4A	108.7	C15—C14—C13	120.48 (15)
C5—C4—H4A	108.7	C15—C14—H14	119.8
N2—C4—H4B	108.7	C13—C14—H14	119.8
C5—C4—H4B	108.7	C14—C15—C17	119.14 (14)
H4A—C4—H4B	107.6	C14—C15—H15	120.4
C10—C5—C6	118.92 (14)	C17—C15—H15	120.4
C10—C5—C4	121.38 (13)	C18—C17—C15	120.70 (14)
C6—C5—C4	119.67 (14)	C18—C17—H17	119.7

C7—C6—C5	120.57 (16)	C15—C17—H17	119.7
C7—C6—H6	119.7	C17—C18—C12	120.46 (14)
C5—C6—H6	119.7	C17—C18—H18	119.8
C8—C7—C6	120.24 (15)	C12—C18—H18	119.8
C8—C7—H7	119.9		
C11—N1—C1—N2	-179.34 (13)	C5—C6—C7—C8	0.8 (3)
C3—N1—C1—N2	-4.12 (17)	C6—C7—C8—C9	-0.6 (3)
C11—N1—C1—S1	1.4 (2)	C7—C8—C9—C10	-0.2 (3)
C3—N1—C1—S1	176.58 (11)	C6—C5—C10—C9	-0.6 (2)
C4—N2—C1—N1	178.56 (12)	C4—C5—C10—C9	-178.66 (15)
C2—N2—C1—N1	-7.22 (16)	C8—C9—C10—C5	0.8 (2)
C4—N2—C1—S1	-2.2 (2)	C1—N1—C11—C12	91.76 (18)
C2—N2—C1—S1	172.08 (10)	C3—N1—C11—C12	-82.97 (18)
C1—N2—C2—C3	14.63 (16)	N1—C11—C12—C13	-8.5 (2)
C4—N2—C2—C3	-170.99 (13)	N1—C11—C12—C18	172.64 (13)
C1—N1—C3—C2	12.79 (16)	C18—C12—C13—C14	-0.1 (2)
C11—N1—C3—C2	-171.84 (13)	C11—C12—C13—C14	-178.92 (14)
N2—C2—C3—N1	-15.51 (14)	C12—C13—C14—C15	-0.3 (2)
C1—N2—C4—C5	101.77 (17)	C13—C14—C15—C17	0.3 (2)
C2—N2—C4—C5	-71.85 (19)	C14—C15—C17—C18	-0.1 (2)
N2—C4—C5—C10	-35.3 (2)	C15—C17—C18—C12	-0.3 (2)
N2—C4—C5—C6	146.64 (14)	C13—C12—C18—C17	0.4 (2)
C10—C5—C6—C7	-0.2 (2)	C11—C12—C18—C17	179.26 (15)
C4—C5—C6—C7	177.88 (15)		
