

## Tris(2-hydroxyethyl)ammonium 1,3-benzothiazole-2-thiolate

Ji-Qin Zhu, Hua-Cai Fang, Bi-Yun Chen, Mao-Song Feng  
and Jing-Ning Li\*

School of Chemistry and the Environment, South China Normal University,  
Guangzhou 510631, People's Republic of China  
Correspondence e-mail: ypcail8@yahoo.com


Received 21 May 2009; accepted 12 June 2009

Key indicators: single-crystal X-ray study;  $T = 296\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$ ;  
 $R$  factor = 0.035;  $wR$  factor = 0.092; data-to-parameter ratio = 15.3.

In the title compound,  $\text{C}_6\text{H}_{16}\text{NO}_3^+\cdot\text{C}_7\text{H}_4\text{NS}_2^-$ , the cations and anions are connected by  $\text{O}-\text{H}\cdots\text{N}$  and  $\text{O}-\text{H}\cdots\text{S}$  hydrogen bonding. Weak  $\text{C}-\text{H}\cdots\text{O}$  hydrogen bonding between adjacent cations helps to stabilize the crystal structure.

### Related literature

For related structures, see Bethge *et al.* (2008); Siracusa *et al.* (2008); Solar *et al.* (2008); Varlamov *et al.* (2005).



### Experimental

#### Crystal data

$\text{C}_6\text{H}_{16}\text{NO}_3^+\cdot\text{C}_7\text{H}_4\text{NS}_2^-$

$M_r = 316.43$

Monoclinic,  $P2_1/c$

$a = 16.496 (2)\text{ \AA}$

$b = 5.7184 (8)\text{ \AA}$

$c = 17.462 (3)\text{ \AA}$

$\beta = 111.524 (2)^\circ$

$V = 1532.3 (4)\text{ \AA}^3$

$Z = 4$

Mo  $K\alpha$  radiation

$\mu = 0.36\text{ mm}^{-1}$

$T = 296\text{ K}$

$0.56 \times 0.38 \times 0.23\text{ mm}$

#### Data collection

Bruker SMART area-detector diffractometer  
Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)  
 $T_{\min} = 0.803$ ,  $T_{\max} = 0.921$

7572 measured reflections  
2827 independent reflections  
2185 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.034$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.035$   
 $wR(F^2) = 0.092$   
 $S = 1.04$   
2827 reflections

185 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.24\text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.16\text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
O1—H1 $\cdots$ N1 <sup>i</sup>	0.82	1.96	2.770 (2)	168
O2—H2 $\cdots$ S2 <sup>j</sup>	0.82	2.43	3.2258 (17)	165
O3—H3 $\cdots$ S2	0.82	2.35	3.1621 (16)	169
C8—H8A $\cdots$ O1 <sup>ii</sup>	0.97	2.50	3.385 (3)	151
C10—H10B $\cdots$ O3 <sup>iii</sup>	0.97	2.47	3.425 (3)	167

Symmetry codes: (i)  $x, -y + \frac{5}{2}, z + \frac{1}{2}$ ; (ii)  $x, y - 1, z$ ; (iii)  $-x, y - \frac{1}{2}, -z + \frac{1}{2}$ .

Data collection: *SMART* (Bruker, 1998); cell refinement: *SAINT* (Bruker, 1999); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL*.

The work was supported by the National Natural Science Foundation of China (No. 20772037) and the NSF of Guangdong Province, China (No. 06025033).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU2531).

### References

- Bethge, L., Jarikote, D. V. & Seitz, O. (2008). *Bioorg. Med. Chem.* **16**, 114–125.  
Bruker (1998). *SMART*. Bruker AXS Inc., Madison, Wisconsin, USA.  
Bruker (1999). *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.  
Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.  
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.  
Siracusa, M. A., Salerno, L., Modica, M. N., Pittala, V., Romeo, G., Amato, M. E., Nowak, M., Bojarski, A. J., Mereghetti, I., Cagnotto, A. & Mennini, T. (2008). *J. Med. Chem.* **51**, 4529–4538.  
Solar, M., del Ghosh, A. K. & Zajc, B. (2008). *J. Org. Chem.* **73**, 8206–8211.  
Varlamov, V. T., Ferreri, C. & Chatgilialoglu, C. (2005). *J. Organomet. Chem.* **690**, 1756–1762.

## **supplementary materials**

*Acta Cryst.* (2009). E65, o1640 [doi:10.1107/S160053680902248X]

### Tris(2-hydroxyethyl)ammonium 1,3-benzothiazole-2-thiolate

J.-Q. Zhu, H.-C. Fang, B.-Y. Chen, M.-S. Feng and J.-N. Li

#### Comment

Some related compounds involving the 2-mercaptopbenzothiazole and its derivatives has reported previously (Varlamov *et al.*, 2005; Solar *et al.*, 2008; Siracusa *et al.* 2008; Bethge *et al.*, 2008). The crystal structure of the title compound consists of tris(2-hydroxyethyl)ammonium cations and benzothiazole-2-thiolate anions (Fig. 1). The cations and anions are connected by O—H···N and O—H···S hydrogen bonding (Table 1).

#### Experimental

A mixture of benzothiazole (335 mg, 2 mmol), triethanolamine (0.4 ml and 3 mmol) in ethyl acetate (20 ml) was refluxed for 20 h. The resultant yellow solution was delaminated into two layers at room temperature and then filtered. Single crystals suitable for X-ray diffraction were obtained in two day by slow diffusion of diethyl ether into a dilute solution of the title complex in ethyl acetate. The elemental analysis; calculated for C<sub>13</sub>H<sub>20</sub>N<sub>2</sub>O<sub>3</sub>S<sub>2</sub>: C 49.37, H 6.33, N 8.86%; found: C 49.31, H 6.38, N 8.82%.

#### Refinement

H atoms were placed in idealized positions with C—H = 0.93 or 0.97 Å, O—H = 0.82 Å, N—H = 0.91 Å, and refined in riding-model approximation.  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{O})$  and  $1.2U_{\text{eq}}(\text{N,C})$ .

#### Figures




Fig. 1. The structure of the title compound with 50% probability displacement ellipsoids.

### Tris(2-hydroxyethyl)ammonium 1,3-benzothiazole-2-thiolate

#### Crystal data

C<sub>13</sub>H<sub>20</sub>NO<sub>3</sub><sup>+</sup>·C<sub>7</sub>H<sub>4</sub>NS<sub>2</sub><sup>-</sup>

$F_{000} = 672$

$M_r = 316.43$

$D_x = 1.372 \text{ Mg m}^{-3}$

Monoclinic,  $P2_1/c$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073 \text{ \AA}$

Hall symbol: -P 2ybc

Cell parameters from 236 reflections

$a = 16.496 (2) \text{ \AA}$

$\theta = 2.4\text{--}25.5^\circ$

$b = 5.7184 (8) \text{ \AA}$

$\mu = 0.36 \text{ mm}^{-1}$

$c = 17.462 (3) \text{ \AA}$

$T = 296 \text{ K}$

# supplementary materials

---

$\beta = 111.524(2)^\circ$  Block, colorless  
 $V = 1532.3(4) \text{ \AA}^3$   $0.56 \times 0.38 \times 0.23 \text{ mm}$   
 $Z = 4$

## Data collection

Bruker SMART area-detector diffractometer 2827 independent reflections  
Radiation source: fine-focus sealed tube 2185 reflections with  $I > 2\sigma(I)$   
Monochromator: graphite  $R_{\text{int}} = 0.034$   
 $T = 296 \text{ K}$   $\theta_{\text{max}} = 25.5^\circ$   
 $\varphi$  and  $\omega$  scans  $\theta_{\text{min}} = 2.4^\circ$   
Absorption correction: multi-scan ( $h = -19 \rightarrow 19$ )  
(SADABS; Sheldrick, 1996)  
 $T_{\text{min}} = 0.803$ ,  $T_{\text{max}} = 0.921$   $k = -6 \rightarrow 6$   
7572 measured reflections  $l = -20 \rightarrow 21$

## Refinement

Refinement on  $F^2$  Secondary atom site location: difference Fourier map  
Least-squares matrix: full Hydrogen site location: inferred from neighbouring sites  
 $R[F^2 > 2\sigma(F^2)] = 0.035$  H-atom parameters constrained  
 $wR(F^2) = 0.092$   $w = 1/[\sigma^2(F_o^2) + (0.0394P)^2 + 0.2793P]$   
where  $P = (F_o^2 + 2F_c^2)/3$   
 $S = 1.04$   $(\Delta/\sigma)_{\text{max}} < 0.001$   
2827 reflections  $\Delta\rho_{\text{max}} = 0.24 \text{ e \AA}^{-3}$   
185 parameters  $\Delta\rho_{\text{min}} = -0.16 \text{ e \AA}^{-3}$   
Primary atom site location: structure-invariant direct Extinction correction: none  
methods

## Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

## Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.26675 (13)	1.1324 (4)	0.12815 (11)	0.0361 (5)
C2	0.39268 (13)	0.8624 (4)	0.15930 (11)	0.0347 (5)

C3	0.39516 (12)	1.0658 (3)	0.11586 (11)	0.0347 (5)
C4	0.46629 (14)	1.1048 (4)	0.09259 (13)	0.0459 (5)
H4	0.4692	1.2382	0.0632	0.055*
C5	0.53229 (15)	0.9413 (5)	0.11398 (14)	0.0521 (6)
H5	0.5803	0.9667	0.0992	0.062*
C6	0.52890 (15)	0.7410 (4)	0.15671 (13)	0.0498 (6)
H6	0.5743	0.6335	0.1699	0.060*
C7	0.45902 (14)	0.6983 (4)	0.18000 (12)	0.0445 (5)
H7	0.4565	0.5634	0.2088	0.053*
C8	0.25776 (13)	0.6974 (4)	0.44442 (12)	0.0412 (5)
H8A	0.2820	0.5472	0.4383	0.049*
H8B	0.2541	0.7025	0.4986	0.049*
C9	0.31648 (14)	0.8890 (4)	0.43727 (13)	0.0451 (5)
H9A	0.3726	0.8760	0.4819	0.054*
H9B	0.3257	0.8727	0.3858	0.054*
C10	0.09961 (15)	0.6154 (4)	0.40603 (14)	0.0501 (6)
H10A	0.1175	0.4593	0.4272	0.060*
H10B	0.0458	0.6019	0.3585	0.060*
C11	0.08354 (14)	0.7592 (4)	0.47092 (14)	0.0485 (6)
H11A	0.0323	0.7022	0.4798	0.058*
H11B	0.1330	0.7479	0.5224	0.058*
C12	0.16366 (15)	0.6302 (4)	0.29797 (12)	0.0477 (6)
H12A	0.1524	0.4633	0.2951	0.057*
H12B	0.2190	0.6556	0.2916	0.057*
C13	0.09228 (15)	0.7522 (5)	0.22968 (13)	0.0537 (6)
H13A	0.0969	0.7155	0.1772	0.064*
H13B	0.0359	0.6984	0.2282	0.064*
N1	0.32350 (11)	1.2134 (3)	0.09787 (10)	0.0371 (4)
N2	0.16844 (9)	0.7219 (3)	0.38008 (9)	0.0318 (4)
H2A	0.1569	0.8778	0.3736	0.038*
O1	0.28024 (11)	1.1097 (3)	0.44019 (9)	0.0515 (4)
H1	0.2898	1.1449	0.4882	0.077*
O2	0.07100 (11)	0.9936 (3)	0.44415 (9)	0.0581 (4)
H2	0.0927	1.0808	0.4837	0.087*
O3	0.09930 (10)	0.9968 (3)	0.24292 (9)	0.0533 (4)
H3	0.1244	1.0551	0.2148	0.080*
S1	0.29720 (3)	0.86166 (10)	0.17920 (3)	0.04177 (18)
S2	0.16918 (4)	1.25406 (11)	0.11908 (4)	0.04881 (19)

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0443 (12)	0.0320 (12)	0.0297 (10)	-0.0048 (9)	0.0107 (9)	-0.0028 (9)
C2	0.0382 (11)	0.0340 (12)	0.0270 (9)	-0.0052 (9)	0.0063 (8)	-0.0007 (9)
C3	0.0405 (11)	0.0326 (11)	0.0289 (9)	-0.0054 (9)	0.0103 (8)	-0.0021 (9)
C4	0.0496 (13)	0.0463 (15)	0.0453 (12)	-0.0018 (11)	0.0215 (10)	0.0073 (11)
C5	0.0451 (13)	0.0620 (17)	0.0543 (14)	-0.0008 (11)	0.0245 (11)	-0.0012 (12)
C6	0.0465 (13)	0.0513 (16)	0.0478 (13)	0.0115 (11)	0.0128 (11)	-0.0004 (11)

## supplementary materials

---

C7	0.0509 (13)	0.0388 (13)	0.0379 (11)	0.0017 (10)	0.0094 (10)	0.0031 (10)
C8	0.0392 (12)	0.0404 (13)	0.0411 (11)	0.0054 (9)	0.0114 (9)	0.0034 (10)
C9	0.0449 (12)	0.0458 (14)	0.0457 (12)	-0.0063 (10)	0.0181 (10)	-0.0091 (11)
C10	0.0506 (13)	0.0500 (15)	0.0526 (13)	-0.0124 (11)	0.0225 (11)	-0.0010 (11)
C11	0.0449 (13)	0.0574 (16)	0.0485 (13)	-0.0021 (11)	0.0234 (11)	0.0049 (12)
C12	0.0649 (15)	0.0422 (14)	0.0375 (11)	0.0001 (11)	0.0204 (11)	-0.0070 (10)
C13	0.0533 (14)	0.0671 (18)	0.0342 (11)	-0.0093 (12)	0.0082 (10)	0.0001 (11)
N1	0.0436 (10)	0.0307 (10)	0.0375 (9)	-0.0019 (8)	0.0154 (8)	0.0030 (7)
N2	0.0351 (9)	0.0275 (9)	0.0319 (8)	0.0001 (7)	0.0110 (7)	0.0011 (7)
O1	0.0690 (10)	0.0380 (10)	0.0454 (8)	-0.0041 (8)	0.0186 (8)	-0.0074 (7)
O2	0.0705 (11)	0.0570 (12)	0.0490 (9)	0.0164 (9)	0.0244 (8)	0.0038 (8)
O3	0.0591 (10)	0.0590 (12)	0.0462 (9)	0.0122 (8)	0.0244 (7)	0.0144 (8)
S1	0.0457 (3)	0.0401 (3)	0.0402 (3)	-0.0032 (2)	0.0166 (2)	0.0092 (2)
S2	0.0518 (4)	0.0470 (4)	0.0536 (4)	0.0074 (3)	0.0263 (3)	0.0074 (3)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

C1—N1	1.317 (2)	C9—H9A	0.9700
C1—S2	1.707 (2)	C9—H9B	0.9700
C1—S1	1.765 (2)	C10—N2	1.497 (2)
C2—C7	1.385 (3)	C10—C11	1.500 (3)
C2—C3	1.398 (3)	C10—H10A	0.9700
C2—S1	1.733 (2)	C10—H10B	0.9700
C3—N1	1.391 (2)	C11—O2	1.410 (3)
C3—C4	1.393 (3)	C11—H11A	0.9700
C4—C5	1.379 (3)	C11—H11B	0.9700
C4—H4	0.9300	C12—N2	1.501 (2)
C5—C6	1.379 (3)	C12—C13	1.505 (3)
C5—H5	0.9300	C12—H12A	0.9700
C6—C7	1.378 (3)	C12—H12B	0.9700
C6—H6	0.9300	C13—O3	1.415 (3)
C7—H7	0.9300	C13—H13A	0.9700
C8—N2	1.496 (2)	C13—H13B	0.9700
C8—C9	1.497 (3)	N2—H2A	0.9100
C8—H8A	0.9700	O1—H1	0.8200
C8—H8B	0.9700	O2—H2	0.8200
C9—O1	1.405 (3)	O3—H3	0.8200
N1—C1—S2	127.19 (16)	N2—C10—H10A	109.3
N1—C1—S1	113.51 (15)	C11—C10—H10A	109.3
S2—C1—S1	119.24 (11)	N2—C10—H10B	109.3
C7—C2—C3	121.86 (19)	C11—C10—H10B	109.3
C7—C2—S1	129.44 (16)	H10A—C10—H10B	107.9
C3—C2—S1	108.70 (15)	O2—C11—C10	108.40 (17)
N1—C3—C4	125.02 (18)	O2—C11—H11A	110.0
N1—C3—C2	115.84 (17)	C10—C11—H11A	110.0
C4—C3—C2	119.13 (19)	O2—C11—H11B	110.0
C5—C4—C3	118.6 (2)	C10—C11—H11B	110.0
C5—C4—H4	120.7	H11A—C11—H11B	108.4
C3—C4—H4	120.7	N2—C12—C13	110.28 (18)

C4—C5—C6	121.7 (2)	N2—C12—H12A	109.6
C4—C5—H5	119.2	C13—C12—H12A	109.6
C6—C5—H5	119.2	N2—C12—H12B	109.6
C7—C6—C5	120.7 (2)	C13—C12—H12B	109.6
C7—C6—H6	119.6	H12A—C12—H12B	108.1
C5—C6—H6	119.6	O3—C13—C12	109.59 (18)
C6—C7—C2	118.0 (2)	O3—C13—H13A	109.8
C6—C7—H7	121.0	C12—C13—H13A	109.8
C2—C7—H7	121.0	O3—C13—H13B	109.8
N2—C8—C9	110.98 (17)	C12—C13—H13B	109.8
N2—C8—H8A	109.4	H13A—C13—H13B	108.2
C9—C8—H8A	109.4	C1—N1—C3	111.49 (17)
N2—C8—H8B	109.4	C8—N2—C10	112.46 (15)
C9—C8—H8B	109.4	C8—N2—C12	112.13 (15)
H8A—C8—H8B	108.0	C10—N2—C12	111.54 (16)
O1—C9—C8	110.92 (17)	C8—N2—H2A	106.8
O1—C9—H9A	109.5	C10—N2—H2A	106.8
C8—C9—H9A	109.5	C12—N2—H2A	106.8
O1—C9—H9B	109.5	C9—O1—H1	109.5
C8—C9—H9B	109.5	C11—O2—H2	109.5
H9A—C9—H9B	108.0	C13—O3—H3	109.5
N2—C10—C11	111.68 (18)	C2—S1—C1	90.44 (9)
C7—C2—C3—N1	178.88 (18)	S2—C1—N1—C3	-178.71 (15)
S1—C2—C3—N1	-1.0 (2)	S1—C1—N1—C3	-1.5 (2)
C7—C2—C3—C4	0.1 (3)	C4—C3—N1—C1	-179.62 (19)
S1—C2—C3—C4	-179.79 (15)	C2—C3—N1—C1	1.7 (2)
N1—C3—C4—C5	-179.2 (2)	C9—C8—N2—C10	-153.34 (17)
C2—C3—C4—C5	-0.5 (3)	C9—C8—N2—C12	80.0 (2)
C3—C4—C5—C6	0.7 (3)	C11—C10—N2—C8	72.5 (2)
C4—C5—C6—C7	-0.4 (3)	C11—C10—N2—C12	-160.57 (18)
C5—C6—C7—C2	-0.1 (3)	C13—C12—N2—C8	-153.34 (18)
C3—C2—C7—C6	0.2 (3)	C13—C12—N2—C10	79.5 (2)
S1—C2—C7—C6	-179.94 (16)	C7—C2—S1—C1	-179.76 (19)
N2—C8—C9—O1	55.1 (2)	C3—C2—S1—C1	0.09 (14)
N2—C10—C11—O2	49.9 (2)	N1—C1—S1—C2	0.85 (15)
N2—C12—C13—O3	48.2 (2)	S2—C1—S1—C2	178.27 (12)

*Hydrogen-bond geometry (Å, °)*

D—H···A	D—H	H···A	D···A	D—H···A
O1—H1···N1 <sup>i</sup>	0.82	1.96	2.770 (2)	168
O2—H2···S2 <sup>i</sup>	0.82	2.43	3.2258 (17)	165
O3—H3···S2	0.82	2.35	3.1621 (16)	169
C8—H8A···O1 <sup>ii</sup>	0.97	2.50	3.385 (3)	151
C10—H10B···O3 <sup>iii</sup>	0.97	2.47	3.425 (3)	167

Symmetry codes: (i)  $x, -y+5/2, z+1/2$ ; (ii)  $x, y-1, z$ ; (iii)  $-x, y-1/2, -z+1/2$ .

## supplementary materials

---

Fig. 1

