Activation of Haem-Oxidized Soluble Guanylyl Cyclase with BAY 60-2770 in Human Platelets Lead to Overstimulation of the Cyclic GMP Signaling Pathway

Camila B. Mendes-Silverio, Luiz O. S. Leiria, Rafael P. Morganti, Gabriel F. Anhê, Sisi Marcondes, Fabíola Z. Mónica, Gilberto De Nucci, Edson Antunes*

Department of Pharmacology, Faculty of Medical Sciences, University of Campinas (UNICAMP), São Paulo, Brazil

Abstract

Background and Aims: Nitric oxide-independent soluble guanylyl cyclase (sGC) activators reactivate the haem-oxidized enzyme in vascular diseases. This study was undertaken to investigate the anti-platelet mechanisms of the haem-independent sGC activator BAY 60-2770 in human washed platelets. The hypothesis that sGC oxidation potentiates the anti-platelet activities of BAY 60-2770 has been tested.

Methods: Human washed platelet aggregation and adhesion assays, as well as flow cytometry for $\alpha_{lb}\beta_3$ integrin activation and Western blot for α_1 and β_1 sGC subunits were performed. Intracellular calcium levels were monitored in platelets loaded with a fluorogenic calcium-binding dye (FluoForte).

Results: BAY 60-2770 (0.001–10 μ M) produced significant inhibition of collagen (2 μ g/ml)- and thrombin (0.1 U/ml)-induced platelet aggregation that was markedly potentiated by the sGC inhibitor ODQ (10 μ M). In fibrinogen-coated plates, BAY 60-2770 significantly inhibited platelet adhesion, an effect potentiated by ODQ. BAY 60-2770 increased the cGMP levels and reduced the intracellular Ca²⁺ levels, both of which were potentiated by ODQ. The cell-permeable cGMP analogue 8-Br-cGMP (100 μ M) inhibited platelet aggregation and Ca²⁺ levels in an ODQ-insensitive manner. The cAMP levels remained unchanged by BAY 60-2770. Collagen- and thrombin-induced $\alpha_{IIb}\beta_3$ activation was markedly inhibited by ODQ. The effects of sodium nitroprusside (3 μ M) were all prevented by ODQ. Incubation with ODQ (10 μ M) significantly reduced the protein levels of $\alpha 1$ and $\beta 1$ sGC subunits, which were prevented by BAY 60-2770.

Conclusion: The inhibitory effects of BAY 60-2770 on aggregation, adhesion, intracellular Ca²⁺ levels and $\alpha_{llb}\beta_3$ activation are all potentiated in haem-oxidizing conditions. BAY 60-2770 prevents ODQ-induced decrease in sGC protein levels. BAY 60-2770 could be of therapeutic interest in cardiovascular diseases associated with thrombotic complications.

Citation: Mendes-Silverio CB, Leiria LOS, Morganti RP, Anhê GF, Marcondes S, et al. (2012) Activation of Haem-Oxidized Soluble Guanylyl Cyclase with BAY 60-2770 in Human Platelets Lead to Overstimulation of the Cyclic GMP Signaling Pathway. PLoS ONE 7(11): e47223. doi:10.1371/journal.pone.0047223

Editor: Harald HHW Schmidt, Maastricht University, The Netherlands

Received May 2, 2012; Accepted September 12, 2012; Published November 8, 2012

Copyright: © 2012 Mendes-Silverio et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Funding: E. Antunes received a grant from Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP; grant 2010/01452-4). C.B. Mendes-Silverio received a fellowship from Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq, Brazil) during her M.Sci. degree. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing Interests: The authors have declared that no competing interests exist.

* E-mail: edson.antunes@uol.com.br

Introduction

Platelets are a specialized set of blood cells that are an integral component of hemostasis and thrombosis. Platelets are activated by adhesive proteins and soluble agonists through receptor-specific platelet activation pathways inducing the "inside-out" signaling process that lead to activation of the ligand binding function of integrin $\alpha_{IIb}\beta_3$ [1,2]. Ligand binding to this integrin mediates platelet adhesion and aggregation, and triggers the "outside-in" signaling, resulting in platelet biochemical and morphological responses linked to cytoskeletal remodeling [1,2]. Endothelial cell-derived nitric oxide (NO) exerts an inhibitory effect in the platelet function by activation of soluble guanylyl cyclase (sGC) –3,5-cyclic guanosine monophosphate (cGMP) signaling pathway, thus preventing adhesion and aggregation of platelets to the vascular wall [3,4].

Soluble guanylyl cyclase is a heterodimeric complex consisting of two subunits, α and β , each of which contains three common domains, namely, the N-terminal haem-binding domain that mediates the NO sensitivity of the enzyme, the dimerization domain that exists in the middle of the structure for each subunit, and the C-terminal catalytic domain, which is the most highly conserved region between the subunits, and is responsible for the conversion of GTP to cGMP [5]. The α_1 and β_1 subunits of sGC are the best characterized in platelets [6]. Nitric oxide binds to the prosthetic group containing the reduced Fe²⁺ haem moiety in sGC, leading to intracellular accumulation of the second messenger molecule cGMP. Cyclic GMP-dependent protein kinases (cGK I α /cGK I β) activation ultimately reduces cytosolic Ca²⁺ levels, thus inhibiting the platelet function [7,8]. Removal or

oxidation of the haem moiety leads to the NO-insensitive form of the enzyme [9].

Nitric oxide-independent sGC agonists have emerged as valuable tools to elucidate the physiopathology of the NO-cGMP signaling pathway. To date, these agonists comprise the so-called sGC stimulators and sGC activators, the former of which depend on the presence of the reduced haem (Fe^{2+}) prosthetic moiety within sGC, whereas the latter induces sGC activation when haem iron is in its oxidized state (Fe^{3+} instead of Fe^{2+}) or whose haem group is missing [5,10,11,12,13]. NO-independent, haem-dependent stimulators of sGC include the compounds BAY 41-2272 and BAY 41-8543 [14,15]. These compounds strongly synergize with NO, stabilizing the nitrosyl-haem complex to stimulate sGC activity up to 200-fold [16] and produce potent vasodilatory and anti-platelet effects [14,17,18]. Generally, oxidation of haem moiety (Fe³⁺) of sGC with ODQ [19] prevents the smooth muscle relaxations and anti-platelet activities induced by endogenous NO, NO donors and BAY 41-2272 [20-23].

Activators of sGC (haem-independent compounds) include the compounds BAY 60-2770, BAY 58-2667 and HMR-1766 [11,24-28]. BAY 58-2667 protects sGC from haem oxidation-induced ubiquitination and proteasomal degradation in rat vascular tissues [29]. Moreover, BAY 60-2770 was recently shown to activate sGC selectively oxidized or devoid of the haem group in superior mesenteric artery of haem oxygenase-1 knockout mice [30]. BAY 60-2770 was also shown to decrease the pulmonary and systemic arterial pressures in rats, which is enhanced by treatment with ODQ [31]. Although these sGC activators may be of potential interest for the treatment of cardiovascular diseases associated with platelet dysfunction [32-34], little is known about their actions on platelet reactivity. Therefore, in the present study, we have investigated the inhibitory mechanisms of BAY 60-2770 in aggregation, adhesion, cyclic nucleotide production, intracellular Ca^{2+} mobilization and integrin $\alpha_{IIb}\beta_3$ (GPIIb/IIIa) activation in human washed platelets. We have tested the hypothesis that oxidation of the sGC haem with ODQ rather potentiates the antiplatelet activities of BAY 60-2770.

Results

Anti-aggregating effects of BAY 60-2770 in human washed platelets

Incubation of human washed platelets with BAY 60-2770 (0.001–10 μ M) produced a significant inhibition of collagen (2 μ g/ml)-induced aggregation (Figure 1A). The platelet aggregation was nearly abolished by BAY 60-2770 at concentration \geq 0.1 μ M. The inhibitory effects of BAY 60-2770 was significantly enhanced (p<0.05) by prior incubation of platelets with the soluble guanylyl cyclase inhibitor ODQ (10 μ M), as assessed at concentrations of 0.001 and 0.01 μ M (Figure 1A). Sodium nitroprusside (3 μ M) largely reduced the collagen-induced platelet aggregation, an effect restored by prior incubation with ODQ (Figure 1A).

Thrombin (0.1 U/ml)-induced platelet aggregation was resistant to BAY 60-2770 at most of the concentrations employed, except at 10 μ M where an inhibition by about of 60% (p<0.05) was detected (Figure 1B). However, in the presence of ODQ (10 μ M), BAY 60-2770 produced concentration-dependent inhibition of thrombin-induced aggregation in all concentrations assayed (Figure 1B). Sodium nitroprusside (3 μ M) largely reduced the thrombin-induced aggregation, which was restored by ODQ (Figure 1B).

Representative tracings of the anti-aggregating effects of BAY 60-2770 in the absence and the presence of ODQ are shown in Figure 2.

The vehicle DMSO alone (1%) affected neither the collagennor thrombin-induced platelet aggregation. Incubation with ODQ alone (in the absence of BAY 60-2770 or SNP) also had no effect in collagen- or thrombin-induced platelet aggregation.

In separate experiments, washed platelets were pre-incubated for 3 min with ODQ (10 μ M) or DMSO (0.5% v/v). Platelets were then incubated with the cell permeable cGMP analogue 8-Br-cGMP (100 μ M) for another 20 min. Platelets were then stimulated with either collagen (2 μ g/ml) or thrombin (0.1 U/ml) to perform the aggregation assays (n = 5–7). In the absence of ODQ, 8-Br-cGMP significantly inhibited the collagen- and thrombin-induced aggregation (66±9.2% and 29±10% inhibition, respectively; p<0.05). The inhibition of platelet aggregation by 8-Br-cGMP was not significantly modified by prior incubation with ODQ (65±12% and 35±6.8% inhibition, respectively). The inhibition by 8-Br-cGMP on collagen-induced aggregation was greater compared with thrombin in the presence or absence of ODQ (p<0.02).

Inhibitory effects of BAY 60-2770 on platelet adhesion to fibrinogen-coated plates

The human platelet adhesion assay is based on the measurement of acid phosphatase activity; therefore, a set of experiments was initially carried out to exclude the possibility that BAY 60-2770 directly affects this enzyme activity. Platelets $(1.2 \times 10^8$ platelets/ml; 50 µl per well) were added to uncoated plates and incubated with BAY 60-2770 (0.001 to 10 µM) for 30 min, after which phosphatase activity was measured. BAY 60-2770 did not affect this enzyme activity (data not shown; n = 3), thus validating the adhesion assays in fibrinogen-coated plates, as shown below.

Figure 3 shows that significant platelet adhesion was observed when cells were kept on fibrinogen-coated plates for 30 min (p<0.05). Incubation with BAY 60-2770 (0.1–10 μ M) significantly (p<0.05) inhibited the platelet adhesion, an effect largely potentiated by prior incubation with ODQ (10 μ M). Sodium nitroprusside (3 μ M) significantly inhibited the platelet adhesion, an effect rather reversed by ODQ (Figure 3).

Incubation of platelets with DMSO (1%) had no effect on platelet adhesion (Figure 3). Incubation with ODQ alone (in the absence of BAY 60-2770 or SNP) also had no effect on platelet adhesion.

Levels of cGMP and cAMP in human washed platelets

The basal cGMP content of human washed platelets $(1.8\pm0.25 \text{ pmol/ml})$ was not significantly affected by thrombin 2.3 ± 0.5 pmol/ml) collagen (0.1 U/ml)or $(2 \ \mu g/ml)$: 1.4 ± 0.3 pmol/ml). Incubation with BAY 60-2770 (0.01 to 3 µM) concentration-dependently increased the cGMP levels in collagen-activated platelets (Figure 4A). Similar levels of cGMP by pre-incubation with BAY 60-2770 (1-10 µM) were observed in thrombin-activated platelets (Figure 4B). Prior incubation with ODQ (10 μ M) markedly potentiated (p<0.05) the increases in cGMP by BAY 60-2770 in all concentrations tested, as observed in both collagen (Figure 4A) and thrombin (Figure 4B)-activated platelets. Sodium nitroprusside $(3 \mu M)$ significantly increased the cGMP levels in collagen (Figure 4A) and thrombin-activated platelets (Figure 4B), and pretreatment with ODQ restored the cGMP levels to baseline.

The basal cAMP content of human washed platelets $(18\pm2 \text{ pmol/ml})$ was not significantly affected by stimulation with thrombin or collagen $(18\pm1.4 \text{ and } 19\pm2 \text{ pmol/ml})$, respectively). In addition, BAY 60-2770 (10 μ M) had no significant effect in the cAMP levels (Table 1). Iloprost (0.3 μ M), a stable analogue of prostacyclin (used as a positive control), increased by approxi-



Figure 1. Prior incubation with ODQ potentiates the inhibitory effects of BAY 60-2770 (0.001–10 μ M) in human washed platelet aggregation. Platelet suspension (1.2×10⁸ platelets/ml) was pre-incubated for 3 min with the soluble guanylyl cyclase inhibitor ODQ (10 μ M) or its correspondent vehicle DMSO (0.5% v/v). Platelets were incubated with BAY 60-2770 (0.001 to 10 μ M), DMSO (0.5% v/v) or sodium nitroprusside (SNP, 3 μ M) for another 3 min. Platelets were then stimulated with either collagen (2 μ g/ml; Panel A) or thrombin (0.1 U/ml; Panel B) to perform the aggregation assays. Note that 1% DMSO (vehicle used for BAY 60-2770 and ODQ) had no effect on collagen- and thrombin-induced platelet aggregation. Data are shown as mean values \pm SEM (n = 4–5 individuals). *p<0.05 compared with control values. #p<0.05 compared with respective values in the absence of ODQ.

mately 23.0-fold the cAMP levels ($p \le 0.01$), which was significantly attenuated by prior incubation with the adenylate cyclase inhibitor SQ-22536 (100 μ M; Table 1).

Inhibitory effect of BAY 60-2770 in intracellular Ca^{2+} levels $[Ca^{2+}]_i$

 Ca^{2+} mobilization were examined in the human washed platelets activated with either collagen (2 µg/ml) or thrombin (0.1 U/ml) after pre-incubation with BAY 60-2770 or SNP, in the absence and in the presence of ODQ (10 µM).

The intraplatelet Ca^{2+} levels were greater (p<0.05) in thrombin-compared with collagen-activated platelets, as detected in both the presence (Figure 5A and C) and absence of Ca^{2+} (Figure 5B and D).

In the presence of 1 mM CaCl₂, activation of platelets with collagen increased by approximately 6.0-fold the total $[Ca^{2+}]_i$ (p<0.05; Figure 5A). Incubation with BAY 60-2770 (0.01 to 1 μ M) significantly reduced the total $[Ca^{2+}]_i$, which was further reduced by ODQ, as detected at 0.01 μ M (Figure 5A). To verify the intracellular $[Ca^{2+}]_i$ levels from internal storage sites alone, a Ca^{2+} -free Krebs solution in the presence of EGTA (10 μ M) was used. Under this condition, the rise in internal Ca^{2+} levels by collagen was still elevated, but to a lower extent when compared to samples in the absence of EGTA (Figure 5B). In addition, BAY 60-

2770 concentration-dependently reduced the internal $[Ca^{2+}]_i$, which was restored to baseline with ODQ (Figure 5B).

Activation of platelets with thrombin also significantly increased the total $[Ca^{2+}]_i$ (p<0.05; Figure 5C). Incubation with BAY 60-2770 (1 to 10 μ M) concentration-dependently reduced the total $[Ca^{2+}]_i$, that was further reduced by ODQ (Figure 5C). In the presence of EGTA (10 μ M), the rise in internal Ca²⁺ levels by thrombin was about of 50% lower compared to samples in the absence of EGTA (Figure 5D). In EGTA-treated platelets, BAY 60-2770 concentration-dependently reduced the internal Ca²⁺ mobilization, an effect potentiated by ODQ (Figure 5D).

Sodium nitroprusside (3 μ M) significantly reduced the [Ca²⁺]_i in collagen- and thrombin-activated platelets in both the presence (Figure 5A and C) and absence of Ca²⁺ (Figure 5 B and D). Prior incubation with ODQ reversed the reduction of [Ca²⁺]_i by SNP.

Incubation of platelets with 1% DMSO had no effect on $[Ca^{2+}]_i$ in any experimental condition used (Figure 5).

In separate experiments, washed platelets were pre-incubated for 3 min with ODQ (10 μ M) or DMSO (0.5% v/v). Platelets were then incubated with the cell permeable cGMP analogue 8-Br-cGMP (100 μ M) for another 20 min. Platelets were then stimulated with either collagen (2 μ g/ml) or thrombin (0.1 U/ml) to perform the Ca²⁺ mobilization assays. In collagen-activated platelets, 8-Br-cGMP nearly restored to baseline the Ca²⁺ levels



Figure 2. Original tracings showing human washed platelet aggregation stimulated with collagen or thrombin. Platelet suspension $(1.2 \times 10^8 \text{ platelets/ml})$ was pre-incubated with the soluble guanylyl cyclase inhibitor ODQ (10 μ M, 3 min). Platelets were then incubated with BAY 60-2770 (0.01 μ M for collagen and 10 μ M for thrombin), after which they were stimulated with either collagen (2 μ g/ml) or thrombin (0.1 U/ml). doi:10.1371/journal.pone.0047223.g002

(either in the absence or the presence of EGTA), and such effects were not modified by prior incubation with ODQ (Figure 6A and B). In thrombin-activated platelets, 8-Br-cGMP significantly inhibited the Ca^{2+} levels either in the absence or the presence of EGTA, but Ca^{2+} levels remained significantly elevated compared with baseline. Pre-incubation with ODQ did not affect the reductions in Ca^{2+} levels by 8-Br-cGMP (Figure 6C and D).

Integrin $\alpha_{IIb}\beta_3$ (GPIIb/IIIa) activation by PAC-1 analysis

Thrombin and collagen induced platelet $\alpha_{IIb}\beta_3$ activation in comparison with non-activated platelets, but thrombin promoted higher $\alpha_{IIb}\beta_3$ activation in comparison with collagen (Figure 7). Pre-treatment with BAY 60-2770 (0.01–1 μ M) significantly

reduced (p<0.05) the collagen-induced $\alpha_{IIb}\beta_3$ activation, which was further reduced by the presence of ODQ, as evidenced at 0.01 µM of BAY 60-2770 (Figure 7B and D). In thrombinactivated platelets (Figure 7C and E), the inhibitory effects of BAY 60-2770 on $\alpha_{IIb}\beta_3$ activation were also potentiated by ODQ, as evidenced at 1 µM (p<0.05). The control antibody (FITC mouse IgM) ligation was not affected (p<0.05) by thrombin, collagen, BAY 60-2770 or ODQ (data not show; n = 3).

Protein expression of $\alpha 1$ and $\beta 1$ sGC subunit in washed human platelets

Previous studies indicated that oxidation-induced degradation becomes prominent when the incubation time exceeds 2 h



Figure 3. Inhibitory effect of BAY 60-2770 and sodium nitroprusside (SNP) on human platelet adhesion to fibrinogen-coated plates. Platelets $(1.2 \times 10^8 \text{ platelets/ml})$ were pre-incubated or not with ODQ (10 µM, 3 min) and subsequently with BAY 60-2770 (0.1–10 µM) or SNP (3 µM). Platelets were allowed to adhere to the wells for 30 min at 37° C. Note that 1% DMSO (vehicle used for BAY 60-2770 and ODQ) had no effect on platelet adhesion. Data are shown as percent of adhered platelets relative to the maximum adhesion in untreated platelets. Results are shown as mean ± SEM values (n = 4–6 individuals, each performed in triplicate). *p<0.05 compared with control values (in absence of BAY 60-2770 or SNP). #p<0.05 compared with respective values in absence of ODQ. doi:10.1371/journal.pone.0047223.g003



Figure 4. Effect of BAY 60-2770 on cyclic GMP levels in human washed platelets activated with collagen or thrombin. Platelets $(1.2 \times 10^8 \text{ platelet/ml})$ were incubated with BAY 60-2770 (0.01–3 μ M for collagen; 1–10 μ M for thrombin) or its correspondent vehicle (1% DMSO) in the absence and in the presence of ODQ (10 μ M). Platelets were then activated with collagen (2 μ g/ml; Panel A) or thrombin (0.1 U/ml; Panel B). Results represent the mean values \pm SEM (n=3 individuals, each performed in triplicate). *p<0.05 compared with control values in absence of ODQ. doi:10.1371/journal.pone.0047223.g004

[11,32]. Therefore, washed platelets were incubated with ODQ (10 μ M) in the absence and in the presence of BAY 60-2770 (10 μ M) for 2.5 h, after which levels of sGC protein for α 1 and β 1 sGC subunits were determined. Control samples were incubated with DMSO (0.5% v/v). Incubation with ODQ alone reduced by 53% and 40% (p<0.05) the protein levels of α 1 and β 1 sGC subunits in the human platelets, respectively. Incubation with BAY 60-2770 alone did not affect the protein levels of α 1 and β 1 sGC subunits; however, BAY 60-2770 fully prevented the reductions by ODQ of the protein levels for both sGC subunits (Figure 8).

Discussion

This study shows that the haem-independent sGC activator BAY 60-2770 inhibits aggregation, adhesion, intracellular Ca²⁺ levels and $\alpha_{IIb}\beta_3$ activation in human washed platelets activated with collagen and thrombin via cGMP production. Oxidation of the sGC haem moiety with ODQ significantly enhances the inhibitory effects of BAY 60-2770 in all functional and molecular assays tested due to overstimulation of the cGMP signaling pathway. Moreover, ODQ significantly reduces the protein levels of α 1 and β 1 sGC subunits in human platelets that are prevented by BAY 60-2770.

In our study, BAY 60-2770 was approximately 100 times more potent to inhibit collagen-compared with thrombin-induced platelet aggregation. A maximal inhibition of collagen-induced **Table 1.** Levels of cyclic AMP in human activated platelets $(1.2 \times 10^8 \text{ platelet/ml})$ treated with BAY 60-2770 or iloprost in the absence and in the presence of the adenylyl cyclase inhibitor SQ-22536 (SQ, 100 μ M).

	Cyclic AMP (pmol/ml)
Basal (DMSO 0.5%)	18±2.0
Collagen (2 µg/ml)	19±2.0
Thrombin (0.1 U/ml)	18±1.4
BAY 60-2770 (10 μM)	23.5±1.8
SQ + BAY 60-2770 (10 µM)	24±0.1
lloprost (0.3 μM)	422±53 [*]
SQ + iloprost (0.3 μ M)	65±9.3 ^{*#}

Data are shown as mean values \pm SEM (*n*=6). *p<0.01 compared with basal value. #p<0.05 compared with iloprost value. doi:10.1371/journal.pone.0047223.t001

platelet aggregation by BAY 60-2770 was achieved at 0.1 µM, whereas a 100-times higher concentration (10 μ M) was required to produce a significant inhibition of thrombin-induced aggregation. Stimulators of sGC such as BAY 41-2272 and BAY 41-8543 have been shown to be less effective in preventing thrombin-induced platelet aggregation compared with other agents such as ADP and collagen [23]. In our study, under no oxidation with ODQ, similar increases of cGMP levels were observed in platelets stimulated by collagen and thrombin at the same molar concentrations of BAY 60-2770. This excludes the possibility that the different profile of BAY 60-2770 in inhibiting collagen and thrombin-induced responses reflects variations in the levels of this cyclic nucleotide, which is more likely to reflect the mechanisms of platelet activation by one or another platelet agonist. Our findings that the cell permeable cGMP analogue, 8-Br-cGMP, produces a greater inhibition on collagen-compared with thrombin-activated platelets reinforce this suggestion.

Thrombin interacts with PAR-1, PAR-3 or PAR-4 G-protein coupled receptors in the platelet surface [36], whereas collagen activates glycoprotein Ia/IIa (GPIa/IIa or integrin $\alpha_2\beta_1$) and glycoprotein VI (GPVI) [37]. Following receptor activation, phospholipase C (PLC) cleaves phosphatidylinositol 4,5-bisphosphate (PIP₂) to the second messengers inositol 1,4,5-trisphosphate (IP_3) that in turn increases the cytosolic Ca²⁺ concentration by releasing stored Ca²⁺ from the dense tubular system [38]. The amount of Ca²⁺ released from endoplasmic reticular to platelet cytosol is more critical for platelet activation, contributing to various steps of cellular activation, such as reorganization of the actin cytoskeleton necessary for shape change, aggregation, adhesion and conversion of receptor $\alpha_{IIb}\beta_3$ integrin from the low affinity to the high affinity state [39]. We have therefore used a fluorogenic calcium-binding dye assay optimized for cell-permeability and retention (FluoForte) to evaluate the Ca²⁺ mobilization in platelets activated by collagen and thrombin in the presence of BAY 60-2770 and/or ODQ, Both of these agonists raised significantly the Ca²⁺ levels, but thrombin promoted a higher [Ca²⁺]i elevation, even in conditions of absence of extracellular Ca²⁺ (omission of Ca²⁺ in Krebs solution plus addition of EGTA). BAY 60-2770 was more potent to reduce [Ca²⁺]i in collagencompared with thrombin-activated platelets. Accordingly, lower BAY 60-2770 concentrations (0.01 to 1 $\mu M)$ were necessary to inhibit Ca²⁺ levels in collagen-compared with thrombin-activated platelets that required higher concentrations of BAY 60-2770 to inhibit Ca^{2+} levels (1 to 10 μ M), as detected either in the absence



Figure 5. Inhibitory effect of BAY 60-2770 and sodium nitroprusside (SNP) on intracellular Ca²⁺ levels in human washed platelets activated with collagen or thrombin. Platelets (1.2×10^8 platelets/ml) loaded with Fluorfort (10μ M) were pre-incubated or not with ODQ (10μ M, 3 min) and subsequently with BAY 60-2770 ($0.01-10 \mu$ M, 3 min) or SNP (3μ M, 3 min) before addition of either collagen (2μ g/ml; Panels A and B) or thrombin (0.1 U/ml; Panels C and D). Assays were carried out in the presence of Ca²⁺ (1 mM) to yield total influx of Ca²⁺ (Panels A and C) or in Ca²⁺ free medium with EGTA to yield Ca²⁺ mobilization from internal storage sites (Panels B and D). Results represent the mean values \pm SEM (n = 4–7 individuals). *p<0.05 compared with control values (in absence of BAY 60-2770 or SNP); #p<0.05 compared with respective values in panels A and B. doi:10.1371/journal.pone.0047223.g005

and in the presence of ODQ. Additionally, when analyzing data at 1 μ M, BAY 60-2770 almost restored to baseline the Ca²⁺ levels in collagen-activated platelets, but it never reached the baseline in thrombin-activated platelets. The reduction of Ca²⁺ levels by 8-Br-cGMP was also more efficient in collagen-compared with thrombin-activated platelets. The flow cytometry analysis (PAC-1) showed marked integrin $\alpha_{\rm Ib}\beta_3$ activation in the presence of either collagen or thrombin, as expected. However, this integrin activated platelets. Again, BAY 60-2770 was more potent to inhibit $\alpha_{IIb}\beta_3$ activation in collagen-activated platelets, which may be attributed to the lower Ca²⁺ levels under activation with this agonist as compared with thrombin.

One essential pre-requisite for the NO-induced activation in sGC is the presence of the reduced haem group [5]. Oxidation of haem moiety (Fe³⁺) with ODQ renders the enzyme insensitive to endogenous NO, thus preventing the vascular and non-vascular smooth muscle relaxations [20–22], as well as the anti-platelet effects in response to sGC stimulators, including BAY 41-2272 [23]. In contrast to BAY 41-2272 that need the presence of a reduced haem group, the sGC activator BAY 58-2667 (and its chemical analogue BAY 60-2770) activate haem-free form of sGC [5,10,12,13]. Oxidation of sGC haem to its ferric (Fe³⁺) form by ODQ causes a decrease in sGC protein levels [32] due to ubiquitination and proteasomal degradation [29]. The NO-independent sGC activator BAY 58-2667 binds with high affinity

to the haem pocket of the enzyme and subsequently abrogates the effects of haem-oxidizing compounds on sGC protein levels [11,32].

In the present study, prior incubation of platelets with ODQ did not affect the inhibition of platelet aggregation and $[Ca^{2+}]i$ levels by 8-Br-cGMP. However, ODQ significantly attenuated the inhibitory actions of SNP on platelet aggregation, adhesion, cGMP and [Ca²⁺]i levels, as expected. This NO donor produces anti-platelet activities through NO-, haem-dependent mechanisms [40], and in vascular smooth muscle it may present an additional mechanism involving endothelial NO production by cNOS activation [41]. In contrast to SNP, pre-incubation with ODQ rather potentiated the inhibitory effects of BAY 60-2770, as evidenced in the functional (aggregation and adhesion) and biochemical-molecular assays (cGMP generation, intracellular Ca^{2+} levels and integrin $\alpha_{IIb}\beta_3$ activation). Pre-incubation with ODQ also enhances the anti-aggregating effects and cGMP production of the sGC activator BAY 58-2667 in ADP-activated rat platelets [42]. Therefore, the higher production of cGMP in response to BAY 60-2770 in the presence of ODQ is likely to efficiently antagonize the increased intracellular Ca²⁺ levels in activated platelets, causing a further inhibition of the platelet function. BAY 60-2770 targets preferentially the sGC when the enzyme is under the haem-free form, and protection against oxidation-induced degradation seems to be a general feature of the haem-independent sGC activator BAY 58-2667 [11]. Moreover,



Figure 6. Inhibitory effect of 8-bromo-cyclic GMP on intracellular Ca²⁺ levels in human washed platelets activated with collagen or thrombin. Platelets (1.2×10^8 platelets/ml) loaded with Fluorfort (10μ M) were pre-incubated or not with ODQ (10μ M, 3 min) and subsequently with 8-Br-cGMP (100μ M, 20 min) before addition of either collagen (2μ g/ml; Panels A and B) or thrombin (0.1 U/ml; Panels C and D). Assays were carried out in the presence of Ca²⁺ (1 mM) to yield total influx of Ca²⁺ (Panels A and C) or in Ca²⁺-free medium with EGTA to yield Ca⁺² mobilization from internal storage sites (Panels B and D). Results represent the mean values \pm SEM (n = 3-5 individuals). *p<0.01, **p<0.001 compared with respective baseline; #p<0.01 compared with respective vehicle. [†]p<0.01 compared with respective baseline. doi:10.1371/journal.pone.0047223.g006

the pathogenesis of cardiovascular diseases has been associated with inappropriate activation of sGC where the haem moiety is already found oxidized [32]. Accordingly, washed platelets isolated from coronary artery disease patients show increased levels of phosphorylated VASP compared with control group, which is further enhanced by ODQ [34].

Platelet activation is also inhibited by cAMP-elevating agents [43,44] such as the stable prostacyclin analogue iloprost. The former sGC agonist YC-1 inhibits human neutrophil functions and accelerates resequestration of cytosolic Ca²⁺ through activation of the cAMP/protein kinase A pathway (PKA) [44,45]. The sGC stimulator BAY 41-2272 has also been shown to present antiproliferative effects [46] through cAMP-dependent protein kinase PKA processes [47]. Moreover, BAY 41-2272 increases the cAMP levels in human eosinophils [48] and human myelomonocytic THP-1 cell line [49], despite to a much lesser extent than the cGMP levels and with little biological importance. However, in the present study, BAY 60-2770 failed to significantly elevate the cAMP levels in human washed platelets above baseline, excluding a role for this cyclic nucleotide in BAY 60-2770-induced responses. In the same experimental conditions, iloprost markedly elevated the cAMP levels, which were largely attenuated by prior treatment with the guanylyl cyclase inhibitor SQ-22536.

It has been suggested that increased levels of oxidative stress in pathophysiological conditions lead to oxidation or even loss of the sGC haem group, rendering the enzyme insensitive to NO [29,32]. Reductions of sGC protein levels have been reported in aorta from spontaneously hypertensive rats [50,51] and hypercholesterolemic rabbits [52]. ODQ has been shown to largely reduce the protein levels of $\alpha 1$ and $\beta 1$ sGC subunits in both cGMP reporter cell line and porcine endothelial cells, which are prevented by the sGC activator BAY 58-2667 [11,32]. BAY 58-2667 also increased the $\beta 1$ (but not $\alpha 1$) subunit beyond control levels endothelial cells, as observed either in the presence or absence of ODQ [11,32]. In our present study, we evaluated the effects of BAY 60-2770 in the protein levels of $\alpha 1$ and $\beta 1$ sGC subunits under normal and haem-oxidizing conditions. Similarly to cGMP reporter cell line and porcine aortic endothelial cells, ODQ significantly reduced the protein levels of $\alpha 1$ and $\beta 1$ sGC subunits in human platelets, which was restored to baseline by coincubation with BAY 60-2770.

In summary, our present study shows that the sGC activator BAY 60–2770 presents anti-aggregating and anti-adhesive properties in human washed platelets due to cGMP generation, and subsequently reductions of intracellular Ca²⁺ levels and hence lower $\alpha_{IIb}\beta_3$ activation. Oxidation of the sGC haem with ODQ largely enhances the cGMP production causing further reductions in cytosolic Ca²⁺ and $\alpha_{IIb}\beta_3$ activation, with no involvement for the cAMP-dependent pathway. BAY 60-2770 also prevents the ODQ-induced decrease in protein levels of α 1 and β 1 sGC subunits. The marked anti-platelet activity of BAY 60-2770 under haem oxidation could be of therapeutic interest in cardiovascular diseases associated with atherothrombotic events.



Figure 7. Inhibitory effect of BAY 60-2770 upon PAC-1 mean fluorescence (activated α_{IIIn}/f_{3}). Platelet suspension (20 µl; 1.2×10^8 platelets/ ml) was pre-incubated with ODQ (10 µM) and BAY 60-2770 or respective vehicle (1% DMSO). Platelets were incubated with PAC-1 solution (FITCPAC-1; 10 µl of 25 µg/ml) or control antibody solution (FITC Mouse IgM, same dilution of PAC-1 solution). Platelets were activated with either collagen (2 µg/ml) or thrombin (0.1 U/ml). Mean fluorescence was acquired in flow cytometer (FACSCalibur) equipped with a 488 nm wavelength argon laser using the FL1 channel. Mean fluorescence was considered as a parameter to describe binding intensity to FITC labeled PAC-1. Panels A, B and C show, respectively, the fluorescence intensity in non-activated, collagen- and thrombin-activated platelets. Panels D and E show the mean fluorescence ± SEM (n = 3-4 individuals). *p<0.05 compared with untreated platelets. #p<0.05 compared with respective values in the absence of ODQ. [†]p<0.05 doi:10.1371/journal.pone.0047223.q007

Methods

Human washed platelet preparation

The study was approved by the Ethics Committee of State University of Campinas (UNICAMP; protocol number 487/ 2011). Written informed consent was obtained from every participant before blood donation. Human blood from healthy volunteers who had not received any medication within the previous 10 days was collected in ACD-C, (13 mM sodium citrate, 13 mM citric acid and 11 mM glucose, one volume of ACD-C for nine volumes of blood). The whole blood was centrifuged at room temperature (200 g, for 15 min) to obtain the platelet-rich plasma (PRP). Five milliliters of platelet-rich plasma (PRP) were added to 7 ml of washing buffer (140 mM NaCl, 0.5 mM KCl, 12 mM trisodium citrate, 10 mM glucose, 12.5 mM saccharose, pH 6.0), and again centrifuged at 800 g for 12 min. The platelets were gently suspended in Krebs solution containing (mM) 118 NaCl, 25 NaHCO₃, 1.2 KH₂PO₄, 1.7 MgSO₄, and 5.6 glucose (pH 7.4). The platelet number was adjusted to 1.2×10^8 platelets/ml in the presence of 1 mM CaCl₂.

Experimental design

Platelet suspension $(1.2 \times 10^8 \text{ platelets/ml})$ was pre-incubated for 3 min with the soluble guanylyl cyclase inhibitor ODQ (10 μ M) or its correspondent vehicle DMSO (0.5% v/v). Next, platelets were incubated with BAY 60-2770 (0.001 to 10 μ M), DMSO (0.5% v/v) or sodium nitroprusside (SNP, 3 μ M; used as positive control) for another 3 min. Platelets were then stimulated with either collagen (2 μ g/ml) or thrombin (0.1 U/ml) to perform the aggregation assays, cyclic nucleotide measurements (cAMP and cGMP), intracellular Ca²⁺ level measurements and integrin $\alpha_{IIIb}\beta_3$ activation (see details below). The final concentration of DMSO never exceeded 1%, which does not interfere with functional or biochemical assays.



Figure 8. Protective effect of Bay 60-2770 on the ODQ-induced sGC degradation. Isolated platelets were incubated with ODQ (10 μ M) in the absence and in the presence of BAY 60-2770 (10 μ M) for 2.5 h, after which protein expression of α 1 (Panel A) and β 1 (Panel B) subunits of sGC subunits were determined by Western blotting. Results represent the mean values \pm SEM (n = 4 individuals). *p<0.05 compared with other groups. doi:10.1371/journal.pone.0047223.g008

Platelet aggregation

Platelet aggregation was performed with an optical aggregometer (Chrono-log, Kordia Life Sciences, Leiden) at 37°C with 400 μ l of washed platelets placed in glass cuvettes containing a disposable stir bar for constant stirring. Platelet aggregation was carried out in collagen (2 μ g/ml) and thrombin (0.1 U/ml)stimulated platelets in the absence and in the presence of ODQ and/or BAY 60-2770, DMSO or SNP, as detailed above. The maximal aggregation (%) was calculated using the Aggrolink Software (Chrono-log). Krebs solution without vehicle (depending on the experimental protocols) provided a signal representing 0% aggregation.

Platelet adhesion assay

Adhesion assay was carried out according to previous studies [53]. Briefly, 96-well microtiter plates were coated (overnight at 4° C) by adding 50 µl per well of human fibrinogen (50 µg/ml). The wells were washed twice with Krebs solution. The nonspecific adhesion was blocked by incubation of wells with 1% BSA (1 h, 37°C), after which plate was carefully washed. Platelet suspension (50 μ l) was added to each well (containing 6 $\times 10^{\circ}$ platelets). They were allowed to adhere to the wells for 30 min at 37°C. Thereafter, plates were carefully washed twice with Krebs solution to remove unattached platelets. Adherent platelets were quantified through the measurement of acid phosphatase activity. Wells containing adherent platelets were incubated with acid phosphatase substrate solution (0.1 M citrate buffer, pH 5.4, containing 5 mM p-nitrophenyl phosphate and 0.1% Triton X-100). After 1 h of incubation at room temperature, the reaction was stopped and the color was developed by the addition of NaOH. The p-nitrophenol produced in reaction was measured with a microplate reader at 405 nm (SynergyTM H1 Hybrid Reader, Biotek, USA). The percentage of adherent cells was calculated on the basis of a standard curve obtained with known number of platelets (0.3 to 6×10^6 platelets/well). All experiments were performed in triplicate.

Extraction and measurement of cGMP and cAMP

Washed platelets $(1.2 \times 10^8 \text{ platelets/ml})$ were pre-incubated with the phosphodiesterase inhibitor 3-isobutyl-l-methyl-xanthine (IBMX, 1 mM) for 20 min. Before addition of collagen (2 µg/ml) or thrombin (0.1 U/ml), platelet suspension (200 µl) was preincubated with ODQ and BAY 60-2770 (and respective control vehicle). Sodium nitroprusside $(3 \ \mu M)$ or iloprost $(0.3 \ \mu M)$ was used as a positive control for cGMP and cAMP, respectively. The reaction was interrupted by the addition of cold-acidified absolute ethanol (67%, v/v), and samples were vigorously agitated for 30 s. Cell samples were centrifuged (4.000 g, 30 min at 4°C). Supernatants were dried at 55-60°C under a stream of nitrogen. Preparation of tracer samples, standards and incubation with antibody were performed as described in commercially available kits (Cayman Chemical Cyclic GMP or AMP EIA kit, Ann Arbor, MI, USA). The assays were performed in duplicates. The limit of detection is 1 pmol/ml for cGMP and 0.1 pmol/ml for cAMP.

Measurement of intracellular Ca²⁺ levels [Ca²⁺]_i

Measurement of intracellular Ca²⁺ assay was carried out according to a previous study [54]. Briefly, the PRP obtained from ACD-C anti-coagulated blood were incubated with the fluorogenic calcium-binding dye FluoForte (10 µM) and pluronic 0.1% for 30 min at room temperature. Platelet suspension was then centrifuged at 800 g for 12 min. The pellet was gently resuspended in Krebs solution, and the number of platelets was adjusted to 1.2×10^8 platelet/ml. Platelet aliquots of 300 µl were incubated with BAY 60-2770 (or DMSO) or SNP, in the absence and in the presence of ODQ (10 μ M). The samples were analyzed using Fluorometer (SynergyTM H1 Hybrid Reader, Biotek, USA). The external Ca2+ concentration was adjusted to 1 mM with CaCl₂. Following equilibration for at least 3 min, thrombin (0.1 U/ml) or collagen (2 $\mu g/ml)$ was added to platelet suspension. To verify the Ca²⁺ mobilization from internal storage sites alone, 10 μ M EGTA was added to chelate the extracellular Ca²⁺. The fluorescence was monitored continuously with monochromator settings of 410 nm (excitation) and 514 nm (emission). The $[Ca^{2+}]_i$ levels was determined by applying the following equation [35]:

$$Ca^{2^+} = [Kdx(F - F_{\min})] / (F_{\max} - F)$$

where Kd = 389, F is fluorescence of the sample, F_{min} is minimum fluorescence and F_{max} is maximum fluorescence.

Conformational changes in integrin $\alpha_{IIb}\beta_3$ (GPIIb/IIIa)

Conformational changes in integrin $\alpha_{IIb}\beta_3$ were assessed by binding to the FITC labeled PAC-1 (which recognizes only the conformationally activated GPIIb/IIIa) [55]. Platelet suspension $(20 \ \mu\text{L}; 1.2 \times 10^8 \text{ platelets/ml})$ was pre-incubated with ODQ and BAY 60-2770 (0.01-10 µM) at room temperature for 3 min. Next, the platelets were incubated with either 10 µl of PAC-1 solution (FITCPAC-1; 25 µg/ml) or 10 µl of control antibody solution (FITC mouse IgM, same dilution of PAC-1 solution), after which collagen (2 µg/ml), thrombin (0.1 U/ml), or Krebs solution was added for 15 min. To minimize the presence of aggregates in the platelet samples, 450 µl of Krebs solution were added. Mean fluorescence was acquired in flow cytometer (FACSCalibur, BD, Franklin Lakes, NJ USA) equipped with a 488 nm wavelength argon laser using the FL1 channel. Platelets were identified by the forward and side scatter signals in a dot plot graphic in which a population was gated. Ten thousand events were acquired within the gate and their fluorescence was depicted in a histogram in log scale. Mean fluorescence was considered as a parameter to describe binding intensity to FITC labeled PAC-1.

Western blotting

Platelets pellet were homogenized in a SDS lysis buffer with a sonicator (Fisher Scientiffic, Pittsburgh, PA, USA) for 5 sec and centrifuged $(12,000 \times g, 4^{\circ}C, 20 \text{ min})$ to remove insoluble material. Protein concentrations of the supernatants were determined by the Bradford assay, and equal amount of protein from each sample (50 μ g) was treated with Laemmli buffer containing dithiothreitol 100 mM. Samples were heated in a boiling water bath for 5 min and resolved by SDS-PAGE. Electrotransfer of proteins to nitrocellulose membrane was performed for 60 min at 15 V (constant) in a semi-dry device (Bio-Rad, Hercules, CA, USA). Nonspecific protein binding to nitrocellulose was reduced by pre-incubating the membrane overnight at 4°C in blocking buffer (0.5% non-fat dried milk, 10 mMTris, 100 mMNaCl, and 0.02% Tween 20). Detection using specific antibodies, HRPconjugated secondary antibodies, and luminal, p-Coumaric acid and H₂O₂. One min after incubation, x-ray sensitive films were

References

- Wei AH, Schoenwaelder SM, Andrews RK, Jackson SP (2009) New insights into the haemostatic function of platelets. Br J Haematol 147: 415–430.
- Li Z, Delaney MK, O'Brien KA, Du X (2010) Signaling during platelet adhesion and activation. Arterioscler Thromb Vasc Biol 30: 2341–2349.
- Dangel O, Mergia E, Karlisch K, Groneberg D, Koesling D, et al. (2010) Nitric oxide-sensitive guanylyl cyclase is the only nitric oxide receptor mediating platelet inhibition. J Thromb Haemost 8: 1343–1352.
- Francis SH, Busch JL, Corbin JD, Sibley D (2010) cGMP-dependent protein kinases and cGMP phosphodiesterases in nitric oxide and cGMP action. Pharmacol Rev 62: 525–563.
- Evgenov OV, Pacher P, Schmidt PM, Hasko G, Schmidt HH, et al. (2006) NOindependent stimulators and activators of soluble guanylate cyclase: discovery and therapeutic potential. Nat Rev Drug Discovn 5: 755–768.
- Zabel U, Weeger M, La M, Schmidt HH (1998) Human soluble guanylate cyclase: functional expression and revised isoenzyme family. Biochem J 35:51– 57.
- Massberg S, Sausbier M, Klatt P, Bauer M, Pfeifer A, et al. (1999) Increased adhesion and aggregation of platelets lacking cyclic guanosine 3',5'-monophosphate kinase I. J Exp Med 189: 1255–1264.

exposed to the membranes and marked by a chemiluminescent signal. The individual sGC subunits were detected by using polyclonal antibodies directed against specific epitopes of the α_1 subunit (AbCam Technology, Cambridge, England, UK), β_1 subunit (NovusBiologicals, Littleton, CO, USA) and anti GAPDH was from Santa Cruz Biotechnologie (Santa Cruz, CA, USA). Protein levels were normalized with GAPDH. Densitometry was performed using the Scion Image software (Scion Corporation, Frederick, MD), and results represented as the percentage in relation to control protein expression.

Drugs and materials

Bovine serum albumim (BSA, from bovine serum), fibrinogen (fraction I from human plasma), phosphatase substrate (p-Nitrophenyl phosphate, sodium), thrombin (from human plasma), 3-isobutyl-1-methylxanthine (IBMX), 1H-[1,2,4]oxadiazolo[4,3a]quinoxalin-1-one (ODQ), 9-(tetrahydro-2-furanyl)-9H-purin-6amine (SQ 22-536), pluronic P-123, dimethyl sulfoxide (DMSO), sodium nitroprusside (SNP) were purchased from Sigma Chem. Co. (St. Louis, MO, USA). Iloprost and FluoforteTM reagent were obtained from Schering AG (Berlin, Wedding, Germany) and Enzo Life Sciences International (Butler Pike, PA, USA), respectively. BAY 60-2770 (acid 4-({(4-carboxybutyl) [2-(5fluoro-2-{[4-(trifluoromethyl) biphenyl-4-yl] methoxy} phenyl) ethyl] amino} methyl) benzoic) was obtained from Pharma Research Center, Baver AG (Wuppertal, Germany). Collagen was purchased from Chrono-log Corporation (PA, USA). Cyclic AMP and cyclic GMP enzyme immunoassay (EIA) kits were purchased from Cayman Co. (Ann Arbor, MI, USA). PAC-1 FITC monoclonal mouse anti-platelet $\alpha_{IIb}\beta_3$ antibodies were obtained from Becton Dickinson (San José, CA, USA).

Statistical analysis

Data are shown as mean \pm SEM and n indicates the number of human subjects. One-way analysis of variance (ANOVA) followed by Newman–Keuls or Dunnett multiple comparison test was performed. Students t two-tailed test for paired or unpaired experiments was used when appropriate. Differences were considered to be statistically significant when p<0.05.

Author Contributions

Conceived and designed the experiments: CBMS LOSL RPM GFA EA. Performed the experiments: CBMS LOSL GFA. Analyzed the data: CBMS LOSL RPM GFA EA FZM GDN SM. Wrote the paper: CBMS FZM EA.

- Walter U, Gambaryan S (2009) cGMP and cGMP-dependent protein kinase in platelets and blood cells. Handb Exp Pharmacol 191: 533–548.
- Stasch JP, Hobbs AJ (2009) NO-independent, haem-dependent soluble guanylate cyclase stimulators. Handb Exp Pharmacol 191: 277–308.
- Roy B, Mo E, Vernon J, Garthwaite J (2008) Probing the presence of the ligandbinding haem in cellular nitric oxide receptors. Br J Pharmacol 153: 1495–504.
- Hoffmann LS, Schmidt PM, Keim Y, Schaefer S, Schmidt HH, et al. (2009) Distinct molecular requirements for activation or stabilization of soluble guanylyl cyclase upon haem oxidation-induced degradation. Br J Pharmacol 157: 781– 795.
- Martin F, Baskaran P, Ma X, Dunten PW, Schaefer M, et al. (2010) Structure of cinaciguat (BAY 58-2667) bound to Nostoc H-NOX domain reveals insights into heme-mimetic activation of the soluble guanylyl cyclase. J Biol Chem 285: 22651–22657.
- Surmeli NB, Marletta MA (2012) Insight into the rescue of oxidized soluble guanylate cyclase by the activator cinaciguat. Chembiochem. 13: 977–981.
- Stasch JP, Becker EM, Alonso-Alija C, Apeler H, Dembowsky K, et al. (2001) NO-independent regulatory site on soluble guanylate cyclase. Nature 410: 212– 215.

- Stasch JP, Schmidt P, Alonso-Alija C, Apeler H, Dembowsky K, et al. (2002) NO- and haem-independent activation of soluble guanylyl cyclase: molecular basis and cardiovascular implications of a new pharmacological principle. Br J Pharmacol 136: 773–783.
- Schmidt P, Schramm M, Schroder H, Stasch JP (2003) Mechanisms of nitric oxide independent activation of soluble guanylyl cyclase. Eur J Pharmacol 468: 167–174.
- Koglin M, Stasch JP, Behrends S (2002) BAY 41-2272 activates two isoforms of nitric oxide-sensitive guanylyl cyclase. Biochem Biophys Res Commun 292: 1057–1062.
- Hobbs AJ, Moncada S (2003) Antiplatelet properties of a novel, non-NO-based soluble guanylate cyclase activator, BAY 41-2272. Vascul Pharmacol 40: 149– 154.
- Garthwaite J, Southam E, Boulton CL, Nielsen EB, Schmidt K, et al. (1995) Potent and selective inhibition of nitric oxide-sensitive guanylyl cyclase by 1*H*-[1,2,4]oxadiazolo[4,3-a]quinoxalin-1-one. Mol Pharmacol 48: 184–188.
- Baracat JS, Teixeira CE, Okuyama CE, Priviero FB, Faro R, et al. (2003) Relaxing effects induced by the soluble guanylyl cyclase stimulator BAY 41-2272 in human and rabbit corpus cavernosum. Eur J Pharmacol 477: 163–169.
- Teixeira CE, Priviero FB, Todd JJr, Webb RC (2006) Vasorelaxing effect of BAY 41-2272 in rat basilar artery: involvement of cGMP-dependent and independent mechanisms. Hypertension 47: 596–602.
- 22. Báu FR, Mónica FZ, Priviero FB, Baldissera L Jr, de Nucci G, et al. (2010) Evaluation of the relaxant effect of the nitric oxide-independent soluble guanylyl cyclase stimulator BAY 41-2272 in isolated detrusor smooth muscle. Eur J Pharmacol 637: 171–177.
- Roger S, Badier-Commander C, Paysant J, Cordi A, Verbeuren TJ, et al. (2010a) The anti-aggregating effect of BAY 41-2272, a stimulator of soluble guanylyl cyclase, requires the presence of nitric oxide. Br J Pharmacol 161: 1044–1058.
- Boerrigter G, Burnett Jr JC (2007) Nitric oxide-independent stimulation of soluble guanylate cyclase with BAY 41-2272 in cardiovascular disease. Cardiovasc Drug Rev 25: 30–45.
- Zhou Z, Pyriochou A, Kotanidou A, Dalkas G, van Eickels M, et al. (2008) Soluble guanylyl cyclase activation by HMR-1766 (ataciguat) in cells exposed to oxidative stress. Am J Physiol Heart Circ Physiol 295: 1763–1771.
- Knorr A, Hirth-Dietrich C, Alonso-Alija C, Harter M, Hahn M, et al. (2008) Nitric oxide-independent activation of soluble guanylate cyclase by BAY 60-2770 in experimental liver fibrosis. Arzneimittelforschung 58:71–80.
- Krieg T, Liu Y, Rutz T, Methner C, Yang XM, et al. (2009) BAY 58-2667, a nitric oxide-independent guanylyl cyclase activator, pharmacologically postconditions rabbit and rat hearts. Eur Heart J 30:1607–1613.
- Weissmann N, Hackemack S, Dahal BK, Pullamsetti SS, Savai R, et al. (2009) The soluble guanylate cyclase activator HMR1766 reverses hypoxia-induced experimental pulmonary hypertension in mice. Am J Physiol Lung Cell Mol Physiol 297: 658–665.
- Meurer S, Pioch S, Pabst T, Opitz N, Schmidt PM, et al. (2009) Nitric oxideindependent vasodilator rescues heme-oxidized soluble guanylate cyclase from proteasomal degradation. Circ Res 105: 33–41.
- Jones AW, Durante WJ, Korthuis RJ (2010) Heme oxygenase-1 deficiency leads to alteration of soluble guanylate cyclase redox regulation. J Pharmacol Exp Ther 335: 85–91.
- 31. Pankey EA, Bhartiya M, Badejo AM, Haider U, Stasch JP, et al. (2011) Pulmonary and systemic vasodilator responses to the soluble guanylyl cyclase activator, BAY 60-2770, are not dependent on endogenous nitric oxide or reduced heme. Am J Physiol Heart Circ Physiol 300: 792–802.
- Stasch JP, Schmidt PM, Nedvetsky PI, Nedvetskaya TY, Ak HS, et al. (2006) Targeting the heme-oxidized nitric oxide receptor for selective vasodilatation of diseased blood vessels. J Clin Invest 116: 2552–2561.
- Schäfer A, Fraccarollo D, Werner L, Bauersachs J (2010) Guanylyl cyclase activator ataciguat improves vascular function and reduces platelet activation in heart failure. Pharmacol Res 62: 432–438.
- Ahrens I, Habersberger J, Baumlin N, Qian H, Smith BK, et al. (2011) Measuring oxidative burden and predicting pharmacological response in

coronary artery disease patients with a novel direct activator of haem-free/oxidised sGC. Atherosclerosis 218: 431–434.

- Pollock WK, Rink TJ, Irvine RF (1986) Liberation of [³H]arachidonic acid and changes in cytosolic free calcium in fura-2-loaded human platelets stimulated by ionomycin and collagen. Biochem J 35: 869–877.
- 36. Brass LF (2003) Thrombin and platelet activation. Chest 124: 18-25.
- Surin WR, Barthwal MK, Dikshit M (2008) Platelet collagen receptors, signaling and antagonism: emerging approaches for the prevention of intravascular thrombosis. Thromb Res 122: 786–803.
- Schwarz UR, Walter U, Eigenthaler M (2001) Taming platelets with cyclic nucleotides. Biochem Pharmacol 62: 1153–1161.
- Payrastre B, Missy K, Trumel C, Bodin S, Plantavid M, et al. (2000) The integrin alpha IIb/beta 3 in human platelet signal transduction. Biochem Pharmacol 60: 1069–1074.
- Blackmore PF (2011) Biphasic effects of nitric oxide on calcium influx in human platelets. Thromb Res 127: 8–14.
- Bonaventura D, Lunardi CN, Rodrigues GJ, Neto MA, Bendhack LM (2008) A novel mechanism of vascular relaxation induced by sodium nitroprusside in the isolated rat aorta. Nitric Oxide 18: 287–295.
- Roger S, Badier-Commander C, Paysant J, Cordi A, Verbeuren TJ, et al. (2010b). Anti-aggregating effect of BAY 58-2667, an activator of soluble guanylyl cyclase. Vascul Pharmacol 53: 281–287.
- Feijge MA, Ansink K, Vanschoonbeek K, Heemskerk JW (2004) Control of platelet activation by cyclic AMP turnover and cyclic nucleotide phosphodiesterase type-3. Biochem Pharmacol 67: 1559–1567.
- Smolenski A (2012) Novel roles of cAMP/cGMP dependent signaling in platelets. J Thromb Haemost 10: 167–176.
- Hwang TL, Hung HW, Kao SH, Teng CM, Wu CC, et al. (2003) Soluble guanylyl cyclase activator YC-1 inhibits human neutrophil functions through a cGMP-independent but cAMP-dependent pathway. Mol Pharmacol 64: 1419– 1427.
- Mendelev NN, Williams VS, Tulis DA (2009) Antigrowth properties of BAY 41-2272 in vascular smooth muscle cells. J Cardiovasc Pharmacol 53: 121–131.
- 47. Joshi CN, Martin DN, Fox JC, Mendelev NN, Brown TA, et al. (2011) The soluble guanylate cyclase stimulator BAY 41-2272 inhibits vascular smooth muscle growth through the cAMP-dependent protein kinase and cGMPdependent protein kinase pathways. J Pharmacol Exp Ther 339:394–402.
- Thomazzi ŚM, Moreira J, De Nucci G, Antunes E (2005) Inhibitory effects on human eosinophil chemotaxis in vitro by BAY 41-2272, an activator of nitric oxide-independent site of soluble guanylate cyclase. Biochem Pharmacol 69: 875–882.
- Borges de Oliveira-Jr E, Thomazzi SM, Rehder J, Antunes E, Condino-Neto A (2007) Effects of BAY 41-2272, an activator of nitric oxide-independent site of soluble guanylate cyclase, on human NADPH oxidase system from THP-1 cells. Eur J Pharmacol 567: 43–49.
- Ruetten H, Zabel U, Linz W, Schmidt HH (1999) Downregulation of soluble guanylyl cyclase in young and aging spontaneously hypertensive rats. Circ Res 85: 534–541.
- 51. Kagota S, Tamashiro A, Yamaguchi Y, Sugiura R, Kuno T, et al. (2001) Downregulation of vascular soluble guanylate cyclase induced by high salt intake in spontaneously hypertensive rats. Br J Pharmacol 134: 737–744.
- Melichar VO, Behr-Roussel D, Zabel U, Uttenthal LO, Rodrigo J, et al. (2004) Reduced cGMP signaling associated with neointimal proliferation and vascular dysfunction in late-stage atherosclerosis. Proc Natl Acad Sci USA 2004 101: 16671–16676.
- Bellavite P, Andrioli G, Guzzo P, Arigliano P, Chirumbolo S, et al. (1994) A colorimetric method for the measurement of platelet adhesion in microtiter plates. Anal Biochem 216: 444–450.
- Donato JL, Marcondes S, Antunes E, Nogueira MD, Nader HB, et al. (1996) Role of chondroitin 4 sulphate as a receptor for polycation induced human platelet aggregation. Br J Pharmacol 119: 1447–1453.
- Abrams CS, Ellison N, Budzynski AZ, Shattil SJ (1990) Direct detection of activated platelets and platelet-derived microparticles in humans. Blood 75: 128– 138.