

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

1-Benzyloxy-1H-benzotriazole


 Samuel Robinson Jebas,^a P. Selvarathy Grace,^b
 B. Ravindran Durai Nayagam^{b*} and Dieter Schollmeyer^c
^aDepartment of Physics, Sethupathy Government Arts College, Ramanathapuram 623 502, Tamilnadu, India, ^bDepartment of Chemistry, Popes College, Sawyerpuram 628 251, Tamilnadu, India, and ^cInstitut für Organische Chemie, Universität Mainz, Duesbergweg 10–14, 55099 Mainz, Germany
 Correspondence e-mail: b_ravidurai@yahoo.com

Received 19 June 2012; accepted 22 June 2012

 Key indicators: single-crystal X-ray study; $T = 193$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.054; wR factor = 0.163; data-to-parameter ratio = 13.7.

 In the title compound, $\text{C}_{13}\text{H}_{11}\text{N}_3\text{O}$, the dihedral angle between the benzotriazole ring system [maximum deviation = 0.027 (16) Å] and the benzene ring is 10.28 (9)°. The C–C–O–N bond adopts an *anti* conformation [torsion angle = -177.11 (16)°]. In the crystal, the molecules interact *via* weak C–H··· π interactions and aromatic π – π stacking [centroid-to-centroid distance = 3.731 (12) Å].

Related literature

 For a related structure and background to benzotriazoles, see: Selvarathy Grace *et al.* (2012).


Experimental

Crystal data

 $\text{C}_{13}\text{H}_{11}\text{N}_3\text{O}$
 $M_r = 225.25$

 Orthorhombic, $Pbca$
 $a = 11.2417$ (5) Å
 $b = 7.8381$ (8) Å
 $c = 25.3933$ (18) Å
 $V = 2237.5$ (3) Å³
 $Z = 8$

 Cu $K\alpha$ radiation
 $\mu = 0.72$ mm⁻¹
 $T = 193$ K
 $0.51 \times 0.45 \times 0.13$ mm

Data collection

 Enraf–Nonius CAD-4 diffractometer
 Absorption correction: ψ scan (*CORINC*; Wiehl & Schollmeyer, 1994)
 $T_{\min} = 0.84$, $T_{\max} = 0.99$

 2125 measured reflections
 2125 independent reflections
 1867 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.000$
 3 standard reflections every 60 min
 intensity decay: 3%

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.054$
 $wR(F^2) = 0.163$
 $S = 1.12$
 2125 reflections

 155 parameters
 H-atom parameters constrained
 $\Delta\rho_{\max} = 0.26$ e Å⁻³
 $\Delta\rho_{\min} = -0.23$ e Å⁻³
Table 1

Hydrogen-bond geometry (Å, °).

 $Cg1$ is the centroid of the C12–C17 benzene ring.

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C13–H13··· $Cg1^i$	0.95	2.86	3.685 (2)	145
C16–H16··· $Cg1^{ii}$	0.95	2.99	3.691 (3)	132

 Symmetry codes: (i) $-x + 1, y - \frac{1}{2}, -z + \frac{1}{2}$; (ii) $-x - \frac{1}{2}, y - \frac{1}{2}, z$.

 Data collection: *CAD-4 Software* (Enraf–Nonius, 1989); cell refinement: *CAD-4 Software*; data reduction: *CORINC* (Wiehl & Schollmeyer, 1994); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *PLATON* (Spek, 2009).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB6865).

References

- Enraf–Nonius (1989). *CAD-4 Software*. Enraf–Nonius, Delft, The Netherlands.
- Selvarathy Grace, P., Jebas, S. R., Ravindran Durai Nayagam, B. & Schollmeyer, D. (2012). *Acta Cryst.* **E68**, o1132.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Wiehl, L. & Schollmeyer, D. (1994). *CORINC*. University of Mainz, Germany.

supplementary materials

Acta Cryst. (2012). E68, o2239 [doi:10.1107/S1600536812028395]

1-Benzoyloxy-1H-benzotriazole

Samuel Robinson Jebas, P. Selvarathy Grace, B. Ravindran Durai Nayagam and Dieter Schollmeyer

Comment

As part of our ongoing studies of benzotriazole derivatives with possible biological activities (Selvarathy Grace *et al.*, 2012) we now report the crystal structure of the title compound (I).

The benzotriazole ring is essentially planar with the maximum deviation from planarity being 0.027 (16) Å for atom N2. The mean plane of the benzotriazole ring (N1–N3/C4–C9) forms a dihedral angle of 10.28 (9)° with the mean plane of the phenyl ring (C12–C17).

The crystal packing features π – π stacking interactions with the centroid-centroid distance of 3.731 (12) Å [symmetry code: 1 - x, -y, 1 - z], together with weak C—H \cdots π interactions. Molecules are stacked along the *b* axis (Fig 2).

Experimental


A mixture of sodium salt of 1-hydroxy benzotriazole (0.157 g, 1 mmol) and benzyl chloride (0.126 g, 1 mmol) in ethanol and water (10 ml), were heated at 333 K with stirring for 6 h. The mixture was kept aside for slow evaporation. After a week, colourless blocks were obtained.

Refinement


H atoms were positioned geometrically [C—H = 0.95 (aromatic) or 0.99 Å (methylene)] and refined using a riding model, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$.

Computing details

Data collection: *CAD-4 Software* (Enraf–Nonius, 1989); cell refinement: *CAD-4 Software* (Enraf–Nonius, 1989); data reduction: CORINC (Wiehl & Schollmeyer, 1994); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *PLATON* (Spek, 2009).


Figure 1

The asymmetric unit of the title compound, showing displacement ellipsoids drawn at the 50% probability level.


Figure 2

The crystal packing of the title compound, viewed along the *c* axis.

1-Benzoyloxy-1*H*-benzotriazole

Crystal data

$C_{13}H_{11}N_3O$

$M_r = 225.25$

Orthorhombic, *Pbca*

Hall symbol: $-P\ 2ac\ 2ab$

$a = 11.2417(5)\ \text{\AA}$

$b = 7.8381(8)\ \text{\AA}$

$c = 25.3933(18)\ \text{\AA}$

$V = 2237.5(3)\ \text{\AA}^3$

$Z = 8$

$F(000) = 944$

$D_x = 1.337\ \text{Mg m}^{-3}$

Cu *K* α radiation, $\lambda = 1.54178\ \text{\AA}$

Cell parameters from 25 reflections

$\theta = 60\text{--}70^\circ$

$\mu = 0.72 \text{ mm}^{-1}$
 $T = 193 \text{ K}$

Block, colourless
 $0.51 \times 0.45 \times 0.13 \text{ mm}$

Data collection

Enraf–Nonius CAD-4
 diffractometer
 Radiation source: rotating anode
 Graphite monochromator
 $\omega/2\theta$ scans
 Absorption correction: ψ scan
 (CORINC; Wiehl & Schollmeyer, 1994)
 $T_{\min} = 0.84$, $T_{\max} = 0.99$
 2125 measured reflections

2125 independent reflections
 1867 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.000$
 $\theta_{\max} = 70.0^\circ$, $\theta_{\min} = 3.5^\circ$
 $h = 0 \rightarrow 13$
 $k = -9 \rightarrow 0$
 $l = 0 \rightarrow 30$
 3 standard reflections every 60 min
 intensity decay: 3%

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.054$
 $wR(F^2) = 0.163$
 $S = 1.12$
 2125 reflections
 155 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods
 Secondary atom site location: difference Fourier
 map

Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0919P)^2 + 0.968P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.26 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.23 \text{ e } \text{\AA}^{-3}$
 Extinction correction: *SHELXL97* (Sheldrick,
 2008), $F_c^* = kFc[1 + 0.001x\text{Fc}^2\lambda^3/\sin(2\theta)]^{-1/4}$
 Extinction coefficient: 0.0022 (5)

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F , and R-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.59619 (14)	0.1616 (2)	0.41567 (6)	0.0319 (4)
N2	0.69169 (16)	0.0710 (2)	0.40089 (7)	0.0386 (5)
N3	0.74822 (17)	0.0253 (3)	0.44366 (6)	0.0390 (5)
C4	0.68515 (16)	0.0849 (3)	0.48621 (7)	0.0300 (4)
C5	0.70541 (19)	0.0634 (3)	0.54041 (8)	0.0363 (5)
H5	0.7724	0.0020	0.5531	0.044*
C6	0.6242 (2)	0.1348 (3)	0.57406 (8)	0.0395 (5)
H6	0.6348	0.1216	0.6110	0.047*
C7	0.5253 (2)	0.2276 (3)	0.55539 (8)	0.0390 (5)
H7	0.4719	0.2767	0.5802	0.047*
C8	0.50350 (18)	0.2493 (3)	0.50265 (9)	0.0342 (5)
H8	0.4366	0.3111	0.4900	0.041*

C9	0.58618 (17)	0.1744 (2)	0.46878 (7)	0.0285 (4)
O10	0.51465 (12)	0.21382 (19)	0.37887 (5)	0.0364 (4)
C11	0.56357 (18)	0.3549 (3)	0.34807 (8)	0.0373 (5)
H11A	0.6347	0.3171	0.3283	0.045*
H11B	0.5867	0.4503	0.3715	0.045*
C12	0.46776 (17)	0.4101 (3)	0.31104 (7)	0.0296 (5)
C13	0.47315 (18)	0.3682 (3)	0.25810 (8)	0.0352 (5)
H13	0.5377	0.3018	0.2453	0.042*
C14	0.3853 (2)	0.4220 (3)	0.22357 (8)	0.0400 (5)
H14	0.3901	0.3931	0.1873	0.048*
C15	0.29088 (19)	0.5177 (3)	0.24185 (9)	0.0398 (5)
H15	0.2310	0.5551	0.2181	0.048*
C16	0.28349 (19)	0.5589 (3)	0.29457 (9)	0.0403 (5)
H16	0.2177	0.6229	0.3073	0.048*
C17	0.37194 (18)	0.5069 (3)	0.32891 (8)	0.0357 (5)
H17	0.3673	0.5374	0.3651	0.043*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0274 (8)	0.0424 (9)	0.0260 (8)	0.0042 (7)	-0.0039 (6)	0.0034 (7)
N2	0.0322 (9)	0.0523 (11)	0.0314 (9)	0.0075 (8)	0.0002 (7)	-0.0007 (8)
N3	0.0316 (9)	0.0526 (11)	0.0330 (9)	0.0102 (8)	-0.0019 (7)	0.0024 (8)
C4	0.0233 (9)	0.0355 (10)	0.0311 (10)	-0.0005 (8)	-0.0026 (7)	0.0002 (8)
C5	0.0341 (10)	0.0432 (11)	0.0315 (10)	-0.0023 (9)	-0.0080 (8)	0.0044 (8)
C6	0.0417 (12)	0.0485 (12)	0.0284 (10)	-0.0087 (10)	-0.0031 (9)	-0.0010 (9)
C7	0.0376 (11)	0.0432 (12)	0.0361 (11)	-0.0059 (9)	0.0075 (9)	-0.0062 (9)
C8	0.0263 (9)	0.0357 (10)	0.0406 (10)	-0.0003 (8)	0.0011 (8)	0.0017 (8)
C9	0.0256 (9)	0.0327 (9)	0.0273 (9)	-0.0029 (8)	-0.0028 (7)	0.0015 (7)
O10	0.0279 (7)	0.0507 (9)	0.0307 (7)	-0.0054 (6)	-0.0097 (5)	0.0121 (6)
C11	0.0307 (10)	0.0430 (11)	0.0383 (11)	-0.0080 (9)	-0.0074 (8)	0.0124 (9)
C12	0.0260 (9)	0.0330 (10)	0.0299 (9)	-0.0056 (8)	-0.0038 (7)	0.0051 (7)
C13	0.0326 (11)	0.0393 (11)	0.0337 (11)	0.0015 (8)	0.0022 (8)	0.0015 (8)
C14	0.0492 (13)	0.0426 (11)	0.0283 (10)	-0.0043 (10)	-0.0074 (9)	0.0020 (8)
C15	0.0340 (11)	0.0382 (11)	0.0473 (13)	-0.0052 (9)	-0.0175 (9)	0.0095 (9)
C16	0.0278 (10)	0.0401 (11)	0.0530 (13)	0.0023 (9)	0.0001 (9)	0.0029 (10)
C17	0.0345 (11)	0.0409 (11)	0.0317 (10)	-0.0044 (9)	0.0018 (8)	0.0012 (8)

Geometric parameters (\AA , $^\circ$)

N1—N2	1.341 (2)	O10—C11	1.462 (2)
N1—C9	1.357 (2)	C11—C12	1.494 (3)
N1—O10	1.3714 (19)	C11—H11A	0.9900
N2—N3	1.308 (2)	C11—H11B	0.9900
N3—C4	1.374 (3)	C12—C13	1.385 (3)
C4—C9	1.388 (3)	C12—C17	1.393 (3)
C4—C5	1.405 (3)	C13—C14	1.386 (3)
C5—C6	1.370 (3)	C13—H13	0.9500
C5—H5	0.9500	C14—C15	1.380 (3)
C6—C7	1.411 (3)	C14—H14	0.9500

C6—H6	0.9500	C15—C16	1.380 (3)
C7—C8	1.372 (3)	C15—H15	0.9500
C7—H7	0.9500	C16—C17	1.384 (3)
C8—C9	1.396 (3)	C16—H16	0.9500
C8—H8	0.9500	C17—H17	0.9500
N2—N1—C9	112.56 (15)	O10—C11—C12	106.54 (15)
N2—N1—O10	120.16 (15)	O10—C11—H11A	110.4
C9—N1—O10	126.85 (16)	C12—C11—H11A	110.4
N3—N2—N1	107.55 (16)	O10—C11—H11B	110.4
N2—N3—C4	108.00 (17)	C12—C11—H11B	110.4
N3—C4—C9	109.55 (17)	H11A—C11—H11B	108.6
N3—C4—C5	130.21 (19)	C13—C12—C17	118.63 (18)
C9—C4—C5	120.21 (18)	C13—C12—C11	120.70 (19)
C6—C5—C4	116.99 (19)	C17—C12—C11	120.66 (18)
C6—C5—H5	121.5	C12—C13—C14	120.7 (2)
C4—C5—H5	121.5	C12—C13—H13	119.7
C5—C6—C7	121.75 (19)	C14—C13—H13	119.7
C5—C6—H6	119.1	C15—C14—C13	120.04 (19)
C7—C6—H6	119.1	C15—C14—H14	120.0
C8—C7—C6	122.2 (2)	C13—C14—H14	120.0
C8—C7—H7	118.9	C16—C15—C14	119.99 (19)
C6—C7—H7	118.9	C16—C15—H15	120.0
C7—C8—C9	115.53 (19)	C14—C15—H15	120.0
C7—C8—H8	122.2	C15—C16—C17	119.9 (2)
C9—C8—H8	122.2	C15—C16—H16	120.0
N1—C9—C4	102.31 (16)	C17—C16—H16	120.0
N1—C9—C8	134.33 (18)	C16—C17—C12	120.70 (19)
C4—C9—C8	123.35 (18)	C16—C17—H17	119.7
N1—O10—C11	109.80 (14)	C12—C17—H17	119.7
C9—N1—N2—N3	-1.4 (2)	C5—C4—C9—C8	1.0 (3)
O10—N1—N2—N3	-174.41 (17)	C7—C8—C9—N1	177.9 (2)
N1—N2—N3—C4	1.5 (2)	C7—C8—C9—C4	-0.6 (3)
N2—N3—C4—C9	-1.2 (2)	N2—N1—O10—C11	-74.3 (2)
N2—N3—C4—C5	176.8 (2)	C9—N1—O10—C11	113.8 (2)
N3—C4—C5—C6	-178.2 (2)	N1—O10—C11—C12	-177.11 (16)
C9—C4—C5—C6	-0.3 (3)	O10—C11—C12—C13	-104.8 (2)
C4—C5—C6—C7	-0.7 (3)	O10—C11—C12—C17	76.1 (2)
C5—C6—C7—C8	1.1 (3)	C17—C12—C13—C14	0.3 (3)
C6—C7—C8—C9	-0.4 (3)	C11—C12—C13—C14	-178.85 (19)
N2—N1—C9—C4	0.7 (2)	C12—C13—C14—C15	-0.4 (3)
O10—N1—C9—C4	173.08 (18)	C13—C14—C15—C16	-0.4 (3)
N2—N1—C9—C8	-178.1 (2)	C14—C15—C16—C17	1.2 (3)
O10—N1—C9—C8	-5.7 (4)	C15—C16—C17—C12	-1.2 (3)
N3—C4—C9—N1	0.3 (2)	C13—C12—C17—C16	0.5 (3)
C5—C4—C9—N1	-177.93 (19)	C11—C12—C17—C16	179.64 (19)
N3—C4—C9—C8	179.28 (19)		

Hydrogen-bond geometry (Å, °)

Cg1 is the centroid of the C12–C17 benzene ring.

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
C13—H13···Cg1 ⁱ	0.95	2.86	3.685 (2)	145
C16—H16···Cg1 ⁱⁱ	0.95	2.99	3.691 (3)	132

Symmetry codes: (i) $-x+1, y-1/2, -z+1/2$; (ii) $-x-1/2, y-1/2, z$.