

Acta Crystallographica Section E Structure Reports Online

ISSN 1600-5368

(5*S*,11a*S*)-5-Hydroperoxy-1,5,11,11atetrahydro[1]benzothieno[3,2-*f*]indolizin-3(2*H*)-one

Viktor Vrábel,^a* Ľubomír Švorc,^a Štefan Marchalín^b and Peter Šafář^b

^aInstitute of Analytical Chemistry, Faculty of Chemical and Food Technology, Slovak Technical University, Radlinského 9, SK-812 37 Bratislava, Slovak Republic, and ^bInstitute of Organic Chemistry, Catalysis and Petrochemistry, Faculty of Chemical and Food Technology, Slovak Technical University, Radlinského 9, SK-812 37 Bratislava, Slovak Republic

Correspondence e-mail: viktor.vrabel@stuba.sk

Received 11 September 2012; accepted 2 November 2012

Key indicators: single-crystal X-ray study; T = 295 K; mean σ (C–C) = 0.002 Å; R factor = 0.027; wR factor = 0.068; data-to-parameter ratio = 14.5.

The absolute configuration of the title compound, $C_{14}H_{13}NO_3S$, was assigned from the synthesis and confirmed by the structure determination. The central six-membered ring of the indolizine moiety adopts an envelope conformation, with the greatest deviation from the mean plane of the ring being 0.661 (2) Å for the bridgehead C atom. The benzothiene ring attached to the indolizine ring system is planar to within 0.008 (2) Å. In the crystal, molecules form chains parallel to the *b* axis *via* O-H···O hydrogen bonds.

Related literature

For background to indolizines and their biological activity, see: Malonne *et al.* (1998); Medda *et al.* (2003); Sonnet *et al.* (2000); Campagna *et al.* (1990); Pearson & Guo (2001). For their synthesis, see: Šafář *et al.* (2009*a,b*). For compounds with similar properties, see: Švorc *et al.* (2008, 2009). For IR spectroscopy on similar compounds, see: Šafář *et al.* (2009*a*). For conformational analysis, see: Nardelli (1983).



Experimental

Crystal data	
C ₁₄ H ₁₃ NO ₃ S	a = 7.8040 (5) Å
$M_r = 275.31$	b = 7.9800 (4) Å
Monoclinic, P2 ₁	c = 10.2903 (5) Å

 $\beta = 99.458 (5)^{\circ}$ $V = 632.13 (6) Å^{3}$ Z = 2Mo K α radiation

Data collection

Oxford Diffraction Xcalibur (Ruby,
Gemi) diffractometer
Absorption correction: analytical
[CrysAlis RED (Oxford
Diffraction, 2009), based on
expressions derived by Clark &

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.027$	
$vR(F^2) = 0.068$	
S = 1.00	
2555 reflections	
76 parameters	
2 restraints	

 $\mu = 0.26 \text{ mm}^{-1}$ T = 295 K $0.25 \times 0.20 \times 0.15 \text{ mm}$

Reid (1995)]
$T_{\min} = 0.947, \ T_{\max} = 0.974$
21595 measured reflections
2555 independent reflections
2162 reflections with $I > 2\sigma(I)$
$R_{\rm int} = 0.028$

H atoms treated by a mixture of independent and constrained refinement
$$\begin{split} &\Delta\rho_{max}=0.13\ e\ \mathring{A}^{-3}\\ &\Delta\rho_{min}=-0.14\ e\ \mathring{A}^{-3}\\ &Absolute\ structure:\ Flack\ (1983),\\ &1185\ Friedel\ pairs\\ &Flack\ parameter:\ -0.05\ (6) \end{split}$$

Table 1 Hydrogen-bond geometry (Å, °).

$D - H \cdots A$	D-H	$H \cdots A$	$D \cdots A$	$D - \mathbf{H} \cdots A$
$O3-H3\cdots O1^{i}$	0.84 (1)	1.86 (1)	2.6962 (19)	173 (2)
Summatry and (i)	x x 1 1			

Symmetry code: (i) -x, $y + \frac{1}{2}$, -z.

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2009); cell refinement: *CrysAlis CCD*; data reduction: *CrysAlis RED* (Oxford Diffraction, 2009); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND*, (Brandenburg, 2001), *PLATON* (Spek, 2009) and *WinGX* (Farrugia, 1999); software used to prepare material for publication: *SHELXL97*.

The authors thank the Grant Agency of Slovak Republic, Grant Nos. 1/0429/11, 1/0679/11 and the Slovak Research and Development Agency under contract Nos. APVV-0797–11 and APVV-0204–10 for financial support for this research program.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BG2481).

References

Brandenburg, K. (2001). DIAMOND. Crystal Impact GbR, Bonn, Germany. Campagna, F., Carotti, A., Casini, G. & Macripo, M. (1990). Heterocycles, 31, 97–107.

- Clark, R. C. & Reid, J. S. (1995). Acta Cryst. A51, 887-897.
- Farrugia, L. J. (1999). J. Appl. Cryst. 32, 837-838.
- Flack, H. D. (1983). Acta Cryst. A39, 876-881.
- Malonne, H., Hanuise, J. & Fontaine, J. (1998). *Pharm. Pharmacol. Commun.* 4, 241–243.
- Medda, S., Jaisankar, P., Manna, R. K., Pal, B., Giri, V. S. & Basu, M. K. (2003). J. Drug Target. 11, 123–128.
- Nardelli, M. (1983). Acta Cryst. C39, 1141-1142.
- Oxford Diffraction (2009). CrysAlis CCD and CrysAlis RED. Oxford Diffraction Ltd, Yarnton, Oxfordshire, England.
- Pearson, W. H. & Guo, L. (2001). Tetrahedron Lett. 42, 8267-8271.
- Šafář, P., Žúžiová, J., Bobošíková, M., Marchalín, Š., Prónayová, N., Comesse, S. & Daich, A. (2009b). *Tetrahedron Asymmetry*, **20**, 2137–2144.

- Šafář, P., Žúžiová, J., Marchalín, Š., Tóthová, E., Prónayová, N., Švorc, Ľ., Vrábel, V. & Daich, A. (2009a). Tetrahedron Asymmetry, 20, 626-634. Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Sonnet, P., Dallemagne, P., Guillom, J., Engueard, C., Stiebing, S., Tangue, J., Bureau, B., Rault, S., Auvray, P., Moslemi, S., Sourdaine, P. & Seralini, G. E. (2000). Bioorg. Med. Chem. 8, 945-955.
- Spek, A. L. (2009). Acta Cryst. D65, 148–155.Švorc, Ľ., Vrábel, V., Kožíšek, J., Marchalín, Š. & Šafář, P. (2008). Acta Cryst. E64, o1164-o1165.
- Švorc, Ľ., Vrábel, V., Kožíšek, J., Marchalín, Š. & Šafář, P. (2009). Acta Cryst. E65, 0695-0696.

supplementary materials

Acta Cryst. (2012). E68, o3327-o3328 [doi:10.1107/S1600536812045394]

(5*S*,11a*S*)-5-Hydroperoxy-1,5,11,11a-tetrahydro[1]benzothieno[3,2*f*]indolizin-3(2*H*)-one

Viktor Vrábel, Ľubomír Švorc, Štefan Marchalín and Peter Šafář

Comment

Heterocycles are involved in a wide range of biologically important chemical reactions in living organisms, and therefore they form one of the most important and well investigated classes of organic compounds. One group of heterocycles, indolizines, has received much scientific attention during the recent years. Indolizine derivatives have been found to possess a variety of biological activities such as antiinflammatory (Malonne et al., 1998), antiviral (Medda et al., 2003), aromatase inhibitory (Sonnet et al., 2000), analgestic (Campagna et al., 1990) and antitumor (Pearson & Guo, 2001) activities. As part of our recent efforts to synthesize novel polycyclic indolizine derivative, we report here the synthesis and molecular and crystal structure of the title compound, (I) (Fig. 1). The absolute configuration has been established without ambiguity from the anomalous dispersion of the S atom (Flack, 1983) and assigned consistent with the starting material. The expected stereochemistry of both atoms C5 and C15 was confirmed as S, see Fig. 1. The central Nheterocyclic ring is not planar and adopts a envelope conformation (Nardelli, 1983). A calculation of least-squares planes shows that this ring is puckered in such a manner that the five atoms C6, C7, C14, C15 and N1 are planar to within 0.075 (3) Å, while atom C5 is displaced from this plane with out-of-plane displacement of 0.661 (2) Å. The pyrrolidine ring is distorted towards a flat-envelope conformation, with atom C4 on the flap. Atom C4 is 0.402 (2) Å from the mean plane defined by atoms C5, N1, C2 and C3. The dihedral angle between the plane of the central N-heterocyclic ring and the plane of the pyrrolidine ring is 44.6 (1)°. Atom N1 is sp²-hybridized, as evidenced by the sum of the valence angles around it (358.1°). These data are consistent with conjugation of the lone-pair electrons on N1 with the adjacent carbonyl, similar to what is observed for amides. Intermolecular O-H···O hydrogen bonds link the molecules into infinite chains, which run parallel to the b axis (Fig. 2) and help to stabilize the crystal structure of the compound. The bond lengths of the carbonyl group C2=O1 is 1.233 (2) Å somewhat longer than typical carbonyl bonds. This may be due to the fact that atom O1 participates in intermolecular hydrogen bond.

Experimental

To a solution of (11aS)-1,5,11,11a-tetrahydro[1]benzothieno[3,2-*f*] indolizin-3(2*H*)-one (0.041 mmol) in THF (2 ml) was added 3 drops of H₂O₂ at 0°C and the mixture was allowed to react at room temperature for 72 h. The colorless crystals were filtered off, and washing with dry n-hexane (1 ml) gave pure indolizinhydroperoxid.

Refinement

All H atoms bonded to C were positioned with idealized geometry using a riding model with C-H = 0.93, 0.97 and 0.98 Å for aromatic, methylene and methine H, and constrained to ride on their parent atoms, with $U_{iso}(H) = 1.2U_{eq}(C)$. The H3 atom on O3 was located in a difference map and finally refined isotropically with O—H distance fixed at 0.84 Å. The absolute configuration has been determined. The number of Friedel pairs is 1185.

Computing details

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2009); cell refinement: *CrysAlis CCD* (Oxford Diffraction, 2009); data reduction: *CrysAlis RED* (Oxford Diffraction, 2009); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND*, (Brandenburg, 2001), *PLATON* (Spek, 2009) and *WinGX* (Farrugia, 1999); software used to prepare material for publication: *SHELXL97* (Sheldrick, 2008).



Figure 1

Molecular structure of the title compound with the atomic numbering scheme. Displacement ellipsoids are drawn at the 50% probability level (Brandenburg, 2001).



Figure 2

Packing view of the title compound. Molecular links are generated by O–H…O hydrogen bonds along the *b* axis which are shown by green dashed lines (Brandenburg, 2001).

(5S,11aS)-5-Hydroperoxy-1,5,11,11a- tetrahydro[1]benzothieno[3,2-f]indolizin-3(2H)-one

F(000) = 288

 $\theta = 3.2 - 29.6^{\circ}$

 $\mu = 0.26 \text{ mm}^{-1}$

Block, colourless

 $0.25 \times 0.20 \times 0.15 \text{ mm}$

 $T_{\rm min} = 0.947, T_{\rm max} = 0.974$

 $\theta_{\text{max}} = 26.4^{\circ}, \ \theta_{\text{min}} = 4.4^{\circ}$

21595 measured reflections

2555 independent reflections

2162 reflections with $I > 2\sigma(I)$

T = 295 K

 $R_{\rm int} = 0.028$

 $h = -9 \rightarrow 9$

 $k = -9 \rightarrow 9$

 $l = -12 \rightarrow 12$

 $D_{\rm x} = 1.446 {\rm Mg} {\rm m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å Cell parameters from 10799 reflections

Crystal data

C₁₄H₁₃NO₃S $M_r = 275.31$ Monoclinic, P2₁ Hall symbol: P 2yb a = 7.8040 (5) Å b = 7.9800 (4) Å c = 10.2903 (5) Å $\beta = 99.458$ (5)° V = 632.13 (6) Å³ Z = 2

Data collection

Oxford Diffraction Xcalibur (Ruby, Gemi) diffractometer Radiation source: fine-focus sealed tube Graphite monochromator Detector resolution: 10.4340 pixels mm⁻¹ ω scans Absorption correction: analytical [*CrysAlis RED* (Oxford Diffraction, 2009), based on expressions derived by Clark & Reid (1995)]

Refinement

Refinement on F^2	Hydrogen site location: inferred from
Least-squares matrix: full	neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.027$	H atoms treated by a mixture of independent
$wR(F^2) = 0.068$	and constrained refinement
S = 1.00	$w = 1/[\sigma^2(F_o^2) + (0.0441P)^2]$
2555 reflections	where $P = (F_o^2 + 2F_c^2)/3$
176 parameters	$(\Delta/\sigma)_{\rm max} < 0.001$
2 restraints	$\Delta \rho_{\rm max} = 0.13 \text{ e} \text{ Å}^{-3}$
Primary atom site location: structure-invariant	$\Delta \rho_{\rm min} = -0.14 \text{ e } \text{\AA}^{-3}$
direct methods	Absolute structure: Flack (1983), 1185 Friedel
Secondary atom site location: difference Fourier	pairs
map	Flack parameter: -0.05 (6)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on F^2 , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating *R*-factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. *R*-factors based on F^2 are statistically about twice as large as those based on *F*, and *R*- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (A^2)

	x	у	Z	$U_{ m iso}$ */ $U_{ m eq}$
C2	-0.1152 (2)	0.0934 (2)	0.10939 (14)	0.0487 (4)

C3	-0.2994 (2)	0.1556 (3)	0.07868 (18)	0.0625 (5)
H3B	-0.3714	0.1014	0.1347	0.075*
H3A	-0.3483	0.1340	-0.0127	0.075*
C4	-0.2872 (2)	0.3432 (3)	0.1057 (2)	0.0662 (5)
H4B	-0.3852	0.3817	0.1447	0.079*
H4A	-0.2838	0.4054	0.0252	0.079*
C5	-0.1161 (2)	0.3639 (3)	0.20284 (16)	0.0527 (4)
Н5	-0.0563	0.4666	0.1834	0.063*
C6	-0.1345 (2)	0.3584 (3)	0.34751 (18)	0.0584 (4)
H6B	-0.1750	0.4661	0.3741	0.070*
H6A	-0.2190	0.2739	0.3613	0.070*
C7	0.0371 (2)	0.31816 (19)	0.42819 (16)	0.0490 (4)
C8	0.2927 (2)	0.2798 (2)	0.60665 (15)	0.0497 (4)
C9	0.4223 (3)	0.2701 (3)	0.71705 (16)	0.0633 (5)
Н9	0.4012	0.3056	0.7990	0.076*
C10	0.5810 (3)	0.2073 (3)	0.70255 (19)	0.0707 (6)
H10	0.6691	0.2028	0.7752	0.085*
C11	0.6131 (3)	0.1499 (3)	0.58133 (19)	0.0634 (5)
H11	0.7218	0.1064	0.5743	0.076*
C12	0.4862 (2)	0.1569 (2)	0.47181 (16)	0.0511 (4)
H12	0.5084	0.1174	0.3912	0.061*
C13	0.3233 (2)	0.22356 (19)	0.48218 (15)	0.0428 (4)
C14	0.17251 (19)	0.24634 (19)	0.38248 (14)	0.0412 (4)
C15	0.15873 (19)	0.1929 (2)	0.24080 (14)	0.0413 (4)
H15	0.1927	0.0751	0.2363	0.050*
N1	-0.01704 (17)	0.21547 (16)	0.17396 (12)	0.0447 (3)
01	-0.06189 (17)	-0.04709 (17)	0.08604 (12)	0.0627 (3)
O2	0.27750 (15)	0.29669 (15)	0.18624 (11)	0.0513 (3)
O3	0.28192 (17)	0.23328 (18)	0.05339 (11)	0.0597 (3)
Н3	0.207 (2)	0.299 (3)	0.013 (2)	0.098 (9)*
S1	0.08315 (6)	0.35880 (6)	0.59656 (4)	0.06228 (15)

Atomic displacement parameters $(Å^2)$

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C2	0.0512 (10)	0.0610 (11)	0.0332 (7)	-0.0060 (9)	0.0043 (7)	0.0038 (8)
C3	0.0518 (11)	0.0782 (14)	0.0546 (10)	-0.0038 (10)	0.0001 (8)	0.0057 (9)
C4	0.0501 (10)	0.0692 (13)	0.0765 (12)	0.0052 (11)	0.0018 (9)	0.0209 (11)
C5	0.0440 (9)	0.0452 (9)	0.0699 (10)	0.0038 (9)	0.0121 (8)	0.0093 (9)
C6	0.0508 (9)	0.0560 (9)	0.0702 (10)	0.0095 (10)	0.0151 (8)	-0.0066 (10)
C7	0.0520 (10)	0.0446 (10)	0.0529 (9)	-0.0003 (8)	0.0156 (8)	-0.0048 (7)
C8	0.0679 (11)	0.0400 (8)	0.0435 (9)	0.0012 (8)	0.0161 (8)	0.0007 (7)
C9	0.0933 (15)	0.0563 (11)	0.0402 (9)	0.0050 (11)	0.0102 (9)	0.0006 (8)
C10	0.0872 (16)	0.0703 (14)	0.0492 (10)	0.0112 (12)	-0.0050 (10)	0.0097 (9)
C11	0.0673 (12)	0.0648 (12)	0.0560 (10)	0.0171 (10)	0.0042 (9)	0.0099 (9)
C12	0.0589 (11)	0.0514 (10)	0.0439 (9)	0.0086 (9)	0.0111 (8)	0.0041 (7)
C13	0.0549 (9)	0.0338 (8)	0.0411 (7)	-0.0015 (7)	0.0120 (7)	0.0016 (6)
C14	0.0467 (9)	0.0354 (8)	0.0433 (8)	-0.0009 (7)	0.0125 (7)	-0.0009 (6)
C15	0.0405 (8)	0.0433 (9)	0.0408 (8)	-0.0002 (7)	0.0084 (6)	0.0009 (6)
N1	0.0429 (7)	0.0457 (7)	0.0458 (7)	0.0001 (6)	0.0082 (6)	0.0021 (6)

supplementary materials

O1	0.0674 (9)	0.0619 (8)	0.0554 (7)	-0.0007 (7)	0.0000 (6)	-0.0159 (6)
02	0.0498 (6)	0.0609 (7)	0.0445 (6)	-0.0061 (5)	0.0121 (5)	0.0000 (5)
03	0.0607 (8)	0.0756 (9)	0.0452 (7)	0.0118 (7)	0.0163 (6)	0.0007 (6)
S1	0.0745 (3)	0.0630 (3)	0.0537 (2)	0.0086 (3)	0.0234 (2)	-0.0118 (2)

Geometric parameters (Å, °)

C2—01	1.233 (2)	C8—C13	1.414 (2)
C2—N1	1.345 (2)	C8—S1	1.7400 (19)
C2—C3	1.505 (3)	C9—C10	1.366 (3)
C3—C4	1.523 (3)	С9—Н9	0.9300
С3—Н3В	0.9700	C10—C11	1.390 (3)
С3—НЗА	0.9700	C10—H10	0.9300
C4—C5	1.539 (3)	C11—C12	1.374 (3)
C4—H4B	0.9700	C11—H11	0.9300
C4—H4A	0.9700	C12—C13	1.398 (2)
C5—N1	1.471 (2)	C12—H12	0.9300
С5—С6	1.519 (2)	C13—C14	1.440 (2)
С5—Н5	0.9800	C14—C15	1.506 (2)
С6—С7	1.490 (2)	C15—O2	1.4252 (19)
С6—Н6В	0.9700	C15—N1	1.441 (2)
С6—Н6А	0.9700	C15—H15	0.9800
C7—C14	1.353 (2)	O2—O3	1.4634 (16)
C7—S1	1.7411 (17)	O3—H3	0.841 (2)
С8—С9	1.393 (3)		
01—C2—N1	124.86 (17)	C13—C8—S1	110.95 (13)
O1—C2—C3	126.89 (16)	C10—C9—C8	118.72 (16)
N1—C2—C3	108.17 (16)	С10—С9—Н9	120.6
C2—C3—C4	104.88 (16)	С8—С9—Н9	120.6
С2—С3—Н3В	110.8	C9—C10—C11	121.29 (18)
С4—С3—Н3В	110.8	C9—C10—H10	119.4
С2—С3—НЗА	110.8	C11—C10—H10	119.4
С4—С3—НЗА	110.8	C12-C11-C10	120.70 (18)
НЗВ—СЗ—НЗА	108.8	C12—C11—H11	119.7
C3—C4—C5	104.22 (16)	C10-C11-H11	119.7
C3—C4—H4B	110.9	C11—C12—C13	119.67 (15)
C5—C4—H4B	110.9	C11—C12—H12	120.2
C3—C4—H4A	110.9	C13—C12—H12	120.2
C5—C4—H4A	110.9	C12—C13—C8	118.72 (15)
H4B—C4—H4A	108.9	C12—C13—C14	129.82 (14)
N1—C5—C6	108.21 (14)	C8—C13—C14	111.46 (14)
N1—C5—C4	102.19 (16)	C7—C14—C13	113.53 (14)
C6—C5—C4	114.92 (14)	C7—C14—C15	121.41 (14)
N1—C5—H5	110.4	C13—C14—C15	125.04 (13)
С6—С5—Н5	110.4	O2—C15—N1	111.66 (12)
C4—C5—H5	110.4	O2—C15—C14	105.62 (12)
C7—C6—C5	109.33 (13)	N1-C15-C14	109.74 (12)
С7—С6—Н6В	109.8	O2—C15—H15	109.9
С5—С6—Н6В	109.8	N1—C15—H15	109.9

supplementary materials

С7—С6—Н6А	109.8	C14—C15—H15	109.9
С5—С6—Н6А	109.8	C2—N1—C15	124.42 (15)
H6B—C6—H6A	108.3	C2—N1—C5	114.03 (14)
С14—С7—С6	125.42 (15)	C15—N1—C5	119.65 (13)
C14—C7—S1	112.32 (13)	C15—O2—O3	106.49 (11)
C6—C7—S1	122.26 (12)	O2—O3—H3	97.2 (18)
C9—C8—C13	120.88 (17)	C8—S1—C7	91.72 (7)
<u>C9–C8–S1</u>	128.16 (13)		

Hydrogen-bond geometry (Å, °)

D—H···A	<i>D</i> —Н	H···A	D····A	D—H···A
O3—H3…O1 ⁱ	0.84 (1)	1.86 (1)	2.6962 (19)	173 (2)

Symmetry code: (i) -x, y+1/2, -z.