

Received 6 August 2015

Accepted 20 August 2015

Edited by W. T. A. Harrison, University of
Aberdeen, Scotland

Keywords: crystal structure; copper(I) complex; diphenylphosphinomethane; *N'*-allylthiourea; hydrogen bonding; C—H... π interactions; π – π stacking interactions

CCDC reference: 1419827

Supporting information: this article has supporting information at journals.iucr.org/e

Crystal structure of $(\mu$ -*N*-allylthiourea- κ^2 S:S)bis[μ -bis(diphenylphosphanyl)methane- κ^2 P:P']-bis[bromidocopper(I)] acetonitrile disolvate

Mareeya Hemman,^a Chaveng Pakawatchai,^b Jausup Boonmak,^c Sujittra Youngme^c and Saowanit Saithong^{b*}

^aDepartment of Chemistry, Faculty of Science, Prince of Songkla University, Hat Yai, Songkhla, 90112, Thailand,



^bDepartment of Chemistry and Center of Excellence for Innovation in Chemistry, Faculty of Science, Prince of Songkla University, Hat Yai, Songkhla, 90112, Thailand, and ^cMaterials Chemistry Research Center, Department of Chemistry and Center of Excellence for Innovation in Chemistry, Faculty of Science, Khon Kaen University, Khon Kaen, 40002, Thailand.

*Correspondence e-mail: saowanit.sa@psu.ac.th

The reaction of cuprous bromide with a mixture of 1,1-bis(diphenylphosphanyl)methane (dppm: C₂₅H₂₂P₂) and *N*-allylthiourea (ATU: C₄H₈N₂S) in acetonitrile yielded the title solvated dinuclear complex, [Cu₂Br₂(C₄H₈N₂S)(C₂₅H₂₂P₂)₂] \cdot 2C₂H₃N or [Cu₂Br₂(ATU)(dppm)₂] \cdot 2CH₃CN. Both Cu⁺ ions adopt distorted tetrahedral geometries, being coordinated by one terminal Br atom, one μ^2 -S atom of the bridging ATU ligand and two P atoms of the bridging dppm ligands. Within the complex, intramolecular C—H...S, C—H... π , N—H...Br and π – π stacking interactions are observed. In the crystal, the components are linked by N—H...Br and C—H...N hydrogen bonds and weak π – π stacking interactions, generating chains propagating in the [100] direction.

1. Chemical context

Copper(I) complexes with mixed ligands containing diphosphine are of interest because of their attractive coordination chemistry and several potential applications resulting from their photophysical properties (Yam *et al.*, 1999; Jin *et al.*, 2009; Zhang *et al.*, 2011, 2014; Tsiaggali *et al.*, 2013), antibacterial activity and their interaction ability with native calf thymus DNA (CT-DNA) (Tsiaggali *et al.*, 2013). One of the diphosphine ligands, 1,1-bis(diphenylphosphino)methane



(dppm: C₂₅H₂₂P₂) is a bridging bidentate ligand which is effective in forming various structures with many types of

additional ligands, leading to copper(I) complexes as mononuclear, dinuclear, trinuclear and tetranuclear models, depending on the nature of the mixed-ligand partners and the stoichiometric ratio between the reactants and experimental conditions (Ruina *et al.*, 1997; Pérez-Lourido *et al.*, 1998; Dennehy *et al.*, 2009; Zhang *et al.*, 2011). *N*-allylthiourea (ATU: C₄H₈N₂S) is a substituted thiourea ligand, which contains sulfur donor atoms that can bind to a copper(I) ion *via* a variety of bonding modes (Filinchuk *et al.*, 1996, 2001; Olijnyk *et al.*, 2003). A family of allylthiourea–metal complexes has been studied for their potential photonic applications and non-linear optical (NLO) efficiencies (Perumal & Babu, 2008, 2012). In this paper, we report the synthesis and structure of a mixed-ligand copper(I) complex with dppm and ATU ligands.

2. Structural commentary

The title complex [Cu₂Br₂(ATU)(dppm)₂]·2CH₃CN, (I), is shown in Fig. 1. The discrete neutral dinuclear complex contains an asymmetric triply bridged dicopper(I) core forming two six-membered rings in a chair conformation, Cu1–S1–Cu2–P1–C13–P2 and Cu1–S1–Cu2–P3–C38–P4, sharing the Cu1–S1–Cu2 part. Each Cu^I atom is coordinated by P atoms from the different dppm ligands, one μ²-S bridging atom of ATU and the bromide ion as a terminal ligand, forming a distorted tetrahedral environment, as illustrated by the range of angles around the Cu atoms [100.87 (2)–116.49 (3)° for Cu1 and 97.45 (3)–119.31 (3)° for Cu2]. Both Cu^I atoms share a tetrahedral corner *via* an S-atom bridge.

The Cu···Cu distance in (I) is 3.3780 (7) Å, which is similar to the Cu···Cu distance of 3.375 (2) Å in a copper(I) complex containing an S-bridging ligand and bidentate bridging dppm, [Cu₂I₂(C₃H₈N₂S)(C₂₅H₂₂P₂)₂].1.5CH₃CN (Nimthong *et al.*,

Table 1
Selected bond lengths (Å).

Cu1–P1	2.2795 (8)	Cu2–P2	2.2604 (8)
Cu1–P4	2.2803 (8)	Cu2–P3	2.2730 (8)
Cu1–S1	2.3543 (8)	Cu2–S1	2.3520 (8)
Cu1–Br1	2.5126 (4)	Cu2–Br2	2.5238 (4)

Table 2
Hydrogen-bond geometry (Å, °).

Cg6 is the centroid of the C20–C25 ring.

<i>D</i> –H··· <i>A</i>	<i>D</i> –H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> –H··· <i>A</i>
C12–H12···N2	0.95	2.56	3.438 (4)	154
C44–H44···S1	0.95	2.87	3.751 (3)	154
C50–H50···N3 ⁱ	0.95	2.57	3.462 (5)	156
C55–H55C···N4 ⁱⁱ	0.98	2.57	3.338 (5)	136
N1–H1A···Br2	0.84 (2)	2.74 (2)	3.580 (3)	172 (4)
N1–H1B···Br2 ⁱⁱⁱ	0.85 (2)	2.61 (2)	3.415 (3)	158 (3)
N2–H2A···Br1	0.85 (2)	2.63 (2)	3.468 (3)	166 (3)
C31–H31···Cg6	0.95	2.97	3.476 (3)	115

Symmetry codes: (i) $-x + 1, y + \frac{1}{2}, -z + \frac{1}{2}$; (ii) $-x, y - \frac{1}{2}, -z + \frac{1}{2}$; (iii) $-x, -y + 2, -z$.

2013) and much longer than 2.8 Å which is the sum of the van der Waals radii of the copper atoms (Yam *et al.*, 2001). The Cu–P bond lengths in (I) (Table 1) range from 2.2604 (8) to 2.2803 (8) Å and the Cu–S bond lengths of the bridges, 2.3543 (8) and 2.3520 (8) Å, are likewise similar to the those in the above mentioned complex [Cu–P = 2.2563 (10)–2.2786 (11) Å; Cu–S = 2.3450 (11) and 2.3493 (11) Å]. The Cu1–Br1 and Cu2–Br2 bond lengths of 2.5126 (4) and 2.5238 (4) Å, respectively, are slightly longer than the Cu–Br(terminal) [2.4826 (5) Å] for [CuBr(PPh₃)₃].CH₃CN (Altaf & Stoeckli-Evans, 2010)

The intramolecular interaction C44–H44···S1 (Table 2) has an effect on the Cu1–S1–Cu2 plane, bending it from the Cu₂P₂ plane of the Cu1–S1–Cu2–P3–C38–P4 chair conformation by an angle [72.59 (3)°] that is significantly larger than that for the Cu1–S1–Cu2–P1–C13–P2 plane [45.68 (2)°]. Thus, the C–H···S effect might be the influence that leads to the longer distance between the centroids (Cg8: C39–C44, Cg9: C45–C50; Cg4: C7–C12 and Cg5: C13–C18) of the phenyl rings, Cg8···Cg9 [4.0356 (17) Å] compared with the Cg4···Cg5 distance [3.6097 (19) Å]. The intramolecular C–H···π interaction (C31–H31···Cg6) also imposes a contact, of 3.476 (3) Å, between the *Csp*² atom of the phenyl ring and another phenyl ring centroid (C20–C25) of the other dppm ligand. An interaction (C12–H12···N2) between Cg5 and the NH₂ group is also observed. In addition, two intramolecular N–H···Br interactions are found between the NH₂ group of ATU and Br atoms. A perspective view of all the intramolecular interactions in (I) is depicted in Fig. 2.

3. Supramolecular features

In the crystal, neighbouring dinuclear molecules form a hydrogen-bonded dimer held together by two N–H···Br bonds as a cyclic pattern with its symmetry-equivalent




Figure 1
The molecular structure of (I) showing 50% probability displacement ellipsoids.




Figure 2
Intramolecular interactions in (I)

partner, generated by a crystallographic inversion center (symmetry code: $-x, 2 - y, -z$), which generates $R_4^2(8)$ loops. Moreover, the dimers are linked together by very weak π - π stacking of the $Cg8 \cdots Cg8^{iii}$ rings [3.9338 (16) Å, symmetry code: (iii) $1 - x, 2 - y, -z$] generating a chain of alternating $N-H \cdots Br$ links and π - π stacking running along [100], as shown in Fig. 3. The N atoms of the acetonitrile solvent molecules both accept $C-H \cdots N$ interactions ($C55-$

$H55 \cdots N4^{ii}$ and $C50-H50 \cdots N3^i$; symmetry codes: (i) $-x + 1, y + \frac{1}{2}, -z + \frac{1}{2}$; (ii) $-x, y - \frac{1}{2}, -z + \frac{1}{2}$) from the dppm phenyl rings. Numerical details of the hydrogen-bond geometry are given in Table 2.

4. Database survey

A search of the Cambridge Structural Database (Version 5.36, update November 2014; Groom & Allen, 2014) found 309 complexes of copper(I) with mixed dppm and other ligands. There are six copper(I) complexes with an ATU ligand, three complexes containing only an ATU ligand and three complexes containing a mixed ATU and other ligands. However, there is only one structure that has a similar core structure and coordination mode to the title compound, $[Cu_2I_2(C_3H_8N_2S)(dppm)_2] \cdot 1.5CH_3CN$, studied by Nimthong *et al.* (2013).

5. Synthesis and crystallization

Copper(I) bromide (0.07 g, 0.49 mmol) was added to a solution of 1,1-bis(diphenylphosphino)methane (0.19 g, 0.50 mmol) in 30 ml acetonitrile at 338 K. The mixture was refluxed for two h and a white precipitate was formed. After that, *N*-allylthiourea (0.06 g, 0.52 mmol) was added and further refluxed for four h and the precipitate slowly disappeared. Colorless crystals were obtained after the clear solution was left to evaporate at room temperature for a few days. The yield was 33% based on CuBr. Calculated for




Figure 3
A chain in the structure of (I) mediated by $N-H \cdots Br$ hydrogen bonds and aromatic π - π stacking.

C₅₈H₅₈Br₂Cu₂N₄P₄S: C 55.55, H 4.66, N 4.47 and S 2.56%. Found: C 55.28, H 4.28, N 3.68 and S 2.54%. The main IR bands (KBr disc, cm⁻¹): 3282 [$\nu(\text{NH}_2)$], 3168 [$\nu(\text{NH}_2)$], 3058 [$\nu(\text{C}=\text{H})_{\text{ph}}$], 1580 [$\nu(\text{C}=\text{S})$] and 1110 [$\nu(\text{P}-\text{C}_{\text{ph}})$].

6. Refinement

Crystal data, data collection and structure refinement details are summarized in Table 3. Hydrogen atoms bonded to carbon were included at geometrically idealized positions and refined as riding with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ or $1.5U_{\text{eq}}(\text{C}_{\text{methyl}})$. The N–H atoms were located in a difference map and the coordinates were refined with an N–H distance restraint of 0.86 Å and with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{N})$.

Acknowledgements

We are grateful for financial support from the Faculty of Science for a Research Assistant Scholarship to MH as well as from the Graduate School, and for technical support from the Department of Chemistry. We also thank Dr Brian Hodgson, Faculty of Pharmaceutical Science, Prince of Songkla University, for reading the manuscript and providing comments.

References

Altaf, M. & Stoeckli-Evans, H. (2010). *Inorg. Chim. Acta*, **363**, 2567–2573.
 Bruker (2013). *APEX2*, *SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
 Dennehy, M., Tellería, G. P., Quinzani, O. V., Echeverría, G. A., Piro, O. E. & Castellano, E. E. (2009). *Inorg. Chim. Acta*, **362**, 2900–2908.
 Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849–854.
 Filinchuk, Ya. E., Oliinik, V. V., Glovyak, T. & Mys'kiv, M. G. (2001). *Russ. J. Coord. Chem.* **27**, 126–134.
 Filinchuk, Ya. E., Oliinik, V. V., Mys'kiv, M. G. & Goreshnik, E. A. (1996). *Russ. J. Coord. Chem.*, **22**, 815–820.
 Groom, C. R. & Allen, F. H. (2014). *Angew. Chem. Int. Ed.* **53**, 662–671.
 Jin, Q., Chen, L., Yang, L. & Li, P. (2009). *Inorg. Chim. Acta*, **362**, 1743–1748.
 Macrae, C. F., Bruno, I. J., Chisholm, J. A., Edgington, P. R., McCabe, P., Pidcock, E., Rodriguez-Monge, L., Taylor, R., van de Streek, J. & Wood, P. A. (2008). *J. Appl. Cryst.* **41**, 466–470.
 Nimthong, R., Wattananajana, Y. & Pakawatchai, C. (2013). *Acta Cryst.* **E69**, m68–m69.
 Olijnyk, V. V., Filinchuk, Ya. E. & Pandiak, N. L. (2003). *Z. Anorg. Allg. Chem.* **629**, 1904–1905.
 Pérez-Lourido, P., García-Vázquez, J., Romero, J., Louro, M. S., Sousa, A. & Zubieta, J. (1998). *Inorg. Chim. Acta*, **271**, 1–8.

Table 3

Experimental details.

Crystal data	
Chemical formula	[Cu ₂ Br ₂ (C ₄ H ₈ N ₂ S)(C ₂₅ H ₂₂ P ₂) ₂]-2C ₂ H ₃ N
M_r	1253.92
Crystal system, space group	Monoclinic, $P2_1/c$
Temperature (K)	100
a, b, c (Å)	13.7569 (7), 24.2730 (11), 17.8527 (8)
β (°)	111.317 (2)
V (Å ³)	5553.5 (5)
Z	4
Radiation type	Mo $K\alpha$
μ (mm ⁻¹)	2.40
Crystal size (mm)	0.47 × 0.30 × 0.13
Data collection	
Diffractometer	Bruker APEXII CCD
Absorption correction	Multi-scan (<i>SADABS</i> ; Bruker, 2013)
$T_{\text{min}}, T_{\text{max}}$	0.489, 0.745
No. of measured, independent and observed [$I > 2\sigma(I)$] reflections	70511, 10194, 8464
R_{int}	0.064
$(\sin \theta/\lambda)_{\text{max}}$ (Å ⁻¹)	0.603
Refinement	
$R[F^2 > 2\sigma(F^2)], wR(F^2), S$	0.032, 0.067, 1.04
No. of reflections	10194
No. of parameters	651
No. of restraints	3
H-atom treatment	H atoms treated by a mixture of independent and constrained refinement
$\Delta\rho_{\text{max}}, \Delta\rho_{\text{min}}$ (e Å ⁻³)	0.68, -0.39

Computer programs: *APEX2* and *SAINT* (Bruker, 2013), *SHELXS97* (Sheldrick, 2008), *SHELXL2014/7* (Sheldrick, 2015), *Mercury* (Macrae *et al.*, 2008) and *WinGX* publication routines (Farrugia, 2012).

Perumal, R. & Babu, S. M. (2008). *J. Cryst. Growth*, **310**, 2050–2057.
 Perumal, R. & Babu, S. M. (2012). *J. Alloys Compd.* **538**, 131–135.
 Ruina, Y., Kunhua, L., Yimin, H., Dongmei, W. & Douman, J. (1997). *Polyhedron*, **16**, 4033–4038.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Sheldrick, G. M. (2015). *Acta Cryst.* **C71**, 3–8.
 Tsiaggali, M. A., Andreadou, E. G., Hatzidimitriou, A. G., Pantazaki, A. A. & Aslanidis, P. (2013). *J. Inorg. Biochem.* **121**, 121–128.
 Yam, V. W.-W., Lo, K. K.-W. & Wong, K. M.-C. (1999). *J. Organomet. Chem.* **578**, 3–30.
 Yam, V. W.-W., Lam, C.-H., Fung, W. K.-M. & Cheung, K.-K. (2001). *Inorg. Chem.* **40**, 3435–3442.
 Zhang, X., Song, L., Hong, M., Shi, H., Xu, K., Lin, Q., Zhao, Y., Tian, Y., Sun, J., Shu, K. & Chai, W. (2014). *Polyhedron*, **81**, 687–694.
 Zhang, M., Su, B.-C., Li, C.-L., Shen, Y., Lam, C.-K., Feng, X.-L. & Chao, H.-Y. (2011). *J. Organomet. Chem.* **696**, 2654–2659.

supporting information

Acta Cryst. (2015). E71, 1081-1084 [doi:10.1107/S2056989015015637]

Crystal structure of (μ -*N*-allylthiourea- κ^2 S:S)bis[μ -bis(diphenylphosphanyl)methane- κ^2 P:P']bis[bromidocopper(I)] acetonitrile disolvate

Mareeya Hemman, Chaveng Pakawatchai, Jaurusup Boonmak, Sujittra Youngme and Saowanit Saithong

Computing details

Data collection: *APEX2* (Bruker, 2013); cell refinement: *SAINTE* (Bruker, 2013); data reduction: *SAINTE* (Bruker, 2013); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL2014/7* (Sheldrick, 2015); molecular graphics: *Mercury* (Macrae *et al.*, 2008); software used to prepare material for publication: *WinGX* publication routines (Farrugia, 2012).

(μ -*N*-Allylthiourea- κ^2 S:S)bis[μ -bis(diphenylphosphanyl)methane- κ^2 P:P']bis[bromidocopper(I)] acetonitrile disolvate

Crystal data

[Cu₂Br₂(C₄H₈N₂S)(C₂₅H₂₂P₂)₂] \cdot 2C₂H₃N
M_r = 1253.92
 Monoclinic, *P2₁/c*
a = 13.7569 (7) Å
b = 24.2730 (11) Å
c = 17.8527 (8) Å
 β = 111.317 (2)°
V = 5553.5 (5) Å³
Z = 4

F(000) = 2552
D_x = 1.500 Mg m⁻³
 Mo *K* α radiation, λ = 0.71073 Å
 Cell parameters from 9875 reflections
 θ = 2.9–25.3°
 μ = 2.40 mm⁻¹
T = 100 K
 Block, colourless
 0.47 \times 0.30 \times 0.13 mm

Data collection

Bruker APEXII CCD
 diffractometer
 φ and ω scans
 Absorption correction: multi-scan
 (*SADABS*; Bruker, 2013)
T_{min} = 0.489, *T_{max}* = 0.745
 70511 measured reflections

10194 independent reflections
 8464 reflections with *I* > 2 σ (*I*)
R_{int} = 0.064
 θ_{\max} = 25.4°, θ_{\min} = 2.9°
h = -16→16
k = -29→29
l = -21→21

Refinement

Refinement on *F*²
 Least-squares matrix: full
R[*F*² > 2 σ (*F*²)] = 0.032
wR(*F*²) = 0.067
S = 1.04
 10194 reflections
 651 parameters
 3 restraints

Primary atom site location: structure-invariant
 direct methods
 Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H atoms treated by a mixture of independent
 and constrained refinement

$$w = 1/[\sigma^2(F_o^2) + (0.0189P)^2 + 10.1133P]$$

where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.003$

$$\Delta\rho_{\max} = 0.68 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -0.39 \text{ e } \text{\AA}^{-3}$$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Cu1	0.19238 (3)	0.77461 (2)	0.04894 (2)	0.01110 (8)
Cu2	0.24847 (3)	0.90361 (2)	0.12313 (2)	0.01111 (8)
Br1	0.09590 (2)	0.71918 (2)	-0.07468 (2)	0.01574 (7)
Br2	0.22027 (2)	1.00599 (2)	0.10111 (2)	0.01554 (7)
S1	0.17431 (5)	0.86405 (3)	-0.00549 (4)	0.01173 (15)
P1	0.11946 (6)	0.76195 (3)	0.14370 (4)	0.01021 (15)
P2	0.18113 (6)	0.87778 (3)	0.21589 (4)	0.01031 (15)
P3	0.41788 (6)	0.88387 (3)	0.14411 (4)	0.00975 (15)
P4	0.36776 (6)	0.76019 (3)	0.08920 (4)	0.01024 (15)
N1	0.0202 (2)	0.93599 (11)	-0.05759 (16)	0.0189 (6)
N2	-0.01468 (19)	0.84941 (10)	-0.11461 (15)	0.0163 (5)
C1	0.1247 (2)	0.69122 (11)	0.18132 (17)	0.0116 (6)
C2	0.1656 (2)	0.67627 (12)	0.26213 (17)	0.0165 (6)
H2	0.1930	0.7037	0.3022	0.020*
C3	0.1666 (3)	0.62129 (12)	0.28439 (18)	0.0199 (7)
H3	0.1960	0.6113	0.3396	0.024*
C4	0.1255 (3)	0.58136 (12)	0.22736 (19)	0.0214 (7)
H4	0.1262	0.5439	0.2430	0.026*
C5	0.0828 (3)	0.59573 (12)	0.14673 (19)	0.0218 (7)
H5	0.0532	0.5681	0.1072	0.026*
C6	0.0831 (2)	0.65008 (12)	0.12364 (18)	0.0171 (6)
H6	0.0550	0.6595	0.0682	0.021*
C7	-0.0200 (2)	0.77548 (11)	0.11547 (17)	0.0128 (6)
C8	-0.0716 (3)	0.76700 (16)	0.1687 (2)	0.0321 (9)
H8	-0.0335	0.7551	0.2220	0.039*
C9	-0.1775 (3)	0.77573 (16)	0.1446 (2)	0.0328 (9)
H9	-0.2118	0.7699	0.1815	0.039*
C10	-0.2336 (2)	0.79270 (13)	0.0679 (2)	0.0247 (8)
H10	-0.3067	0.7984	0.0516	0.030*
C11	-0.1844 (3)	0.80142 (15)	0.0147 (2)	0.0319 (8)
H11	-0.2233	0.8132	-0.0386	0.038*
C12	-0.0770 (3)	0.79299 (14)	0.03881 (19)	0.0241 (7)
H12	-0.0429	0.7994	0.0019	0.029*
C13	0.1803 (2)	0.80300 (11)	0.23586 (16)	0.0119 (6)
H13A	0.2531	0.7903	0.2635	0.014*
H13B	0.1421	0.7965	0.2725	0.014*

C14	0.0483 (2)	0.89986 (11)	0.20261 (17)	0.0123 (6)
C15	-0.0113 (2)	0.92542 (13)	0.13206 (18)	0.0209 (7)
H15	0.0174	0.9320	0.0919	0.025*
C16	-0.1132 (3)	0.94168 (14)	0.1190 (2)	0.0269 (8)
H16	-0.1536	0.9593	0.0700	0.032*
C17	-0.1553 (2)	0.93239 (12)	0.17676 (18)	0.0176 (7)
H17	-0.2246	0.9439	0.1682	0.021*
C18	-0.0967 (3)	0.90642 (14)	0.2469 (2)	0.0263 (8)
H18	-0.1262	0.8994	0.2865	0.032*
C19	0.0052 (3)	0.89033 (14)	0.26059 (19)	0.0245 (8)
H19	0.0453	0.8728	0.3097	0.029*
C20	0.2572 (2)	0.90622 (11)	0.31536 (17)	0.0122 (6)
C21	0.2730 (2)	0.96361 (12)	0.31837 (18)	0.0177 (7)
H21	0.2423	0.9851	0.2712	0.021*
C22	0.3328 (3)	0.98882 (13)	0.38964 (19)	0.0215 (7)
H22	0.3431	1.0276	0.3912	0.026*
C23	0.3778 (2)	0.95781 (13)	0.45895 (18)	0.0192 (7)
H23	0.4186	0.9752	0.5080	0.023*
C24	0.3628 (2)	0.90128 (12)	0.45614 (17)	0.0159 (6)
H24	0.3940	0.8800	0.5035	0.019*
C25	0.3028 (2)	0.87543 (12)	0.38493 (17)	0.0148 (6)
H25	0.2929	0.8367	0.3838	0.018*
C26	0.5171 (2)	0.91157 (11)	0.23539 (17)	0.0118 (6)
C27	0.6010 (2)	0.94399 (11)	0.23557 (18)	0.0143 (6)
H27	0.6070	0.9539	0.1860	0.017*
C28	0.6755 (2)	0.96181 (12)	0.30703 (18)	0.0180 (7)
H28	0.7334	0.9828	0.3063	0.022*
C29	0.6658 (2)	0.94917 (12)	0.37982 (19)	0.0186 (7)
H29	0.7166	0.9617	0.4289	0.022*
C30	0.5817 (2)	0.91827 (12)	0.38042 (18)	0.0186 (7)
H30	0.5743	0.9100	0.4301	0.022*
C31	0.5079 (2)	0.89923 (12)	0.30910 (17)	0.0145 (6)
H31	0.4508	0.8777	0.3103	0.017*
C32	0.4624 (2)	0.90346 (11)	0.06293 (17)	0.0124 (6)
C33	0.5599 (2)	0.88860 (12)	0.06151 (17)	0.0150 (6)
H33	0.6063	0.8672	0.1042	0.018*
C34	0.5894 (2)	0.90472 (12)	-0.00143 (18)	0.0189 (7)
H34	0.6566	0.8953	-0.0011	0.023*
C35	0.5212 (2)	0.93456 (12)	-0.06500 (18)	0.0196 (7)
H35	0.5411	0.9451	-0.1086	0.024*
C36	0.4244 (2)	0.94896 (12)	-0.06488 (18)	0.0186 (7)
H36	0.3774	0.9691	-0.1088	0.022*
C37	0.3950 (2)	0.93417 (11)	-0.00067 (17)	0.0138 (6)
H37	0.3289	0.9451	-0.0003	0.017*
C38	0.4531 (2)	0.81004 (11)	0.16173 (16)	0.0111 (6)
H38A	0.5248	0.8054	0.1623	0.013*
H38B	0.4546	0.8002	0.2160	0.013*
C39	0.4238 (2)	0.75692 (11)	0.01009 (17)	0.0116 (6)

C40	0.5075 (2)	0.72272 (12)	0.01472 (18)	0.0161 (6)
H40	0.5374	0.6996	0.0602	0.019*
C41	0.5475 (2)	0.72216 (12)	-0.04627 (18)	0.0184 (7)
H41	0.6040	0.6984	-0.0427	0.022*
C42	0.5049 (2)	0.75631 (13)	-0.11252 (18)	0.0191 (7)
H42	0.5326	0.7563	-0.1541	0.023*
C43	0.4223 (2)	0.79031 (13)	-0.11797 (18)	0.0194 (7)
H43	0.3936	0.8139	-0.1632	0.023*
C44	0.3809 (2)	0.79025 (12)	-0.05756 (17)	0.0157 (6)
H44	0.3229	0.8131	-0.0624	0.019*
C45	0.4101 (2)	0.69546 (11)	0.14349 (16)	0.0124 (6)
C46	0.3359 (2)	0.65358 (12)	0.12815 (18)	0.0157 (6)
H46	0.2661	0.6604	0.0934	0.019*
C47	0.3633 (3)	0.60202 (12)	0.16316 (19)	0.0214 (7)
H47	0.3122	0.5738	0.1521	0.026*
C48	0.4646 (3)	0.59159 (13)	0.21408 (19)	0.0241 (7)
H48	0.4834	0.5561	0.2371	0.029*
C49	0.5384 (3)	0.63302 (13)	0.23138 (19)	0.0245 (7)
H49	0.6077	0.6261	0.2671	0.029*
C50	0.5114 (2)	0.68490 (12)	0.19664 (18)	0.0185 (7)
H50	0.5624	0.7133	0.2092	0.022*
C51	0.0488 (2)	0.88435 (12)	-0.06356 (16)	0.0137 (6)
C52	-0.1207 (2)	0.86166 (14)	-0.16977 (19)	0.0248 (7)
H52A	-0.1557	0.8852	-0.1419	0.030*
H52B	-0.1606	0.8268	-0.1848	0.030*
C53	-0.1221 (3)	0.89034 (17)	-0.2447 (2)	0.0373 (9)
H53	-0.0787	0.9217	-0.2384	0.045*
C54	-0.1778 (4)	0.8755 (2)	-0.3166 (3)	0.0612 (14)
H54A	-0.2222	0.8443	-0.3253	0.073*
H54B	-0.1745	0.8958	-0.3612	0.073*
C55	0.1704 (3)	0.32731 (15)	0.0731 (2)	0.0354 (9)
H55A	0.0970	0.3203	0.0645	0.053*
H55B	0.1846	0.3155	0.0256	0.053*
H55C	0.1849	0.3668	0.0819	0.053*
C56	0.2369 (3)	0.29660 (16)	0.1434 (2)	0.0316 (8)
N3	0.2868 (3)	0.27258 (16)	0.1977 (2)	0.0492 (9)
N4	-0.0747 (3)	0.95436 (13)	0.43359 (19)	0.0373 (8)
C58	0.0114 (3)	0.94818 (14)	0.4440 (2)	0.0263 (8)
C57	0.1216 (3)	0.94051 (16)	0.4589 (2)	0.0344 (9)
H57A	0.1633	0.9583	0.5098	0.052*
H57B	0.1383	0.9570	0.4149	0.052*
H57C	0.1376	0.9010	0.4621	0.052*
H1A	0.064 (2)	0.9555 (14)	-0.0224 (18)	0.041*
H1B	-0.0412 (18)	0.9480 (15)	-0.082 (2)	0.041*
H2A	0.012 (3)	0.8176 (10)	-0.114 (2)	0.041*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Cu1	0.01203 (18)	0.01158 (17)	0.01131 (17)	0.00084 (13)	0.00618 (14)	0.00045 (14)
Cu2	0.01152 (18)	0.01144 (17)	0.01248 (17)	0.00183 (13)	0.00689 (14)	0.00178 (14)
Br1	0.01909 (16)	0.01499 (15)	0.01340 (14)	-0.00064 (12)	0.00622 (12)	-0.00410 (12)
Br2	0.01744 (16)	0.01076 (14)	0.02000 (15)	0.00327 (11)	0.00868 (13)	0.00302 (12)
S1	0.0122 (4)	0.0117 (3)	0.0114 (3)	0.0017 (3)	0.0045 (3)	0.0010 (3)
P1	0.0117 (4)	0.0099 (3)	0.0103 (3)	0.0002 (3)	0.0055 (3)	-0.0005 (3)
P2	0.0132 (4)	0.0090 (3)	0.0111 (3)	0.0006 (3)	0.0072 (3)	-0.0001 (3)
P3	0.0110 (4)	0.0089 (3)	0.0111 (3)	0.0010 (3)	0.0061 (3)	0.0015 (3)
P4	0.0123 (4)	0.0088 (3)	0.0109 (3)	0.0010 (3)	0.0058 (3)	0.0005 (3)
N1	0.0171 (15)	0.0149 (13)	0.0213 (15)	0.0037 (11)	0.0031 (12)	-0.0013 (11)
N2	0.0146 (14)	0.0158 (13)	0.0160 (13)	0.0008 (11)	0.0027 (11)	0.0011 (11)
C1	0.0111 (15)	0.0117 (14)	0.0150 (14)	-0.0024 (11)	0.0082 (12)	0.0001 (12)
C2	0.0210 (17)	0.0159 (15)	0.0152 (15)	-0.0011 (13)	0.0097 (13)	-0.0024 (13)
C3	0.0303 (19)	0.0173 (16)	0.0159 (15)	0.0050 (13)	0.0130 (14)	0.0052 (13)
C4	0.033 (2)	0.0113 (15)	0.0261 (17)	0.0003 (13)	0.0186 (16)	0.0030 (13)
C5	0.0316 (19)	0.0121 (15)	0.0242 (17)	-0.0049 (13)	0.0130 (15)	-0.0064 (14)
C6	0.0220 (17)	0.0159 (15)	0.0137 (15)	0.0000 (13)	0.0068 (13)	0.0010 (13)
C7	0.0127 (15)	0.0090 (14)	0.0176 (15)	-0.0008 (11)	0.0068 (12)	-0.0034 (12)
C8	0.0231 (19)	0.050 (2)	0.0283 (19)	0.0040 (17)	0.0152 (16)	0.0097 (17)
C9	0.0194 (19)	0.047 (2)	0.041 (2)	0.0028 (16)	0.0217 (17)	0.0022 (19)
C10	0.0119 (16)	0.0184 (16)	0.042 (2)	-0.0023 (13)	0.0079 (15)	-0.0130 (15)
C11	0.0218 (19)	0.039 (2)	0.031 (2)	0.0106 (16)	0.0054 (16)	0.0025 (17)
C12	0.0218 (18)	0.0294 (18)	0.0235 (17)	0.0045 (14)	0.0109 (15)	0.0035 (15)
C13	0.0144 (15)	0.0110 (14)	0.0122 (14)	-0.0005 (11)	0.0068 (12)	-0.0014 (12)
C14	0.0146 (15)	0.0078 (13)	0.0157 (14)	-0.0026 (11)	0.0070 (12)	-0.0034 (12)
C15	0.0176 (17)	0.0299 (18)	0.0190 (16)	0.0009 (14)	0.0111 (14)	0.0073 (14)
C16	0.0223 (19)	0.034 (2)	0.0244 (18)	0.0060 (15)	0.0082 (15)	0.0127 (16)
C17	0.0130 (16)	0.0161 (15)	0.0253 (17)	0.0020 (12)	0.0086 (14)	-0.0008 (13)
C18	0.0249 (19)	0.037 (2)	0.0252 (18)	0.0073 (15)	0.0190 (15)	0.0055 (16)
C19	0.0241 (18)	0.035 (2)	0.0179 (16)	0.0112 (15)	0.0121 (14)	0.0116 (15)
C20	0.0119 (15)	0.0138 (14)	0.0131 (14)	-0.0004 (12)	0.0072 (12)	-0.0040 (12)
C21	0.0230 (18)	0.0137 (15)	0.0168 (15)	-0.0006 (12)	0.0077 (14)	-0.0005 (13)
C22	0.0281 (19)	0.0122 (15)	0.0256 (17)	-0.0041 (13)	0.0114 (15)	-0.0033 (14)
C23	0.0193 (17)	0.0229 (17)	0.0181 (16)	-0.0061 (13)	0.0099 (14)	-0.0087 (14)
C24	0.0146 (16)	0.0220 (16)	0.0136 (14)	0.0021 (13)	0.0083 (13)	0.0009 (13)
C25	0.0175 (16)	0.0149 (15)	0.0155 (15)	-0.0001 (12)	0.0102 (13)	-0.0020 (13)
C26	0.0121 (15)	0.0085 (14)	0.0150 (14)	0.0028 (11)	0.0052 (12)	0.0000 (12)
C27	0.0164 (16)	0.0111 (14)	0.0186 (15)	0.0015 (12)	0.0100 (13)	0.0008 (12)
C28	0.0135 (16)	0.0147 (15)	0.0266 (17)	0.0000 (12)	0.0083 (14)	-0.0027 (13)
C29	0.0153 (16)	0.0193 (16)	0.0200 (16)	0.0029 (13)	0.0049 (13)	-0.0065 (13)
C30	0.0191 (17)	0.0223 (16)	0.0171 (16)	0.0037 (13)	0.0097 (14)	0.0002 (13)
C31	0.0140 (15)	0.0159 (15)	0.0153 (15)	-0.0019 (12)	0.0073 (13)	-0.0025 (13)
C32	0.0172 (16)	0.0091 (13)	0.0137 (14)	-0.0026 (12)	0.0088 (12)	-0.0020 (12)
C33	0.0162 (16)	0.0143 (15)	0.0160 (15)	-0.0010 (12)	0.0077 (13)	-0.0003 (12)
C34	0.0201 (17)	0.0170 (15)	0.0265 (17)	-0.0015 (13)	0.0167 (14)	-0.0033 (14)

C35	0.0289 (19)	0.0179 (16)	0.0176 (16)	-0.0057 (13)	0.0151 (14)	-0.0010 (13)
C36	0.0241 (18)	0.0151 (15)	0.0154 (15)	-0.0026 (13)	0.0057 (14)	0.0030 (13)
C37	0.0125 (15)	0.0116 (14)	0.0180 (15)	-0.0036 (11)	0.0066 (13)	0.0009 (12)
C38	0.0126 (15)	0.0111 (14)	0.0110 (14)	0.0003 (11)	0.0060 (12)	0.0006 (12)
C39	0.0112 (15)	0.0113 (14)	0.0134 (14)	-0.0046 (11)	0.0059 (12)	-0.0044 (12)
C40	0.0137 (15)	0.0167 (15)	0.0199 (16)	-0.0006 (12)	0.0085 (13)	-0.0010 (13)
C41	0.0142 (16)	0.0196 (16)	0.0256 (17)	-0.0005 (13)	0.0123 (14)	-0.0055 (14)
C42	0.0207 (17)	0.0247 (17)	0.0171 (15)	-0.0051 (13)	0.0131 (14)	-0.0069 (14)
C43	0.0208 (17)	0.0234 (17)	0.0152 (15)	-0.0012 (13)	0.0081 (13)	0.0007 (13)
C44	0.0184 (17)	0.0132 (15)	0.0168 (15)	0.0019 (12)	0.0081 (13)	-0.0011 (12)
C45	0.0183 (16)	0.0109 (14)	0.0108 (14)	0.0034 (12)	0.0088 (13)	-0.0015 (12)
C46	0.0199 (17)	0.0126 (14)	0.0167 (15)	-0.0004 (12)	0.0091 (13)	-0.0004 (12)
C47	0.0308 (19)	0.0133 (15)	0.0237 (17)	-0.0030 (13)	0.0143 (15)	0.0013 (14)
C48	0.040 (2)	0.0106 (15)	0.0235 (17)	0.0026 (14)	0.0132 (16)	0.0049 (13)
C49	0.0267 (19)	0.0216 (17)	0.0223 (17)	0.0063 (14)	0.0053 (15)	0.0052 (14)
C50	0.0236 (18)	0.0127 (15)	0.0199 (16)	0.0010 (13)	0.0087 (14)	0.0008 (13)
C51	0.0176 (16)	0.0156 (15)	0.0100 (14)	0.0015 (12)	0.0076 (12)	0.0042 (12)
C52	0.0163 (17)	0.0271 (18)	0.0244 (17)	0.0004 (14)	-0.0004 (14)	-0.0026 (15)
C53	0.029 (2)	0.048 (2)	0.026 (2)	0.0088 (17)	-0.0013 (17)	0.0047 (18)
C54	0.063 (3)	0.077 (3)	0.033 (2)	0.026 (3)	0.004 (2)	0.010 (2)
C55	0.026 (2)	0.033 (2)	0.047 (2)	-0.0025 (16)	0.0120 (18)	0.0049 (18)
C56	0.0210 (19)	0.038 (2)	0.039 (2)	-0.0014 (16)	0.0146 (18)	-0.0081 (18)
N3	0.032 (2)	0.073 (3)	0.042 (2)	0.0195 (19)	0.0129 (17)	0.009 (2)
N4	0.030 (2)	0.0415 (19)	0.0396 (19)	0.0002 (15)	0.0113 (15)	-0.0120 (15)
C58	0.028 (2)	0.0248 (18)	0.0266 (18)	0.0004 (15)	0.0112 (16)	-0.0045 (15)
C57	0.031 (2)	0.035 (2)	0.042 (2)	-0.0028 (16)	0.0187 (18)	-0.0069 (18)

Geometric parameters (Å, °)

Cu1—P1	2.2795 (8)	C23—C24	1.386 (4)
Cu1—P4	2.2803 (8)	C23—H23	0.9500
Cu1—S1	2.3543 (8)	C24—C25	1.389 (4)
Cu1—Br1	2.5126 (4)	C24—H24	0.9500
Cu2—P2	2.2604 (8)	C25—H25	0.9500
Cu2—P3	2.2730 (8)	C26—C27	1.396 (4)
Cu2—S1	2.3520 (8)	C26—C31	1.399 (4)
Cu2—Br2	2.5238 (4)	C27—C28	1.383 (4)
S1—C51	1.731 (3)	C27—H27	0.9500
P1—C7	1.828 (3)	C28—C29	1.388 (4)
P1—C1	1.836 (3)	C28—H28	0.9500
P1—C13	1.844 (3)	C29—C30	1.382 (4)
P2—C14	1.835 (3)	C29—H29	0.9500
P2—C20	1.837 (3)	C30—C31	1.388 (4)
P2—C13	1.850 (3)	C30—H30	0.9500
P3—C32	1.830 (3)	C31—H31	0.9500
P3—C26	1.831 (3)	C32—C37	1.393 (4)
P3—C38	1.853 (3)	C32—C33	1.398 (4)
P4—C45	1.827 (3)	C33—C34	1.383 (4)

P4—C39	1.841 (3)	C33—H33	0.9500
P4—C38	1.848 (3)	C34—C35	1.386 (4)
N1—C51	1.329 (4)	C34—H34	0.9500
N1—H1A	0.842 (18)	C35—C36	1.378 (4)
N1—H1B	0.849 (18)	C35—H35	0.9500
N2—C51	1.317 (4)	C36—C37	1.394 (4)
N2—C52	1.464 (4)	C36—H36	0.9500
N2—H2A	0.853 (18)	C37—H37	0.9500
C1—C2	1.393 (4)	C38—H38A	0.9900
C1—C6	1.399 (4)	C38—H38B	0.9900
C2—C3	1.391 (4)	C39—C44	1.394 (4)
C2—H2	0.9500	C39—C40	1.397 (4)
C3—C4	1.370 (4)	C40—C41	1.387 (4)
C3—H3	0.9500	C40—H40	0.9500
C4—C5	1.387 (4)	C41—C42	1.388 (4)
C4—H4	0.9500	C41—H41	0.9500
C5—C6	1.383 (4)	C42—C43	1.379 (4)
C5—H5	0.9500	C42—H42	0.9500
C6—H6	0.9500	C43—C44	1.391 (4)
C7—C12	1.374 (4)	C43—H43	0.9500
C7—C8	1.393 (4)	C44—H44	0.9500
C8—C9	1.377 (5)	C45—C50	1.395 (4)
C8—H8	0.9500	C45—C46	1.395 (4)
C9—C10	1.368 (5)	C46—C47	1.388 (4)
C9—H9	0.9500	C46—H46	0.9500
C10—C11	1.369 (5)	C47—C48	1.383 (5)
C10—H10	0.9500	C47—H47	0.9500
C11—C12	1.396 (5)	C48—C49	1.381 (5)
C11—H11	0.9500	C48—H48	0.9500
C12—H12	0.9500	C49—C50	1.393 (4)
C13—H13A	0.9900	C49—H49	0.9500
C13—H13B	0.9900	C50—H50	0.9500
C14—C15	1.376 (4)	C52—C53	1.502 (5)
C14—C19	1.387 (4)	C52—H52A	0.9900
C15—C16	1.391 (4)	C52—H52B	0.9900
C15—H15	0.9500	C53—C54	1.284 (5)
C16—C17	1.373 (4)	C53—H53	0.9500
C16—H16	0.9500	C54—H54A	0.9500
C17—C18	1.371 (4)	C54—H54B	0.9500
C17—H17	0.9500	C55—C56	1.460 (5)
C18—C19	1.388 (4)	C55—H55A	0.9800
C18—H18	0.9500	C55—H55B	0.9800
C19—H19	0.9500	C55—H55C	0.9800
C20—C25	1.389 (4)	C56—N3	1.127 (5)
C20—C21	1.408 (4)	N4—C58	1.140 (4)
C21—C22	1.382 (4)	C58—C57	1.453 (5)
C21—H21	0.9500	C57—H57A	0.9800
C22—C23	1.387 (4)	C57—H57B	0.9800

C22—H22	0.9500	C57—H57C	0.9800
P1—Cu1—P4	116.49 (3)	C24—C23—H23	120.2
P1—Cu1—S1	114.94 (3)	C22—C23—H23	120.2
P4—Cu1—S1	102.27 (3)	C23—C24—C25	120.8 (3)
P1—Cu1—Br1	110.20 (2)	C23—C24—H24	119.6
P4—Cu1—Br1	110.80 (2)	C25—C24—H24	119.6
S1—Cu1—Br1	100.87 (2)	C20—C25—C24	120.0 (3)
P2—Cu2—P3	119.31 (3)	C20—C25—H25	120.0
P2—Cu2—S1	117.01 (3)	C24—C25—H25	120.0
P3—Cu2—S1	97.45 (3)	C27—C26—C31	118.4 (3)
P2—Cu2—Br2	107.86 (2)	C27—C26—P3	123.8 (2)
P3—Cu2—Br2	108.88 (2)	C31—C26—P3	117.7 (2)
S1—Cu2—Br2	105.21 (2)	C28—C27—C26	120.8 (3)
C51—S1—Cu2	116.91 (10)	C28—C27—H27	119.6
C51—S1—Cu1	116.25 (10)	C26—C27—H27	119.6
Cu2—S1—Cu1	91.74 (3)	C27—C28—C29	120.2 (3)
C7—P1—C1	99.56 (13)	C27—C28—H28	119.9
C7—P1—C13	103.87 (13)	C29—C28—H28	119.9
C1—P1—C13	103.55 (13)	C30—C29—C28	119.5 (3)
C7—P1—Cu1	118.18 (10)	C30—C29—H29	120.2
C1—P1—Cu1	115.38 (9)	C28—C29—H29	120.2
C13—P1—Cu1	114.19 (9)	C29—C30—C31	120.6 (3)
C14—P2—C20	101.87 (12)	C29—C30—H30	119.7
C14—P2—C13	103.65 (13)	C31—C30—H30	119.7
C20—P2—C13	102.91 (13)	C30—C31—C26	120.4 (3)
C14—P2—Cu2	118.58 (9)	C30—C31—H31	119.8
C20—P2—Cu2	111.27 (9)	C26—C31—H31	119.8
C13—P2—Cu2	116.49 (9)	C37—C32—C33	118.8 (3)
C32—P3—C26	104.69 (13)	C37—C32—P3	118.0 (2)
C32—P3—C38	104.10 (13)	C33—C32—P3	123.2 (2)
C26—P3—C38	98.03 (12)	C34—C33—C32	120.6 (3)
C32—P3—Cu2	115.68 (10)	C34—C33—H33	119.7
C26—P3—Cu2	117.19 (9)	C32—C33—H33	119.7
C38—P3—Cu2	114.89 (9)	C33—C34—C35	120.1 (3)
C45—P4—C39	103.19 (13)	C33—C34—H34	119.9
C45—P4—C38	101.10 (13)	C35—C34—H34	119.9
C39—P4—C38	103.25 (12)	C36—C35—C34	119.9 (3)
C45—P4—Cu1	113.34 (10)	C36—C35—H35	120.0
C39—P4—Cu1	117.09 (9)	C34—C35—H35	120.0
C38—P4—Cu1	116.76 (9)	C35—C36—C37	120.4 (3)
C51—N1—H1A	116 (3)	C35—C36—H36	119.8
C51—N1—H1B	123 (3)	C37—C36—H36	119.8
H1A—N1—H1B	120 (4)	C32—C37—C36	120.1 (3)
C51—N2—C52	125.7 (3)	C32—C37—H37	119.9
C51—N2—H2A	114 (3)	C36—C37—H37	119.9
C52—N2—H2A	121 (3)	P4—C38—P3	117.00 (15)
C2—C1—C6	118.7 (3)	P4—C38—H38A	108.0

C2—C1—P1	124.8 (2)	P3—C38—H38A	108.0
C6—C1—P1	116.6 (2)	P4—C38—H38B	108.0
C3—C2—C1	120.3 (3)	P3—C38—H38B	108.0
C3—C2—H2	119.9	H38A—C38—H38B	107.3
C1—C2—H2	119.9	C44—C39—C40	118.5 (3)
C4—C3—C2	120.5 (3)	C44—C39—P4	118.4 (2)
C4—C3—H3	119.7	C40—C39—P4	123.1 (2)
C2—C3—H3	119.7	C41—C40—C39	120.9 (3)
C3—C4—C5	119.9 (3)	C41—C40—H40	119.6
C3—C4—H4	120.1	C39—C40—H40	119.6
C5—C4—H4	120.1	C40—C41—C42	119.9 (3)
C6—C5—C4	120.2 (3)	C40—C41—H41	120.1
C6—C5—H5	119.9	C42—C41—H41	120.1
C4—C5—H5	119.9	C43—C42—C41	120.0 (3)
C5—C6—C1	120.4 (3)	C43—C42—H42	120.0
C5—C6—H6	119.8	C41—C42—H42	120.0
C1—C6—H6	119.8	C42—C43—C44	120.3 (3)
C12—C7—C8	118.5 (3)	C42—C43—H43	119.9
C12—C7—P1	119.4 (2)	C44—C43—H43	119.9
C8—C7—P1	122.0 (2)	C43—C44—C39	120.6 (3)
C9—C8—C7	120.5 (3)	C43—C44—H44	119.7
C9—C8—H8	119.7	C39—C44—H44	119.7
C7—C8—H8	119.7	C50—C45—C46	118.6 (3)
C10—C9—C8	120.4 (3)	C50—C45—P4	124.5 (2)
C10—C9—H9	119.8	C46—C45—P4	116.9 (2)
C8—C9—H9	119.8	C47—C46—C45	120.6 (3)
C9—C10—C11	120.0 (3)	C47—C46—H46	119.7
C9—C10—H10	120.0	C45—C46—H46	119.7
C11—C10—H10	120.0	C48—C47—C46	120.3 (3)
C10—C11—C12	119.8 (3)	C48—C47—H47	119.8
C10—C11—H11	120.1	C46—C47—H47	119.8
C12—C11—H11	120.1	C49—C48—C47	119.8 (3)
C7—C12—C11	120.6 (3)	C49—C48—H48	120.1
C7—C12—H12	119.7	C47—C48—H48	120.1
C11—C12—H12	119.7	C48—C49—C50	120.2 (3)
P1—C13—P2	112.99 (15)	C48—C49—H49	119.9
P1—C13—H13A	109.0	C50—C49—H49	119.9
P2—C13—H13A	109.0	C49—C50—C45	120.5 (3)
P1—C13—H13B	109.0	C49—C50—H50	119.8
P2—C13—H13B	109.0	C45—C50—H50	119.8
H13A—C13—H13B	107.8	N2—C51—N1	121.4 (3)
C15—C14—C19	119.0 (3)	N2—C51—S1	119.8 (2)
C15—C14—P2	118.9 (2)	N1—C51—S1	118.7 (2)
C19—C14—P2	122.1 (2)	N2—C52—C53	112.4 (3)
C14—C15—C16	120.7 (3)	N2—C52—H52A	109.1
C14—C15—H15	119.7	C53—C52—H52A	109.1
C16—C15—H15	119.7	N2—C52—H52B	109.1
C17—C16—C15	120.2 (3)	C53—C52—H52B	109.1

C17—C16—H16	119.9	H52A—C52—H52B	107.9
C15—C16—H16	119.9	C54—C53—C52	124.8 (4)
C18—C17—C16	119.5 (3)	C54—C53—H53	117.6
C18—C17—H17	120.3	C52—C53—H53	117.6
C16—C17—H17	120.3	C53—C54—H54A	120.0
C17—C18—C19	120.8 (3)	C53—C54—H54B	120.0
C17—C18—H18	119.6	H54A—C54—H54B	120.0
C19—C18—H18	119.6	C56—C55—H55A	109.5
C14—C19—C18	120.0 (3)	C56—C55—H55B	109.5
C14—C19—H19	120.0	H55A—C55—H55B	109.5
C18—C19—H19	120.0	C56—C55—H55C	109.5
C25—C20—C21	119.0 (3)	H55A—C55—H55C	109.5
C25—C20—P2	125.2 (2)	H55B—C55—H55C	109.5
C21—C20—P2	115.8 (2)	N3—C56—C55	178.8 (4)
C22—C21—C20	120.4 (3)	N4—C58—C57	178.9 (4)
C22—C21—H21	119.8	C58—C57—H57A	109.5
C20—C21—H21	119.8	C58—C57—H57B	109.5
C21—C22—C23	120.3 (3)	H57A—C57—H57B	109.5
C21—C22—H22	119.9	C58—C57—H57C	109.5
C23—C22—H22	119.9	H57A—C57—H57C	109.5
C24—C23—C22	119.5 (3)	H57B—C57—H57C	109.5
C7—P1—C1—C2	-106.2 (3)	C38—P3—C26—C31	-68.3 (2)
C13—P1—C1—C2	0.7 (3)	Cu2—P3—C26—C31	55.1 (2)
Cu1—P1—C1—C2	126.2 (2)	C31—C26—C27—C28	2.4 (4)
C7—P1—C1—C6	73.1 (2)	P3—C26—C27—C28	-177.5 (2)
C13—P1—C1—C6	-180.0 (2)	C26—C27—C28—C29	-2.2 (4)
Cu1—P1—C1—C6	-54.5 (2)	C27—C28—C29—C30	0.5 (4)
C6—C1—C2—C3	1.1 (4)	C28—C29—C30—C31	0.9 (4)
P1—C1—C2—C3	-179.5 (2)	C29—C30—C31—C26	-0.7 (4)
C1—C2—C3—C4	-1.3 (5)	C27—C26—C31—C30	-0.9 (4)
C2—C3—C4—C5	0.2 (5)	P3—C26—C31—C30	178.9 (2)
C3—C4—C5—C6	1.1 (5)	C26—P3—C32—C37	-123.4 (2)
C4—C5—C6—C1	-1.2 (5)	C38—P3—C32—C37	134.2 (2)
C2—C1—C6—C5	0.1 (4)	Cu2—P3—C32—C37	7.2 (3)
P1—C1—C6—C5	-179.3 (2)	C26—P3—C32—C33	57.3 (3)
C1—P1—C7—C12	-126.0 (3)	C38—P3—C32—C33	-45.1 (3)
C13—P1—C7—C12	127.4 (2)	Cu2—P3—C32—C33	-172.1 (2)
Cu1—P1—C7—C12	-0.3 (3)	C37—C32—C33—C34	0.8 (4)
C1—P1—C7—C8	52.1 (3)	P3—C32—C33—C34	-179.9 (2)
C13—P1—C7—C8	-54.6 (3)	C32—C33—C34—C35	-1.8 (4)
Cu1—P1—C7—C8	177.7 (2)	C33—C34—C35—C36	1.0 (4)
C12—C7—C8—C9	0.4 (5)	C34—C35—C36—C37	0.7 (4)
P1—C7—C8—C9	-177.7 (3)	C33—C32—C37—C36	0.9 (4)
C7—C8—C9—C10	0.2 (6)	P3—C32—C37—C36	-178.5 (2)
C8—C9—C10—C11	-0.4 (5)	C35—C36—C37—C32	-1.7 (4)
C9—C10—C11—C12	0.0 (5)	C45—P4—C38—P3	-165.82 (15)
C8—C7—C12—C11	-0.8 (5)	C39—P4—C38—P3	87.62 (17)

P1—C7—C12—C11	177.3 (3)	Cu1—P4—C38—P3	-42.37 (18)
C10—C11—C12—C7	0.6 (5)	C32—P3—C38—P4	-77.63 (18)
C7—P1—C13—P2	-74.17 (17)	C26—P3—C38—P4	174.93 (16)
C1—P1—C13—P2	-177.80 (15)	Cu2—P3—C38—P4	49.89 (17)
Cu1—P1—C13—P2	55.94 (17)	C45—P4—C39—C44	159.7 (2)
C14—P2—C13—P1	79.86 (17)	C38—P4—C39—C44	-95.3 (2)
C20—P2—C13—P1	-174.31 (14)	Cu1—P4—C39—C44	34.5 (2)
Cu2—P2—C13—P1	-52.29 (17)	C45—P4—C39—C40	-20.4 (3)
C20—P2—C14—C15	130.5 (2)	C38—P4—C39—C40	84.5 (3)
C13—P2—C14—C15	-122.8 (2)	Cu1—P4—C39—C40	-145.7 (2)
Cu2—P2—C14—C15	8.1 (3)	C44—C39—C40—C41	0.4 (4)
C20—P2—C14—C19	-51.2 (3)	P4—C39—C40—C41	-179.4 (2)
C13—P2—C14—C19	55.5 (3)	C39—C40—C41—C42	0.7 (4)
Cu2—P2—C14—C19	-173.6 (2)	C40—C41—C42—C43	-0.6 (4)
C19—C14—C15—C16	0.2 (5)	C41—C42—C43—C44	-0.5 (5)
P2—C14—C15—C16	178.6 (3)	C42—C43—C44—C39	1.6 (4)
C14—C15—C16—C17	0.1 (5)	C40—C39—C44—C43	-1.5 (4)
C15—C16—C17—C18	-0.7 (5)	P4—C39—C44—C43	178.3 (2)
C16—C17—C18—C19	1.1 (5)	C39—P4—C45—C50	74.9 (3)
C15—C14—C19—C18	0.1 (5)	C38—P4—C45—C50	-31.7 (3)
P2—C14—C19—C18	-178.2 (3)	Cu1—P4—C45—C50	-157.4 (2)
C17—C18—C19—C14	-0.8 (5)	C39—P4—C45—C46	-103.0 (2)
C14—P2—C20—C25	108.9 (3)	C38—P4—C45—C46	150.4 (2)
C13—P2—C20—C25	1.7 (3)	Cu1—P4—C45—C46	24.6 (2)
Cu2—P2—C20—C25	-123.8 (2)	C50—C45—C46—C47	-2.0 (4)
C14—P2—C20—C21	-74.1 (2)	P4—C45—C46—C47	176.1 (2)
C13—P2—C20—C21	178.7 (2)	C45—C46—C47—C48	0.3 (4)
Cu2—P2—C20—C21	53.2 (2)	C46—C47—C48—C49	1.3 (5)
C25—C20—C21—C22	-0.2 (4)	C47—C48—C49—C50	-1.1 (5)
P2—C20—C21—C22	-177.3 (2)	C48—C49—C50—C45	-0.6 (5)
C20—C21—C22—C23	0.0 (5)	C46—C45—C50—C49	2.1 (4)
C21—C22—C23—C24	0.3 (5)	P4—C45—C50—C49	-175.8 (2)
C22—C23—C24—C25	-0.4 (4)	C52—N2—C51—N1	0.2 (5)
C21—C20—C25—C24	0.1 (4)	C52—N2—C51—S1	-177.1 (2)
P2—C20—C25—C24	177.0 (2)	Cu2—S1—C51—N2	-148.1 (2)
C23—C24—C25—C20	0.2 (4)	Cu1—S1—C51—N2	-41.3 (3)
C32—P3—C26—C27	4.6 (3)	Cu2—S1—C51—N1	34.5 (3)
C38—P3—C26—C27	111.5 (2)	Cu1—S1—C51—N1	141.3 (2)
Cu2—P3—C26—C27	-125.1 (2)	C51—N2—C52—C53	81.3 (4)
C32—P3—C26—C31	-175.2 (2)	N2—C52—C53—C54	129.7 (4)

Hydrogen-bond geometry (Å, °)

Cg6 is the centroid of the C20—C25 ring.

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
C12—H12 \cdots N2	0.95	2.56	3.438 (4)	154
C44—H44 \cdots S1	0.95	2.87	3.751 (3)	154
C50—H50 \cdots N3 ⁱ	0.95	2.57	3.462 (5)	156

C55—H55C···N4 ⁱⁱ	0.98	2.57	3.338 (5)	136
N1—H1A···Br2	0.84 (2)	2.74 (2)	3.580 (3)	172 (4)
N1—H1B···Br2 ⁱⁱⁱ	0.85 (2)	2.61 (2)	3.415 (3)	158 (3)
N2—H2A···Br1	0.85 (2)	2.63 (2)	3.468 (3)	166 (3)
C31—H31···Cg6	0.95	2.97	3.476 (3)	115

Symmetry codes: (i) $-x+1, y+1/2, -z+1/2$; (ii) $-x, y-1/2, -z+1/2$; (iii) $-x, -y+2, -z$.