

(E)-1,1'-Bis[(E)-but-2-enyl]-3,3'-(propane-1,3-diyl)bis(1H-benzimidazol-3-ium) dibromide monohydrate

Mehmet Akkurt,^{a,*} Sema Öztürk Yıldırım,^a Nihat Şireci,^b Hasan Küçükbay^c and Orhan Büyükgüngör^d

^aDepartment of Physics, Faculty of Arts and Sciences, Erciyes University, 38039 Kayseri, Turkey, ^bDepartment of Chemistry, Faculty of Arts and Sciences, Adiyaman University, Adiyaman, Turkey, ^cDepartment of Chemistry, Faculty of Arts and Sciences, İnönü University, 44280 Malatya, Turkey, and ^dDepartment of Physics, Faculty of Arts and Sciences, Ondokuz Mayıs University, 55139 Samsun, Turkey
Correspondence e-mail: akkurt@erciyes.edu.tr


Received 15 September 2008; accepted 25 September 2008

Key indicators: single-crystal X-ray study; $T = 296\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.009\text{ \AA}$; R factor = 0.054; wR factor = 0.124; data-to-parameter ratio = 20.8.

The title compound, $\text{C}_{25}\text{H}_{30}\text{N}_4^{2+} \cdot 2\text{Br}^- \cdot \text{H}_2\text{O}$, was synthesized from 1,1'-propylenedibenzimidazole and (E)-1-bromobut-2-ene in dimethylformamide solution. The two benzimidazole ring systems are essentially planar, with maximum deviations of 0.011 (4) and 0.023 (3) Å. The dihedral angle between these two ring systems is 25.87 (15)°. The crystal structure is stabilized by intermolecular O—H···Br and C—H···Br hydrogen-bonding interactions. Atmospheric water was incorporated into the crystal structure.

Related literature

For bond-length data, see: Allen *et al.* (1987). For general background, see: Sakai *et al.* (1989); Tidwell *et al.* (1993); Küçükbay *et al.* (1995, 2001); Turner & Denny (1996); Hall *et al.* (1998). For related structures, see, for example: Öztürk *et al.* (2003); Akkurt *et al.* (2003, 2006).



Experimental

Crystal data

| | |
|---|--|
| $\text{C}_{25}\text{H}_{30}\text{N}_4^{2+} \cdot 2\text{Br}^- \cdot \text{H}_2\text{O}$ | $\gamma = 106.227(8)^\circ$ |
| $M_r = 564.35$ | $V = 1319.9(3)\text{ \AA}^3$ |
| Triclinic, $P\bar{1}$ | $Z = 2$ |
| $a = 8.7989(9)\text{ \AA}$ | Mo $K\alpha$ radiation |
| $b = 11.1878(13)\text{ \AA}$ | $\mu = 3.09\text{ mm}^{-1}$ |
| $c = 14.8813(14)\text{ \AA}$ | $T = 296\text{ K}$ |
| $\alpha = 106.381(8)^\circ$ | $0.53 \times 0.45 \times 0.31\text{ mm}$ |
| $\beta = 96.490(8)^\circ$ | |

Data collection

| | |
|---|--|
| Stoe IPDSII diffractometer | 16109 measured reflections |
| Absorption correction: integration (<i>X-RED32</i> ; Stoe & Cie, 2002) | 6181 independent reflections |
| $T_{\min} = 0.291$, $T_{\max} = 0.447$ | 4101 reflections with $I > 2\sigma(I)$ |
| | $R_{\text{int}} = 0.063$ |

Refinement

| | |
|---------------------------------|--|
| $R[F^2 > 2\sigma(F^2)] = 0.054$ | H atoms treated by a mixture of independent and constrained refinement |
| $wR(F^2) = 0.124$ | $\Delta\rho_{\text{max}} = 0.56\text{ e \AA}^{-3}$ |
| $S = 1.05$ | $\Delta\rho_{\text{min}} = -0.41\text{ e \AA}^{-3}$ |
| 6181 reflections | |
| 297 parameters | |

Table 1
Hydrogen-bond geometry (Å, °).

| $D-\text{H} \cdots A$ | $D-\text{H}$ | $\text{H} \cdots A$ | $D \cdots A$ | $D-\text{H} \cdots A$ |
|------------------------------|--------------|---------------------|--------------|-----------------------|
| O1—HW1···Br1 | 0.81 (8) | 2.54 (8) | 3.342 (6) | 171 (8) |
| O1—HW2···Br2 ⁱ | 0.89 (9) | 2.45 (8) | 3.333 (5) | 171 (7) |
| C4—H4A···Br2 ⁱⁱ | 0.97 | 2.81 | 3.773 (4) | 172 |
| C4—H4B···Br2 ⁱ | 0.97 | 2.86 | 3.802 (6) | 164 |
| C11—H11···Br1 | 0.93 | 2.76 | 3.536 (4) | 142 |
| C12—H12A···Br2 | 0.97 | 2.89 | 3.822 (5) | 161 |
| C19—H19···Br2 ⁱⁱⁱ | 0.93 | 2.92 | 3.816 (5) | 162 |
| C21—H21···Br1 | 0.93 | 2.65 | 3.550 (5) | 162 |

Symmetry codes: (i) $x + 1, y, z$; (ii) $-x + 1, -y + 1, -z + 1$; (iii) $-x, -y, -z$.

Data collection: *X-AREA* (Stoe & Cie, 2002); cell refinement: *X-AREA*; data reduction: *X-RED32* (Stoe & Cie, 2002); program(s) used to solve structure: *SIR97* (Altomare *et al.*, 1999); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

The authors acknowledge the Faculty of Arts and Sciences, Ondokuz Mayıs University, Turkey, for the use of the diffractometer (purchased under grant F.279 of the University Research Fund). HK and NS thank İnönü University Research Fund (directed project BAPB-2007-46) for financial support for this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SJ2540).

References

- Akkurt, M., Öztürk, S., Küçükbay, H., Okuyucu, N. & Fun, H.-K. (2003). *Acta Cryst. E59*, o786–o788.
- Akkurt, M., Yıldırım, S. Ö., Küçükbay, H., Şireci, N. & Büyükgüngör, O. (2006). *Acta Cryst. E62*, o3184–o3186.
- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.

- Altomare, A., Burla, M. C., Camalli, M., Cascarano, G. L., Giacovazzo, C., Guagliardi, A., Moliterni, A. G. G., Polidori, G. & Spagna, R. (1999). *J. Appl. Cryst.* **32**, 115–119.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Hall, J. E., Kerrigan, J. E., Ramachandran, K., Bender, B. C., Stanko, J. P., Jones, S. K., Patric, D. A. & Tidwell, R. R. (1998). *Antimicrob. Agents Chemother.* **42**, 666–674.
- Küçükbay, H., Çetinkaya, E. & Durmaz, R. (1995). *Arzneim. Forsch.* **45**, 1331–1334.
- Küçükbay, H., Durmaz, R., Güven, M. & Günal, S. (2001). *Arzneim. Forsch.* **51**, 420–424.
- Öztürk, S., Akkurt, M., Küçükbay, H., Okuyucu, N. & Fun, H.-K. (2003). *Acta Cryst. E59*, o1014–o1016.
- Sakai, T., Hamada, T., Awata, N. & Watanabe, J. (1989). *J. Pharmacobiodyn.* **12**, 530–536.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Stoe & Cie (2002). *X-AREA* and *X-RED32*. Stoe & Cie, Darmstadt, Germany.
- Tidwell, R. R., Jones, S. K., Naiman, N. A., Berger, L. C., Brake, W. B., Dykstra, C. C. & Hall, J. E. (1993). *Antimicrob. Agents Chemother.* **37**, 1713–1716.
- Turner, P. R. & Denny, W. A. (1996). *Mutat. Res.* **335**, 141–169.

supplementary materials

Acta Cryst. (2008). E64, o2136-o2137 [doi:10.1107/S160053680803095X]

(E)-1,1'-Bis[(E)-but-2-enyl]-3,3'-(propane-1,3-diyl)bis(1H-benzimidazol-3-i um) dibromide monohydrate

M. Akkurt, S. Ö. Yıldırım, N. Sireci, H. Küçükbay and O. Büyükgüngör

Comment

In the light of the general importance of benzimidazole compounds, the study of bisbenzimidazoles and their related derivatives has remained an active area of research despite extensive investigation. They are present in various naturally occurring drugs such as omeprazole, astemizole and emedastine difumarate (Sakai *et al.*, 1989). Substituted benzimidazole compounds are established pharmacophores in parasitic chemotherapy. They also show antiviral (Tidwell *et al.*, 1993), antimicrobial (Küçükbay *et al.*, 1995; Küçükbay *et al.*, 2001), antitumor (Turner and Denny, 1996), antihistaminic, anticoagulant and anti-inflammatory activities (Hall *et al.*, 1998). The objective of this study was to elucidate the crystal structure of the title compound (I) and to compare the results obtained with our previous studies on related bis-benzimidazole compounds (Öztürk *et al.*, 2003; Akkurt *et al.*, 2003; Akkurt *et al.*, 2006).

In (I) (Fig. 1), the bond lengths and angles are generally within normal ranges (Allen *et al.*, 1987). The two benzimidazole ring systems of (I), A (N1/N2/C5–C11) and B (N3/N4/C15–C21), are essentially planar, with maximum deviations of 0.011 (4) Å for C10 and -0.10 (5) Å for C11 in A, and 0.023 (3) Å for N3 and 0.016 (5) Å for C19 in B. The dihedral angle between these two ring systems A and B is 25.87 (15) °. This angle is 31.84 (11)° in 3,30-bis(cyclohexylmethyl)-1,10-propylenedibenzimidazolium dibromide monohydrate (Akkurt *et al.*, 2006) and 88.42 (4)° in 3,30-bis(3-cyanopropyl)-1,10-propylene- di(benzimidazolium) dichloride dihydrate (Akkurt *et al.*, 2003). This divergence may be due to the interactions of the different substituents bounded to the benzimidazole ring system.

The crystal structure of (I) is stabilized by inter and intramolecular O—H···Br and C—H···Br hydrogen bonding interactions, involving the H atoms of the water molecule (Table 1 and Fig. 2).

Experimental

A mixture of 1,1'-propylenedibenzimidazole (0.9 g, 3.26 mmol) and (E)-1-bromobut-2-ene (1.2 g, 6.78 mmol) in dimethylformamide (5 ml) was heated under reflux for 3 h. The mixture was then cooled and the volatiles were removed *in vacuo*. The residue was crystallized from a DMF/EtOH (1:3) mixture [Yield: 1.39 g, 78%. Mp. 479–481 °K].

Analysis, calculated for C₂₅H₃₂N₄OBr₂: C 53.19, H 5.67, N 9.93%; found: C 53.95, H 5.42, N 10.11%. ¹H-NMR (DMSO-d₆): δ (p.p.m.) 8.24 (s, 2-CH, 2H), 2.64 (t, bridge, 2H), 4.83 (t, bridge, 4H), 1.86 (d, methyl, 6H), 5.14 (d, methylene, 4H), 5.77 (m, =CH, 4H), 7.70–8.05 (m, Ar—H, 8H). ¹³C-NMR (DMSO-d₆): δ (p.p.m.) 13.28, 17.56, 28.28, 43.70, 48.44, 113.74, 122.22, 123.37, 126.50, 130.89, 131.52, 132.89, 142.18.

Refinement

The H atoms of the water molecule were located from a difference Fourier map and refined freely. The C-bound H atoms were located geometrically, with C—H = 0.93 – 0.97 Å, and refined using a riding model, with U_{iso}(H) = 1.2U_{eq}(C_{aromatic}

supplementary materials

and $C_{methylene}$) or $1.5U_{eq}(C_{methyl})$. The C atoms of both $-\text{CH}_2(\text{CH})_2\text{CH}_3$ groups in (I) show very high thermal parameters but a suitable disorder model could not be found to separate discrete disorder components

Figures




Fig. 1. An *ORTEP* view of (I), with the atom-numbering scheme and 10% probability displacement ellipsoids.




Fig. 2. The packing and hydrogen bonding of (I), viewed down the b axis. Hydrogen bonds are drawn as dashed lines and H atoms not involved in these interactions have been omitted for clarity.

(E)-1,1'-Bis[(E)-but-2-enyl]-3,3'-(propane-1,3-diyl)bis(1*H*-benzimidazol-3-ium) dibromide monohydrate

Crystal data

| | |
|---|---|
| $\text{C}_{25}\text{H}_{30}\text{N}_4^{2+} \cdot 2\text{Br}^- \cdot \text{H}_2\text{O}$ | $Z = 2$ |
| $M_r = 564.35$ | $F_{000} = 576$ |
| Triclinic, $P\bar{1}$ | $D_x = 1.420 \text{ Mg m}^{-3}$ |
| Hall symbol: -P 1 | Mo $K\alpha$ radiation |
| $a = 8.7989 (9) \text{ \AA}$ | $\lambda = 0.71073 \text{ \AA}$ |
| $b = 11.1878 (13) \text{ \AA}$ | Cell parameters from 25470 reflections |
| $c = 14.8813 (14) \text{ \AA}$ | $\theta = 2.0\text{--}28.0^\circ$ |
| $\alpha = 106.381 (8)^\circ$ | $\mu = 3.09 \text{ mm}^{-1}$ |
| $\beta = 96.490 (8)^\circ$ | $T = 296 \text{ K}$ |
| $\gamma = 106.227 (8)^\circ$ | Prismatic plate, light yellow |
| $V = 1319.9 (3) \text{ \AA}^3$ | $0.53 \times 0.45 \times 0.31 \text{ mm}$ |

Data collection

| | |
|--|--|
| Stoe IPDSII diffractometer | 6181 independent reflections |
| Monochromator: plane graphite | 4101 reflections with $I > 2\sigma(I)$ |
| Detector resolution: 6.67 pixels mm^{-1} | $R_{\text{int}} = 0.063$ |
| $T = 296 \text{ K}$ | $\theta_{\text{max}} = 27.7^\circ$ |
| ω scans | $\theta_{\text{min}} = 2.5^\circ$ |
| Absorption correction: integration (X-RED32; Stoe & Cie, 2002) | $h = -11 \rightarrow 11$ |
| $T_{\text{min}} = 0.291$, $T_{\text{max}} = 0.447$ | $k = -14 \rightarrow 13$ |
| 16109 measured reflections | $l = -18 \rightarrow 19$ |

Refinement

| | |
|--|---|
| Refinement on F^2 | Secondary atom site location: difference Fourier map |
| Least-squares matrix: full | Hydrogen site location: inferred from neighbouring sites |
| $R[F^2 > 2\sigma(F^2)] = 0.054$ | H atoms treated by a mixture of independent and constrained refinement |
| $wR(F^2) = 0.124$ | $w = 1/[\sigma^2(F_o^2) + (0.0416P)^2 + 0.9807P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| $S = 1.05$ | $(\Delta/\sigma)_{\max} < 0.001$ |
| 6181 reflections | $\Delta\rho_{\max} = 0.57 \text{ e \AA}^{-3}$ |
| 297 parameters | $\Delta\rho_{\min} = -0.41 \text{ e \AA}^{-3}$ |
| Primary atom site location: structure-invariant direct methods | Extinction correction: none |

Special details

Geometry. Bond distances, angles *etc.* have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

Refinement. Refinement on F^2 for ALL reflections except those flagged by the user for potential systematic errors. Weighted R -factors wR and all goodnesses of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The observed criterion of $F^2 > \sigma(F^2)$ is used only for calculating $-R$ -factor-obs *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | <i>x</i> | <i>y</i> | <i>z</i> | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|-------------|-------------|-------------|----------------------------------|
| N1 | 0.7390 (4) | 0.6064 (4) | 0.4072 (2) | 0.0525 (10) |
| N2 | 0.4931 (4) | 0.5116 (3) | 0.3227 (2) | 0.0495 (10) |
| N3 | 0.1559 (4) | 0.3113 (3) | 0.0400 (2) | 0.0463 (10) |
| N4 | 0.2504 (4) | 0.1820 (4) | -0.0600 (2) | 0.0557 (11) |
| C1 | 1.1336 (19) | 0.851 (2) | 0.3031 (16) | 0.400 (19) |
| C2 | 1.0601 (14) | 0.774 (2) | 0.3445 (13) | 0.292 (12) |
| C3 | 0.9949 (10) | 0.7489 (12) | 0.4033 (10) | 0.177 (6) |
| C4 | 0.9166 (5) | 0.6413 (6) | 0.4322 (3) | 0.0707 (18) |
| C5 | 0.6392 (5) | 0.6485 (4) | 0.4651 (3) | 0.0485 (12) |
| C6 | 0.6724 (5) | 0.7321 (4) | 0.5592 (3) | 0.0572 (14) |
| C7 | 0.5407 (6) | 0.7523 (5) | 0.5946 (3) | 0.0661 (16) |
| C8 | 0.3830 (6) | 0.6909 (5) | 0.5413 (3) | 0.0673 (17) |
| C9 | 0.3504 (5) | 0.6076 (4) | 0.4486 (3) | 0.0559 (14) |
| C10 | 0.4821 (5) | 0.5886 (4) | 0.4116 (2) | 0.0451 (11) |
| C11 | 0.6481 (5) | 0.5246 (4) | 0.3234 (3) | 0.0546 (14) |
| C12 | 0.3576 (5) | 0.4279 (4) | 0.2430 (3) | 0.0524 (12) |
| C13 | 0.3047 (5) | 0.5057 (4) | 0.1841 (3) | 0.0536 (12) |

supplementary materials

| | | | | |
|------|--------------|-------------|-------------|-------------|
| C14 | 0.1475 (5) | 0.4283 (4) | 0.1120 (3) | 0.0547 (14) |
| C15 | 0.0246 (5) | 0.2004 (4) | -0.0130 (2) | 0.0462 (11) |
| C16 | -0.1379 (5) | 0.1681 (5) | -0.0101 (3) | 0.0607 (16) |
| C17 | -0.2356 (6) | 0.0474 (5) | -0.0719 (4) | 0.0730 (17) |
| C18 | -0.1753 (7) | -0.0361 (5) | -0.1343 (4) | 0.0756 (17) |
| C19 | -0.0147 (6) | -0.0054 (5) | -0.1380 (3) | 0.0692 (18) |
| C20 | 0.0849 (5) | 0.1169 (4) | -0.0768 (3) | 0.0528 (14) |
| C21 | 0.2866 (5) | 0.2959 (4) | 0.0079 (3) | 0.0520 (14) |
| C22 | 0.3684 (7) | 0.1338 (7) | -0.1103 (3) | 0.084 (2) |
| C23 | 0.3596 (8) | 0.1486 (7) | -0.2051 (4) | 0.094 (3) |
| C24 | 0.3622 (10) | 0.0582 (8) | -0.2808 (5) | 0.116 (3) |
| C25 | 0.3606 (14) | 0.0664 (10) | -0.3775 (6) | 0.162 (5) |
| O1 | 0.5845 (5) | 0.2069 (5) | 0.1612 (4) | 0.0878 (16) |
| Br1 | 0.70894 (5) | 0.46584 (5) | 0.08608 (3) | 0.0654 (2) |
| Br2 | -0.05435 (5) | 0.30445 (5) | 0.30568 (3) | 0.0648 (2) |
| H1A | 1.16160 | 0.80090 | 0.24750 | 0.5960* |
| H1B | 1.23030 | 0.91410 | 0.34640 | 0.5960* |
| H1C | 1.06430 | 0.89630 | 0.28420 | 0.5960* |
| H2 | 1.05770 | 0.69140 | 0.30580 | 0.3530* |
| H3 | 0.99330 | 0.82660 | 0.44670 | 0.2120* |
| H4A | 0.95090 | 0.66410 | 0.50090 | 0.0840* |
| H4B | 0.94770 | 0.56570 | 0.40120 | 0.0840* |
| H6 | 0.77720 | 0.77180 | 0.59580 | 0.0680* |
| H7 | 0.55760 | 0.80940 | 0.65670 | 0.0800* |
| H8 | 0.29780 | 0.70650 | 0.56900 | 0.0810* |
| H9 | 0.24520 | 0.56620 | 0.41270 | 0.0670* |
| H11 | 0.68710 | 0.48220 | 0.27240 | 0.0660* |
| H12A | 0.26710 | 0.38660 | 0.26790 | 0.0630* |
| H12B | 0.38910 | 0.35850 | 0.20210 | 0.0630* |
| H13A | 0.29250 | 0.58410 | 0.22700 | 0.0650* |
| H13B | 0.38890 | 0.53390 | 0.15050 | 0.0650* |
| H14A | 0.06290 | 0.40110 | 0.14570 | 0.0660* |
| H14B | 0.11790 | 0.48530 | 0.07980 | 0.0660* |
| H16 | -0.17850 | 0.22470 | 0.03130 | 0.0730* |
| H17 | -0.34570 | 0.02090 | -0.07200 | 0.0870* |
| H18 | -0.24680 | -0.11630 | -0.17550 | 0.0910* |
| H19 | 0.02510 | -0.06320 | -0.17900 | 0.0830* |
| H21 | 0.38980 | 0.35770 | 0.03050 | 0.0620* |
| H22A | 0.47680 | 0.18260 | -0.07220 | 0.1010* |
| H22B | 0.34740 | 0.04150 | -0.11690 | 0.1010* |
| H23 | 0.35180 | 0.22730 | -0.21120 | 0.1130* |
| H24 | 0.36530 | -0.02080 | -0.27320 | 0.1390* |
| H25A | 0.36370 | -0.01500 | -0.41980 | 0.2430* |
| H25B | 0.45340 | 0.13740 | -0.37610 | 0.2430* |
| H25C | 0.26380 | 0.08230 | -0.39980 | 0.2430* |
| HW1 | 0.625 (9) | 0.268 (7) | 0.143 (5) | 0.11 (3)* |
| HW2 | 0.677 (10) | 0.224 (7) | 0.201 (5) | 0.12 (3)* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|------------|-------------|-------------|-------------|-------------|
| N1 | 0.0407 (17) | 0.070 (2) | 0.0457 (17) | 0.0218 (17) | 0.0100 (13) | 0.0135 (16) |
| N2 | 0.0431 (18) | 0.058 (2) | 0.0410 (16) | 0.0144 (15) | 0.0074 (13) | 0.0091 (14) |
| N3 | 0.0391 (16) | 0.055 (2) | 0.0418 (16) | 0.0164 (15) | 0.0081 (12) | 0.0107 (14) |
| N4 | 0.052 (2) | 0.074 (2) | 0.0436 (17) | 0.0306 (18) | 0.0127 (14) | 0.0120 (17) |
| C1 | 0.177 (14) | 0.60 (4) | 0.59 (4) | 0.059 (18) | 0.041 (18) | 0.53 (3) |
| C2 | 0.089 (8) | 0.50 (3) | 0.40 (2) | 0.047 (12) | 0.045 (10) | 0.37 (2) |
| C3 | 0.057 (5) | 0.233 (12) | 0.288 (14) | 0.033 (6) | 0.035 (6) | 0.173 (11) |
| C4 | 0.043 (2) | 0.108 (4) | 0.061 (3) | 0.032 (3) | 0.0097 (19) | 0.021 (3) |
| C5 | 0.044 (2) | 0.058 (2) | 0.045 (2) | 0.0184 (19) | 0.0102 (16) | 0.0173 (18) |
| C6 | 0.055 (2) | 0.068 (3) | 0.043 (2) | 0.024 (2) | 0.0019 (17) | 0.0093 (19) |
| C7 | 0.074 (3) | 0.079 (3) | 0.046 (2) | 0.037 (3) | 0.014 (2) | 0.009 (2) |
| C8 | 0.063 (3) | 0.087 (3) | 0.057 (3) | 0.038 (3) | 0.023 (2) | 0.014 (2) |
| C9 | 0.046 (2) | 0.067 (3) | 0.057 (2) | 0.021 (2) | 0.0142 (18) | 0.020 (2) |
| C10 | 0.045 (2) | 0.048 (2) | 0.0401 (18) | 0.0142 (17) | 0.0084 (15) | 0.0125 (16) |
| C11 | 0.046 (2) | 0.069 (3) | 0.043 (2) | 0.018 (2) | 0.0134 (16) | 0.0088 (19) |
| C12 | 0.046 (2) | 0.050 (2) | 0.047 (2) | 0.0062 (18) | 0.0038 (16) | 0.0061 (17) |
| C13 | 0.052 (2) | 0.054 (2) | 0.046 (2) | 0.0144 (19) | 0.0048 (17) | 0.0080 (18) |
| C14 | 0.051 (2) | 0.063 (3) | 0.046 (2) | 0.024 (2) | 0.0077 (17) | 0.0073 (18) |
| C15 | 0.046 (2) | 0.053 (2) | 0.0389 (18) | 0.0184 (18) | 0.0054 (15) | 0.0133 (16) |
| C16 | 0.042 (2) | 0.073 (3) | 0.065 (3) | 0.020 (2) | 0.0046 (19) | 0.021 (2) |
| C17 | 0.046 (3) | 0.076 (3) | 0.088 (3) | 0.011 (2) | -0.003 (2) | 0.029 (3) |
| C18 | 0.072 (3) | 0.059 (3) | 0.071 (3) | 0.006 (3) | -0.021 (2) | 0.013 (2) |
| C19 | 0.080 (4) | 0.062 (3) | 0.055 (2) | 0.031 (3) | -0.005 (2) | 0.003 (2) |
| C20 | 0.052 (2) | 0.063 (3) | 0.043 (2) | 0.023 (2) | 0.0033 (17) | 0.0151 (18) |
| C21 | 0.040 (2) | 0.068 (3) | 0.043 (2) | 0.0157 (19) | 0.0085 (15) | 0.0129 (19) |
| C22 | 0.073 (3) | 0.117 (5) | 0.063 (3) | 0.051 (3) | 0.025 (2) | 0.007 (3) |
| C23 | 0.100 (5) | 0.096 (4) | 0.080 (4) | 0.030 (4) | 0.044 (3) | 0.013 (3) |
| C24 | 0.159 (7) | 0.124 (6) | 0.082 (4) | 0.058 (5) | 0.042 (4) | 0.042 (4) |
| C25 | 0.221 (11) | 0.175 (9) | 0.114 (6) | 0.072 (8) | 0.071 (7) | 0.061 (6) |
| O1 | 0.054 (2) | 0.091 (3) | 0.103 (3) | 0.006 (2) | 0.007 (2) | 0.030 (2) |
| Br1 | 0.0531 (3) | 0.0932 (4) | 0.0649 (3) | 0.0309 (3) | 0.0197 (2) | 0.0390 (3) |
| Br2 | 0.0507 (3) | 0.0840 (4) | 0.0557 (3) | 0.0243 (2) | 0.0134 (2) | 0.0140 (2) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|--------|-----------|---------|------------|
| O1—HW2 | 0.89 (9) | C23—C24 | 1.292 (10) |
| O1—HW1 | 0.81 (8) | C24—C25 | 1.466 (12) |
| N1—C11 | 1.324 (5) | C1—H1C | 0.9600 |
| N1—C4 | 1.476 (6) | C1—H1A | 0.9600 |
| N1—C5 | 1.382 (6) | C1—H1B | 0.9600 |
| N2—C11 | 1.329 (6) | C2—H2 | 0.9300 |
| N2—C12 | 1.461 (5) | C3—H3 | 0.9300 |
| N2—C10 | 1.391 (4) | C4—H4A | 0.9700 |
| N3—C21 | 1.330 (6) | C4—H4B | 0.9700 |
| N3—C14 | 1.466 (5) | C6—H6 | 0.9300 |

supplementary materials

| | | | |
|--------------------------|------------|--------------------------|----------|
| N3—C15 | 1.392 (5) | C7—H7 | 0.9300 |
| N4—C22 | 1.480 (7) | C8—H8 | 0.9300 |
| N4—C20 | 1.391 (6) | C9—H9 | 0.9300 |
| N4—C21 | 1.312 (6) | C11—H11 | 0.9300 |
| C1—C2 | 1.27 (3) | C12—H12A | 0.9700 |
| C2—C3 | 1.16 (2) | C12—H12B | 0.9700 |
| C3—C4 | 1.416 (15) | C13—H13A | 0.9700 |
| C5—C6 | 1.392 (6) | C13—H13B | 0.9700 |
| C5—C10 | 1.388 (6) | C14—H14A | 0.9700 |
| C6—C7 | 1.374 (7) | C14—H14B | 0.9700 |
| C7—C8 | 1.392 (7) | C16—H16 | 0.9300 |
| C8—C9 | 1.375 (6) | C17—H17 | 0.9300 |
| C9—C10 | 1.381 (6) | C18—H18 | 0.9300 |
| C12—C13 | 1.519 (6) | C19—H19 | 0.9300 |
| C13—C14 | 1.512 (6) | C21—H21 | 0.9300 |
| C15—C16 | 1.382 (7) | C22—H22B | 0.9700 |
| C15—C20 | 1.395 (6) | C22—H22A | 0.9700 |
| C16—C17 | 1.371 (8) | C23—H23 | 0.9300 |
| C17—C18 | 1.384 (8) | C24—H24 | 0.9300 |
| C18—C19 | 1.369 (8) | C25—H25C | 0.9600 |
| C19—C20 | 1.384 (7) | C25—H25A | 0.9600 |
| C22—C23 | 1.462 (8) | C25—H25B | 0.9600 |
| Br1···C21 | 3.550 (5) | C19···H1C ⁱ | 2.8300 |
| Br1···O1 | 3.342 (6) | C21···H12B | 2.7500 |
| Br1···C11 | 3.536 (4) | C21···H13B | 2.7300 |
| Br1···C14 ⁱ | 3.696 (4) | C22···H19 | 3.0600 |
| Br1···C21 ⁱ | 3.335 (5) | HW1···H11 | 2.4900 |
| Br1···N3 ⁱ | 3.555 (3) | HW1···Br1 | 2.54 (8) |
| Br2···O1 ⁱⁱ | 3.333 (5) | HW1···H16 ⁱⁱⁱ | 2.5800 |
| Br1···HW1 | 2.54 (8) | H1C···C19 ⁱ | 2.8300 |
| Br1···H11 | 2.7600 | H2···H4B | 2.3700 |
| Br1···H21 | 2.6500 | HW2···Br2 ⁱⁱⁱ | 2.45 (8) |
| Br1···H16 ⁱⁱⁱ | 3.0600 | H4A···H6 | 2.5200 |
| Br1···H14B ⁱ | 3.1400 | H4A···C6 | 2.9100 |
| Br1···H21 ⁱ | 3.2000 | H4A···Br2 ^{iv} | 2.8100 |
| Br2···H14A | 3.0500 | H4B···H2 | 2.3700 |
| Br2···HW2 ⁱⁱ | 2.45 (8) | H4B···H11 | 2.5700 |
| Br2···H4B ⁱⁱ | 2.8600 | H4B···Br2 ⁱⁱⁱ | 2.8600 |
| Br2···H4A ^{iv} | 2.8100 | H6···Br2 ^{iv} | 3.1400 |
| Br2···H6 ^{iv} | 3.1400 | H6···C4 | 3.0400 |
| Br2···H8 ^v | 2.9900 | H6···H4A | 2.5200 |
| Br2···H19 ^v | 2.9200 | H8···Br2 ^v | 2.9900 |
| Br2···H9 | 3.1900 | H9···H12A | 2.5700 |
| Br2···H12A | 2.8900 | H9···C12 | 2.9900 |
| O1···Br2 ⁱⁱⁱ | 3.333 (5) | H9···Br2 | 3.1900 |

| | | | |
|--------------------------|-----------|--------------------------|--------|
| O1···C17 ^{vi} | 3.369 (8) | H11···Br1 | 2.7600 |
| O1···Br1 | 3.342 (6) | H11···H4B | 2.5700 |
| O1···H12B | 2.7400 | H11···O1 | 2.8800 |
| O1···H22B ^{vii} | 2.9200 | H11···HW1 | 2.4900 |
| O1···H11 | 2.8800 | H11···H12B | 2.5300 |
| O1···H18 ^{vi} | 2.9100 | H12A···C9 | 2.9400 |
| O1···H17 ^{vi} | 2.6700 | H12A···H9 | 2.5700 |
| N1···N2 | 2.177 (5) | H12A···Br2 | 2.8900 |
| N2···N1 | 2.177 (5) | H12A···H14A | 2.4800 |
| N3···Br1 ⁱ | 3.555 (3) | H12B···N3 | 2.8000 |
| N3···N4 | 2.176 (5) | H12B···O1 | 2.7400 |
| N4···N3 | 2.176 (5) | H12B···H18 ^{vi} | 2.5400 |
| N3···H12B | 2.8000 | H12B···H21 | 2.5500 |
| C1···C19 ⁱ | 3.60 (2) | H12B···H11 | 2.5300 |
| C5···C9 ^{iv} | 3.473 (6) | H12B···C21 | 2.7500 |
| C8···C11 ^{iv} | 3.526 (7) | H13A···C10 | 3.0300 |
| C9···C5 ^{iv} | 3.473 (6) | H13B···H21 | 2.2600 |
| C11···C8 ^{iv} | 3.526 (7) | H13B···C21 | 2.7300 |
| C11···Br1 | 3.536 (4) | H14A···Br2 | 3.0500 |
| C12···C21 | 3.300 (6) | H14A···C16 | 2.9000 |
| C14···Br1 ⁱ | 3.696 (4) | H14A···H12A | 2.4800 |
| C15···C18 ^{vi} | 3.594 (7) | H14A···H16 | 2.5000 |
| C15···C19 ^{vi} | 3.538 (6) | H14B···Br1 ⁱ | 3.1400 |
| C16···C19 ^{vi} | 3.596 (7) | H16···C14 | 2.9800 |
| C17···O1 ^{vi} | 3.369 (8) | H16···Br1 ⁱⁱ | 3.0600 |
| C18···C20 ^{vi} | 3.572 (7) | H16···HW1 ⁱⁱ | 2.5800 |
| C18···C15 ^{vi} | 3.594 (7) | H16···H14A | 2.5000 |
| C19···C16 ^{vi} | 3.596 (7) | H17···O1 ^{vi} | 2.6700 |
| C19···C15 ^{vi} | 3.538 (6) | H18···H12B ^{vi} | 2.5400 |
| C19···C1 ⁱ | 3.60 (2) | H18···O1 ^{vi} | 2.9100 |
| C20···C18 ^{vi} | 3.572 (7) | H19···C22 | 3.0600 |
| C21···Br1 | 3.550 (5) | H19···Br2 ^{vi} | 2.9200 |
| C21···C12 | 3.300 (6) | H21···Br1 | 2.6500 |
| C21···Br1 ⁱ | 3.335 (5) | H21···C13 | 2.7300 |
| C4···H6 | 3.0400 | H21···H12B | 2.5500 |
| C6···H4A | 2.9100 | H21···H13B | 2.2600 |
| C9···H12A | 2.9400 | H21···H22A | 2.4800 |
| C10···H13A | 3.0300 | H21···Br1 ⁱ | 3.2000 |
| C12···H9 | 2.9900 | H22A···H21 | 2.4800 |
| C13···H21 | 2.7300 | H22B···C19 | 3.0400 |
| C14···H16 | 2.9800 | H22B···H24 | 2.2700 |
| C16···H14A | 2.9000 | H22B···O1 ^{vii} | 2.9200 |
| C19···H22B | 3.0400 | H24···H22B | 2.2700 |

supplementary materials

| | | | |
|-------------|------------|---------------|--------|
| HW1—O1—HW2 | 91 (7) | N1—C4—H4B | 109.00 |
| C4—N1—C11 | 124.1 (4) | C3—C4—H4B | 109.00 |
| C5—N1—C11 | 108.5 (4) | H4A—C4—H4B | 108.00 |
| C4—N1—C5 | 127.4 (3) | C3—C4—H4A | 109.00 |
| C10—N2—C11 | 108.2 (3) | C5—C6—H6 | 122.00 |
| C11—N2—C12 | 125.7 (3) | C7—C6—H6 | 122.00 |
| C10—N2—C12 | 126.1 (4) | C6—C7—H7 | 119.00 |
| C14—N3—C15 | 125.6 (4) | C8—C7—H7 | 119.00 |
| C15—N3—C21 | 107.6 (3) | C9—C8—H8 | 119.00 |
| C14—N3—C21 | 126.6 (4) | C7—C8—H8 | 119.00 |
| C20—N4—C21 | 108.8 (4) | C10—C9—H9 | 122.00 |
| C20—N4—C22 | 126.5 (4) | C8—C9—H9 | 122.00 |
| C21—N4—C22 | 124.7 (4) | N1—C11—H11 | 125.00 |
| C1—C2—C3 | 155 (2) | N2—C11—H11 | 125.00 |
| C2—C3—C4 | 142.0 (16) | N2—C12—H12A | 109.00 |
| N1—C4—C3 | 111.2 (6) | N2—C12—H12B | 109.00 |
| N1—C5—C10 | 106.8 (3) | C13—C12—H12B | 109.00 |
| C6—C5—C10 | 121.5 (4) | H12A—C12—H12B | 108.00 |
| N1—C5—C6 | 131.7 (4) | C13—C12—H12A | 109.00 |
| C5—C6—C7 | 115.8 (4) | C12—C13—H13A | 109.00 |
| C6—C7—C8 | 122.6 (4) | C14—C13—H13A | 109.00 |
| C7—C8—C9 | 121.4 (5) | C14—C13—H13B | 109.00 |
| C8—C9—C10 | 116.4 (4) | C12—C13—H13B | 109.00 |
| N2—C10—C5 | 106.3 (4) | H13A—C13—H13B | 108.00 |
| C5—C10—C9 | 122.1 (3) | N3—C14—H14B | 109.00 |
| N2—C10—C9 | 131.6 (4) | C13—C14—H14A | 109.00 |
| N1—C11—N2 | 110.2 (4) | C13—C14—H14B | 109.00 |
| N2—C12—C13 | 111.9 (4) | H14A—C14—H14B | 108.00 |
| C12—C13—C14 | 113.4 (4) | N3—C14—H14A | 109.00 |
| N3—C14—C13 | 113.3 (4) | C17—C16—H16 | 122.00 |
| N3—C15—C16 | 131.2 (4) | C15—C16—H16 | 122.00 |
| C16—C15—C20 | 122.0 (4) | C16—C17—H17 | 119.00 |
| N3—C15—C20 | 106.8 (4) | C18—C17—H17 | 119.00 |
| C15—C16—C17 | 116.0 (4) | C19—C18—H18 | 119.00 |
| C16—C17—C18 | 121.9 (5) | C17—C18—H18 | 119.00 |
| C17—C18—C19 | 122.7 (5) | C18—C19—H19 | 122.00 |
| C18—C19—C20 | 115.9 (5) | C20—C19—H19 | 122.00 |
| N4—C20—C15 | 105.8 (4) | N3—C21—H21 | 125.00 |
| N4—C20—C19 | 132.7 (4) | N4—C21—H21 | 125.00 |
| C15—C20—C19 | 121.4 (4) | N4—C22—H22B | 109.00 |
| N3—C21—N4 | 110.9 (4) | C23—C22—H22A | 109.00 |
| N4—C22—C23 | 111.9 (5) | C23—C22—H22B | 109.00 |
| C22—C23—C24 | 123.5 (7) | H22A—C22—H22B | 108.00 |
| C23—C24—C25 | 127.2 (9) | N4—C22—H22A | 109.00 |
| C2—C1—H1A | 110.00 | C24—C23—H23 | 118.00 |
| C2—C1—H1B | 109.00 | C22—C23—H23 | 118.00 |
| H1A—C1—H1B | 109.00 | C23—C24—H24 | 116.00 |
| H1A—C1—H1C | 109.00 | C25—C24—H24 | 116.00 |
| H1B—C1—H1C | 109.00 | C24—C25—H25B | 109.00 |

| | | | |
|----------------|------------|-----------------|-------------|
| C2—C1—H1C | 109.00 | C24—C25—H25C | 110.00 |
| C3—C2—H2 | 103.00 | C24—C25—H25A | 109.00 |
| C1—C2—H2 | 103.00 | H25A—C25—H25C | 110.00 |
| C2—C3—H3 | 109.00 | H25B—C25—H25C | 109.00 |
| C4—C3—H3 | 109.00 | H25A—C25—H25B | 110.00 |
| N1—C4—H4A | 109.00 | | |
| C11—N1—C5—C10 | -0.5 (5) | C22—N4—C20—C19 | 2.6 (8) |
| C4—N1—C11—N2 | 179.3 (4) | C22—N4—C20—C15 | -179.7 (4) |
| C5—N1—C4—C3 | -94.8 (8) | C1—C2—C3—C4 | 179 (3) |
| C11—N1—C4—C3 | 86.9 (8) | C2—C3—C4—N1 | -102.2 (19) |
| C4—N1—C5—C6 | 0.2 (8) | C6—C5—C10—C9 | -0.5 (7) |
| C11—N1—C5—C6 | 178.8 (5) | C6—C5—C10—N2 | -179.2 (4) |
| C4—N1—C5—C10 | -179.1 (5) | C10—C5—C6—C7 | -0.8 (7) |
| C5—N1—C11—N2 | 0.7 (5) | N1—C5—C6—C7 | -180.0 (5) |
| C11—N2—C10—C9 | -178.3 (5) | N1—C5—C10—C9 | 178.9 (4) |
| C12—N2—C10—C9 | 0.1 (7) | N1—C5—C10—N2 | 0.2 (5) |
| C10—N2—C11—N1 | -0.5 (5) | C5—C6—C7—C8 | 1.6 (7) |
| C12—N2—C11—N1 | -179.0 (4) | C6—C7—C8—C9 | -1.2 (8) |
| C10—N2—C12—C13 | 83.4 (5) | C7—C8—C9—C10 | -0.1 (7) |
| C11—N2—C12—C13 | -98.4 (5) | C8—C9—C10—C5 | 0.9 (7) |
| C12—N2—C10—C5 | 178.7 (4) | C8—C9—C10—N2 | 179.3 (5) |
| C11—N2—C10—C5 | 0.2 (5) | N2—C12—C13—C14 | -169.9 (4) |
| C21—N3—C14—C13 | -29.1 (6) | C12—C13—C14—N3 | -62.0 (5) |
| C15—N3—C14—C13 | 156.7 (4) | N3—C15—C20—N4 | -0.6 (4) |
| C14—N3—C15—C16 | -3.4 (7) | N3—C15—C16—C17 | -178.5 (4) |
| C15—N3—C21—N4 | -1.7 (5) | C20—C15—C16—C17 | 1.7 (7) |
| C14—N3—C21—N4 | -176.7 (4) | C16—C15—C20—C19 | -2.7 (7) |
| C14—N3—C15—C20 | 176.4 (4) | N3—C15—C20—C19 | 177.6 (4) |
| C21—N3—C15—C20 | 1.4 (4) | C16—C15—C20—N4 | 179.3 (4) |
| C21—N3—C15—C16 | -178.4 (5) | C15—C16—C17—C18 | -0.9 (8) |
| C21—N4—C20—C15 | -0.4 (5) | C16—C17—C18—C19 | 0.9 (9) |
| C22—N4—C21—N3 | -179.4 (4) | C17—C18—C19—C20 | -1.6 (8) |
| C20—N4—C22—C23 | 77.2 (7) | C18—C19—C20—N4 | 180.0 (5) |
| C20—N4—C21—N3 | 1.3 (5) | C18—C19—C20—C15 | 2.5 (7) |
| C21—N4—C22—C23 | -101.9 (6) | N4—C22—C23—C24 | -136.1 (8) |
| C21—N4—C20—C19 | -178.2 (5) | C22—C23—C24—C25 | -177.3 (9) |

Symmetry codes: (i) $-x+1, -y+1, -z$; (ii) $x-1, y, z$; (iii) $x+1, y, z$; (iv) $-x+1, -y+1, -z+1$; (v) $-x, -y+1, -z+1$; (vi) $-x, -y, -z$; (vii) $-x+1, -y, -z$.

Hydrogen-bond geometry (\AA , $^\circ$)


| $D\cdots H$ | $D—H$ | $H\cdots A$ | $D\cdots A$ | $D—H\cdots A$ |
|------------------------------------|----------|-------------|-------------|---------------|
| O1—HW1 \cdots Br1 | 0.81 (8) | 2.54 (8) | 3.342 (6) | 171 (8) |
| O1—HW2 \cdots Br2 ⁱⁱⁱ | 0.89 (9) | 2.45 (8) | 3.333 (5) | 171 (7) |
| C4—H4A \cdots Br2 ^{iv} | 0.97 | 2.81 | 3.773 (4) | 172 |
| C4—H4B \cdots Br2 ⁱⁱⁱ | 0.97 | 2.86 | 3.802 (6) | 164 |
| C11—H11 \cdots Br1 | 0.93 | 2.76 | 3.536 (4) | 142 |
| C12—H12A \cdots Br2 | 0.97 | 2.89 | 3.822 (5) | 161 |

supplementary materials

| | | | | |
|-----------------------------|------|------|-----------|-----|
| C19—H19···Br2 ^{vi} | 0.93 | 2.92 | 3.816 (5) | 162 |
| C21—H21···Br1 | 0.93 | 2.65 | 3.550 (5) | 162 |

Symmetry codes: (iii) $x+1, y, z$; (iv) $-x+1, -y+1, -z+1$; (vi) $-x, -y, -z$.

Fig. 1



supplementary materials

Fig. 2

