# organic compounds

# 3-(2-Bromoacetyl)phenyl benzoate

Sachin P Ambekar,[a] H. C. Devarajegowda,[b]*
J. ShylajaKumari,[c] K. Mahesh Kumar[a] and O. Kotresh[a]

[a]Department of Chemistry, Karnatak University's Karnatak Science College,
Dharwad, Karnataka 580 001, India, [b]Department of Physics, Yuvaraja's College
(Constituent College), University of Mysore, Mysore 570 005, Karnataka, India, and
[c]Department of Physics, AVK College for Women, Hassan 573 201, Karnataka, India
Correspondence e-mail: devarajegowda@yahoo.com

In the title compound, $C_{15}H_{11}BrO_3$, the dihedral angle between the benzene rings is 72.59 (6)°. In the crystal, pairs of C—H⋯$\pi$ contacts form inversion dimers. Additional C—H⋯O hydrogen bonds generate $R_2^1(6)$ ring motifs and stack these dimers along the $b$ axis. Short intermolecular Br⋯O contacts of 3.254 (3) Å are also observed and link the stacks into a three-dimensional network.

## Related literature

For the biological applications and synthesis of the title compound, see: Naoto *et al.* (2008); Shwu-Jiuan & Mei-Hua (1984); Jaakko & Erkki (1959); Junichi *et al.* (1956); D'Amico *et al.* (1956). For hydrogen-bond motifs, see: Bernstein *et al.* (1995)



## Experimental

### Crystal data

| | |
|---|---|
| $C_{15}H_{11}BrO_3$ | $V$ = 1327.86 (8) Å$^3$ |
| $M_r$ = 319.15 | $Z$ = 4 |
| Monoclinic, $P2_1/n$ | Mo $K\alpha$ radiation |
| $a$ = 12.5055 (4) Å | $\mu$ = 3.10 mm$^{-1}$ |
| $b$ = 5.4409 (2) Å | $T$ = 296 K |
| $c$ = 19.5178 (6) Å | $0.24 \times 0.20 \times 0.12$ mm |
| $\beta$ = 90.859 (2)° | |

### Data collection

| | |
|---|---|
| Bruker SMART CCD area-detector diffractometer | 11209 measured reflections |
| Absorption correction: multi-scan (*SADABS*; Sheldrick, 2007) | 2344 independent reflections |
| | 1929 reflections with $I > 2\sigma(I)$ |
| $T_{min}$ = 0.770, $T_{max}$ = 1.000 | $R_{int}$ = 0.033 |

### Refinement

| | |
|---|---|
| $R[F^2 > 2\sigma(F^2)]$ = 0.033 | 172 parameters |
| $wR(F^2)$ = 0.092 | H-atom parameters constrained |
| $S$ = 1.05 | $\Delta\rho_{max}$ = 0.37 e Å$^{-3}$ |
| 2344 reflections | $\Delta\rho_{min}$ = −0.62 e Å$^{-3}$ |

**Table 1**
Hydrogen-bond geometry (Å, °).

$Cg2$ is the centroid of the C10–C15 benzene ring.

| $D$—H⋯$A$ | $D$—H | H⋯$A$ | $D$⋯$A$ | $D$—H⋯$A$ |
|---|---|---|---|---|
| C4—H4⋯O3$^i$ | 0.93 | 2.70 | 3.557 (4) | 153 |
| C1—H1$B$⋯O3$^i$ | 0.97 | 2.65 | 3.550 (4) | 155 |
| C6—H6⋯$Cg2^{ii}$ | 0.93 | 2.88 | 3.627 (3) | 138 |

Symmetry codes: (i) $x, y - 1, z$; (ii) $-x + 1, -y + 1, -z$.

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012); software used to prepare material for publication: *SHELXL97*.

## References

Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
Bruker (2001). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
D'Amico, A., Bertolini, L. & Monreale, C. (1956). *Chim. l'Ind. (Milan, Italy)*, **38**, 93–99.
Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849–854.
Jaakko, H. & Erkki, H. (1959). *Acta Chem. Scand.* **13**, 329–33.
Junichi, I., Takuro, I., Chikara, K. & Mitsutaka, K. (1956). *Ann. Rept. G. Tanabe Co. Ltd*, **1**, 17–20.
Naoto, O., Mariko, O., Takashi, S., Satoshi, K., Atsuko, M., Noriaki, U., Yoshisuke, N., Keishi, K., Masamori, S. & Yushi, K. (2008). PCT Int. Appl. WO 2008029825/A1 20080313.
Sheldrick, G. M. (2007). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
Sheldrick, G. M. (2008). *Acta Cryst.* A**64**, 112–122.
Shwu-Jiuan, L. & Mei-Hua, L. (1984). *Bull. Inst. Chem. Acad. Sin.* **31**, 55–58.

# supplementary materials

## 3-(2-Bromoacetyl)phenyl benzoate

**Sachin P Ambekar, H. C. Devarajegowda, J. ShylajaKumari, K. Mahesh Kumar and O. Kotresh**

### Comment

3-(2-bromoacetyl)phenyl benzoate is key starting material for the synthesis of phenylephrine, (*R*)-3-[-1-hydroxy-2-(methylamino)ethyl]phenol. Phenylephrine is a selective $\alpha_1$-adrenergic receptor agonist used primarily as a decongestant, as an agent to dilate the pupils, and to increase blood pressure.

Oral phenylephrine is extensively metabolized by monoamine oxidase (Naoto *et al.*, 2008), an enzyme that is present in the gastrointestinal tract and in the liver. Therefore, compared to intravenous pseudoephedrine, it has a reduced and variable bioavailability, only up to 38% (Shwu-Jiuan & Mei-Hua, 1984; Jaakko & Erkki, 1959). Because phenylephrine is a directly selective $\alpha$-adrenergic receptor agonist, it does not cause the release of endogenous noradrenaline, as pseudoephedrine does. Therefore, phenylephrine is less likely to cause side effects such as central nervous system stimulation, insomnia, anxiety, irritability, and restlessness (Junichi *et al.*, 1956). Phenylephrine's effectiveness as a decongestant stems from its vasoconstriction of nasal blood vessels, thereby decreasing blood flow to the sinusoidal vessels, leading to decreased mucosal edema (D′Amico *et al.*, 1956).

The asymmetric unit of 3-(2-bromoacetylphenyl benzoate is shown in Fig. 1. The dihedral angle between two (C3–C8) and (C10—C15) benzene rings is 72.59 (6)°. In the crystal structure a pair of C6—H6···$\pi$ [$C_g$(2)(C10–C15) contacts form inversion dimers. Additional C4—H4···O3 and C1—H1B···O3 (Table.1) hydrogen bonds generate $R^1_2(6)$ ring motifs (Bernstein *et al.*, 1995) and stack these dimers along the *b* axis (Fig. 2). Short intermolecular Br1···O2 contacts, 3.254 (3) Å are also observed and link the stacks into a three dimensional network.

### Experimental

All the chemicals used were of analytical reagent grade and were used directly without further purification. The title compound was synthesized according to an already reported method (Shwu-Jiuan & Mei-Hua, 1984). The crude product was recrystallized from an ethanol/chloroform mixture, to give colourless crystals in 78% yield.

### Refinement

All H atoms were positioned geometrically, with C—H = 0.93 Å for aromatic H and C—H = 0.97 Å for methylene H and refined using a riding model with $U_{iso}$(H) = 1.2$U_{eq}$(C) for aromatic and methylene H.

### Computing details

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT* (Bruker, 2001); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012); software used to prepare material for publication: *SHELXL97* (Sheldrick, 2008).

**Figure 1**

The molecular structure of the title compound. Displacement ellipsoids are drawn at the 50% probability level. Hydrogen atoms are shown as spheres of arbitrary radius.

**Figure 2**
Crystal packing along *b* axis for the title compound with hydrogen bonds drawn as dashed lines.

## 3-(2-Bromoacetyl)phenyl benzoate

*Crystal data*

| | |
|---|---|
| $C_{15}H_{11}BrO_3$ | $F(000) = 640$ |
| $M_r = 319.15$ | $D_x = 1.596$ Mg m$^{-3}$ |
| Monoclinic, $P2_1/n$ | Melting point: 378 K |
| Hall symbol: -P 2yn | Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å |
| $a = 12.5055$ (4) Å | Cell parameters from 2344 reflections |
| $b = 5.4409$ (2) Å | $\theta = 1.9$–25.0° |
| $c = 19.5178$ (6) Å | $\mu = 3.10$ mm$^{-1}$ |
| $\beta = 90.859$ (2)° | $T = 296$ K |
| $V = 1327.86$ (8) Å$^3$ | Plate, colourless |
| $Z = 4$ | $0.24 \times 0.20 \times 0.12$ mm |

*Data collection*

| | |
|---|---|
| Bruker SMART CCD area-detector diffractometer | 11209 measured reflections |
| Radiation source: fine-focus sealed tube | 2344 independent reflections |
| Graphite monochromator | 1929 reflections with $I > 2\sigma(I)$ |
| $\omega$ and $\varphi$ scans | $R_{\text{int}} = 0.033$ |
| Absorption correction: multi-scan (*SADABS*; Sheldrick, 2007) | $\theta_{\max} = 25.0°$, $\theta_{\min} = 1.9°$ |
| $T_{\min} = 0.770$, $T_{\max} = 1.000$ | $h = -14 \rightarrow 14$ |
| | $k = -6 \rightarrow 6$ |
| | $l = -23 \rightarrow 23$ |

*Refinement*

| | |
|---|---|
| Refinement on $F^2$ | Secondary atom site location: difference Fourier map |
| Least-squares matrix: full | |
| $R[F^2 > 2\sigma(F^2)] = 0.033$ | Hydrogen site location: inferred from neighbouring sites |
| $wR(F^2) = 0.092$ | |
| $S = 1.05$ | H-atom parameters constrained |
| 2344 reflections | $w = 1/[\sigma^2(F_o^2) + (0.0489P)^2 + 0.8292P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| 172 parameters | |
| 0 restraints | $(\Delta/\sigma)_{\max} = 0.001$ |
| Primary atom site location: structure-invariant direct methods | $\Delta\rho_{\max} = 0.37$ e Å$^{-3}$ |
| | $\Delta\rho_{\min} = -0.62$ e Å$^{-3}$ |

*Special details*

**Experimental**. 3-(Bromo acetyl) phenyl benzoate: it was obtained as an off-white solid; M.P: 378k; GCMS data m/e 320 1H NMR (300 MHz, CDCl3, $\delta$, p.p.m.): 4.46 (s 2H, Methylene-CH$_2$),7.50 (s,1*H*, Ar—H), 7.52 (s,1*H*, Ar—H), 7.66 (s,1*H*, Ar—H), 7.68 (s,1*H*, Ar—H), 7.88 (s,1*H*, Ar—H), 7.90 (s,1*H*, Ar—H), 8.19 (d,2*H*, Ar—H),

**Geometry**. All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

**Refinement**. Refinement of $F^2$ against ALL reflections. The weighted $R$-factor $wR$ and goodness of fit $S$ are based on $F^2$, conventional $R$-factors $R$ are based on $F$, with $F$ set to zero for negative $F^2$. The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating $R$-factors(gt) *etc*. and is not relevant to the choice of reflections for refinement. $R$-factors based on $F^2$ are statistically about twice as large as those based on $F$, and $R$- factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)*

| | $x$ | $y$ | $z$ | $U_{\text{iso}}*/U_{\text{eq}}$ |
|---|---|---|---|---|
| Br1 | 0.93093 (3) | −0.55127 (7) | 0.763352 (16) | 0.05813 (16) |
| O1 | 0.57395 (15) | 0.2166 (4) | 0.92902 (10) | 0.0458 (5) |
| O2 | 1.00505 (17) | −0.2020 (5) | 0.87494 (14) | 0.0697 (7) |
| O3 | 0.5845 (2) | 0.5101 (5) | 0.84970 (16) | 0.0724 (8) |
| C1 | 0.8494 (2) | −0.3090 (7) | 0.81046 (16) | 0.0524 (8) |
| H1A | 0.8210 | −0.1928 | 0.7772 | 0.063* |
| H1B | 0.7893 | −0.3891 | 0.8319 | 0.063* |
| C2 | 0.9115 (2) | −0.1696 (6) | 0.86438 (15) | 0.0410 (7) |
| C3 | 0.8497 (2) | 0.0154 (5) | 0.90374 (14) | 0.0371 (7) |
| C4 | 0.7386 (2) | 0.0330 (6) | 0.89847 (14) | 0.0378 (6) |
| H4 | 0.7002 | −0.0766 | 0.8710 | 0.045* |
| C5 | 0.6866 (2) | 0.2118 (6) | 0.93378 (14) | 0.0396 (7) |
| C6 | 0.7396 (3) | 0.3758 (6) | 0.97553 (16) | 0.0489 (8) |
| H6 | 0.7025 | 0.4965 | 0.9991 | 0.059* |

| | | | |
|---|---|---|---|
| C7 | 0.8502 (3) | 0.3567 (7) | 0.98166 (16) | 0.0519 (8) |
| H7 | 0.8878 | 0.4647 | 1.0100 | 0.062* |
| C8 | 0.9040 (2) | 0.1796 (6) | 0.94613 (14) | 0.0438 (7) |
| H8 | 0.9780 | 0.1693 | 0.9505 | 0.053* |
| C9 | 0.5314 (2) | 0.3695 (6) | 0.88120 (16) | 0.0430 (7) |
| C10 | 0.4140 (2) | 0.3355 (6) | 0.87324 (15) | 0.0392 (7) |
| C11 | 0.3575 (3) | 0.5030 (6) | 0.83355 (19) | 0.0564 (9) |
| H11 | 0.3929 | 0.6327 | 0.8127 | 0.068* |
| C12 | 0.2485 (3) | 0.4773 (7) | 0.8249 (2) | 0.0626 (10) |
| H12 | 0.2102 | 0.5922 | 0.7992 | 0.075* |
| C13 | 0.1965 (3) | 0.2843 (7) | 0.85389 (17) | 0.0553 (9) |
| H13 | 0.1231 | 0.2664 | 0.8473 | 0.066* |
| C14 | 0.2517 (3) | 0.1179 (7) | 0.89246 (18) | 0.0546 (9) |
| H14 | 0.2158 | −0.0137 | 0.9120 | 0.066* |
| C15 | 0.3611 (2) | 0.1427 (6) | 0.90285 (16) | 0.0476 (7) |
| H15 | 0.3984 | 0.0294 | 0.9297 | 0.057* |

*Atomic displacement parameters (Å$^2$)*

| | $U^{11}$ | $U^{22}$ | $U^{33}$ | $U^{12}$ | $U^{13}$ | $U^{23}$ |
|---|---|---|---|---|---|---|
| Br1 | 0.0559 (2) | 0.0682 (3) | 0.0502 (2) | 0.01670 (17) | −0.00215 (15) | −0.00925 (17) |
| O1 | 0.0314 (10) | 0.0549 (13) | 0.0512 (12) | 0.0049 (10) | 0.0054 (9) | 0.0110 (10) |
| O2 | 0.0332 (13) | 0.0820 (19) | 0.0935 (18) | 0.0101 (12) | −0.0161 (11) | −0.0277 (15) |
| O3 | 0.0443 (13) | 0.0693 (17) | 0.103 (2) | −0.0134 (12) | −0.0088 (13) | 0.0430 (16) |
| C1 | 0.0366 (16) | 0.069 (2) | 0.0517 (17) | 0.0138 (16) | −0.0050 (13) | −0.0151 (17) |
| C2 | 0.0282 (15) | 0.0483 (18) | 0.0463 (16) | −0.0014 (13) | −0.0045 (12) | 0.0000 (15) |
| C3 | 0.0308 (14) | 0.0420 (17) | 0.0384 (15) | −0.0019 (12) | −0.0043 (12) | 0.0032 (12) |
| C4 | 0.0319 (14) | 0.0423 (16) | 0.0391 (15) | −0.0034 (13) | −0.0045 (12) | 0.0002 (13) |
| C5 | 0.0318 (14) | 0.0472 (18) | 0.0400 (15) | 0.0001 (13) | 0.0014 (12) | 0.0079 (14) |
| C6 | 0.055 (2) | 0.0480 (18) | 0.0440 (17) | 0.0006 (16) | 0.0034 (14) | −0.0049 (15) |
| C7 | 0.054 (2) | 0.055 (2) | 0.0466 (17) | −0.0136 (17) | −0.0107 (14) | −0.0067 (16) |
| C8 | 0.0349 (15) | 0.0523 (19) | 0.0440 (16) | −0.0076 (14) | −0.0085 (13) | 0.0005 (15) |
| C9 | 0.0398 (16) | 0.0384 (16) | 0.0510 (17) | 0.0032 (14) | 0.0036 (14) | 0.0030 (15) |
| C10 | 0.0353 (15) | 0.0350 (16) | 0.0474 (16) | 0.0028 (13) | 0.0029 (12) | −0.0009 (14) |
| C11 | 0.0446 (18) | 0.054 (2) | 0.071 (2) | 0.0005 (16) | 0.0005 (16) | 0.0201 (18) |
| C12 | 0.049 (2) | 0.067 (2) | 0.071 (2) | 0.0112 (18) | −0.0079 (17) | 0.0168 (19) |
| C13 | 0.0350 (16) | 0.067 (2) | 0.064 (2) | 0.0000 (16) | −0.0008 (15) | 0.0002 (19) |
| C14 | 0.0405 (18) | 0.054 (2) | 0.069 (2) | −0.0080 (16) | 0.0076 (15) | 0.0077 (18) |
| C15 | 0.0416 (17) | 0.0445 (18) | 0.0568 (18) | 0.0030 (15) | 0.0028 (14) | 0.0060 (16) |

*Geometric parameters (Å, º)*

| | | | |
|---|---|---|---|
| Br1—C1 | 1.910 (3) | C7—C8 | 1.370 (5) |
| O1—C9 | 1.353 (4) | C7—H7 | 0.9300 |
| O1—C5 | 1.411 (3) | C8—H8 | 0.9300 |
| O2—C2 | 1.198 (3) | C9—C10 | 1.485 (4) |
| O3—C9 | 1.191 (4) | C10—C15 | 1.372 (4) |
| C1—C2 | 1.503 (4) | C10—C11 | 1.384 (4) |
| C1—H1A | 0.9700 | C11—C12 | 1.378 (5) |
| C1—H1B | 0.9700 | C11—H11 | 0.9300 |

| | | | |
|---|---|---|---|
| C2—C3 | 1.489 (4) | C12—C13 | 1.362 (5) |
| C3—C8 | 1.388 (4) | C12—H12 | 0.9300 |
| C3—C4 | 1.395 (4) | C13—C14 | 1.359 (5) |
| C4—C5 | 1.363 (4) | C13—H13 | 0.9300 |
| C4—H4 | 0.9300 | C14—C15 | 1.387 (4) |
| C5—C6 | 1.372 (4) | C14—H14 | 0.9300 |
| C6—C7 | 1.390 (4) | C15—H15 | 0.9300 |
| C6—H6 | 0.9300 | | |
| | | | |
| C9—O1—C5 | 116.0 (2) | C7—C8—C3 | 121.0 (3) |
| C2—C1—Br1 | 114.3 (2) | C7—C8—H8 | 119.5 |
| C2—C1—H1A | 108.7 | C3—C8—H8 | 119.5 |
| Br1—C1—H1A | 108.7 | O3—C9—O1 | 122.3 (3) |
| C2—C1—H1B | 108.7 | O3—C9—C10 | 125.8 (3) |
| Br1—C1—H1B | 108.7 | O1—C9—C10 | 111.9 (3) |
| H1A—C1—H1B | 107.6 | C15—C10—C11 | 119.6 (3) |
| O2—C2—C3 | 121.6 (3) | C15—C10—C9 | 122.2 (3) |
| O2—C2—C1 | 122.6 (3) | C11—C10—C9 | 118.2 (3) |
| C3—C2—C1 | 115.8 (2) | C12—C11—C10 | 119.8 (3) |
| C8—C3—C4 | 118.5 (3) | C12—C11—H11 | 120.1 |
| C8—C3—C2 | 119.3 (3) | C10—C11—H11 | 120.1 |
| C4—C3—C2 | 122.2 (3) | C13—C12—C11 | 120.4 (3) |
| C5—C4—C3 | 119.6 (3) | C13—C12—H12 | 119.8 |
| C5—C4—H4 | 120.2 | C11—C12—H12 | 119.8 |
| C3—C4—H4 | 120.2 | C14—C13—C12 | 120.1 (3) |
| C4—C5—C6 | 122.4 (3) | C14—C13—H13 | 120.0 |
| C4—C5—O1 | 117.6 (3) | C12—C13—H13 | 120.0 |
| C6—C5—O1 | 120.0 (3) | C13—C14—C15 | 120.5 (3) |
| C5—C6—C7 | 118.3 (3) | C13—C14—H14 | 119.7 |
| C5—C6—H6 | 120.9 | C15—C14—H14 | 119.7 |
| C7—C6—H6 | 120.9 | C10—C15—C14 | 119.6 (3) |
| C8—C7—C6 | 120.3 (3) | C10—C15—H15 | 120.2 |
| C8—C7—H7 | 119.8 | C14—C15—H15 | 120.2 |
| C6—C7—H7 | 119.8 | | |
| | | | |
| Br1—C1—C2—O2 | 2.7 (5) | C4—C3—C8—C7 | −0.6 (4) |
| Br1—C1—C2—C3 | −178.1 (2) | C2—C3—C8—C7 | 178.2 (3) |
| O2—C2—C3—C8 | 9.9 (5) | C5—O1—C9—O3 | −7.3 (5) |
| C1—C2—C3—C8 | −169.3 (3) | C5—O1—C9—C10 | 171.8 (2) |
| O2—C2—C3—C4 | −171.4 (3) | O3—C9—C10—C15 | 168.8 (3) |
| C1—C2—C3—C4 | 9.4 (4) | O1—C9—C10—C15 | −10.3 (4) |
| C8—C3—C4—C5 | 1.1 (4) | O3—C9—C10—C11 | −10.1 (5) |
| C2—C3—C4—C5 | −177.6 (3) | O1—C9—C10—C11 | 170.8 (3) |
| C3—C4—C5—C6 | −0.8 (4) | C15—C10—C11—C12 | 1.0 (5) |
| C3—C4—C5—O1 | −177.6 (2) | C9—C10—C11—C12 | 179.9 (3) |
| C9—O1—C5—C4 | −95.2 (3) | C10—C11—C12—C13 | −1.6 (6) |
| C9—O1—C5—C6 | 87.9 (3) | C11—C12—C13—C14 | 1.1 (6) |
| C4—C5—C6—C7 | −0.1 (5) | C12—C13—C14—C15 | 0.1 (6) |
| O1—C5—C6—C7 | 176.6 (3) | C11—C10—C15—C14 | 0.2 (5) |

| C5—C6—C7—C8 | 0.7 (5) | C9—C10—C15—C14 | −178.7 (3) |
| C6—C7—C8—C3 | −0.3 (5) | C13—C14—C15—C10 | −0.7 (5) |

*Hydrogen-bond geometry (Å, º)*

Cg2 is the centroid of the C10–C15 benzene ring.

| *D*—H···*A* | *D*—H | H···*A* | *D*···*A* | *D*—H···*A* |
| --- | --- | --- | --- | --- |
| C4—H4···O3[i] | 0.93 | 2.70 | 3.557 (4) | 153 |
| C1—H1*B*···O3[i] | 0.97 | 2.65 | 3.550 (4) | 155 |
| C6—H6···*Cg*2[ii] | 0.93 | 2.88 | 3.627 (3) | 138 |

Symmetry codes: (i) $x$, $y-1$, $z$; (ii) $-x+1$, $-y+1$, $-z$.