

## 1-(3-Bromopropoxy)-4-chlorobenzene

Wen-ge Yang,\* Jin-feng Yao, Xiao-lei Zhao and Yong-hong Hu

College of Life Science and Pharmaceutical Engineering, Nanjing University of Technology, Ximofan Road No. 5 Nanjing, Nanjing 210009, People's Republic of China

Correspondence e-mail: chemywg@126.com


Received 10 November 2008; accepted 14 November 2008

Key indicators: single-crystal X-ray study;  $T = 294$  K; mean  $\sigma(\text{C}-\text{C}) = 0.014$  Å;  $R$  factor = 0.078;  $wR$  factor = 0.166; data-to-parameter ratio = 16.2.

In the molecule of the title compound,  $\text{C}_8\text{H}_8\text{BrClO}$ , the Cl atom lies slightly out of the aromatic ring plane [displacement =  $0.072$  (3) Å]. In the crystal structure, a  $\pi$ - $\pi$  contact between the phenyl rings [centroid-centroid distance =  $3.699$  (3) Å] may stabilize the structure. There also exists a  $\text{C}-\text{H}\cdots\pi$  contact between the methylene group and the chlorophenyl ring.

## Related literature

For general background, see: Zirngibl *et al.* (1988). For related structures, see: Menini & Gusevskaya (2006); Baggaley & Watts (1982). For bond-length data, see: Allen *et al.* (1987).



## Experimental

## Crystal data

$\text{C}_8\text{H}_8\text{BrClO}$   
 $M_r = 235.50$   
 Monoclinic,  $P2_1/c$   
 $a = 9.0680$  (18) Å  
 $b = 9.781$  (2) Å  
 $c = 10.238$  (2) Å  
 $\beta = 98.01$  (3)°

$V = 899.2$  (3) Å<sup>3</sup>  
 $Z = 4$   
 Mo  $K\alpha$  radiation  
 $\mu = 4.81$  mm<sup>-1</sup>  
 $T = 294$  (2) K  
 $0.30 \times 0.20 \times 0.20$  mm

## Data collection

Enraf-Nonius CAD-4 diffractometer  
 Absorption correction:  $\psi$  scan (North *et al.*, 1968)  
 $T_{\min} = 0.327$ ,  $T_{\max} = 0.382$   
 1726 measured reflections

1620 independent reflections  
 769 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.060$   
 3 standard reflections  
 frequency: 120 min  
 intensity decay: 1%

## Refinement

$R[F^2 > 2\sigma(F^2)] = 0.078$   
 $wR(F^2) = 0.166$   
 $S = 1.00$   
 1620 reflections

100 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.48$  e Å<sup>-3</sup>  
 $\Delta\rho_{\min} = -0.51$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

| $D-H\cdots A$                            | $D-H$ | $H\cdots A$ | $D\cdots A$ | $D-H\cdots A$ |
|--|-------|-------------|-------------|---------------|
| $\text{C2}-\text{H2A}\cdots\text{Cg1}^i$ | 0.97  | 2.88        | 3.665 (3)   | 138           |

Symmetry code: (i)  $x, -y + \frac{1}{2}, z - \frac{1}{2}$ . Cg1 is the centroid of the C3-C8 ring.

Data collection: *CAD-4 Software* (Enraf-Nonius, 1989); cell refinement: *CAD-4 Software*; data reduction: *XCAD4* (Harms & Wocadlo, 1995); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2003); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

This research was financially supported by the Department of Science and Technology of Jiangsu Province (grant No. BE200830457) and the '863' project (grant No. 2007 A A02Z211) of the Ministry of Science and Technology of the People's Republic of China.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HK2572).

## References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1-19.  
 Baggaley, K. H. & Watts, E. A. (1982). European Patent Application EP0049060.  
 Enraf-Nonius (1989). *CAD-4 Software*. Enraf-Nonius, Delft, The Netherlands.  
 Harms, K. & Wocadlo, S. (1995). *XCAD4*. University of Marburg, Germany.  
 Menini, L. & Gusevskaya, E. V. (2006). *Appl. Catal. A Gen.* **309**, 122-128.  
 North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). *Acta Cryst.* **A24**, 351-359.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112-122.  
 Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7-13.  
 Zirngibl, L., Fischer, J., Jahn, U. & Thiele, K. (1988). *Ann. N. Y. Acad. Sci.* **54**, 63-73.

**supplementary materials**

*Acta Cryst.* (2008). E64, o2422 [ doi:10.1107/S1600536808037896 ]

## 1-(3-Bromopropoxy)-4-chlorobenzene

W. Yang, J. Yao, X. Zhao and Y. Hu

### Comment

Omoconazole has a high antifungal activity and a broad spectrum (Zirngibl *et al.*, 1988). As part of our ongoing studies in this area, we report herein the crystal structure of the title compound.

In the molecule of the title compound (Fig. 1) the bond lengths (Allen *et al.*, 1987) and angles are within normal ranges. Ring A (C3-C8) is, of course, planar, and the Cl atom lies slightly out of the ring plane [0.072 (3) Å]. The (O1/C1/C2) and (Br/C1/C2) moieties are oriented with respect to ring A at dihedral angles of 11.57 (3)° and 74.97 (3)°, respectively.

In the crystal structure, the  $\pi$ - $\pi$  contact between the phenyl rings, Cg1—Cg1<sup>i</sup> [symmetry code: (i) -x, 1 - y, -z, where Cg1 is centroid of the ring A (C3-C8)] may stabilize the structure, with centroid-centroid distance of 3.699 (3) Å. There also exists a C—H $\cdots$  $\pi$  contact (Table 1) between the methylene group and the chlorophenyl ring.

### Experimental

Phenol (47.0 g, 0.5 mol), CuCl<sub>2</sub> (147.4 g, 1.1 mol) and hydrochloric acid (350 ml, 8.5 mol/L) were mixed in a three-necked flask equipped with a reflux condenser and a magnetic stirrer. The solution was stirred at 383 K for 10 h, and then cooled to room temperature. Subsequently the reaction mixture was extracted with toluene for three times, and then the extracts were dried and the solvents were completely stripped by evaporation. After isolated by column chromatography (silica), p-chlorophenol was obtained (yield; 44.8 g, 75%) (Menini & Gusevskaya, 2006). p-Chlorophenol (26.0 g, 0.2 mol) was dissolved with stirring in water (30 ml) containing sodium hydroxide (9.0 g, 0.23 mol) and added dropwise to excess refluxing ethylene dibromide (74.8 g, 0.4 mol). The reaction mixture was heated under reflux for 6 h, cooled and extracted into ether (3 x 150 ml). The combined organic extracts were washed with water, dried over Na<sub>2</sub>S<sub>4</sub>, filtered and evaporated to dryness to yield an oil. Fractionation under reduced pressure yielded p-chlorophenoxyethyl bromide as a colorless oil, then cooled to give the title compound as colorless solid (yield; 27.6 g, 57%) (Baggaley & Watts, 1982). Crystals suitable for X-ray analysis were obtained by slow evaporation of an petroleum ether solution.

### Refinement

H atoms were positioned geometrically, with C-H = 0.93 and 0.97 Å for aromatic and methylene H, respectively, and constrained to ride on their parent atoms with  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ .

### Figures




Fig. 1. The molecular structure of the title molecule, with the atom-numbering scheme. Displacement ellipsoids are drawn at the 30% probability level.

## 1-(3-Bromopropoxy)-4-chlorobenzene

### Crystal data

C<sub>8</sub>H<sub>8</sub>BrClO

$M_r = 235.50$

Monoclinic,  $P2_1/c$

Hall symbol: -P 2ybc

$a = 9.0680$  (18) Å

$b = 9.781$  (2) Å

$c = 10.238$  (2) Å

$\beta = 98.01$  (3)°

$V = 899.2$  (3) Å<sup>3</sup>

$Z = 4$

$F_{000} = 464$

$D_x = 1.740$  Mg m<sup>-3</sup>

Mo  $K\alpha$  radiation

$\lambda = 0.71073$  Å

Cell parameters from 25 reflections

$\theta = 10$ – $14$ °

$\mu = 4.81$  mm<sup>-1</sup>

$T = 294$  (2) K

Block, colorless

$0.30 \times 0.20 \times 0.20$  mm

### Data collection

Enraf-Nonius CAD-4  
diffractometer

Radiation source: fine-focus sealed tube

Monochromator: graphite

$T = 294$ (2) K

$\omega/2\theta$  scans

Absorption correction:  $\psi$  scan  
(North *et al.*, 1968)

$T_{\min} = 0.327$ ,  $T_{\max} = 0.382$

1726 measured reflections

1620 independent reflections

769 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.060$

$\theta_{\max} = 25.3$ °

$\theta_{\min} = 2.3$ °

$h = 0$ → $10$

$k = 0$ → $11$

$l = -12$ → $12$

3 standard reflections

every 120 min

intensity decay: 1%

### Refinement

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.078$

$wR(F^2) = 0.166$

$S = 1.00$

1620 reflections

100 parameters

Primary atom site location: structure-invariant direct  
methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring  
sites

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.050P)^2 + 3.3P]$$

where  $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} < 0.001$

$\Delta\rho_{\max} = 0.48$  e Å<sup>-3</sup>

$\Delta\rho_{\min} = -0.51$  e Å<sup>-3</sup>

Extinction correction: none

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

|     | <i>x</i>     | <i>y</i>      | <i>z</i>     | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|---------------|--------------|----------------------------------|
| Br  | 0.57689 (14) | -0.36443 (12) | 0.40395 (11) | 0.0876 (5)                       |
| Cl  | -0.1214 (3)  | -0.4586 (3)   | -0.3126 (3)  | 0.0960 (10)                      |
| O   | 0.3720 (7)   | -0.3636 (6)   | 0.1096 (6)   | 0.0663 (18)                      |
| C1  | 0.5206 (10)  | -0.2276 (10)  | 0.2666 (9)   | 0.064 (2)                        |
| H1A | 0.5247       | -0.1379       | 0.3073       | 0.077*                           |
| H1B | 0.5933       | -0.2292       | 0.2056       | 0.077*                           |
| C2  | 0.3720 (10)  | -0.2470 (10)  | 0.1918 (9)   | 0.064 (2)                        |
| H2A | 0.2995       | -0.2589       | 0.2522       | 0.077*                           |
| H2B | 0.3443       | -0.1667       | 0.1383       | 0.077*                           |
| C3  | 0.2602 (12)  | -0.3856 (11)  | 0.0161 (11)  | 0.071 (3)                        |
| C4  | 0.1241 (11)  | -0.3031 (10)  | 0.0054 (9)   | 0.066 (2)                        |
| H4A | 0.1144       | -0.2325       | 0.0644       | 0.079*                           |
| C5  | 0.0111 (12)  | -0.3336 (11)  | -0.0948 (10) | 0.074 (3)                        |
| H5A | -0.0765      | -0.2832       | -0.1003      | 0.089*                           |
| C6  | 0.0200 (10)  | -0.4318 (10)  | -0.1849 (8)  | 0.061 (2)                        |
| C7  | 0.1567 (11)  | -0.5088 (10)  | -0.1676 (10) | 0.070 (3)                        |
| H7A | 0.1688       | -0.5780       | -0.2276      | 0.084*                           |
| C8  | 0.2624 (10)  | -0.4863 (10)  | -0.0733 (9)  | 0.062 (2)                        |
| H8A | 0.3455       | -0.5430       | -0.0661      | 0.075*                           |

*Atomic displacement parameters ( $\text{\AA}^2$ )*

|    | $U^{11}$    | $U^{22}$   | $U^{33}$   | $U^{12}$     | $U^{13}$    | $U^{23}$     |
|----|-------------|------------|------------|--------------|-------------|--------------|
| Br | 0.1226 (10) | 0.0711 (7) | 0.0759 (7) | 0.0158 (7)   | 0.0374 (6)  | -0.0003 (7)  |
| Cl | 0.088 (2)   | 0.101 (2)  | 0.099 (2)  | -0.0010 (18) | 0.0109 (17) | -0.0052 (19) |
| O  | 0.092 (5)   | 0.052 (4)  | 0.067 (4)  | -0.006 (4)   | 0.052 (4)   | -0.013 (4)   |
| C1 | 0.069 (5)   | 0.058 (5)  | 0.070 (5)  | -0.001 (5)   | 0.022 (4)   | -0.005 (5)   |
| C2 | 0.072 (5)   | 0.051 (5)  | 0.074 (5)  | -0.001 (4)   | 0.023 (4)   | -0.011 (5)   |
| C3 | 0.068 (5)   | 0.074 (6)  | 0.077 (5)  | 0.002 (5)    | 0.032 (5)   | -0.004 (5)   |
| C4 | 0.085 (6)   | 0.050 (5)  | 0.069 (5)  | 0.003 (4)    | 0.031 (4)   | 0.001 (4)    |
| C5 | 0.075 (5)   | 0.074 (6)  | 0.079 (5)  | 0.010 (5)    | 0.032 (4)   | 0.010 (5)    |
| C6 | 0.066 (5)   | 0.062 (5)  | 0.055 (4)  | -0.001 (4)   | 0.008 (4)   | 0.019 (4)    |

## supplementary materials

|    |           |           |           |           |           |           |
|----|-----------|-----------|-----------|-----------|-----------|-----------|
| C7 | 0.078 (6) | 0.059 (5) | 0.075 (5) | 0.001 (4) | 0.021 (4) | 0.000 (5) |
| C8 | 0.062 (5) | 0.055 (5) | 0.073 (5) | 0.008 (4) | 0.021 (4) | 0.005 (4) |

### Geometric parameters (Å, °)

|             |            |             |            |
|-------------|------------|-------------|------------|
| Br—C1       | 1.957 (9)  | C3—C4       | 1.466 (13) |
| Cl—C6       | 1.719 (10) | C4—C5       | 1.378 (13) |
| O—C3        | 1.311 (11) | C4—H4A      | 0.9300     |
| O—C2        | 1.418 (10) | C5—C6       | 1.342 (13) |
| C1—C2       | 1.466 (12) | C5—H5A      | 0.9300     |
| C1—H1A      | 0.9700     | C6—C7       | 1.440 (13) |
| C1—H1B      | 0.9700     | C7—C8       | 1.281 (12) |
| C2—H2A      | 0.9700     | C7—H7A      | 0.9300     |
| C2—H2B      | 0.9700     | C8—H8A      | 0.9300     |
| C3—C8       | 1.347 (13) |             |            |
| C3—O—C2     | 120.1 (8)  | C5—C4—C3    | 117.9 (10) |
| C2—C1—Br    | 114.6 (6)  | C5—C4—H4A   | 121.1      |
| C2—C1—H1A   | 108.6      | C3—C4—H4A   | 121.1      |
| Br—C1—H1A   | 108.6      | C6—C5—C4    | 123.8 (10) |
| C2—C1—H1B   | 108.6      | C6—C5—H5A   | 118.1      |
| Br—C1—H1B   | 108.6      | C4—C5—H5A   | 118.1      |
| H1A—C1—H1B  | 107.6      | C5—C6—C7    | 115.1 (9)  |
| O—C2—C1     | 109.8 (8)  | C5—C6—C1    | 121.4 (8)  |
| O—C2—H2A    | 109.7      | C7—C6—C1    | 123.5 (8)  |
| C1—C2—H2A   | 109.7      | C8—C7—C6    | 122.9 (10) |
| O—C2—H2B    | 109.7      | C8—C7—H7A   | 118.6      |
| C1—C2—H2B   | 109.7      | C6—C7—H7A   | 118.6      |
| H2A—C2—H2B  | 108.2      | C7—C8—C3    | 123.9 (10) |
| O—C3—C8     | 122.2 (9)  | C7—C8—H8A   | 118.0      |
| O—C3—C4     | 121.4 (10) | C3—C8—H8A   | 118.0      |
| C8—C3—C4    | 116.3 (10) |             |            |
| C3—O—C2—C1  | -167.0 (8) | C4—C5—C6—C7 | 2.1 (14)   |
| Br—C1—C2—O  | -70.5 (8)  | C4—C5—C6—C1 | -176.5 (7) |
| C2—O—C3—C8  | 172.7 (8)  | C5—C6—C7—C8 | 0.2 (14)   |
| C2—O—C3—C4  | -8.7 (13)  | C1—C6—C7—C8 | 178.8 (8)  |
| O—C3—C4—C5  | -179.4 (9) | C6—C7—C8—C3 | -2.9 (15)  |
| C8—C3—C4—C5 | -0.7 (13)  | O—C3—C8—C7  | -178.4 (9) |
| C3—C4—C5—C6 | -1.8 (14)  | C4—C3—C8—C7 | 3.0 (14)   |

### Hydrogen-bond geometry (Å, °)

| <i>D</i> —H $\cdots$ <i>A</i>    | <i>D</i> —H | H $\cdots$ <i>A</i> | <i>D</i> $\cdots$ <i>A</i> | <i>D</i> —H $\cdots$ <i>A</i> |
|----------------------------------|-------------|---------------------|----------------------------|-------------------------------|
| C2—H2A $\cdots$ Cg1 <sup>i</sup> | 0.97        | 2.88                | 3.665 (3)                  | 138                           |

Symmetry codes: (i) *x*, -*y*+1/2, *z*-1/2.

Fig. 1

