

## Vadimezan: 2-(5,6-dimethyl-9-oxo-9H-xanthan-4-yl)acetic acid

Shi-Jie Zhang and Wei-Xiao Hu\*

College of Pharmaceutical Science, Zhejiang University of Technology, Hangzhou 310032, People's Republic of China  
Correspondence e-mail: huyang@mail.hz.zj.cn


Received 11 July 2010; accepted 15 July 2010

Key indicators: single-crystal X-ray study;  $T = 163\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$ ;  $R$  factor = 0.040;  $wR$  factor = 0.094; data-to-parameter ratio = 15.2.

In the title molecule,  $\text{C}_{17}\text{H}_{14}\text{O}_4$ , the C atom of the carboxyl group deviates by  $1.221(3)\text{ \AA}$  from the plane [maximum deviation =  $0.0122(2)\text{ \AA}$ ] of the tricyclic ring system. In the crystal structure, intermolecular O—H $\cdots$ O hydrogen bonds link the molecules into centrosymmetric dimers, and  $\pi$ — $\pi$  interactions [centroid–centroid distances =  $3.491(3)$ ,  $3.591(3)$ ,  $3.639(3)$  and  $3.735(3)\text{ \AA}$ ] link these dimers into layers parallel to the  $ac$  plane. Weak intermolecular C—H $\cdots$ O interactions further consolidate the crystal packing.

### Related literature

For general background to and recent reviews of vascular-disrupting agents and the development of Vadimezan (DMXAA, ASA404), a promising small-molecule tumor-vascular disrupting agent in phase III clinical trials, see: McKeage & Baguley (2010); Head & Jameson (2010); Ching (2008); Patterson & Rustin (2007); Hinnen & Eskens (2007); Lippert (2007). For a recent clinical study of Vadimezan, see: Pili *et al.* (2010); McKeage *et al.* (2008, 2009). For studies of the molecular mechanisms and signal pathways of Vadimezan, see: Zhan *et al.* (2010); Cheng *et al.* (2010); Roberts *et al.* (2008). For the biological and pharmacological activity of Vadimezan analogues with structure–activity relationships, see: Gobbi *et al.* (2006); Woon *et al.* (2005). For the synthesis and spectroscopic data for Vadimezan, see: Yang & Denny (2009); Atwell *et al.* (2002). For related xanthone structures, see: Yu *et al.* (2008); Zhang *et al.* (2007).



### Experimental

#### Crystal data

|  |  |
|--|--|
| $\text{C}_{17}\text{H}_{14}\text{O}_4$ | $\gamma = 83.142(9)^\circ$               |
| $M_r = 282.28$                         | $V = 658.0(3)\text{ \AA}^3$              |
| Triclinic, $P\bar{1}$                  | $Z = 2$                                  |
| $a = 6.7854(19)\text{ \AA}$            | Mo $K\alpha$ radiation                   |
| $b = 9.826(3)\text{ \AA}$              | $\mu = 0.10\text{ mm}^{-1}$              |
| $c = 10.532(3)\text{ \AA}$             | $T = 163\text{ K}$                       |
| $\alpha = 71.435(7)^\circ$             | $0.50 \times 0.50 \times 0.37\text{ mm}$ |
| $\beta = 82.741(9)^\circ$              |  |

#### Data collection

|  |  |
|--|--|
| Rigaku AFC10/Saturn724+ diffractometer | 2955 independent reflections           |
| 6284 measured reflections              | 2304 reflections with $I > 2\sigma(I)$ |
|  | $R_{\text{int}} = 0.018$               |

#### Refinement

|                                 |  |
|---------------------------------|--|
| $R[F^2 > 2\sigma(F^2)] = 0.040$ | H atoms treated by a mixture of independent and constrained refinement |
| $wR(F^2) = 0.094$               | $\Delta\rho_{\text{max}} = 0.26\text{ e \AA}^{-3}$                     |
| $S = 1.00$                      | $\Delta\rho_{\text{min}} = -0.17\text{ e \AA}^{-3}$                    |
| 2955 reflections                |  |
| 195 parameters                  |  |

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

| $D-\text{H} \cdots A$              | $D-\text{H}$ | $\text{H} \cdots A$ | $D \cdots A$ | $D-\text{H} \cdots A$ |
|------------------------------------|--------------|---------------------|--------------|-----------------------|
| O4—H4O $\cdots$ O3 <sup>iii</sup>  | 1.00 (2)     | 1.63 (2)            | 2.633 (1)    | 173.25 (2)            |
| C16—H16B $\cdots$ O4 <sup>iv</sup> | 0.99         | 2.52                | 3.460 (1)    | 158 (1)               |

Symmetry codes: (iii)  $-x + 1, -y + 1, -z + 2$ ; (iv)  $-x, -y + 1, -z + 2$ .

Data collection: *CrystalClear* (Rigaku/MSC, 2008); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXL97* (Sheldrick, 2008); software used to prepare material for publication: *publCIF* (Westrip, 2010) and *PLATON* (Spek, 2009).

The authors acknowledge financial support from Hangzhou Minsheng Pharmaceutical Group Co Ltd, Hangzhou, People's Republic of China. The data collection was carried out by Professor Kai-Bei Yu at the State Key Laboratory of Explosion Science and Technology, Beijing Institute of Technology.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CV2747).

## References

- Atwell, G. J., Yang, S. J. & Denny, W. A. (2002). *Eur. J. Med. Chem.* **37**, 825–828.
- Cheng, G. J., Sun, J., Fridlender, Z. G., Wang, L. C. S., Ching, L. M. & Albelda, S. M. (2010). *J. Biol. Chem.* **285**, 10553–10562.
- Ching, L. M. (2008). *Drugs Future*, **33**, 561–569.
- Gobbi, S., Belluti, F., Bisi, A., Piazz, L., Rampa, A., Zampiron, A., Barbera, M., Caputo, A. & Carrara, M. (2006). *Bioorg. Med. Chem.* **14**, 4101–4109.
- Head, M. & Jameson, M. B. (2010). *Expert Opin. Inv. Drug*, **19**, 295–304.
- Hinnen, P. & Eskens, F. A. L. M. (2007). *Brit. J. Cancer*, **96**, 1159–1165.
- Lippert, J. W. (2007). *Bioorg. Med. Chem.* **15**, 605–615.
- McKeage, M. J. & Baguley, B. C. (2010). *Cancer*, **116**, 1859–1871.
- McKeage, M. J., Reck, M., Jameson, M. B., Rosenthal, M. A., Gibbs, D., Mainwaring, P. N., Freitag, L., Sullivan, R. & Von Pawel, J. (2009). *Lung Cancer*, **65**, 192–197.
- McKeage, M. J., Von Pawel, J., Reck, M., Jameson, M. B., Rosenthal, M. A., Sullivan, R., Gibbs, D., Mainwaring, P. N., Serke, M., Lafitte, J. J., Chouaid, C., Freitag, L. & Quoix, E. (2008). *Br. J. Cancer*, **99**, 2006–2012.
- Patterson, D. A. & Rustin, G. J. S. (2007). *Clin. Oncol.* **19**, 443–456.
- Pili, R., Rosenthal, M. A., Mainwaring, P. N., Van Hazel, G., Srinivas, S., Dreicer, R., Goel, S., Leach, J., Wong, S. & Clingan, P. (2010). *Clin. Cancer Res.* **16**, 2906–2914.
- Rigaku/MSC. (2008). *CrystalClear*. Rigaku/MSC Inc., The Woodlands, Texas, USA.
- Roberts, Z. J., Ching, L. M. & Vogel, S. N. (2008). *J. Interf. Cytok. Res.* **28**, 133–139.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.
- Woon, S. T., Reddy, C. B., Drummond, C. J., Schooltink, M. A., Baguley, B. C., Kieda, C. & Ching, L. M. (2005). *Oncol. Res.* **15**, 351–364.
- Yang, S. J. & Denny, W. A. (2009). *Tetrahedron Lett.* **50**, 3945–3947.
- Yu, P., Shen, X., Hu, C., Meehan, E. J. & Chen, L. (2008). *Acta Cryst. E* **64**, o651–o652.
- Zhan, X., Finlay, G., Ross, J. & Baguley, B. (2010). *Cell. Oncol.* **32**, 187.
- Zhang, H.-F., Sun, B.-S., Zhao, X.-H. & Yan, F.-Y. (2007). *Acta Cryst. E* **63**, o863–o864.

## **supplementary materials**

*Acta Cryst.* (2010). E66, o2082-o2083 [doi:10.1107/S16005368100028394]

### Vadimezan: 2-(5,6-dimethyl-9-oxo-9*H*-xanthen-4-yl)acetic acid

S.-J. Zhang and W.-X. Hu

#### Comment

Tumor vascular disrupting agents (VDA) cause the established vascular structure inside a solid tumor to collapse, depriving the tumor of blood, oxygen and nutrients it needs to survive (McKeage *et al.*, 2010; Head *et al.*, 2010; Ching, 2008; Patterson *et al.*, 2007; Hinnen *et al.*, 2007; Lippert, 2007). A number of new drug-based VDAs have been developed that are believed to be highly efficient, low toxic, and several of them are currently undergoing clinical trials, among which Vadimezan is the most advanced in Phase III clinical development (Pili *et al.*, 2010; McKeage *et al.*, 2009; McKeage *et al.*, 2008). The study of antitumor mechanisms and signal pathways of Vadimezan is carried out (Zhan *et al.*, 2010; Cheng *et al.*, 2010; Roberts *et al.*, 2008), as well as the structure modification of xanthones (Gobbi *et al.*, 2006; Woon *et al.*, 2005).

The molecular structure of Vadimezan is very important and necessary in understanding of the compound and may help to further elucidate its antivascular effect for the treatment of human cancer. Its crystal structure is reported for the first time in this paper. The structure (Figure 1) is similar to other xanthones reported with an essential planar three-ring skeleton and the C atom of the carboxyl group deviates at 1.221 (3) Å from the tricycle plane. In the crystal structure, intermolecular O—H···O (Table 2) hydrogen bonds link the molecules into centrosymmetric dimers, and  $\pi$ – $\pi$  interactions (Table 1) link these dimers into layers parallel to *ac* plane. Weak intermolecular C—H···O interactions (Table 2) consolidate further the crystal packing (Fig. 2).

#### Experimental

Vadimezan was prepared from 3,4-dimethylanthranilic acid according to literature method (Atwell *et al.*, 2002). Diazotization of 3,4-dimethylanthranilic acid with NaNO<sub>2</sub> and then treatment with KI led to 3,4-dimethyl-2-iodobenzoic acid, which was coupled with 2-hydroxyphenylacetic acid catalyzed by TDA-1 and Cu<sup>(I)</sup> in dried DMSO to obtain 2-[2-(carboxymethyl)phenoxy]-3,4-dimethylbenzoic acid. Finally, ring closure in sulfuric acid led to 5,6-dimethyl-9-oxoxanthene-4-acetic acid: white solid; mp: 529–532 K; *P*<sub>HPLC</sub> 98.2%; IR  $\nu_{\text{max}}$  (KBr)/cm<sup>−1</sup>: 2970, 1708, 1650, 1602, 1411, 1330, 1212, 768; <sup>1</sup>H NMR (DMSO-d<sub>6</sub>, 500 MHz)  $\delta$ : 12.60 (s, 1H, COOH), 8.07 (dd,  $J_1$  = 1.5 Hz,  $J_2$  = 8.0 Hz, 1H, Ar), 7.89 (d,  $J$  = 8.0 Hz, 1H, Ar), 7.78 (dd,  $J_1$  = 1.3 Hz,  $J_2$  = 7.3 Hz, 1H, Ar), 7.40 (t,  $J$  = 7.5 Hz, 1H, Ar), 7.24 (d,  $J$  = 8.5 Hz, 1H, Ar), 3.95 (s, 2H, Ar—CH<sub>2</sub>), 2.39 (s, 3H, Ar—CH<sub>3</sub>), 2.36 (s, 3H, Ar—CH<sub>3</sub>); EIMS m/z(%): 282( $M^+$ , 77), 238 (42), 237 (100), 236 (26), 223 (17), 209 (37), 195 (12), 165 (28).

#### Refinement

H atom attached to carboxyl O atom was located in a difference map and refined with bond restraint O—H = 1.00 (2) Å. C-bound H atoms were positioned geometrically (C—H 0.95 - 0.99 Å). All H atoms were refined as riding, with  $U_{\text{iso}}(\text{H})$  = 1.2 - 1.5  $U_{\text{eq}}$  of the parent atoms. Hydrogen atoms attached to C14 are disordered with a refined site occupancy factor 0.50 for each H14A, H14B, H14C, H14D, H14E and H14F.

# supplementary materials

---

## Figures




Fig. 1. The molecular structure of (I) shown with 30% probability displacement ellipsoids. One component of rotationally disordered methyl group (C14) is shown.




Fig. 2. A portion of the packing diagram of (I) showing intermolecular hydrogen bonds as dashed lines.

## 2-(5,6-dimethyl-9-oxo-9*H*-xanthen-4-yl)acetic acid

### Crystal data

|  |  |
|--|--|
| C <sub>17</sub> H <sub>14</sub> O <sub>4</sub> | Z = 2  |
| M <sub>r</sub> = 282.28                        | F(000) = 296                                   |
| Triclinic, P $\bar{1}$                         | D <sub>x</sub> = 1.425 Mg m <sup>-3</sup>      |
| a = 6.7854 (19) Å                              | Mo K $\alpha$ radiation, $\lambda$ = 0.71073 Å |
| b = 9.826 (3) Å                                | Cell parameters from 1944 reflections          |
| c = 10.532 (3) Å                               | $\theta$ = 3.0–27.5°                           |
| $\alpha$ = 71.435 (7)°                         | $\mu$ = 0.10 mm <sup>-1</sup>                  |
| $\beta$ = 82.741 (9)°                          | T = 163 K                                      |
| $\gamma$ = 83.142 (9)°                         | Block, colorless                               |
| V = 658.0 (3) Å <sup>3</sup>                   | 0.50 × 0.50 × 0.37 mm                          |

### Data collection

|  |  |
|--|--|
| Rigaku AFC10/Saturn724+ diffractometer               | 2304 reflections with $I > 2\sigma(I)$                                 |
| Radiation source: Rotating Anode graphite            | $R_{\text{int}} = 0.018$   |
| Detector resolution: 28.5714 pixels mm <sup>-1</sup> | $\theta_{\text{max}} = 27.5^\circ$ , $\theta_{\text{min}} = 3.4^\circ$ |
| phi and $\omega$ scans                               | $h = -8 \rightarrow 8$   |
| 6284 measured reflections                            | $k = -11 \rightarrow 12$   |
| 2955 independent reflections                         | $l = -13 \rightarrow 13$   |

### Refinement

|                     |  |
|---------------------|--|
| Refinement on $F^2$ | Primary atom site location: structure-invariant direct methods |
|---------------------|--|

|                                 |  |
|---------------------------------|--|
| Least-squares matrix: full      | Secondary atom site location: difference Fourier map                   |
| $R[F^2 > 2\sigma(F^2)] = 0.040$ | Hydrogen site location: inferred from neighbouring sites               |
| $wR(F^2) = 0.094$               | H atoms treated by a mixture of independent and constrained refinement |
| $S = 1.00$                      | $w = 1/[\sigma^2(F_o^2) + (0.0346P)^2 + 0.226P]$                       |
| 2955 reflections                | where $P = (F_o^2 + 2F_c^2)/3$   |
| 195 parameters                  | $(\Delta/\sigma)_{\max} < 0.001$                                       |
| 0 restraints                    | $\Delta\rho_{\max} = 0.26 \text{ e \AA}^{-3}$                          |
|                                 | $\Delta\rho_{\min} = -0.17 \text{ e \AA}^{-3}$                         |

### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

|     | $x$          | $y$           | $z$          | $U_{\text{iso}}^*/U_{\text{eq}}$ | Occ. (<1) |
|-----|--------------|---------------|--------------|----------------------------------|-----------|
| O1  | 0.21097 (13) | 0.40487 (9)   | 0.72385 (9)  | 0.0215 (2)                       |           |
| O2  | 0.36821 (16) | 0.20951 (10)  | 0.43040 (10) | 0.0335 (3)                       |           |
| O3  | 0.49314 (15) | 0.35197 (11)  | 0.95899 (10) | 0.0312 (2)                       |           |
| O4  | 0.23835 (16) | 0.47712 (12)  | 1.03729 (11) | 0.0361 (3)                       |           |
| C1  | 0.3402 (2)   | 0.03641 (14)  | 0.70661 (15) | 0.0278 (3)                       |           |
| H1  | 0.3796       | -0.0144       | 0.6431       | 0.033*                           |           |
| C2  | 0.3195 (2)   | -0.03755 (15) | 0.84129 (16) | 0.0330 (3)                       |           |
| H2  | 0.3434       | -0.1395       | 0.8710       | 0.040*                           |           |
| C3  | 0.2632 (2)   | 0.03676 (15)  | 0.93484 (15) | 0.0306 (3)                       |           |
| H3  | 0.2494       | -0.0159       | 1.0279       | 0.037*                           |           |
| C4  | 0.2271 (2)   | 0.18497 (14)  | 0.89551 (14) | 0.0252 (3)                       |           |
| C5  | 0.18653 (18) | 0.63568 (13)  | 0.56645 (13) | 0.0208 (3)                       |           |
| C6  | 0.20182 (18) | 0.72389 (13)  | 0.43318 (13) | 0.0221 (3)                       |           |
| C7  | 0.25597 (19) | 0.66243 (14)  | 0.32918 (13) | 0.0248 (3)                       |           |
| H7  | 0.2664       | 0.7233        | 0.2386       | 0.030*                           |           |
| C8  | 0.29413 (19) | 0.51639 (14)  | 0.35551 (13) | 0.0238 (3)                       |           |
| H8  | 0.3301       | 0.4772        | 0.2833       | 0.029*                           |           |
| C9  | 0.32191 (19) | 0.26831 (14)  | 0.51829 (13) | 0.0232 (3)                       |           |
| C10 | 0.30347 (19) | 0.18691 (14)  | 0.66213 (13) | 0.0223 (3)                       |           |
| C11 | 0.24803 (18) | 0.25830 (13)  | 0.75729 (13) | 0.0212 (3)                       |           |
| C12 | 0.22678 (17) | 0.48664 (13)  | 0.59068 (12) | 0.0188 (3)                       |           |
| C13 | 0.28044 (18) | 0.42500 (13)  | 0.48780 (13) | 0.0202 (3)                       |           |

## supplementary materials

---

|      |            |              |              |            |      |
|------|------------|--------------|--------------|------------|------|
| C14  | 0.1303 (2) | 0.69521 (15) | 0.68242 (14) | 0.0298 (3) |      |
| H14A | 0.1279     | 0.6159       | 0.7671       | 0.036*     | 0.50 |
| H14B | -0.0020    | 0.7477       | 0.6734       | 0.036*     | 0.50 |
| H14C | 0.2284     | 0.7608       | 0.6823       | 0.036*     | 0.50 |
| H14D | 0.1084     | 0.8004       | 0.6481       | 0.036*     | 0.50 |
| H14E | 0.2382     | 0.6686       | 0.7418       | 0.036*     | 0.50 |
| H14F | 0.0078     | 0.6554       | 0.7330       | 0.036*     | 0.50 |
| C15  | 0.1628 (2) | 0.88493 (14) | 0.39994 (15) | 0.0291 (3) |      |
| H15A | 0.0275     | 0.9087       | 0.4362       | 0.035*     |      |
| H15B | 0.1761     | 0.9292       | 0.3021       | 0.035*     |      |
| H15C | 0.2594     | 0.9217       | 0.4399       | 0.035*     |      |
| C16  | 0.1661 (2) | 0.26804 (15) | 0.99384 (14) | 0.0293 (3) |      |
| H16A | 0.1462     | 0.1991       | 1.0854       | 0.035*     |      |
| H16B | 0.0369     | 0.3240       | 0.9720       | 0.035*     |      |
| C17  | 0.3156 (2) | 0.36947 (15) | 0.99384 (13) | 0.0260 (3) |      |
| H4O  | 0.345 (3)  | 0.541 (2)    | 1.032 (2)    | 0.076 (7)* |      |

### Atomic displacement parameters ( $\text{\AA}^2$ )

|     | $U^{11}$   | $U^{22}$   | $U^{33}$   | $U^{12}$    | $U^{13}$    | $U^{23}$    |
|-----|------------|------------|------------|-------------|-------------|-------------|
| O1  | 0.0261 (5) | 0.0176 (4) | 0.0205 (5) | -0.0008 (3) | -0.0016 (4) | -0.0061 (4) |
| O2  | 0.0449 (6) | 0.0277 (5) | 0.0326 (6) | 0.0000 (4)  | -0.0035 (5) | -0.0171 (4) |
| O3  | 0.0298 (5) | 0.0314 (5) | 0.0339 (6) | 0.0002 (4)  | -0.0023 (4) | -0.0133 (4) |
| O4  | 0.0322 (6) | 0.0397 (6) | 0.0430 (6) | 0.0003 (5)  | -0.0014 (5) | -0.0241 (5) |
| C1  | 0.0279 (7) | 0.0212 (7) | 0.0377 (8) | -0.0008 (5) | -0.0081 (6) | -0.0125 (6) |
| C2  | 0.0367 (8) | 0.0185 (7) | 0.0426 (9) | -0.0008 (6) | -0.0115 (7) | -0.0053 (6) |
| C3  | 0.0334 (8) | 0.0252 (7) | 0.0295 (7) | -0.0046 (6) | -0.0071 (6) | -0.0010 (6) |
| C4  | 0.0227 (7) | 0.0253 (7) | 0.0272 (7) | -0.0041 (5) | -0.0031 (5) | -0.0063 (6) |
| C5  | 0.0184 (6) | 0.0207 (6) | 0.0249 (7) | -0.0018 (5) | -0.0017 (5) | -0.0094 (5) |
| C6  | 0.0185 (6) | 0.0198 (6) | 0.0279 (7) | -0.0021 (5) | -0.0036 (5) | -0.0063 (5) |
| C7  | 0.0239 (7) | 0.0266 (7) | 0.0215 (7) | -0.0030 (5) | -0.0030 (5) | -0.0034 (5) |
| C8  | 0.0233 (7) | 0.0278 (7) | 0.0226 (7) | -0.0029 (5) | -0.0016 (5) | -0.0108 (5) |
| C9  | 0.0211 (6) | 0.0232 (7) | 0.0290 (7) | -0.0019 (5) | -0.0038 (5) | -0.0127 (6) |
| C10 | 0.0197 (6) | 0.0206 (6) | 0.0287 (7) | -0.0021 (5) | -0.0052 (5) | -0.0089 (5) |
| C11 | 0.0185 (6) | 0.0179 (6) | 0.0273 (7) | -0.0024 (5) | -0.0042 (5) | -0.0060 (5) |
| C12 | 0.0159 (6) | 0.0199 (6) | 0.0206 (6) | -0.0030 (5) | -0.0019 (5) | -0.0058 (5) |
| C13 | 0.0175 (6) | 0.0209 (6) | 0.0241 (7) | -0.0025 (5) | -0.0030 (5) | -0.0089 (5) |
| C14 | 0.0385 (8) | 0.0228 (7) | 0.0289 (7) | -0.0018 (6) | 0.0008 (6)  | -0.0108 (6) |
| C15 | 0.0318 (8) | 0.0218 (7) | 0.0317 (8) | -0.0016 (5) | -0.0032 (6) | -0.0053 (6) |
| C16 | 0.0307 (7) | 0.0295 (7) | 0.0246 (7) | -0.0036 (6) | 0.0015 (6)  | -0.0053 (6) |
| C17 | 0.0320 (7) | 0.0270 (7) | 0.0165 (6) | 0.0022 (6)  | -0.0036 (5) | -0.0045 (5) |

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

|        |             |        |             |
|--------|-------------|--------|-------------|
| O1—C11 | 1.3690 (15) | C7—C8  | 1.3708 (19) |
| O1—C12 | 1.3746 (15) | C7—H7  | 0.9500      |
| O2—C9  | 1.2301 (15) | C8—C13 | 1.3953 (18) |
| O3—C17 | 1.2225 (17) | C8—H8  | 0.9500      |
| O4—C17 | 1.3108 (16) | C9—C10 | 1.4680 (19) |

|                         |             |                         |             |
|-------------------------|-------------|-------------------------|-------------|
| O4—H4O                  | 1.00 (2)    | C9—C13                  | 1.4688 (18) |
| C1—C2                   | 1.370 (2)   | C10—C11                 | 1.3883 (18) |
| C1—C10                  | 1.4032 (18) | C12—C13                 | 1.3925 (17) |
| C1—H1                   | 0.9500      | C14—H14A                | 0.9800      |
| C2—C3                   | 1.395 (2)   | C14—H14B                | 0.9800      |
| C2—H2                   | 0.9500      | C14—H14C                | 0.9800      |
| C3—C4                   | 1.3816 (19) | C14—H14D                | 0.9800      |
| C3—H3                   | 0.9500      | C14—H14E                | 0.9800      |
| C4—C11                  | 1.4011 (19) | C14—H14F                | 0.9800      |
| C4—C16                  | 1.5030 (19) | C15—H15A                | 0.9800      |
| C5—C6                   | 1.3937 (18) | C15—H15B                | 0.9800      |
| C5—C12                  | 1.4031 (17) | C15—H15C                | 0.9800      |
| C5—C14                  | 1.5045 (18) | C16—C17                 | 1.505 (2)   |
| C6—C7                   | 1.4021 (19) | C16—H16A                | 0.9900      |
| C6—C15                  | 1.5057 (18) | C16—H16B                | 0.9900      |
| Cg1···Cg2 <sup>i</sup>  | 3.491 (3)   | Cg2···Cg2 <sup>i</sup>  | 3.735 (3)   |
| Cg1···Cg2 <sup>ii</sup> | 3.591 (3)   | Cg2···Cg2 <sup>ii</sup> | 3.639 (3)   |
| C11—O1—C12              | 119.45 (10) | C12—C13—C9              | 120.73 (12) |
| C17—O4—H4O              | 109.3 (12)  | C8—C13—C9               | 121.21 (11) |
| C2—C1—C10               | 120.21 (13) | C5—C14—H14A             | 109.5       |
| C2—C1—H1                | 119.9       | C5—C14—H14B             | 109.5       |
| C10—C1—H1               | 119.9       | H14A—C14—H14B           | 109.5       |
| C1—C2—C3                | 120.06 (13) | C5—C14—H14C             | 109.5       |
| C1—C2—H2                | 120.0       | H14A—C14—H14C           | 109.5       |
| C3—C2—H2                | 120.0       | H14B—C14—H14C           | 109.5       |
| C4—C3—C2                | 121.64 (13) | C5—C14—H14D             | 109.5       |
| C4—C3—H3                | 119.2       | H14A—C14—H14D           | 141.1       |
| C2—C3—H3                | 119.2       | H14B—C14—H14D           | 56.3        |
| C3—C4—C11               | 117.33 (12) | H14C—C14—H14D           | 56.3        |
| C3—C4—C16               | 122.88 (13) | C5—C14—H14E             | 109.5       |
| C11—C4—C16              | 119.79 (12) | H14A—C14—H14E           | 56.3        |
| C6—C5—C12               | 117.71 (11) | H14B—C14—H14E           | 141.1       |
| C6—C5—C14               | 122.29 (11) | H14C—C14—H14E           | 56.3        |
| C12—C5—C14              | 120.00 (12) | H14D—C14—H14E           | 109.5       |
| C5—C6—C7                | 119.79 (12) | C5—C14—H14F             | 109.5       |
| C5—C6—C15               | 120.53 (11) | H14A—C14—H14F           | 56.3        |
| C7—C6—C15               | 119.67 (12) | H14B—C14—H14F           | 56.3        |
| C8—C7—C6                | 121.37 (12) | H14C—C14—H14F           | 141.1       |
| C8—C7—H7                | 119.3       | H14D—C14—H14F           | 109.5       |
| C6—C7—H7                | 119.3       | H14E—C14—H14F           | 109.5       |
| C7—C8—C13               | 120.32 (12) | C6—C15—H15A             | 109.5       |
| C7—C8—H8                | 119.8       | C6—C15—H15B             | 109.5       |
| C13—C8—H8               | 119.8       | H15A—C15—H15B           | 109.5       |
| O2—C9—C10               | 122.46 (12) | C6—C15—H15C             | 109.5       |
| O2—C9—C13               | 122.77 (12) | H15A—C15—H15C           | 109.5       |
| C10—C9—C13              | 114.77 (11) | H15B—C15—H15C           | 109.5       |
| C11—C10—C1              | 118.59 (12) | C4—C16—C17              | 113.59 (11) |
| C11—C10—C9              | 120.20 (11) | C4—C16—H16A             | 108.8       |

## supplementary materials

---

|                |              |                |              |
|----------------|--------------|----------------|--------------|
| C1—C10—C9      | 121.21 (12)  | C17—C16—H16A   | 108.8        |
| O1—C11—C10     | 122.88 (12)  | C4—C16—H16B    | 108.8        |
| O1—C11—C4      | 114.95 (11)  | C17—C16—H16B   | 108.8        |
| C10—C11—C4     | 122.17 (12)  | H16A—C16—H16B  | 107.7        |
| O1—C12—C13     | 121.97 (11)  | O3—C17—O4      | 123.02 (14)  |
| O1—C12—C5      | 115.28 (11)  | O3—C17—C16     | 123.28 (12)  |
| C13—C12—C5     | 122.75 (12)  | O4—C17—C16     | 113.68 (12)  |
| C12—C13—C8     | 118.06 (11)  |                |              |
| C10—C1—C2—C3   | -0.5 (2)     | C16—C4—C11—O1  | 0.55 (18)    |
| C1—C2—C3—C4    | 0.0 (2)      | C3—C4—C11—C10  | -0.25 (19)   |
| C2—C3—C4—C11   | 0.4 (2)      | C16—C4—C11—C10 | -179.84 (12) |
| C2—C3—C4—C16   | 179.95 (13)  | C11—O1—C12—C13 | -0.27 (17)   |
| C12—C5—C6—C7   | -0.03 (18)   | C11—O1—C12—C5  | -179.83 (11) |
| C14—C5—C6—C7   | 179.62 (12)  | C6—C5—C12—O1   | 179.53 (11)  |
| C12—C5—C6—C15  | -179.37 (12) | C14—C5—C12—O1  | -0.13 (17)   |
| C14—C5—C6—C15  | 0.28 (19)    | C6—C5—C12—C13  | -0.03 (19)   |
| C5—C6—C7—C8    | 0.2 (2)      | C14—C5—C12—C13 | -179.69 (12) |
| C15—C6—C7—C8   | 179.51 (12)  | O1—C12—C13—C8  | -179.58 (11) |
| C6—C7—C8—C13   | -0.2 (2)     | C5—C12—C13—C8  | -0.05 (19)   |
| C2—C1—C10—C11  | 0.6 (2)      | O1—C12—C13—C9  | 0.23 (18)    |
| C2—C1—C10—C9   | -179.11 (13) | C5—C12—C13—C9  | 179.75 (11)  |
| O2—C9—C10—C11  | -179.09 (12) | C7—C8—C13—C12  | 0.19 (19)    |
| C13—C9—C10—C11 | 0.80 (17)    | C7—C8—C13—C9   | -179.61 (12) |
| O2—C9—C10—C1   | 0.6 (2)      | O2—C9—C13—C12  | 179.41 (12)  |
| C13—C9—C10—C1  | -179.46 (12) | C10—C9—C13—C12 | -0.47 (17)   |
| C12—O1—C11—C10 | 0.62 (17)    | O2—C9—C13—C8   | -0.8 (2)     |
| C12—O1—C11—C4  | -179.77 (11) | C10—C9—C13—C8  | 179.32 (11)  |
| C1—C10—C11—O1  | 179.34 (12)  | C3—C4—C16—C17  | 116.51 (15)  |
| C9—C10—C11—O1  | -0.91 (19)   | C11—C4—C16—C17 | -63.93 (17)  |
| C1—C10—C11—C4  | -0.24 (19)   | C4—C16—C17—O3  | -25.38 (19)  |
| C9—C10—C11—C4  | 179.51 (12)  | C4—C16—C17—O4  | 155.89 (12)  |
| C3—C4—C11—O1   | -179.87 (11) |                |              |


Symmetry codes: (i)  $-x+1, -y+1, -z+1$ ; (ii)  $-x+2, -y+1, -z+1$ .

### *Hydrogen-bond geometry ( $\text{\AA}$ , $^\circ$ )*

| $D\text{—H}\cdots A$               | $D\text{—H}$ | $H\cdots A$ | $D\cdots A$ | $D\text{—H}\cdots A$ |
|------------------------------------|--------------|-------------|-------------|----------------------|
| O4—H4O $\cdots$ O3 <sup>iii</sup>  | 1.00 (2)     | 1.63 (2)    | 2.633 (1)   | 173.25 (2)           |
| C16—H16B $\cdots$ O4 <sup>iv</sup> | 0.99         | 2.52        | 3.460 (1)   | 158 (1)              |

Symmetry codes: (iii)  $-x+1, -y+1, -z+2$ ; (iv)  $-x, -y+1, -z+2$ .

Fig. 1



## supplementary materials

---

Fig. 2

