

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## 9-(2-Bromophenoxyacetyl)-10-methylacridinium trifluoromethanesulfonate

Damian Trzybiński, Andrzej Sierdzan, Karol Krzyński and Jerzy Błażejowski\*

Faculty of Chemistry, University of Gdańsk, J. Sobieskiego 18, 80-952 Gdańsk, Poland

Correspondence e-mail: bla@chem.univ.gda.pl


Received 19 April 2012; accepted 8 May 2012

Key indicators: single-crystal X-ray study;  $T = 295$  K; mean  $\sigma(\text{C}-\text{C}) = 0.004$  Å;  $R$  factor = 0.035;  $wR$  factor = 0.088; data-to-parameter ratio = 12.5.

In the crystal structure of the title compound,  $\text{C}_{21}\text{H}_{15}\text{BrNO}_2^{+}\cdot\text{CF}_3\text{SO}_3^{-}$ , adjacent cations are linked through  $\text{C}-\text{Br}\cdots\pi$  and  $\pi-\pi$  contacts [centroid-centroid distance =  $3.744(2)$  Å], and neighbouring cations and anions via  $\text{C}-\text{H}\cdots\text{O}$ ,  $\text{C}-\text{F}\cdots\pi$  and  $\text{S}-\text{O}\cdots\pi$  interactions. The acridine and benzene ring systems are oriented at a dihedral angle of  $18.7(1)^\circ$ . The carboxy group is twisted at an angle of  $69.3(1)^\circ$  relative to the acridine skeleton. The mean planes of adjacent acridine moieties are either parallel or inclined at an angle of  $27.8(1)^\circ$  in the lattice.

## Related literature

For general background to the chemiluminescent properties of 9-phenoxyacetyl-10-methylacridinium trifluoromethanesulfonates, see: King *et al.* (2007); Krzyński *et al.* (2011); Roda *et al.* (2003); Zomer & Jacquemijns (2001). For related structures, see: Trzybiński *et al.* (2010). For intermolecular interactions, see: Dorn *et al.* (2005); Hunter *et al.* (2001); Novoa *et al.* (2006); Seo *et al.* (2009); Sikorski *et al.* (2005); Trzybiński *et al.* (2010). For similar  $\text{C}-\text{Br}\cdots\pi$ ,  $\pi-\pi$ ,  $\text{C}-\text{H}\cdots\text{O}$ ,  $\text{C}-\text{F}\cdots\pi$  and  $\text{S}-\text{O}\cdots\pi$  interactions in related compounds, see: Sikorski *et al.* (2005); Trzybiński *et al.* (2010). For the synthesis, see: Sato (1996); Trzybiński *et al.* (2010).



## Experimental

## Crystal data

$\text{C}_{21}\text{H}_{15}\text{BrNO}_2^{+}\cdot\text{CF}_3\text{SO}_3^{-}$   
 $M_r = 542.32$   
 Monoclinic,  $P2_1/c$   
 $a = 12.5718(8)$  Å  
 $b = 20.3617(16)$  Å  
 $c = 8.5162(6)$  Å  
 $\beta = 104.498(7)^\circ$

$V = 2110.6(3)$  Å<sup>3</sup>  
 $Z = 4$   
 Mo  $K\alpha$  radiation  
 $\mu = 2.11$  mm<sup>-1</sup>  
 $T = 295$  K  
 $0.46 \times 0.25 \times 0.02$  mm

## Data collection

Oxford Diffraction Gemini R Ultra  
 Ruby CCD diffractometer  
 Absorption correction: multi-scan  
 (*CrysAlis RED*; Oxford  
 Diffraction, 2008)  
 $T_{\min} = 0.668$ ,  $T_{\max} = 1.000$

16372 measured reflections  
 3735 independent reflections  
 2348 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.041$

## Refinement

$R[F^2 > 2\sigma(F^2)] = 0.035$   
 $wR(F^2) = 0.088$   
 $S = 0.92$   
 3735 reflections

299 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 0.46$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.40$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{C3}-\text{H3}\cdots\text{O28}^{\text{i}}$	0.93	2.54	3.289 (5)	137
$\text{C7}-\text{H7}\cdots\text{O27}$	0.93	2.54	3.200 (5)	128

Symmetry code: (i)  $-x + 1, y + \frac{1}{2}, -z + \frac{3}{2}$ .

Table 2

 $\text{C}-\text{F}\cdots\pi$ ,  $\text{C}-\text{Br}\cdots\pi$  and  $\text{S}-\text{O}\cdots\pi$  interactions (Å, °).

$\text{Cg1}$ ,  $\text{Cg2}$  and  $\text{Cg4}$  are the centroids of the  $\text{C9/N10/C11}-\text{C14}$ ,  $\text{C1}-\text{C4/C11/C12}$  and  $\text{C18}-\text{C23}$  rings, respectively.

$X-I\cdots J$	$I\cdots J$	$X\cdots J$	$X-I\cdots J$
$\text{C19}-\text{Br24}\cdots\text{Cg4}^{\text{ii}}$	3.523 (2)	4.847 (3)	124.6 (1)
$\text{C30}-\text{F32}\cdots\text{Cg4}^{\text{iii}}$	3.648 (2)	4.310 (4)	110.8 (2)
$\text{S26}-\text{O27}\cdots\text{Cg1}^{\text{iv}}$	3.821 (3)	3.708 (2)	74.8 (2)
$\text{S26}-\text{O28}\cdots\text{Cg1}^{\text{iv}}$	3.414 (3)	3.708 (2)	90.3 (2)
$\text{S26}-\text{O28}\cdots\text{Cg2}^{\text{iv}}$	3.358 (3)	4.445 (2)	132.2 (2)

Symmetry codes: (ii)  $x, -y + \frac{3}{2}, z - \frac{1}{2}$ ; (iii)  $-x, -y + 1, -z + 1$ ; (iv)  $-x + 1, -y + 1, -z + 2$ .

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2008); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2008); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97* and *PLATON* (Spek, 2009).

This study was financed by the State Funds for Scientific Research through National Center for Science grant No. N N204 375 740 (contract No. 3757/B/H03/2011/40). DT acknowledges financial support from the European Social Fund within the project "Educators for the elite - integrated training program for PhD students, post-docs and professors as academic teachers at the University of Gdańsk" and the

Human Capital Operational Program Action 4.1.1, Improving the quality on offer at tertiary educational institutions. This publication reflects the views only of the author: the sponsor cannot be held responsible for any use which may be made of the information contained therein.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: FJ2548).

## References

- Dorn, T., Janiak, C. & Abu-Shandi, K. (2005). *CrystEngComm*, **7**, 633–641.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Hunter, C. A., Lawson, K. R., Perkins, J. & Urch, C. J. (2001). *J. Chem. Soc. Perkin Trans. 2*, pp. 651–669.
- King, D. W., Cooper, W. J., Rusak, S. A., Peake, B. M., Kiddle, J. J., O'Sullivan, D. W., Melamed, M. L., Morgan, C. R. & Theberge, S. M. (2007). *Anal. Chem.* **79**, 4169–4176.
- Krzymiński, K., Ożóg, A., Malecha, P., Roshal, A. D., Wróblewska, A., Zadykowicz, B. & Błażejowski, J. (2011). *J. Org. Chem.* **76**, 1072–1085.
- Novoa, J. J., Mota, F. & D'Oria, E. (2006). *Hydrogen Bonding – New Insights*, edited by S. Grabowski, pp. 193–244. The Netherlands: Springer.
- Oxford Diffraction (2008). *CrysAlis CCD* and *CrysAlis RED*. Oxford Diffraction Ltd, Yarnton, England.
- Roda, A., Guardigli, M., Michelini, E., Mirasoli, M. & Pasini, P. (2003). *Anal. Chem.* **A75**, 462–470.
- Sato, N. (1996). *Tetrahedron Lett.* **37**, 8519–8522.
- Seo, P. J., Choi, H. D., Son, B. W. & Lee, U. (2009). *Acta Cryst.* **E65**, o2302.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Sikorski, A., Krzymiński, K., Niziołek, A. & Błażejowski, J. (2005). *Acta Cryst.* **C61**, o690–o694.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Trzybiński, D., Krzymiński, K., Sikorski, A. & Błażejowski, J. (2010). *Acta Cryst.* **E66**, o1313–o1314.
- Zomer, G. & Jacquemijns, M. (2001). *Chemiluminescence in Analytical Chemistry*, edited by A. M. Garcia-Campana & W. R. G. Baeyens, pp. 529–549. New York: Marcel Dekker.

## supplementary materials

*Acta Cryst.* (2012). E68, o1722–o1723 [doi:10.1107/S1600536812020892]

## 9-(2-Bromophenoxy-carbonyl)-10-methylacridinium trifluoromethanesulfonate

Damian Trzybiński, Andrzej Sieradzan, Karol Krzymiński and Jerzy Błażejowski

### Comment

The well-known chemiluminescence of 9-(phenoxy-carbonyl)-10-methylacridinium salts has been utilized in chemiluminescent indicators and labels, which are commonly applied in assays of biologically and environmentally important entities (Zomer & Jacquemijns, 2001; Roda *et al.*, 2003; King *et al.*, 2007). The cations of these salts are oxidized by H<sub>2</sub>O<sub>2</sub> in alkaline media, a reaction that is accompanied by the removal of the phenoxy-carbonyl fragment and the conversion of the remaining part of the molecules to electronically excited, light-emitting 10-methyl-9-acridinone (Krzymiński *et al.*, 2011). The efficiency of chemiluminescence – crucial for analytical applications – is affected by the constitution of the phenyl fragment (Zomer & Jacquemijns, 2001). In continuing our investigations on the latter aspect, we synthesized 9-(2-bromophenoxy-carbonyl)-10-methylacridinium trifluoromethanesulfonate, whose crystal structure is presented here.

In the cation of the title compound (Fig. 1), the bond lengths and angles characterizing the geometry of the acridinium moiety are typical of acridine-based derivatives (Trzybiński *et al.*, 2010). With respective average deviations from planarity of 0.0519 (3) Å and 0.0034 (3) Å, the acridine and benzene ring systems are oriented at a dihedral angle of 18.7 (1)°. The carboxyl group is twisted at an angle of 69.3 (1)° relative to the acridine skeleton. The mean planes of the adjacent acridine moieties are parallel (remain at an angle of 0.0 (1)°) or inclined at an angle of 27.8 (1)° in the crystal.

The search for intermolecular interactions in the crystal using PLATON (Spek, 2009) has shown that the adjacent cations are linked by C–Br⋯π (Table 2, Fig. 2) and π–π (Table 3, Fig. 2) contacts, and the cations and neighboring anions via C–H⋯O (Table 1, Figs. 1 and 2), C–F⋯π (Table 2, Fig. 2) and S–O⋯π (Table 2, Fig. 2) interactions. The C–H⋯O interactions are of the hydrogen bond type (Novoa *et al.*, 2006). The C–F⋯π (Dorn *et al.*, 2005), S–O⋯π (Dorn *et al.*, 2005) and π–π (Hunter *et al.*, 2001) interactions should be of an attractive nature. The C–Br⋯π interactions have been reported by others (Seo *et al.*, 2009). We have found all the above interactions in many other 9-phenoxy-carbonyl-10-methylacridinium trifluoromethanesulfonates (e.g. Sikorski *et al.*, 2005; Trzybiński *et al.*, 2010). Mentioning them here is important in the context of the analysis and understanding of the crystal architecture of this group of compounds. The crystal structure is stabilized by a network of these short-range specific interactions and by long-range electrostatic interactions between ions.

### Experimental

2-Bromophenylacridine-9-carboxylate was synthesized by esterification of 9-(chloro-carbonyl)acridine (obtained by treating acridine-9-carboxylic acid with a tenfold molar excess of thionyl chloride) with 2-bromophenol in anhydrous dichloromethane in the presence of N,N-diethylethanamine and a catalytic amount of N,N-dimethyl-4-pyridinamine (room temperature, 15h) (Sato, 1996). The product was purified chromatographically (SiO<sub>2</sub>, cyclohexane/ethyl acetate, 1/1 v/v) and subsequently quaternarized with a fivefold molar excess of methyl trifluoromethanesulfonate dissolved in anhydrous dichloromethane (Trzybiński *et al.*, 2010). The crude 9-(2-bromophenoxy-carbonyl)-10-methylacridinium trifluoro-


methanesulfonate was dissolved in a small amount of ethanol, filtered and precipitated with a 20 v/v excess of diethyl ether. Light-orange crystals suitable for X-ray investigations were grown from methanol/water (2:1, v/v) solution (m.p. 495–497 K).

### Refinement

H atoms were positioned geometrically, with C–H = 0.93 Å and 0.96 Å for the aromatic and methyl H atoms, respectively, and constrained to ride on their parent atoms with  $U_{\text{iso}}(\text{H}) = xU_{\text{eq}}(\text{C})$ , where  $x = 1.2$  for the aromatic and  $x = 1.5$  for the methyl H atoms.


### Computing details

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2008); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2008); data reduction: *CrysAlis RED* (Oxford Diffraction, 2008); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97* (Sheldrick, 2008) and *PLATON* (Spek, 2009).



**Figure 1**

The molecular structure of the title compound showing the atom-labeling scheme. Displacement ellipsoids are drawn at the 25% probability level and H atoms are shown as small spheres of arbitrary radius. Cg1, Cg2, Cg3 and Cg4 denote the ring centroids. The C–H...O hydrogen bond is represented by a dashed line.

**Figure 2**

The arrangement of the ions in the crystal structure. The C–H···O interactions are represented by dashed lines, the C–F··· $\pi$ , C–Br··· $\pi$ , S–O··· $\pi$  and  $\pi$ – $\pi$  contacts by dotted lines. H atoms not involved in interactions have been omitted.

[Symmetry codes: (i)  $-x + 1, y + 1/2, -z + 3/2$ ; (ii)  $x, -y + 3/2, z - 1/2$ ; (iii)  $-x, -y + 1, -z + 1$ ; (iv)  $-x + 1, -y + 1, -z + 2$ ; (v)  $-x + 1, -y + 1, -z + 1$ .]

### 9-(2-Bromophenoxyacetyl)-10-methylacridinium trifluoromethanesulfonate

#### Crystal data

$C_{21}H_{15}BrNO_2^+ \cdot CF_3O_3S^-$

$M_r = 542.32$

Monoclinic,  $P2_1/c$

Hall symbol:  $-P\ 2ybc$

$a = 12.5718$  (8) Å

$b = 20.3617$  (16) Å

$c = 8.5162$  (6) Å

$\beta = 104.498$  (7)°

$V = 2110.6$  (3) Å<sup>3</sup>

$Z = 4$

$F(000) = 1088$

$D_x = 1.707$  Mg m<sup>-3</sup>

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 1539 reflections

$\theta = 3.0$ – $29.2$ °

$\mu = 2.11$  mm<sup>-1</sup>

$T = 295$  K

Plate, light-orange

$0.46 \times 0.25 \times 0.02$  mm

#### Data collection

Oxford Diffraction Gemini R Ultra Ruby CCD diffractometer

Radiation source: Enhanced (Mo) X-ray Source

Graphite monochromator

Detector resolution: 10.4002 pixels mm<sup>-1</sup>

$\omega$  scans

Absorption correction: multi-scan

(*CrysAlis RED*; Oxford Diffraction, 2008)

$T_{\min} = 0.668$ ,  $T_{\max} = 1.000$

16372 measured reflections

3735 independent reflections

2348 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.041$

$\theta_{\max} = 25.1^\circ$ ,  $\theta_{\min} = 3.2^\circ$   
 $h = -14 \rightarrow 11$

$k = -24 \rightarrow 23$   
 $l = -10 \rightarrow 10$

*Refinement*

Refinement on  $F^2$   
 Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.035$   
 $wR(F^2) = 0.088$   
 $S = 0.92$   
 3735 reflections  
 299 parameters  
 0 restraints  
 Primary atom site location: structure-invariant  
 direct methods

Secondary atom site location: difference Fourier  
 map  
 Hydrogen site location: inferred from  
 neighbouring sites  
 H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0518P)^2]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} = 0.001$   
 $\Delta\rho_{\max} = 0.46 \text{ e } \text{\AA}^{-3}$   
 $\Delta\rho_{\min} = -0.40 \text{ e } \text{\AA}^{-3}$

*Special details*

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.5650 (3)	0.70124 (15)	0.5969 (4)	0.0507 (8)
H1	0.5048	0.7209	0.6227	0.061*
C2	0.6310 (3)	0.73723 (16)	0.5286 (4)	0.0575 (9)
H2	0.6170	0.7818	0.5098	0.069*
C3	0.7204 (3)	0.70832 (18)	0.4856 (4)	0.0581 (9)
H3	0.7639	0.7337	0.4355	0.070*
C4	0.7451 (3)	0.64367 (16)	0.5157 (3)	0.0517 (8)
H4	0.8048	0.6252	0.4860	0.062*
C5	0.6664 (3)	0.43392 (15)	0.7299 (4)	0.0532 (8)
H5	0.7314	0.4166	0.7140	0.064*
C6	0.5970 (3)	0.39546 (15)	0.7872 (4)	0.0586 (9)
H6	0.6154	0.3516	0.8099	0.070*
C7	0.4988 (3)	0.41906 (15)	0.8135 (4)	0.0525 (8)
H7	0.4519	0.3910	0.8503	0.063*
C8	0.4724 (2)	0.48279 (14)	0.7851 (3)	0.0457 (7)
H8	0.4078	0.4988	0.8052	0.055*
C9	0.5181 (2)	0.59299 (13)	0.6949 (3)	0.0355 (7)
N10	0.70556 (19)	0.54005 (11)	0.6297 (2)	0.0397 (6)
C11	0.5865 (2)	0.63282 (13)	0.6305 (3)	0.0379 (7)
C12	0.6800 (2)	0.60492 (14)	0.5919 (3)	0.0405 (7)
C13	0.5419 (2)	0.52598 (13)	0.7246 (3)	0.0366 (7)
C14	0.6396 (2)	0.50086 (13)	0.6942 (3)	0.0380 (7)
C15	0.4213 (2)	0.62290 (13)	0.7426 (3)	0.0388 (7)
O16	0.32648 (15)	0.60104 (8)	0.6463 (2)	0.0410 (5)
O17	0.42777 (16)	0.66151 (10)	0.8497 (2)	0.0541 (6)
C18	0.2280 (2)	0.62507 (14)	0.6773 (3)	0.0417 (7)
C19	0.1815 (2)	0.68158 (14)	0.6025 (3)	0.0457 (8)

C20	0.0812 (3)	0.70147 (17)	0.6251 (4)	0.0596 (9)
H20	0.0476	0.7392	0.5743	0.072*
C21	0.0311 (3)	0.6654 (2)	0.7228 (4)	0.0664 (10)
H21	-0.0362	0.6791	0.7382	0.080*
C22	0.0792 (3)	0.60940 (19)	0.7976 (4)	0.0637 (10)
H22	0.0449	0.5855	0.8639	0.076*
C23	0.1787 (3)	0.58855 (15)	0.7748 (4)	0.0509 (8)
H23	0.2117	0.5505	0.8245	0.061*
Br24	0.25462 (3)	0.731793 (18)	0.47628 (4)	0.06770 (16)
C25	0.8105 (3)	0.51466 (16)	0.6062 (4)	0.0605 (9)
H25A	0.8261	0.4728	0.6587	0.091*
H25B	0.8685	0.5449	0.6522	0.091*
H25C	0.8050	0.5098	0.4923	0.091*
S26	0.17372 (8)	0.40673 (5)	0.95720 (10)	0.0608 (3)
O27	0.2606 (2)	0.41546 (17)	0.8843 (4)	0.1142 (11)
O28	0.1816 (3)	0.35388 (13)	1.0698 (3)	0.0968 (9)
O29	0.1332 (2)	0.46570 (12)	1.0126 (3)	0.0852 (8)
C30	0.0621 (3)	0.38096 (18)	0.7915 (4)	0.0625 (9)
F31	0.0855 (2)	0.32387 (11)	0.7309 (3)	0.0976 (7)
F32	0.0450 (2)	0.42450 (12)	0.6698 (2)	0.0985 (7)
F33	-0.03080 (19)	0.37394 (13)	0.8308 (3)	0.1006 (8)

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.044 (2)	0.0501 (19)	0.0606 (18)	0.0065 (16)	0.0176 (16)	0.0073 (15)
C2	0.056 (2)	0.0465 (18)	0.072 (2)	-0.0008 (17)	0.0180 (19)	0.0134 (16)
C3	0.053 (2)	0.063 (2)	0.061 (2)	-0.0112 (18)	0.0200 (17)	0.0060 (16)
C4	0.045 (2)	0.060 (2)	0.0563 (18)	-0.0036 (17)	0.0233 (16)	-0.0003 (15)
C5	0.053 (2)	0.0488 (19)	0.0603 (19)	0.0127 (17)	0.0193 (16)	-0.0009 (15)
C6	0.068 (3)	0.0403 (18)	0.068 (2)	0.0100 (18)	0.0181 (19)	0.0076 (15)
C7	0.051 (2)	0.050 (2)	0.0576 (19)	-0.0015 (17)	0.0163 (16)	0.0083 (15)
C8	0.0402 (19)	0.0512 (19)	0.0463 (16)	0.0000 (15)	0.0122 (14)	0.0017 (14)
C9	0.0288 (16)	0.0437 (17)	0.0319 (13)	0.0022 (13)	0.0035 (12)	-0.0038 (12)
N10	0.0327 (14)	0.0451 (14)	0.0426 (13)	0.0004 (12)	0.0120 (11)	-0.0088 (11)
C11	0.0318 (17)	0.0444 (17)	0.0365 (14)	-0.0006 (14)	0.0065 (13)	0.0004 (12)
C12	0.0351 (18)	0.0513 (19)	0.0350 (14)	-0.0040 (15)	0.0086 (13)	-0.0073 (13)
C13	0.0297 (17)	0.0463 (18)	0.0328 (14)	0.0000 (13)	0.0058 (12)	-0.0044 (12)
C14	0.0345 (18)	0.0438 (18)	0.0342 (14)	0.0004 (14)	0.0056 (13)	-0.0061 (12)
C15	0.0392 (19)	0.0388 (16)	0.0392 (16)	0.0002 (14)	0.0112 (14)	0.0036 (13)
O16	0.0297 (11)	0.0477 (11)	0.0461 (11)	0.0011 (9)	0.0102 (9)	-0.0073 (9)
O17	0.0409 (13)	0.0674 (14)	0.0534 (12)	-0.0011 (11)	0.0105 (10)	-0.0193 (11)
C18	0.0297 (17)	0.0493 (18)	0.0453 (15)	0.0000 (15)	0.0079 (13)	-0.0118 (14)
C19	0.0331 (19)	0.0549 (19)	0.0455 (16)	0.0011 (15)	0.0031 (14)	-0.0113 (14)
C20	0.045 (2)	0.065 (2)	0.062 (2)	0.0092 (19)	-0.0010 (17)	-0.0164 (18)
C21	0.032 (2)	0.091 (3)	0.076 (2)	-0.001 (2)	0.0114 (19)	-0.033 (2)
C22	0.048 (2)	0.085 (3)	0.062 (2)	-0.016 (2)	0.0208 (18)	-0.0191 (19)
C23	0.042 (2)	0.0555 (19)	0.0585 (19)	-0.0048 (16)	0.0189 (16)	-0.0061 (15)
Br24	0.0705 (3)	0.0676 (3)	0.0633 (2)	0.01066 (19)	0.01349 (18)	0.01921 (17)
C25	0.045 (2)	0.058 (2)	0.086 (2)	0.0032 (17)	0.0298 (18)	-0.0099 (18)

S26	0.0498 (6)	0.0710 (6)	0.0608 (5)	-0.0004 (4)	0.0121 (4)	-0.0092 (4)
O27	0.0577 (19)	0.157 (3)	0.143 (3)	-0.0291 (19)	0.0528 (18)	-0.044 (2)
O28	0.130 (3)	0.0818 (18)	0.0673 (15)	0.0238 (17)	0.0033 (16)	0.0126 (14)
O29	0.108 (2)	0.0632 (16)	0.0888 (17)	0.0013 (15)	0.0326 (16)	-0.0232 (13)
C30	0.060 (3)	0.074 (3)	0.061 (2)	-0.008 (2)	0.0304 (19)	-0.0021 (19)
F31	0.123 (2)	0.0832 (16)	0.0873 (14)	-0.0155 (14)	0.0280 (14)	-0.0331 (12)
F32	0.1056 (19)	0.1177 (19)	0.0672 (13)	0.0148 (15)	0.0119 (13)	0.0236 (13)
F33	0.0587 (15)	0.140 (2)	0.1082 (17)	-0.0275 (14)	0.0301 (13)	-0.0134 (15)

*Geometric parameters (Å, °)*

C1—C2	1.343 (4)	C13—C14	1.412 (4)
C1—C11	1.434 (4)	C15—O17	1.192 (3)
C1—H1	0.9300	C15—O16	1.342 (3)
C2—C3	1.397 (5)	O16—C18	1.417 (3)
C2—H2	0.9300	C18—C23	1.372 (4)
C3—C4	1.362 (5)	C18—C19	1.373 (4)
C3—H3	0.9300	C19—C20	1.383 (4)
C4—C12	1.407 (4)	C19—Br24	1.882 (3)
C4—H4	0.9300	C20—C21	1.375 (5)
C5—C6	1.351 (4)	C20—H20	0.9300
C5—C14	1.419 (4)	C21—C22	1.371 (5)
C5—H5	0.9300	C21—H21	0.9300
C6—C7	1.394 (4)	C22—C23	1.380 (5)
C6—H6	0.9300	C22—H22	0.9300
C7—C8	1.346 (4)	C23—H23	0.9300
C7—H7	0.9300	C25—H25A	0.9600
C8—C13	1.424 (4)	C25—H25B	0.9600
C8—H8	0.9300	C25—H25C	0.9600
C9—C11	1.391 (4)	S26—O27	1.397 (3)
C9—C13	1.406 (4)	S26—O28	1.428 (3)
C9—C15	1.505 (4)	S26—O29	1.430 (2)
N10—C14	1.362 (3)	S26—C30	1.801 (4)
N10—C12	1.378 (3)	C30—F33	1.301 (4)
N10—C25	1.476 (4)	C30—F31	1.334 (4)
C11—C12	1.416 (4)	C30—F32	1.340 (4)
C2—C1—C11	120.7 (3)	C13—C14—C5	118.7 (3)
C2—C1—H1	119.7	O17—C15—O16	124.5 (3)
C11—C1—H1	119.7	O17—C15—C9	124.6 (3)
C1—C2—C3	120.5 (3)	O16—C15—C9	110.8 (2)
C1—C2—H2	119.7	C15—O16—C18	117.1 (2)
C3—C2—H2	119.7	C23—C18—C19	122.0 (3)
C4—C3—C2	121.2 (3)	C23—C18—O16	118.3 (3)
C4—C3—H3	119.4	C19—C18—O16	119.6 (3)
C2—C3—H3	119.4	C18—C19—C20	118.6 (3)
C3—C4—C12	119.8 (3)	C18—C19—Br24	120.5 (2)
C3—C4—H4	120.1	C20—C19—Br24	120.9 (3)
C12—C4—H4	120.1	C21—C20—C19	120.0 (3)
C6—C5—C14	119.6 (3)	C21—C20—H20	120.0



C6—C5—H5	120.2	C19—C20—H20	120.0
C14—C5—H5	120.2	C22—C21—C20	120.7 (3)
C5—C6—C7	122.4 (3)	C22—C21—H21	119.7
C5—C6—H6	118.8	C20—C21—H21	119.7
C7—C6—H6	118.8	C21—C22—C23	120.0 (3)
C8—C7—C6	119.5 (3)	C21—C22—H22	120.0
C8—C7—H7	120.3	C23—C22—H22	120.0
C6—C7—H7	120.3	C18—C23—C22	118.8 (3)
C7—C8—C13	120.9 (3)	C18—C23—H23	120.6
C7—C8—H8	119.5	C22—C23—H23	120.6
C13—C8—H8	119.5	N10—C25—H25A	109.5
C11—C9—C13	120.8 (3)	N10—C25—H25B	109.5
C11—C9—C15	119.5 (2)	H25A—C25—H25B	109.5
C13—C9—C15	119.6 (3)	N10—C25—H25C	109.5
C14—N10—C12	121.7 (2)	H25A—C25—H25C	109.5
C14—N10—C25	120.3 (2)	H25B—C25—H25C	109.5
C12—N10—C25	117.9 (2)	O27—S26—O28	117.6 (2)
C9—C11—C12	119.2 (3)	O27—S26—O29	115.00 (18)
C9—C11—C1	122.7 (3)	O28—S26—O29	112.46 (17)
C12—C11—C1	118.0 (3)	O27—S26—C30	103.37 (18)
N10—C12—C4	121.1 (3)	O28—S26—C30	102.49 (17)
N10—C12—C11	119.3 (3)	O29—S26—C30	103.38 (17)
C4—C12—C11	119.6 (3)	F33—C30—F31	107.6 (3)
C9—C13—C14	118.3 (3)	F33—C30—F32	106.9 (3)
C9—C13—C8	122.8 (3)	F31—C30—F32	106.6 (3)
C14—C13—C8	118.9 (3)	F33—C30—S26	113.8 (2)
N10—C14—C13	120.5 (2)	F31—C30—S26	110.6 (3)
N10—C14—C5	120.9 (3)	F32—C30—S26	110.8 (2)
C11—C1—C2—C3	1.5 (5)	C8—C13—C14—N10	177.1 (2)
C1—C2—C3—C4	-1.9 (5)	C9—C13—C14—C5	177.5 (2)
C2—C3—C4—C12	-0.2 (4)	C8—C13—C14—C5	-2.0 (4)
C14—C5—C6—C7	-0.1 (5)	C6—C5—C14—N10	-177.1 (3)
C5—C6—C7—C8	-1.7 (5)	C6—C5—C14—C13	2.0 (4)
C6—C7—C8—C13	1.6 (4)	C11—C9—C15—O17	-65.8 (3)
C13—C9—C11—C12	1.2 (4)	C13—C9—C15—O17	110.5 (3)
C15—C9—C11—C12	177.5 (2)	C11—C9—C15—O16	113.1 (3)
C13—C9—C11—C1	179.5 (2)	C13—C9—C15—O16	-70.5 (3)
C15—C9—C11—C1	-4.3 (4)	O17—C15—O16—C18	-1.1 (4)
C2—C1—C11—C9	-177.3 (3)	C9—C15—O16—C18	179.9 (2)
C2—C1—C11—C12	1.0 (4)	C15—O16—C18—C23	-94.4 (3)
C14—N10—C12—C4	-175.8 (2)	C15—O16—C18—C19	89.3 (3)
C25—N10—C12—C4	7.3 (4)	C23—C18—C19—C20	-0.9 (4)
C14—N10—C12—C11	4.1 (3)	O16—C18—C19—C20	175.3 (2)
C25—N10—C12—C11	-172.7 (2)	C23—C18—C19—Br24	177.7 (2)
C3—C4—C12—N10	-177.4 (3)	O16—C18—C19—Br24	-6.2 (3)
C3—C4—C12—C11	2.7 (4)	C18—C19—C20—C21	1.0 (4)
C9—C11—C12—N10	-4.6 (3)	Br24—C19—C20—C21	-177.5 (2)
C1—C11—C12—N10	177.0 (2)	C19—C20—C21—C22	-0.4 (5)

C9—C11—C12—C4	175.3 (2)	C20—C21—C22—C23	-0.3 (5)
C1—C11—C12—C4	-3.0 (4)	C19—C18—C23—C22	0.2 (4)
C11—C9—C13—C14	2.7 (3)	O16—C18—C23—C22	-176.0 (2)
C15—C9—C13—C14	-173.5 (2)	C21—C22—C23—C18	0.4 (4)
C11—C9—C13—C8	-177.8 (2)	O27—S26—C30—F33	-175.8 (3)
C15—C9—C13—C8	6.0 (4)	O28—S26—C30—F33	61.5 (3)
C7—C8—C13—C9	-179.3 (2)	O29—S26—C30—F33	-55.6 (3)
C7—C8—C13—C14	0.2 (4)	O27—S26—C30—F31	62.8 (3)
C12—N10—C14—C13	0.0 (3)	O28—S26—C30—F31	-59.9 (3)
C25—N10—C14—C13	176.7 (2)	O29—S26—C30—F31	-177.0 (2)
C12—N10—C14—C5	179.0 (2)	O27—S26—C30—F32	-55.2 (3)
C25—N10—C14—C5	-4.2 (4)	O28—S26—C30—F32	-177.9 (3)
C9—C13—C14—N10	-3.4 (3)	O29—S26—C30—F32	65.0 (3)

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ )

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C3—H3 $\cdots$ O28 <sup>i</sup>	0.93	2.54	3.289 (5)	137
C7—H7 $\cdots$ O27	0.93	2.54	3.200 (5)	128

Symmetry code: (i)  $-x+1, y+1/2, -z+3/2$ .

$C-F\cdots\pi$ ,  $C-Br\cdots\pi$  and  $S-O\cdots\pi$  interactions ( $\text{\AA}$ ,  $^\circ$ ).

$Cg1$ ,  $Cg2$  and  $Cg4$  are the centroids of the C9/N10/C11–C14, C1–C4/C11/C12 and C18–C23 rings, respectively.

$X-I\cdots J$	$I\cdots J$	$X\cdots J$	$X-I\cdots J$
C19—Br24 $\cdots$ Cg4 <sup>ii</sup>	3.523 (2)	4.847 (3)	124.6 (1)
C30—F32 $\cdots$ Cg4 <sup>iii</sup>	3.648 (2)	4.310 (4)	110.8 (2)
S26—O27 $\cdots$ Cg1 <sup>iv</sup>	3.821 (3)	3.708 (2)	74.8 (2)
S26—O28 $\cdots$ Cg1 <sup>iv</sup>	3.414 (3)	3.708 (2)	90.3 (2)
S26—O28 $\cdots$ Cg2 <sup>iv</sup>	3.358 (3)	4.445 (2)	132.2 (2)

Symmetry codes: (ii)  $x, -y+3/2, z-1/2$ ; (iii)  $-x, -y+1, -z+1$ ; (iv)  $-x+1, -y+1, -z+2$ .

$\pi-\pi$  interactions ( $\text{\AA}$ ,  $^\circ$ ).

$Cg1$  and  $Cg3$  are the centroids of the C9/N10/C11–C14 and C5–C8/C13/C14 rings, respectively.  $CgI\cdots CgJ$  is the distance between ring centroids. The dihedral angle is that between the planes of the rings  $I$  and  $J$ .  $CgI_{\text{Perp}}$  is the perpendicular distance of  $CgI$  from ring  $J$ .  $CgI_{\text{Offset}}$  is the distance between  $CgI$  and perpendicular projection of  $CgJ$  on ring  $I$ .

$I$	$J$	$CgI\cdots CgJ$	Dihedral angle	$CgI_{\text{Perp}}$	$CgI_{\text{Offset}}$
1	3 <sup>v</sup>	3.744 (2)	2.74 (13)	3.703 (2)	0.553 (2)
3	1 <sup>v</sup>	3.744 (2)	2.74 (13)	3.717 (2)	0.549 (2)

Symmetry code: (v)  $-x+1, -y+1, -z+1$ .