



# Article Design, Synthetic Strategies, and Therapeutic Applications of Heterofunctional Glycodendrimers

Leila Mousavifar 🕩 and René Roy \*🕩

Glycosciences and Nanomaterial Laboratory, Université du Québec à Montréal, P.O. Box 8888, Succ. Centre-Ville, Montréal, QC H3C 3P8, Canada; leilyanmousavifar@gmail.com

\* Correspondence: roy.rene@uqam.ca; Tel.: +1-514-987-3000 (ext. 2546)

Abstract: Glycodendrimers have attracted considerable interest in the field of dendrimer sciences owing to their plethora of implications in biomedical applications. This is primarily due to the fact that cell surfaces expose a wide range of highly diversified glycan architectures varying by the nature of the sugars, their number, and their natural multiantennary structures. This particular situation has led to cancer cell metastasis, pathogen recognition and adhesion, and immune cell communications that are implicated in vaccine development. The diverse nature and complexity of multivalent carbohydrate–protein interactions have been the impetus toward the syntheses of glycodendrimers. Since their inception in 1993, chemical strategies toward glycodendrimers have constantly evolved into highly sophisticated methodologies. This review constitutes the first part of a series of papers dedicated to the design, synthesis, and biological applications of heterofunctional glycodendrimers. Herein, we highlight the most common synthetic approaches toward these complex molecular architectures and present modern applications in nanomolecular therapeutics and synthetic vaccines.

**Keywords:** carbohydrates; dendrimers; glycodendrimers; vaccines; cancer; theranostics; immunodiagnostics; dynamic combinatorial chemistry; virus

## 1. Introduction

Glycodendrimers constitute an important, albeit specific, family member in the field of dendrimers in general. Since their inception in the early 1990s, their chemistry has steadily evolved to address complex biological problems [1–7]. Through their precise and monodisperse architectural 3D structures, they have been used in most of the fields usually tackled with conventional dendrimers. However, because the glycan moieties of glycodendrimers, usually exposed as surface groups, belong to the family of natural biomolecules, they are directly implicated in a plethora of potential therapeutic aspects. This first and partial review has been systematically organized to present the various medical applications in which they are involved.

In their original design, glycodendrimers were established as a simpler synthetic version of complex multiantennary glycans found on cell surface glycoproteins. For instance, mannosylated dendrimers can mimic the oligomannopyranosides exposed on pathogens such as viruses, bacteria, and fungi [8,9]. Given that mammalian immune cells contain receptors for these mannosides (e.g., DC-SIGN) [10], they have been the target of viral attacks. A classic example has been observed in the case of HIV-I infections since the virus heavily exposed such complex saccharides within their gp120 glycoproteins [11]. As another example, the reversed multivalent carbohydrate–protein interactions have been exploited in the case of uropathogenic *E. coli* infections that rely on the bacterial FimH pili that bind to the mammalian self-oligomannopyranoside of urothelial glycoproteins as a cause of initial adhesion and colonization [12]. Consequently, glycodendrimers are valuable therapeutic nanomaterials to inhibit pathogen infections [13,14]. In addition, carbohydrate binding proteins are usually also multivalent (antibodies, lectins, galectins) or clustered on the cell surfaces. These complex and multiple interactions have been the subject of



**Citation:** Mousavifar, L.; Roy, R. Design, Synthetic Strategies, and Therapeutic Applications of Heterofunctional Glycodendrimers. *Molecules* **2021**, *26*, 2428. https:// doi.org/10.3390/molecules26092428

Academic Editors: Ashok Kakkar and Anne-Marie Caminade

Received: 26 March 2021 Accepted: 15 April 2021 Published: 22 April 2021

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). thorough investigations which have given rise to the "glycoside cluster effects" [15,16]. Glycodendrimers, by virtue of their cross-linking abilities (Figure 1) have been used in haemagglutination and quantitative precipitation assays.



**Figure 1.** Heterofunctional glycodendrimers have the capacity to bind different lectins through multivalent cross-linking interactions.

As such, monodisperse and well-defined glycodendrimers represent ideal tools to study multivalent carbohydrate–protein interactions as they can be used to better understand the effects of carbohydrate density, flexibility, cross-linking ability, multivalency or steric hindrance due to proximity effect [17–20]. This initial account will focus on a relatively novel family of glycodendrimers that have been designed to further expose heterofunctionalities, either in the form of different surface carbohydrates (Janus glycodendrimers) or as glycodendrons possessing additional biological features (immunogenic peptides, probes, etc.). The synthetic strategies leading to these heterofunctional molecular architectures will be first examined using random dendrimer glycations and combinatorial approaches.

Figure 2 illustrates a wide variety of heterofunctional glycodendrimers studied thus far. For instance, preformed and commercially available dendrimers such as PAMAM can be randomly glycated to afford glycodendrimers of type (1) [21,22]. Two differently glycated dendrons can be linked to afford Janus-type glycodendrimers (2) [23]. Cyclodextrins ( $\alpha$ ,  $\beta$ ,  $\gamma$ ) have also been equally used as multivalent scaffolds (3) [24,25]. Additional cases of heterofunctional glycodendrimers have been disclosed using an "onion peel" approach that has provided precise alternating glycans (4) [26–29] instead of random distribution and numbers. Janus glycodendrimers possessing other aromatic scaffolds (5) have also been described [30]. Structure 6 with either probes or immunogenic peptides are useful as MRI contrast agents [31] or as vaccine candidates [32,33], respectively. Finally, cyclic peptides as scaffolds are interesting vaccine candidates (7) [34]. The next section will present applications in immunotherapy including vaccines, immunodiagnostics, and cell targeting.



**Figure 2.** Architectural structures of common heterofunctional glycodendrimers: **1**: sugars are randomly ligated on the surface of pre-formed dendrimers; **2**: Janus glycodendrimers; **3**: heterofunctional dendrons attached to β-cyclodextrin scaffolds; **4**: onion-peel heterofunctional glycodendrimers of precise distribution; **5**: alternative structural Janus glycodendrimers using aromatic as scaffolds; **6**: glycodendrimers with probes at the focal point; and **7**: heterofunctional glycodendrimers mounted on cyclic peptides used as cancer vaccine candidates.

#### 2. Randomized Heterofunctional Glycodendrimers and Dynamic Combinatorial Library

Carbohydrate binding proteins of non-immune origin such as plant and bacterial lectins are naturally oligomeric [35] and are consequently excellent models for the study of multivalent carbohydrate/glycodendrimer–protein interactions [17–20]. Multivalent interactions are the key to several physiological events and their investigations have led to varied architectural design using a wide range of scaffolds [1–9]. Polyamidoamine (PAMAM) dendrimers, owing to their commercial availability, have been extensively used for this purpose. In this review's context, heterofunctional PAMAM-glycodendrimers from generation three (G3) to six (G6) with 32, 64, 128, and 256 surface amine groups, respectively, have been modified with  $\alpha$ -D-glucopyranosides ( $\alpha$ -Glc),  $\alpha$ -D-galactopyranosides ( $\alpha$ -Gal), and  $\alpha$ -D-mannopyranosides ( $\alpha$ -Man) using the homotetrameric (at pH 7) plant lectin Concanavalin A from the jackbean *Canavalia ensiformis* (ConA) [21,22].

Hence, allyl glycosides 8–10 have been treated under radical initiated thiol–ene reaction catalyzed by 1,1-di(*t*-butylperoxy)cyclohexane in the presence of Boc-protected aminoethanethiol **11** to afford peracetylated sugar **12**, **14**, and **16** (Scheme 1). Boc-deprotection with TFA in DCM and treatment with thiophosgene led to isothiocyanates **13**, **15**, and **17**, respectively. Each sugar was then sequentially added in varied molar ratios in DMSO at room temperature to the PAMAM dendrimers from G3 to G6 and blocking the remaining free amine groups with PEG-dimer having an isocyanate function at one end. After sugar de-*O*-acetylation under standard Zemplén conditions (NaOMe, MeOH) and purification by dialysis and ultrafiltration, heterofunctional glyco-PAMAM-dendrimers were obtained and characterized by <sup>1</sup>H-NMR and MALDI-TOF mass spectrometry. The necessity to add



the PEG-dimer resulted from the lack of complete sugar modifications due to steric factors, even under forcing conditions (temperature, excess sugar isothiocyanates).

**Scheme 1.** Synthesis of polyamidoamine (PAMAM)-heteroglycodendrimers containing randomly distributed glucose, galactose, and mannose residues [21,22].

These randomly modified heterofunctional glycodendrimers were evaluated with the tetrameric ConA using relative potency values by hemagglutination inhibition assays using erythrocytes together with precipitation assays owing the cross-linking abilities of the glycodendrimers (see discussion above). It is well established that  $\alpha$ -Man binds four times better than  $\alpha$ -Glc, while  $\alpha$ -Gal does not bind at all. The data allowed determining whether monovalent differences in affinity affect multivalent association constants in predictable ways. The results indeed suggested that multivalency can be influenced in predictable and in tunable ways. Clearly, monovalent differences were amplified by multivalent associations, and the mixtures of low- and high-affinity ligands could be used to attenuate multivalent binding activities. An analogous study (see below with  $\beta$ -cyclodextrin) further supports the synergistic effects of heteroclusters due to the secondary binding interactions with the "non-active" ligands. These combined studies confirmed a previous finding from this author that has been coined "subsite-assisted binding interactions" [36].

Dynamic combinatorial chemistry (DCC) has been introduced to rapidly and efficiently provide chemical libraries of bioactive compounds with limited efforts. The library components are generated through the rapid equilibrium of reversible reactants and products. This principle has been applied for the first time in carbohydrate chemistry by the Lehn's group using disulfide interchanges [37] and aldehydes/hydrazides equilibrium to generate acylhydrazones [38]. This useful strategy has been successfully used to afford heterofunctional clusters (Scheme 2). In their preliminary attempts, the researchers generated a small set of 4-aminophenyl glycosides such as the  $\beta$ -D-galactoside **18** and the  $\alpha$ -D-mannoside **19** which, upon amidation to varied dithiodicarboxylic acids (**20**, n = 2 or 3) using 1-ethyl-3-(3-dimethylamino)-propyl carbodiimide (EDC), afforded the initial carbohydrate dimers **21** and **22**. Mild disulfide interchanges catalyzed by dithiothreitol (DTT) at pH 7.4 were initiated under two sets of conditions coined "adaptive or pre-equilibrated libraries". After the initiation, libraries were formed under both conditions of the scrambling process. The best performing clusters were selected using the homotetrameric plant lectin ConA either present during the library generation or simply added after the equilibrium was achieved, as discussed above for the Manno-PAMAM libraries (Scheme 1). As expected, due the preference of ConA toward mannopyranosides, the manno-dimers (**22**) were shown to be preferentially bound to the lectin. Interestingly, the scrambling interchanges in the presence of the lectin afforded slightly higher amounts of the manno-dimers, indicating that protein-templated dynamic combinatorial chemistry efficiently occurred.



Scheme 2. Generation of Dynamic Combinatorial Carbohydrate Library using (A) disulfide equilibrium or (B) aldehydehydrazine interconversion into acylhydrazones [37,38].

An additional approach by the same group generated an analogous DCC process using a limited set of 4-formylphenyl glycosides **24–29** together with di- and tri-hydrazides **30–36** (Scheme 2B) for the formation of a library of acylhydrazones [38]. In this way, using again the plant lectin ConA as protein binder, they identified trimer **37** as the optimal ligand using relative inhibition in an enzyme-linked assay (ELLA) with yeast mannan as a coating ligand, a procedure developed in the author's laboratory [39]. Trimer **37** had an IC<sub>50</sub> of 22  $\mu$ M, a 36-fold improvement when compared to methyl  $\alpha$ -D-mannopyranoside (Me-Man) with an IC<sub>50</sub> of 800  $\mu$ M and a value comparable to the natural trimannoside (60-fold better than Me-Man).

### 3. Immune Cell Targeting, Immunodiagnostics, and Vaccines

#### 3.1. Heterofunctional Glycodendrimers as Clearing Agents Following Radioimmunotherapy

Tumor-associated carbohydrate antigens (TACAs), originating from either glycolipids (gangliosides) [40] or O-linked mucin glycoproteins (MUCs) [41–44], have been extensively used as targeting agents for cancer immunotherapy. Therefore, and not surprisingly, the field of glycodendrimers, with their intrinsic multivalency and high affinity (avidity), has been exploited in the creation of powerful tools to provide therapeutic applications against cancer [44] that also include theranostics [45]. Several strategies can be applied to address this issue, amongst which, immune cell targeting through their well-studied mannoside receptors such as DC-SIGN [10], anti-carbohydrate antibodies and vaccines [40–44], screening microarrays using dendrimer's increased sensitivity [46,47], and notably anti-cancer vaccines.

Interestingly, to this arsenal of glycodendrimers of therapeutic values against cancer, there is an additional avenue that was recently investigated. It has been referred to as clearing agents (CAs) that are used following radioimmunotherapy (RIT) to remove the excess of unwanted and noxious radioactive agents with the help of sugar dendrimers binding to liver receptors for catabolism [31]. RIT uses a monoclonal antibody (mAb) labeled with a radionuclide to deliver cytotoxic radiation to cancerous target cells [48]. A few examples consisted of yttrium (<sup>90</sup>Y)-ibritumomab tiuxetan (Zevalin), iodine (<sup>131</sup>I)-tositumomab (Bexxar), or lutetium (<sup>177</sup>Lu)-lilotomab satetraxetan (Betalutin) [49]. The radionuclide is usually bound to the mAb of interest through a chelating agent such as S-2-(4-aminobenzyl)-1,4,7,10-tetraazacyclododecane tetraacetic acid (DOTA, **40**) (Scheme 3).



**Scheme 3.** Synthesis of a heterobifunctional glycodendron with exposed  $\alpha$ -D-N-acetylgalactosamine (GalNAc) (16-mer) and a chelating DOTA agent used as clearing agent (CA) to remove excess radioactive marker used for the treatment of following radioimmunotherapy (RIT) [31].

Therapeutic indices (TIs; tumor-to-normal tissue-absorbed dose ratios) of radioimmunotherapy (RIT) should be maximized for the safe and effective treatment of solid tumors. Typically, however, RIT with radiolabeled-IgG antibodies suffers from low TIs due to the unfavorable pharmacokinetics of the IgG carrier, slow localization in the targeted tumor, rapid and high uptake in reticuloendothelial tissues. Consequently, the treatments

7 of 16

are often ineffective at maximum tolerated activities. Therefore, glycodendritic CAs can remove nonlocalized targeting mAbs from circulation for hepatic catabolism, thereby enhancing the therapeutic index (TI).

Scheme 3 describes the synthesis of a fully synthetic glycodendrimer-based CA for DOTA-based pretargeted radioimmunotherapy (DOTA-PRIT). The novel glycodendron –CA (**41**) consists of a nonradioactive yttrium-DOTABn molecule (**40**) attached via a linker to a glycodendron displaying 16 terminal  $\alpha$ -thio-N-acetylgalactosamine ( $\alpha$ -SGalNAc) units. The methyl esters of dendron **38** were first hydrolyzed and then treated with peracetylated  $\alpha$ -SGalNAc possessing an amine linker (**39**) using conventional amide coupling (HATU, DIPEA, DMF). The Boc-protected focal point of the resulting glycodendron was treated with TFA followed by coupling with the isothiocyanated DOTA precursor **40** to afford sugar-protected, thiourea-linked DOTA-glycodendron. Subsequent yttrium chelation with Yttrium(III) chloride hexahydrate under slightly acidic conditions and sugar deprotection under Zemplén conditions (NaOMe, MeOH) gave the desired CA agent **41**. The authors concluded that this novel heterofunctional glycodendron-DOTA CA complex (**41**) could be used for the enhanced blood clearance of an iodine-131 (<sup>131</sup>I) anti-cancer mAb together with having a high level of therapeutic index (TI).

The heterofunctional CA was developed for a chelate-based pretargeting strategy (DOTA-PRIT) for the theranostic imaging and treatment of solid tumors. The principle behind CAs is based on the use of bispecific-IgG antibodies having one binding portion to target the solid tumors together with an anti-DOTA function. The methodology of DOTA-PRIT consisted of separate, temporally spaced injections of three reagents: (1) a tetravalent bispecific IgG-single chain mAb with high affinity for (a) a tumor antigen (the IgG portion) and (b) a DOTA radiometal complex of yttrium; (2) the clearing agent (CA) to rapidly reduce circulating mAb after sufficient time is given for the antibody to accumulate at antigen-positive tumor; and (3) a radiolabeled DOTA-hapten such as the DOTA complex with the theranostic (i.e.,  $\gamma$ - and  $\beta$ -emitting) isotope lutetium-177 ([<sup>177</sup>Lu]-DOTAn). To target the radioactivity to the tumor, the low-molecular weight circulating DOTA-hapten rapidly enters the tumor parenchyma and binds to the intratumoral mAb and is otherwise rapidly cleared via renal excretion.

#### 3.2. Heterobifunctional Cancer Vaccines

As stated above, owing to their over expression in a number of cancer cells, TACAs from the group of O-linked mucins have been the subject of intense activity to generate anticarbohydrate cancer vaccines [41–44]. The group of Bay et al. reported a fully synthetic anticancer vaccine for human use [50,51]. The new vaccine prototype, named MAG-Tn3 (42), is a tetrameric glycopeptide grafted on L-lysine dendrimer incorporating trimeric residues of the carbohydrate tumor-associated Tn antigen ( $\alpha$ -D-GalNAc-O-R) and a CD4<sup>+</sup> T-cell peptide epitope extracted from the highly immunogenic sequence of tetanus toxin (Figure 3). One major obstacle to vaccination is the high degree of MHC polymorphisms in the human population. Potential broad coverage can, however, be potentially accomplished by using promiscuous T-helper epitopes recognized by several of the common MHCs. One such "universal" T-helper cell epitope has been identified from tetanus toxin (TT). It is derived from the  $TT_{830-844}$  peptide sequence. Hence, the above group used such tetanus toxinderived peptide segment as CD4<sup>+</sup> T-cell epitope. The study successfully demonstrated that the vaccine-induced Tn-specific mouse antibodies mediated the killing of human Tnpositive tumor cells. The synthetic vaccine is currently being investigated in breast cancer patients (Phase I clinical trial). For the clinical trials, the vaccine was formulated with the recent GSK AS15 immuno-stimulant (CpG7909, monophosphoryl lipid A (MPL), and QS21) as a liposomal formulation. It has been shown to stimulate both innate and humoral responses. Patients with localized breast cancer with a high-risk of relapse were immunized with the above vaccine cocktail. The initial results of the clinical trial demonstrated that patients developed high levels of Tn-specific antibodies. These antibodies specifically recognized Tn-expressing human tumor cells which were killed through a complementdependent cytotoxicity mechanism (CDC). This work illustrated that heterofunctional dendritic carbohydrate-bearing nanoparticles (NPs) could be attractive cancer vaccines. An analogous TACAs vaccine has been similarly described in the author's laboratory [52]. It incorporated a related disaccharide known as the Thomsen–Friedenreich antigen (Gal $\beta$ 1-3GalNAc- $\alpha$ -O) and the work has been previously reviewed [33].



**Figure 3.** Tetrameric heterofunctional breast cancer vaccine (**42-MAG-Tn3**) mounted on L-lysine scaffold and incorporating a carbohydrate as B-cell epitope ( $\alpha$ -D-GalNAc) and a "universal" peptide sequence extracted from tetanus toxin (TT<sub>830-844</sub>) serving as a T-cell epitope [50,51].

An appealing additional strategy was recently published that targeted both Tn and TF antigens [34]. Since most TACAs antitumor vaccines published thus far contained only a single target carbohydrate antigen resulting in the incomplete destruction of heterogeneously glycated cancer cells, the authors sought to incorporate two of the most studied TACAs described above. To this end, they used their typical orthogonal chemoselective ligation strategy to prepare fully synthetic glycosylated cyclic peptide scaffolds grafted with both Tn (46) and TF (47) antigens (Scheme 4). To this end, cyclic peptide 43 harboring four aldehyde groups, prepared by solid-phase peptide synthesis (SPPS), was coupled to orthogonally protected aminooxy derivative 44 to provide hexadecavalent scaffold 45 containing orthogonal functionalities (aldhehyde/azide) (Scheme 4). The alternatively substituted aldehydo-azide 45 was then treated with aminooxy  $\alpha$ -D-GalNAc (Tn antigen) derivative 46 using TFA as catalyst. This was followed by a copper catalyzed cycloaddition (CuAAC) between the azide-substituted intermediate (not shown) and an alkynyl disaccharide (TF antigen) 47, which afforded the hexadecavalent vaccine precursor 48.

The ability of **48** to be recognized as a divalent tumor antigen was unambiguously demonstrated by direct ELISA assays using a known anti-Tn monoclonal antibody 9A7 [34]. Although the heterovalent structure showed binding capacities to 9A7 (mAb), the presence of the second TF epitope did not interfere with the recognition of Tn. Unfortunately, the study did not show the result of reversed anti-TF antibody data. This heterovalent glycosylated scaffold can therefore constitute an attractive strategy for the design of new generation vaccines once grafted to a suitable T helper cell epitope similar to those described previously through the Lys indicated by the arrow on **48**.



**Scheme 4.** Heterobifunctional cyclic glycopeptides harboring both the Tn monosaccharide and the TF disaccharide as antigens organized in an alternative sequence using orthogonal ligation chemistry [34].

#### 3.3. Blocking Antibody Formation to Prevent Autoimmune Diseases and Allergy

Cell surface glycans on pathogens or cancer cells can act as key antigens for the stimulation or development of innate as well as adaptive immunity. Synthetic glycoconjugates have been used in vaccines to mimic the presentation of these antigenic glycans which can elicit the production of specific antibodies. Carbohydrates are also crucial recognition features in the up- or downregulation of immune responses. Amongst immune cells, B cells are a necessary component of cellular immunity and autoimmune disease and rely on specific molecular signals for their regulation. The recognition and binding of specific glycoantigens to the B-cell receptors (BCR) results in B-cell activation, proliferation, and antibody production [33,43,44]. Recognition of  $\alpha$ -(2 $\rightarrow$ 3) and  $\alpha$ -(2 $\rightarrow$ 6)-linked sialic acids, commonly found on bacterial capsular polysaccharides and cancer cells by Siglec-G and CD22 co-receptors, are known to weaken or even abolish B-cell activation and are important for the development of immune tolerance. Therefore, this situation can block unwanted antibody formation and could thus be useful to prevent autoimmune diseases and allergy. It has been observed that the co-localization of BCR and CD22 leads to B-cell deactivation when the two receptors are clustered together with heterofunctionalized ligands. Glycoconjugates that can simultaneously display BCR antigens and CD22 ligands might induce B-cell tolerance by interacting with both receptors [53]. There have been several examples of multivalent homogeneous and bifunctional ligands designed to promote

B-cell tolerance. These studies have raised the possibility of designing glycoconjugates as tolerance-inducing molecules, termed tolerogens.

A recent investigation pointed to the development of antibodies to the ABO human blood group antigens (HBGA) as tolerogens [53]. The elimination of anti-ABO antibodies in both organ and bone marrow transplantation would expand the safe use of blood products. The ABO system is characterized by the expression of ABH carbohydrate structures on human erythrocytes and other tissues. ABO incompatibility is a major challenge for blood transfusion and organ transplantation due to non-self anti-A or anti-B antibodies. The authors considered that a tolerogen displaying an A or B antigen together with a Siglec ligand could be effective for tolerance induction in the advance of transplantation. They described a conjugation method based on amine coupling alone or in combination with CuAAC and a heterotrifunctional linker. The method can yield well-defined multivalent heterofunctional scaffolds simultaneously containing synthetic carbohydrate antigens and Siglec ligands. The strategy enabled the authors to generate a panel of structurally welldefined multivalent homogeneous glycoconjugates of high molecular weight (12–18 kDa) (Scheme 5).



**Scheme 5.** Synthesis of an octameric heterobifunctional glycoconjugate (55) using an orthogonal ligation strategy for the coupling of an amino-ending human blood group antigen in red (blood group A-type II) (49) serving as ligand for B-cells and a CD22 siglec ligand in blue (sialyl  $\alpha$ -(2 $\rightarrow$ 6)-lactose) (54) [53].

In Scheme 5, the authors reported an orthogonal ligation strategy in the preparation of complex oligosaccharides harboring four copies of one or two separate glycan antigens, providing 4–8 carbohydrate residues on a tetravalent poly(ethylene glycol) scaffold (Scheme 5). The approach afforded complex glycoconjugates approaching the size of glycoproteins

(15–18 kDa) while remaining well defined. The synthetic strategy makes use of three orthogonal functional groups (**50**), including a reactive N-hydroxysuccinimide (NHS)-ester moiety on the linker to install the first carbohydrate epitope via reaction with a sugar amine such as **49** (blood group A type II). A fluorenylmethyloxycarbonyl (Fmoc)-protecting group was used as a masked amine functionality on the linker, which after standard deprotection (20% piperidine, DMF), allowed the NHS-activated tetrameric pentaerythritol (**52**) possessing a define poly(ethylene glycol) (PEG) spacer (60 residues, PDI 1.025). The azide group in the linker **51** was then used to incorporate the second carbohydrate epitope as the CD22 ligand (sialyl  $\alpha$ -(2 $\rightarrow$ 6)-lactose) (**54**) via an alkyne-azide cycloaddition catalyzed by copper powder (CuAAC) to generate octameric-heterobifunctional glycoconjugate **55**.

To demonstrate the ability of heterobifunctional glycoconjugate **55** to interact simultaneously with both the BCR and CD22 cell surface receptors, the authors examined its ability to co-cluster the targeted receptors in vitro and modify their distribution. They chose an established cell line (A-BCL) previously used to characterize ABO-antigen coated nanoparticles that express a BCR complex that binds the blood group A antigen (type I and type II) but not the B antigens. Using confocal microscopy, they proved that the distribution of receptors was generally in isolated microclusters on untreated cells, while the BCR complex was found in larger but sparser clusters. After confirming that these cells expressed both receptors in isolated clusters, they showed that conjugate **55** modified the distribution of these receptors on the cell surface and is influential in their co-clustering. The treatment of cells with a control caused no detectable changes in CD22 or BCR organization. The work clearly supported the application of their strategy for investigating the cellular response to carbohydrate antigens of the ABO blood group system with the potential to prevent antibody formation, a useful situation in blood group transfusion.

#### 3.4. Dendritic Glycopeptides as Vaccines against Allergy

Olive pollen is an important cause of respiratory allergy and peptide-based vaccines based on representative allergens represent promising therapeutic approaches. However, typical peptides require adjuvants to strengthen the weak immunogenicity of small peptides which can be overcome by using adjuvants, such as Toll-like receptor (TLR) ligands and glycoconjugates based on glucose and particularly mannose because of their cognate receptors (Dectin and DC-SIGN) on immune cells. These adjuvants modulate adaptive immune responses by cellular activation which have been progressively proposed for use in vaccine design. Heterobifunctional mannosylated glycodendropeptides (**66**) containing the 22 amino acids peptide sequence 109–130 from the most prevalent allergen of olive pollen (*Olea europaea*) (Ole e 1) (OE109–130) have been shown to represent a promising tool in the design of novel vaccines against olive pollen allergy due to their properties as promoters of the T lymphocyte regulatory cells (Treg) but not as activators of effector cells, efficient transport across the epithelial barrier, and no cytotoxicity (Scheme 6) [32].

Toward achieving these vaccine candidates, the "onion peel" type [26–29] dendron approach has been used (Scheme 6). Typically, tris-propargylated scaffold having a diethylene glycol linker **56** was treated with 2-azidoethyl  $\alpha$ -D-mannopyranoside **57** under Copper(I)-catalyzed azyde-alkyne Cycloaddition (CuAAC) conditions (H<sub>2</sub>O/DMSO, CuSO<sub>4</sub>, NaAsc, TBTA) to afford glycodendron trimer **58**. After chloride to azide substitution (NaN<sub>3</sub>, DMF), intermediate **59** was again treated under similar CuAAC conditions, but using a triethylene glycol linker **60** to provide nonameric glycodendron precursor **61**. Analogous chloride to azide exchange, **62** was treated under slightly different CuAAC conditions (DMSO, CuBr, Tris((1-benzyl-4-triazolyl)methyl)amine (TBTA)) with linker **63** to give a maleimido-ending glycodendron **64**. Coupling with synthetic olive allergenic peptide OE109–130 possessing a cysteine residue at the N-terminal (**65**) under Michael thiol–ene afforded the desired vaccine candidate **66** with the suitable properties described above.



**Scheme 6.** Synthetic sequence leading to an "onion peel" mannosylated glycodendropeptides suitable as vaccine candidate against allergies caused by olive pollen [32].

None of the glycodendrimers exhibited cytotoxicity in humanized cell lines. Confocal images indicated that mannosylated glycodendropeptides exhibited lower colocalization with a lysosomal marker. Moreover, mannosylated glycodendropeptides showed a higher transport tendency through the epithelial barrier formed by appropriate cell cultures. Finally, mannosylated glycodendropeptides **66** promoted Treg and IL10+Treg proliferation and IL-10 secretion by peripheral blood mononuclear cells (PBMCs) from allergic patients. Consequently, mannosylated dendrimers conjugated with OE109–130 peptide from Ole e 1 were identified as suitable candidates for the development of novel vaccines of olive pollen allergy.

## 3.5. Immunodiagnostics Using Glycan Microarrays

The accurate diagnostics and vaccine design for cancer and viral diseases such as AIDS, influenza, and SARS-COV-2 are of prime interest in glycosciences [54]. Therefore, the chemical characterization and syntheses of the precise carbohydrate epitopes to determine the often multivalent architectural presentation of these antigenic determinants have become a major goal. The glycotopology and deciphering the glycocode [55,56] may significantly influence the strategy of drug design. For instance, carbohydrate epitopes on viruses represent attractive targets for the development of carbohydrate-based vaccines [11,57–59]. Appreciating the exposure of carbohydrate epitopes on the cell surface allows to more reliably mimic the natural environment in the context of vaccine design. Of particular interest, the HIV envelope glycoprotein gp120 contains a plethora of highmannose oligosaccharides [8,9] on its surface to shield peptides from recognition by the host immune system and facilitate invasion by binding to the C-type lectin DC-SIGN on dendritic cells. The incomplete mimicry of carbohydrate epitopes on the cell surface could lead to a failed vaccine design. Recently, Danishefsky and co-workers have shown that the Man<sub>9</sub>GlcNAc<sub>2</sub>-based vaccine elicited a high-titer antibody response that indeed recognized the Man<sub>9</sub>GlcNAc<sub>2</sub> epitope but failed to neutralize HIV, thereby suggesting that it was not an optimal mimic of the epitope of gp120 [58].

To better understand the effects of carbohydrate density, flexibility, multivalency or steric hindrance due to proximity effect, Wong et al. [59] used heterofunctional dendritic glycan microarrays. To control the ratio of the mixed glycans more precisely, Wong and co-workers attached heterogeneous glycans to an AB<sub>3</sub>-type second generation dendrimeric

scaffold (TRIS) (Figure 4). Two glycans, Man<sub>4</sub> and Man<sub>9</sub>, were conjugated to the scaffold at different ratios to give a set of oligomannose constructs analogous to **67**. These oligomannose dendrons were then printed onto an NHS-activated glass slide to form an array of conjugates with various densities. Amongst these, heterogeneous oligomannose glycodendron **67** had the strongest binding affinity (K<sub>D</sub> 13 nM) to 2G12 HIV-anti-gp120 antibody among the five oligomannose dendrons synthesized.



**Figure 4.** Representative oligomannose dendron constructs. The ratio of Man<sub>4</sub>/Man<sub>9</sub> is 5:4. Man<sub>4</sub> is marked in blue and Man<sub>9</sub> is marked in red [59].

Interestingly, they found that heterogeneous glycans, prepared by exposing two distinct mannose oligosaccharides, and spotting onto glass slides, provided superior binding affinity compared to the individual components in the microarray experiments. In addition, the data suggested that heterogeneous ligand glycans could serve as a novel strategy for the development of precision carbohydrate-based vaccines. Their work should benefit the future design of carbohydrate-based vaccines by additional combinatorial approaches.

#### 4. Conclusions

This review constitutes part one of a series dedicated to the design, synthesis and applications of heterobifunctional glycodendrimers. Obviously, because of its limited length, it has thus far covered only a small section of the literature on this important topic of nanomaterial and glycosciences. For this, we apologize to other key contributors whose work has not yet been covered. In addition to a few of the selected examples included into this account, there are several other applications equally important and they will be covered in subsequent reviews. Of particular interest are the contributions dealing with multivalent anti-adhesins against various pathogenic agents and microarrays. Several reviews have already covered glycodendrimers in general and a few have been cited in this work. However, we concentrated our efforts uniquely to heterofunctionalities, an area of activity that clearly deserves further development. We deeply acknowledge the scientific contributions, enthusiasm, and friendship of the dendrimer's pioneers, and for this particular occasion, we wish to celebrate the 80th birthday anniversary of one among them, Dr. Jean-Pierre Majoral, to whom this Special Issue has been dedicated, guest edited by Prof. Ashok Kakkar and Dr. Anne-Marie Caminade, whose contributions to the field of dendrimers have also been inspiring.

**Author Contributions:** L.M. and R.R. contributed to the review. R.R. conceived the paper, designed the thematic, and they both wrote and finalized the paper. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

**Data Availability Statement:** The data presented in this study are available on request from the corresponding author.

Acknowledgments: This work was supported by grants from the Natural Science and Engineering Research Council of Canada (NSERC) to R.R. including a Canadian Research Chair and the Fonds du Québec–Nature et Technologies to R.R. and a grant from the Ministry of Economy and Innovation (MEI) No. PSR-SIIRI-982.

**Conflicts of Interest:** The authors declare no conflict of interest. The founding sponsors had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript, and in the decision to publish the results.

Sample Availability: Samples of the compounds are not available from the authors.

#### References

- 1. Roy, R. A decade of glycodendrimer chemistry. TIGGS 2003, 15, 291–310. [CrossRef]
- Chabre, Y.M.; Roy, R. Recent trends in glycodendrimer syntheses and applications. *Curr. Top. Med. Chem.* 2008, *8*, 1237–1285. [CrossRef]
- Chabre, Y.M.; Roy, R. Design and Creativity in Multivalent Neoglycoconjugate Synthesis. *Adv. Carbohydr. Chem. Biochem.* 2010, 63, 165–393. [PubMed]
- 4. Chabre, Y.M.; Roy, R. Multivalent glycoconjugate syntheses and applications using aromatic scaffolds. *Chem. Soc. Rev.* 2013, 42, 4657–4708. [CrossRef]
- 5. Roy, R.; Shiao, T.C. Glyconanosynthons as powerful scaffolds and building blocks for the rapid construction of multifaceted, dense and chiral dendrimers. *Chem. Soc. Rev.* **2015**, *44*, 3924–3941. [CrossRef]
- 6. Röckendorf, N.; Lindhorst, T.K. Glycodendrimers. Top. Curr. Chem. 2001, 217, 201–238.
- Müller, C.; Despras, G.; Lindhorst, T.K. Organizing multivalency in carbohydrate recognition. *Chem. Soc. Rev.* 2016, 45, 3275–3302. [CrossRef]
- Touaibia, M.; Roy, R. Glycodendrimers as anti-adhesion drugs against type 1 fimbriated *E. coli* uropathogenic infections. *Mini Rev. Med. Chem.* 2007, 7, 1270–1283. [CrossRef] [PubMed]
- 9. Roy, R.; Touaibia, M. Application of multivalent mannosylated dendrimers in glycobiology. In *Comprehensive Glycoscience*; Kamerling, H., Ed.; Elsevier: Oxford, UK, 2007; pp. 821–870.
- Johannssen, T.; Lepenies, B. Glycan-Based Cell Targeting to Modulate Immune Responses. *Trends Biotechnol.* 2017, 35, 334–346. [CrossRef] [PubMed]
- 11. Sirois, S.; Touaibia, M.; Chou, K.-C.; Roy, R. Glycosylation of HIV-1 gp120 V3 Loop: Towards the Rational Design of a Synthetic Carbohydrate Vaccine. *Curr. Med. Chem.* 2007, *14*, 3232–3242. [CrossRef] [PubMed]
- 12. Mousavifar, L.; Roy, R. Recent development in the design of small 'drug-like' and nanoscale glycomimetics against Escherichia coli infections. *Drug Discov. Today* 2021, in press. [CrossRef]
- Imberty, A.; Chabre, Y.M.; Roy, R. Glycomimetics and glycodendrimers as high affinity microbial anti-adhesins. *Chem. Eur. J.* 2008, 14, 7490–7499. [CrossRef] [PubMed]
- 14. Pieters, R.J. Intervention with bacterial adhesion by multivalent carbohydrates. *Med. Res. Rev.* 2007, 27, 796–816. [CrossRef] [PubMed]
- 15. Lee, Y.C.; Lee, R.T. Carbohydrate-Protein Interactions: Basis of Glycobiology. Acc. Chem. Res. 1995, 28, 321–327. [CrossRef]

- 16. Lundquist, J.L.; Toone, E.J. The cluster glycoside effect. Chem. Rev. 2002, 102, 555–578. [CrossRef] [PubMed]
- 17. Mammen, M.; Choi, S.-K.; Whitesides, G.M. Polyvalent Interactions in Biological Systems: Implications for Design and Use of Multivalent Ligands and Inhibitors. *Angew. Chem. Int. Ed.* **1998**, *37*, 2754–2794. [CrossRef]
- 18. Lee, R.T.; Lee, Y.C. Affinity enhancement by multivalent lectin—Carbohydrate interaction. *Glycoconj. J.* **2000**, *17*, 543–551. [CrossRef]
- 19. Roy, R. Syntheses and some applications of chemically defined multivalent glycoconjugates. *Curr. Opin. Struct. Biol.* **1996**, *6*, 692–702. [CrossRef]
- 20. Kiessling, L.L.; Gestwicki, J.E.; Strong, L.E. Synthetic multivalent ligands as probes of signal transduction. *Angew. Chem. Int. Ed. Engl.* **2006**, *45*, 2348–2368. [CrossRef]
- Wolfenden, M.L.; Cloninger, M.J. Mannose/Glucose-Functionalized Dendrimers to Investigate the Predictable Tunability of Multivalent Interactions. J. Am. Chem. Soc. 2005, 127, 12168–12169. [CrossRef]
- 22. Wolfenden, M.L.; Cloninger, M.J. Carbohydrate-Functionalized Dendrimers to Investigate the Predictable Tunability of Multivalent Interactions. *Bioconjugate Chem.* 2006, 17, 958–966. [CrossRef] [PubMed]
- 23. Deguise, I.; Lagnoux, D.; Roy, R. Synthesis of glycodendrimers containing both fucoside and galactoside residues and their binding properties to Pa-IL and PA-IIL lectins from Pseudomonas Aeruginosa. *New J. Chem.* **2007**, *31*, 1321–1331. [CrossRef]
- Jiménez Blanco, J.L.; Ortiz Mellet, C.; Garciá Fernández, J.M. Multivalency in heterogeneous glycoenvironments: Heteroglycoclusters, -glycopolymers and -glycoassemblies. *Chem. Soc. Rev.* 2013, 42, 4518–4531. [CrossRef] [PubMed]
- González-Cuesta, M.; Ortiz Mellet, C.; García Fernández, J.M. Carbohydrate supramolecular chemistry: Beyond the multivalent effect. *Chem. Commun.* 2020, 56, 5207–5222. [CrossRef] [PubMed]
- Bagul, R.S.; Hosseini, M.M.; Shiao, T.C.; Roy, R. "Onion peel" glycodendrimer syntheses using mixed triazine and cyclotriphosphazene scaffolds. *Can. J. Chem.* 2017, 95, 975–983. [CrossRef]
- 27. Sharma, R.; Naresh, K.; Chabre, Y.M.; Rej, R.; Saadeh, N.K.; Roy, R. "Onion peel" dendrimers: A straightforward synthetic approach towards highly diversified architectures. *Polym. Chem.* **2014**, *5*, 4321–4331. [CrossRef]
- 28. Sharma, R.; Zhang, I.; Abbassi, L.; Rej, R.; Maysinger, D.; Roy, R. A fast track strategy toward highly functionalized dendrimers with different structural layers: An "onion peel approach". *Polym. Chem.* **2015**, *6*, 1436–1444. [CrossRef]
- Sharma, R.; Kottari, N.; Chabre, Y.M.; Abbassi, L.; Shiao, T.C.; Roy, R. A highly versatile convergent/divergent "onion peel" synthetic strategy toward potent multivalent glycodendrimers. *Chem. Commun.* 2014, 50, 13300–13303. [CrossRef]
- 30. Jiang, S.; Niu, S.; Zhao, Z.-H.; Li, Z.-J.; Li, Q. Synthesis of a series of novel heteroglycoclusters and homoglycoclusters and the study of their anti-adhesion activities. *Carbohydr. Res.* 2015, 414, 39–45. [CrossRef]
- Cheal, S.M.; Patel, M.; Yang, G.; Veach, D.; Xu, H.; Guo, H.F.; Zanzonico, P.B.; Axworthy, D.B.; Cheung, N.K.V.; Ouerfelli, O.; et al. An N-Acetylgalactosamino Dendron-Clearing Agent for High-Therapeutic-Index DOTA-Hapten Pretargeted Radioimmunotherapy. *Bioconjugate Chem.* 2020, 31, 501–506. [CrossRef]
- 32. Benedé, S.; Ramos-Soriano, J.; Palomares, F.; Losada, J.; Mascaraque, A.; López-Rodríguez, J.C.; Rojo, J.; Mayorga, C.; Villalba, M.; Batanero, E. Peptide Glycodendrimers as Potential Vaccines for Olive Pollen Allergy. *Mol. Pharm.* **2020**, *17*, 827–836. [CrossRef]
- Roy, R.; Shiao, T.C.; Rittenhouse-Olson, K. Glycodendrimers: Versatile tools for nanotechnology. *Braz. J. Pharmac. Sci.* 2013, 49, 85–108. [CrossRef]
- Pifferi, C.; Thomas, B.; Goyard, D.; Berthet, N.; Renaudet, O. Heterovalent Glycodendrimers as Epitope Carriers for Antitumor Synthetic Vaccines. *Chem. Eur. J.* 2017, 23, 16283–16296. [CrossRef]
- 35. Lis, H.; Sharon, N. Lectins: Carbohydrate-specific proteins that mediate cellular recognition. *Chem. Rev.* **1998**, *98*, 637–674. [CrossRef]
- 36. Arya, P.; Kutterer, K.M.K.; Quin, H.; Roby, J.; Barnes, M.L.; Kim, J.-M.; Roy, R. Diversity of C-linked Neoglycopeptides for the exploration of subsite-assisted carbohydrate binding interactions. *Bioorg. Med. Chem. Lett.* **1998**, *8*, 1127–1132. [CrossRef]
- 37. Ramström, O.; Lehn, J.-M. In situ generation and screening of a dynamic combinatorial carbohydrate library against concanavalin A. *ChemBioChem* **2000**, *1*, 41–48. [CrossRef]
- 38. Ramström, O.; Lohmann, S.; Bunyapaiboonsri, T.; Lehn, J.-M. Dynamic Combinatorial Carbohydrate Libraries: Probing the Binding Site of the Concanavalin a Lectin. *Chem. Eur. J.* **2004**, *10*, 1711–1715. [CrossRef] [PubMed]
- Pagé, D.; Roy, R. Synthesis and Biological Properties of Mannosylated Starburst Poly(amidoamine) Dendrimers. *Bioconj. Chem.* 1997, *8*, 714–772. [CrossRef] [PubMed]
- 40. Ohmi, Y.; Kambe, M.; Ohkawa, Y.; Hamamura, K.; Tajima, O.; Takeuchi, R.; Furukawa, K.; Furukawa, K. Differential roles of gangliosides in malignant properties of melanomas. *PLoS ONE* **2018**, *13*, e0206881. [CrossRef]
- 41. Wilson, R.M.; Danishefsky, S.J. A Vision for Vaccines Built from Fully Synthetic Tumor-Associated Antigens: From the Laboratory to the Clinic. J. Am. Chem. Soc. 2013, 135, 14462–14472. [CrossRef] [PubMed]
- 42. Brockhausen, I.; Melamed, J. Mucins as anti-cancer targets: Perspectives of the glycobiologist. Glycoconj. J. 2021. [CrossRef]
- 43. Moffett, S.; Shiao, T.C.; Mousavifar, L.; Mignani, S.; Roy, R. Aberrant glycosylation patterns on cancer cells: Therapeutic opportunities for glycodendrimers/ metallodendrimers oncology. *Wires Nanomed. Nanobiotechnol.* **2020**, *13*, e1659. [CrossRef]
- 44. Shiao, T.C.; Roy, R. Glycodendrimers as functional antigens and antitumor vaccines. New J. Chem. 2012, 36, 324–339. [CrossRef]
- 45. Kelkar, S.S.; Reineke, T.M. Theranostics: Combining Imaging and Therapy. *Bioconj. Chem.* 2011, 22, 1879–1903. [CrossRef] [PubMed]
- 46. Park, S.; Gildersleeve, J.C.; Blixt, O.; Shin, I. Carbohydrate microarrays. Chem. Soc. Rev. 2013, 42, 4310–4326. [CrossRef] [PubMed]

- 47. Narla, S.N.; Nie, H.; Li, Y.; Sun, X.-L. Multi-dimensional glycan microarrays with glyco-macroligands. *Glycoconj. J.* 2015, 32, 483–495. [CrossRef] [PubMed]
- 48. Larson, S.M.; Carrasquillo, J.A.; Cheung, N.K.; Press, O.W. Radioimmunotherapy of human tumours. *Nat. Rev. Cancer.* 2015, 15, 347–360. [CrossRef] [PubMed]
- Zaheer, J.; Kim, H.; Lee, Y.-J.; Kim, J.S.; Lim, S.M. Combination Radioimmunotherapy Strategies for Solid Tumors. *Int. J. Mol. Sci.* 2019, 20, 5579. [CrossRef]
- 50. Ganneau, C.; Simenel, C.; Emptas, E.; Courtiol, T.; Coïc, Y.-M.; Artaud, C.; Dériaud, E.; Bonhomme, F.; Delepierre, M.; Leclerc, C.; et al. Large-scale synthesis and structural analysis of a synthetic glycopeptide dendrimer as an anti-cancer vaccine candidate. *Org. Biomol. Chem.* **2017**, *15*, 114–123. [CrossRef]
- 51. Rosenbaum, P.; Artaud, C.; Bay, S.; Ganneau, C.; Campone, M.; Delaloge, S.; Gourmelon, C.; Loirat, D.; Medioni, J.; Pein, F.; et al. The fully synthetic glycopeptide MAG-Tn3 therapeutic vaccine induces tumor-specific cytotoxic antibodies in breast cancer patients. *Cancer Immunol. Immunother.* **2020**, *69*, 703–716. [CrossRef]
- Heimburg-Molinaro, J.; Almogren, A.; Morey, S.; Glinskii, O.V.; Roy, R.; Wilding, G.E.; Cheng, R.P.; Glinsky, V.V.; Rittenhouse-Olson, K. Development, characterization, and immunotherapeutic use of peptide mimics of the Thomsen-Friedenreich carbohydrate antigen. *Neoplasia* 2009, 11, 780–792. [CrossRef]
- Daskhan, G.C.; Ton Tran, H.-T.; Meloncelli, P.J.; Lowary, T.L.; West, L.J.; Cairo, C.W. Construction of Multivalent Homo- and Heterofunctional ABO Blood Group Glycoconjugates Using a Trifunctional Linker Strategy. *Bioconjugate Chem.* 2018, 29, 343–362. [CrossRef] [PubMed]
- 54. Butler, D.L.; Gildersleeve, J.C. Abnormal antibodies to self-carbohydrates in SARS-CoV-2 infected patients. *BioRxiv* 2020, in press. [CrossRef]
- 55. Solís, D.; Bovin, N.V.; Davis, A.P.; Jiménez-Barbero, J.; Romero, A.; Roy, R.; Smetana, K., Jr.; Gabius, H.-J. A guide into glycosciences: How chemistry and biochemistry cooperate to crack the sugar code. *Biochim. Biophys. Acta* 2015, 1850, 186–235. [CrossRef] [PubMed]
- 56. Roy, R.; Murphy, P.V.; Gabius, H.-J. Multivalent Carbohydrate-Lectin Interactions: How Synthetic Chemistry Enables Insights into Nanometric Recognition. *Molecules* **2016**, *21*, 629. [CrossRef] [PubMed]
- Krauss, I.J.; Joyce, J.G.; Finnefrock, A.C.; Song, H.C.; Dudkin, V.Y.; Geng, X.; Warren, J.D.; Chastain, M.; Shiver, J.W.; Danishefsky, S.J. Fully Synthetic Carbohydrate HIV Antigens Designed on the Logic of the 2G12 Antibody. *J. Am. Chem. Soc.* 2007, 129, 11042–11044. [CrossRef] [PubMed]
- Joyce, J.G.; Krauss, I.J.; Song, H.C.; Opalka, D.W.; Grimm, K.M.; Nahas, D.D.; Esser, M.T.; Hrin, R.; Feng, M.; Dudkin, V.Y.; et al. An oligosaccharide-based HIV-1 2G12 mimotope vaccine induces carbohydrate-specific antibodies that fail to neutralize HIV-1 virions. *Proc. Natl. Acad. Sci. USA* 2008, 105, 15684–15689. [CrossRef] [PubMed]
- 59. Liang, C.-H.; Wang, S.-K.; Lin, C.-W.; Wang, L.-C.; Wong, C.-H.; Wu, C.-Y. Effects of Neighboring Glycans on Antibody– Carbohydrate Interaction. *Angew. Chem. Int. Ed.* 2011, *50*, 1608–1613. [CrossRef]