

## Ethyl 8-chloro-1-cyclopropyl-6,7-difluoro-4-oxo-1,4-dihydroquinoline-3-carboxylate

Hong-shun Sun,<sup>a\*</sup> Long Jiang,<sup>b</sup> Yu-Long Li,<sup>c</sup> Xin-hua Lu<sup>a</sup> and Hong Xu<sup>c</sup>

<sup>a</sup>Department of Applied Chemistry, Nanjing College of Chemical Technology, Geguan Road No. 265 Nanjing, Nanjing 210048, People's Republic of China, <sup>b</sup>R&D Center, Jiangsu Yabang Pharmaceutical Group, Liangchang Road East No. 6 Jingtian, Changzhou 213200, People's Republic of China, and <sup>c</sup>Department of Chemical Engineering, Nanjing College of Chemical Technology, Geguan Road No. 265 Nanjing, Nanjing 210048, People's Republic of China  
Correspondence e-mail: njutshs@126.com


Received 26 September 2011; accepted 12 October 2011

Key indicators: single-crystal X-ray study;  $T = 293\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$ ;  $R$  factor = 0.053;  $wR$  factor = 0.158; data-to-parameter ratio = 13.0.

In the molecule of the title compound,  $\text{C}_{15}\text{H}_{12}\text{ClF}_2\text{NO}_3$ , the quinoline ring system is not planar, the dihedral angle between the pyridine and benzene rings being  $3.55(8)^\circ$ . In the crystal, intermolecular  $\text{C}-\text{H}\cdots\text{O}$  hydrogen bonds link the molecules into layers parallel to (101).

### Related literature

For the antibacterial activity of quinolone derivatives, see: Fujita & Chiba (1998). For a related structure, see: Wang *et al.* (2008).



### Experimental

#### Crystal data

$\text{C}_{15}\text{H}_{12}\text{ClF}_2\text{NO}_3$   
 $M_r = 327.71$   
Monoclinic,  $P2_1/n$   
 $a = 11.336(2)\text{ \AA}$   
 $b = 7.7440(15)\text{ \AA}$   
 $c = 16.157(3)\text{ \AA}$   
 $\beta = 95.40(3)^\circ$

$V = 1412.1(5)\text{ \AA}^3$   
 $Z = 4$   
Mo  $K\alpha$  radiation  
 $\mu = 0.31\text{ mm}^{-1}$   
 $T = 293\text{ K}$   
 $0.30 \times 0.20 \times 0.10\text{ mm}$

#### Data collection

Enraf–Nonius CAD-4  
diffractometer  
Absorption correction:  $\psi$  scan  
(North *et al.*, 1968)  
 $T_{\min} = 0.914$ ,  $T_{\max} = 0.970$   
2741 measured reflections

2604 independent reflections  
1728 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.025$   
3 standard reflections every 200  
reflections  
intensity decay: 1%

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.053$   
 $wR(F^2) = 0.158$   
 $S = 1.00$   
2604 reflections

200 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.21\text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.25\text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
C11—H11A $\cdots$ O1 <sup>i</sup>	0.97	2.55	3.240 (4)	128
C11—H11B $\cdots$ O1 <sup>ii</sup>	0.97	2.54	3.491 (4)	167

Symmetry codes: (i)  $-x + 1, -y, -z + 1$ ; (ii)  $x - \frac{1}{2}, -y + \frac{1}{2}, z - \frac{1}{2}$ .

Data collection: *CAD-4 EXPRESS* (Enraf–Nonius, 1994); cell refinement: *CAD-4 EXPRESS*; data reduction: *XCAD4* (Harms & Wocadlo, 1995); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The authors thank the Center of Testing and Analysis, Nanjing University, for support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: RZ2646).

### References

- Enraf–Nonius (1994). *CAD-4 EXPRESS*. Enraf–Nonius, Delft, The Netherlands.
- Fujita, M. & Chiba, K. (1998). *Chem. Pharm. Bull.* **46**, 631–638.
- Harms, K. & Wocadlo, S. (1995). *XCAD4*. University of Marburg, Germany.
- North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). *Acta Cryst. A* **24**, 351–359.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Wang, D.-C., Huang, X.-M., Liu, Y.-P. & Tang, C.-L. (2008). *Acta Cryst. E* **64**, o2214.

## **supplementary materials**

*Acta Cryst.* (2011). E67, o2974 [doi:10.1107/S160053681104205X]

## Ethyl 8-chloro-1-cyclopropyl-6,7-difluoro-4-oxo-1,4-dihydroquinoline-3-carboxylate

H. Sun, L. Jiang, Y.-L. Li, X. Lu and H. Xu

### Comment

Quinolone antibacterials were found several decades ago, and some excellent antibacterials have been developed and used widely (Fujita & Chiba, 1998). An interest in the search of more potent antibacterial agents led us to design and synthesize a new type of quinoline derivative. The title compound is one of the key intermediates and we report here its crystal structure.

The quinoline ring system is not planar, the dihedral angle between the pyridine and benzene rings being 3.55 (8)°. The dihedral angle between the three-membered ring and the quinoline ring system is 80.5 (5)°. Bond lengths and angles agree well with those observed in the strictly related compound ethyl 1-cyclopropyl-6,7-difluoro-8-methoxy-4-oxo-1,4-dihydroquinoline-3-carboxylate reported recently (Wang *et al.*, 2008). In the crystal structure, intermolecular C—H···O hydrogen bonds link molecules into layers parallel to the (101) plane.

### Experimental

A solution of 3-cyclopropylamino-2-(2,4,5-trifluoro-3-chlorobenzoyl)acrylic acid ethyl ester (26.1 g, 0.075 mol) in DMF (110 ml) was treated with K<sub>2</sub>CO<sub>3</sub> (22 g, 0.16 mol) and then heated to 50°C with stirring for 1 h. The resulting precipitate was filtered, washed with a mixture of ice and water, and dried to give 22 g of the title compound (yield 90%). Crystals of the title compound suitable for X-ray diffraction analysis were obtained by slow evaporation of an acetone solution.

### Refinement

All H atoms were positioned geometrically and refined using a riding model with C—H = 0.93–0.98 Å and U<sub>iso</sub>(H) = 1.2 or 1.5 U<sub>eq</sub>(C). A rotating-group model was applied for the methyl groups.

### Figures




Fig. 1. The molecular structure of the title compound, with displacement ellipsoids drawn at the 50% probability level.

## Ethyl 8-chloro-1-cyclopropyl-6,7-difluoro-4-oxo-1,4-dihydroquinoline-3-carboxylate

### Crystal data

C <sub>15</sub> H <sub>12</sub> ClF <sub>2</sub> NO <sub>3</sub>	F(000) = 672
M <sub>r</sub> = 327.71	D <sub>x</sub> = 1.541 Mg m <sup>-3</sup>

# supplementary materials

---

Monoclinic,  $P2_1/n$

Hall symbol: -P 2yn

$a = 11.336(2)$  Å

$b = 7.7440(15)$  Å

$c = 16.157(3)$  Å

$\beta = 95.40(3)^\circ$

$V = 1412.1(5)$  Å<sup>3</sup>

$Z = 4$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 25 reflections

$\theta = 9\text{--}13^\circ$

$\mu = 0.31$  mm<sup>-1</sup>

$T = 293$  K

Block, colourless

$0.30 \times 0.20 \times 0.10$  mm

## Data collection

Enraf–Nonius CAD-4  
diffractometer

1728 reflections with  $I > 2\sigma(I)$

Radiation source: fine-focus sealed tube

$R_{\text{int}} = 0.025$

graphite

$\theta_{\max} = 25.4^\circ$ ,  $\theta_{\min} = 2.1^\circ$

$\omega/2\theta$  scans

$h = 0 \rightarrow 13$

Absorption correction:  $\psi$  scan  
(North *et al.*, 1968)

$k = 0 \rightarrow 9$

$T_{\min} = 0.914$ ,  $T_{\max} = 0.970$

$l = -19 \rightarrow 19$

2741 measured reflections

3 standard reflections every 200 reflections

2604 independent reflections

intensity decay: 1%

## Refinement

Refinement on  $F^2$

Secondary atom site location: difference Fourier map

Least-squares matrix: full

Hydrogen site location: inferred from neighbouring sites

$R[F^2 > 2\sigma(F^2)] = 0.053$

H-atom parameters constrained

$wR(F^2) = 0.158$

$w = 1/[\sigma^2(F_o^2) + (0.094P)^2]$

where  $P = (F_o^2 + 2F_c^2)/3$

$S = 1.00$

$(\Delta/\sigma)_{\max} < 0.001$

2604 reflections

$\Delta\rho_{\max} = 0.21$  e Å<sup>-3</sup>

200 parameters

$\Delta\rho_{\min} = -0.25$  e Å<sup>-3</sup>

0 restraints

Extinction correction: *SHELXL97* (Sheldrick, 2008),

$F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$

Primary atom site location: structure-invariant direct methods

Extinction coefficient: 0.022 (3)

## Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -

factors(gt) etc. and is not relevant to the choice of reflections for refinement. *R*-factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and *R*-factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Cl	0.19669 (7)	0.51225 (11)	0.40024 (6)	0.0668 (4)
N	0.44922 (19)	0.3170 (3)	0.40949 (14)	0.0419 (6)
O1	0.59434 (19)	0.1055 (3)	0.62827 (13)	0.0642 (7)
C1	0.3696 (3)	0.2253 (4)	0.62119 (19)	0.0544 (8)
H1A	0.4037	0.1728	0.6694	0.065*
F1	0.19320 (19)	0.2766 (4)	0.68412 (14)	0.0983 (8)
O2	0.79506 (19)	0.0443 (3)	0.54403 (15)	0.0651 (7)
F2	0.09874 (16)	0.4358 (3)	0.54885 (14)	0.0800 (7)
C2	0.2582 (3)	0.2886 (5)	0.6180 (2)	0.0631 (9)
O3	0.79232 (18)	0.1827 (3)	0.42263 (14)	0.0627 (6)
C3	0.2086 (3)	0.3706 (4)	0.5476 (2)	0.0570 (9)
C4	0.2681 (3)	0.3882 (4)	0.47802 (19)	0.0485 (8)
C5	0.3828 (2)	0.3153 (3)	0.47746 (17)	0.0399 (7)
C6	0.4329 (2)	0.2392 (4)	0.55187 (17)	0.0420 (7)
C7	0.5626 (2)	0.2603 (4)	0.41917 (17)	0.0436 (7)
H7A	0.6060	0.2690	0.3733	0.052*
C8	0.6190 (2)	0.1915 (4)	0.48987 (17)	0.0421 (7)
C9	0.5555 (2)	0.1703 (4)	0.56176 (17)	0.0440 (7)
C10	0.4003 (3)	0.3598 (4)	0.32426 (17)	0.0499 (8)
H10A	0.3941	0.4831	0.3109	0.060*
C11	0.3070 (3)	0.2476 (4)	0.28256 (18)	0.0569 (9)
H11A	0.2816	0.1486	0.3131	0.068*
H11B	0.2450	0.3023	0.2462	0.068*
C12	0.4275 (3)	0.2441 (5)	0.25528 (18)	0.0630 (9)
H12A	0.4393	0.2967	0.2022	0.076*
H12B	0.4759	0.1431	0.2692	0.076*
C13	0.7432 (3)	0.1294 (4)	0.49057 (19)	0.0475 (7)
C14	0.9161 (3)	0.1308 (6)	0.4192 (2)	0.0697 (10)
H14A	0.9241	0.0067	0.4261	0.084*
H14B	0.9663	0.1869	0.4632	0.084*
C15	0.9506 (4)	0.1833 (6)	0.3377 (2)	0.0891 (13)
H15A	1.0316	0.1516	0.3332	0.134*
H15B	0.9421	0.3062	0.3317	0.134*
H15C	0.9005	0.1266	0.2947	0.134*

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Cl	0.0592 (5)	0.0603 (6)	0.0764 (6)	0.0187 (4)	-0.0166 (4)	-0.0001 (4)
N	0.0404 (13)	0.0399 (13)	0.0437 (13)	-0.0013 (10)	-0.0054 (10)	0.0007 (10)
O1	0.0579 (13)	0.0809 (17)	0.0511 (13)	0.0097 (12)	-0.0089 (10)	0.0147 (12)
C1	0.056 (2)	0.058 (2)	0.0477 (17)	-0.0018 (16)	0.0012 (15)	0.0002 (15)

## supplementary materials

---

F1	0.0732 (15)	0.146 (2)	0.0798 (14)	0.0125 (15)	0.0296 (12)	0.0032 (15)
O2	0.0507 (13)	0.0699 (16)	0.0727 (15)	0.0149 (11)	-0.0035 (12)	0.0137 (13)
F2	0.0461 (11)	0.0932 (16)	0.1010 (16)	0.0177 (11)	0.0077 (11)	-0.0139 (13)
C2	0.055 (2)	0.078 (2)	0.058 (2)	-0.0008 (18)	0.0145 (17)	-0.0068 (18)
O3	0.0421 (12)	0.0806 (17)	0.0646 (14)	0.0079 (11)	0.0012 (10)	0.0107 (13)
C3	0.0412 (17)	0.060 (2)	0.069 (2)	0.0050 (15)	0.0009 (16)	-0.0149 (18)
C4	0.0454 (17)	0.0388 (16)	0.0585 (19)	0.0015 (13)	-0.0102 (15)	-0.0070 (14)
C5	0.0364 (14)	0.0321 (14)	0.0493 (16)	-0.0045 (12)	-0.0057 (12)	-0.0023 (12)
C6	0.0423 (16)	0.0381 (15)	0.0440 (15)	-0.0032 (12)	-0.0039 (13)	-0.0028 (13)
C7	0.0408 (16)	0.0427 (16)	0.0470 (16)	-0.0042 (13)	0.0024 (13)	-0.0002 (14)
C8	0.0396 (15)	0.0378 (15)	0.0471 (16)	-0.0035 (12)	-0.0043 (13)	-0.0024 (13)
C9	0.0445 (16)	0.0395 (16)	0.0452 (17)	-0.0026 (13)	-0.0110 (13)	-0.0020 (14)
C10	0.0549 (18)	0.0459 (17)	0.0460 (17)	0.0000 (14)	-0.0102 (14)	0.0065 (14)
C11	0.055 (2)	0.061 (2)	0.0516 (17)	0.0007 (16)	-0.0129 (15)	0.0014 (16)
C12	0.069 (2)	0.076 (2)	0.0430 (17)	0.0012 (19)	0.0009 (16)	0.0032 (17)
C13	0.0442 (16)	0.0441 (17)	0.0526 (18)	-0.0020 (14)	-0.0044 (14)	-0.0023 (15)
C14	0.0433 (18)	0.087 (3)	0.079 (2)	0.0094 (18)	0.0044 (17)	0.005 (2)
C15	0.072 (3)	0.106 (3)	0.092 (3)	0.008 (2)	0.022 (2)	0.004 (3)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

Cl—C4	1.723 (3)	C7—C8	1.364 (4)
N—C7	1.353 (3)	C7—H7A	0.9300
N—C5	1.389 (4)	C8—C9	1.432 (4)
N—C10	1.473 (3)	C8—C13	1.486 (4)
O1—C9	1.229 (3)	C10—C11	1.481 (4)
C1—C2	1.351 (5)	C10—C12	1.485 (4)
C1—C6	1.390 (4)	C10—H10A	0.9800
C1—H1A	0.9300	C11—C12	1.475 (5)
F1—C2	1.357 (4)	C11—H11A	0.9700
O2—C13	1.196 (3)	C11—H11B	0.9700
F2—C3	1.346 (4)	C12—H12A	0.9700
C2—C3	1.375 (5)	C12—H12B	0.9700
O3—C13	1.342 (4)	C14—C15	1.467 (5)
O3—C14	1.466 (4)	C14—H14A	0.9700
C3—C4	1.371 (4)	C14—H14B	0.9700
C4—C5	1.418 (4)	C15—H15A	0.9600
C5—C6	1.410 (4)	C15—H15B	0.9600
C6—C9	1.483 (4)	C15—H15C	0.9600
C7—N—C5	119.0 (2)	N—C10—C12	118.7 (3)
C7—N—C10	116.8 (2)	C11—C10—C12	59.6 (2)
C5—N—C10	123.8 (2)	N—C10—H10A	116.0
C2—C1—C6	119.5 (3)	C11—C10—H10A	116.0
C2—C1—H1A	120.3	C12—C10—H10A	116.0
C6—C1—H1A	120.3	C12—C11—C10	60.3 (2)
C1—C2—F1	121.3 (3)	C12—C11—H11A	117.7
C1—C2—C3	120.5 (3)	C10—C11—H11A	117.7
F1—C2—C3	118.2 (3)	C12—C11—H11B	117.7
C13—O3—C14	114.8 (2)	C10—C11—H11B	117.7

F2—C3—C4	120.2 (3)	H11A—C11—H11B	114.9
F2—C3—C2	117.9 (3)	C11—C12—C10	60.1 (2)
C4—C3—C2	121.9 (3)	C11—C12—H12A	117.8
C3—C4—C5	119.2 (3)	C10—C12—H12A	117.8
C3—C4—Cl	114.8 (2)	C11—C12—H12B	117.8
C5—C4—Cl	125.9 (3)	C10—C12—H12B	117.8
N—C5—C6	118.3 (2)	H12A—C12—H12B	114.9
N—C5—C4	124.5 (3)	O2—C13—O3	123.1 (3)
C6—C5—C4	117.2 (3)	O2—C13—C8	125.8 (3)
C1—C6—C5	121.5 (3)	O3—C13—C8	111.1 (3)
C1—C6—C9	115.8 (3)	O3—C14—C15	107.1 (3)
C5—C6—C9	122.7 (3)	O3—C14—H14A	110.3
N—C7—C8	126.1 (3)	C15—C14—H14A	110.3
N—C7—H7A	116.9	O3—C14—H14B	110.3
C8—C7—H7A	116.9	C15—C14—H14B	110.3
C7—C8—C9	119.4 (3)	H14A—C14—H14B	108.5
C7—C8—C13	120.1 (3)	C14—C15—H15A	109.5
C9—C8—C13	120.3 (3)	C14—C15—H15B	109.5
O1—C9—C8	126.1 (3)	H15A—C15—H15B	109.5
O1—C9—C6	119.7 (3)	C14—C15—H15C	109.5
C8—C9—C6	114.2 (2)	H15A—C15—H15C	109.5
N—C10—C11	118.9 (3)	H15B—C15—H15C	109.5
C6—C1—C2—F1	179.6 (3)	C10—N—C7—C8	-170.2 (3)
C6—C1—C2—C3	-1.8 (5)	N—C7—C8—C9	1.7 (4)
C1—C2—C3—F2	-178.0 (3)	N—C7—C8—C13	178.1 (3)
F1—C2—C3—F2	0.7 (5)	C7—C8—C9—O1	177.6 (3)
C1—C2—C3—C4	1.4 (5)	C13—C8—C9—O1	1.3 (5)
F1—C2—C3—C4	-179.9 (3)	C7—C8—C9—C6	-3.9 (4)
F2—C3—C4—C5	-178.7 (3)	C13—C8—C9—C6	179.8 (2)
C2—C3—C4—C5	2.0 (5)	C1—C6—C9—O1	0.3 (4)
F2—C3—C4—Cl	5.2 (4)	C5—C6—C9—O1	179.9 (3)
C2—C3—C4—Cl	-174.1 (3)	C1—C6—C9—C8	-178.3 (2)
C7—N—C5—C6	-5.9 (4)	C5—C6—C9—C8	1.3 (4)
C10—N—C5—C6	167.3 (2)	C7—N—C10—C11	110.6 (3)
C7—N—C5—C4	172.8 (3)	C5—N—C10—C11	-62.8 (4)
C10—N—C5—C4	-13.9 (4)	C7—N—C10—C12	41.4 (4)
C3—C4—C5—N	176.6 (3)	C5—N—C10—C12	-132.0 (3)
Cl—C4—C5—N	-7.8 (4)	N—C10—C11—C12	-108.2 (3)
C3—C4—C5—C6	-4.7 (4)	N—C10—C12—C11	108.5 (3)
Cl—C4—C5—C6	170.9 (2)	C14—O3—C13—O2	-0.9 (5)
C2—C1—C6—C5	-1.1 (5)	C14—O3—C13—C8	178.5 (3)
C2—C1—C6—C9	178.4 (3)	C7—C8—C13—O2	-168.0 (3)
N—C5—C6—C1	-176.8 (3)	C9—C8—C13—O2	8.3 (5)
C4—C5—C6—C1	4.3 (4)	C7—C8—C13—O3	12.5 (4)
N—C5—C6—C9	3.6 (4)	C9—C8—C13—O3	-171.2 (2)
C4—C5—C6—C9	-175.2 (3)	C13—O3—C14—C15	174.0 (3)
C5—N—C7—C8	3.5 (4)		

## **supplementary materials**

---

*Hydrogen-bond geometry (Å, °)*

<i>D—H···A</i>	<i>D—H</i>	<i>H···A</i>	<i>D···A</i>	<i>D—H···A</i>
C11—H11A···O1 <sup>i</sup>	0.97	2.55	3.240 (4)	128.
C11—H11B···O1 <sup>ii</sup>	0.97	2.54	3.491 (4)	167.

Symmetry codes: (i)  $-x+1, -y, -z+1$ ; (ii)  $x-1/2, -y+1/2, z-1/2$ .

Fig. 1

