#### ORIGINAL ARTICLE



# Biodegradation of Navy N5RL1 carpet dye by *Staphylococcus* saprophyticus strain BHUSS X3

Lata Kumari · Ajay Kumar Verma · Dhanesh Tiwary · Deen Dayal Giri · Gopal Nath · Pradeep Kumar Mishra

Received: 14 October 2014/Accepted: 12 January 2015/Published online: 31 January 2015 © The Author(s) 2015. This article is published with open access at Springerlink.com

**Abstract** Biodegradation of Navy N5RL1, a widely used acidic azo dye in carpet industry, was studied by bacterial strain isolated from the dye-contaminated soil collected from a carpet industry premises located in Bhadohi, Sant Ravidas Nagar and Uttar Pradesh, India. The isolated strain was identified as *Staphylococcus saprophyticus* BHUSS X3 on the basis of morphological, biochemical and 16S rRNA gene sequencing analysis. The strain BHUSS X3 decolorized 95.7 % of dye (100 mg/l) within 6 h at optimum pH 8, temperature 35 °C, inoculum 4.0 % under static condition during 24 h incubation. The isolated bacterial strain BHUSS X3 can toralate dye concentration upto 1,000 mg/l. The dye degradation metabolites were confirmed by analysis of degraded products using UV–Vis spectrophotometric, HPLC and FTIR technique. The

L. Kumari · D. Tiwary
Department of Chemistry, Indian Institute of Technology

(Banaras Hindu University), Varanasi, India e-mail: lata.rs.apc@itbhu.ac.in

D. Tiwary

e-mail: dtiwari.apc@itbhu.ac.in

D. D. Giri · P. K. Mishra (⊠)

Department of Chemical Engineering and Technology, Indian Institute of Technology (Banaras Hindu University), Varanasi, India

e-mail: drpkm18@gmail.com

D. D. Giri

e-mail: ddgiri1@gmail.com

A. K. Verma · G. Nath Department of Microbiology, Institute of Medical Sciences (Banaras Hindu University), Varanasi, India e-mail: akvermamcb@gmail.com

G. Nath

e-mail: gopalnath@gmail.com

phytotoxicity analysis was also conducted on *Phaseolus* aureus and enhanced seed germination was recorded.

**Keywords** Biodegradation · *Staphylococcus saprophytic* BHUSS X3 · Carpet industry · Navy N5RL1

#### Introduction

The synthetic azo dyes are widely used in carpet, textile, paper, cosmetics, pharmaceuticals, food and many other industries (Saratale et al. 2011). Their annual production exceeds  $7 \times 10^7$  metric tons (Robinson et al. 2001; Akhtar et al. 2005) and demand is continuously increasing. About 70 % of azo dyes produced are applied in textile industry due to their availability in variety of colors, high stability and low cost (Wang et al. 2008; Saratale et al. 2009). A significant proportion of total production ( $\sim 10-15\%$ ) remains unutilized and released in the environment at various stages that contaminate water bodies (like river, lake, ground water) (Ozdemir et al. 2013; Moosvi et al. 2007; Prasad and Rao 2013). The recalcitrant azo dye effluents adversely affect living organisms and their ecosystem. They are mutagenic and carcinogenic for human. The intense color reduces photosynthetic activity of aquatic plants leading to low dissolved oxygen level and anoxic conditions, causing killing of aquatic organism, including fishes. The effluent discharged from several types of industries has proven mutagenic activity (Coelho et al. 1992). It is therefore necessary to treat such industrial wastewater.

There are variety of physico-chemical methods such as flocculation/coagulation (Rodrigues et al. 2013) precipitation, sedimentation, reverse osmosis and nanofiltration (Myung et al. 2005). However, these methods are



776 3 Biotech (2015) 5:775–782

associated with low dye removal efficiency and high cost due to high energy requirement (Forgacs et al. 2004; Zhang et al. 2004). In contrast, bioremediation of dye effluents by microorganisms is cost effective and ecofriendly (Kuhad et al. 2004; Mohana et al. 2007). Recently, researchers have focused on isolating microorganisms from contaminated sites to degrade dye effluents under aerobic and anaerobic conditions. Several microorganisms such as *Morganella* sp. HK-1, *Bacillus cereus* strain HJ-1 and *Yarrowia lipolytica* have been identified for efficient degradation of aromatic dyes (Pathak et al. 2011).

During the anaerobic degradation, harmful aromatic amine intermediates are produced, which are carcinogenic and mutagenic. These harmful intermediates are converted to less toxic products by hydroxylation and deamination reactions using aerobic biodegradation steps (Tripathi and Srivastava 2011; Levine 1991). As there is draft of literature regarding the degradation and detoxification of Navy N5RL1 dye, being used for coloring the carpet, present investigation aims to investigate its degradation using bacterial strain (Staphylococcus saprophyticus BHUSS X3) isolated from dye-contaminated site. The various factors affecting dye degradation such as agitation speed, pH, initial concentration and temperature were optimized. The decolorization and degradation products were analysed by UV-Vis Spectrophotometer, FTIR and HPLC. Further, phytotoxicity of degradation products of Navy N5RL1 dye was tested by germinating the Phaseolus seeds on these degradation products.


#### Materials and methods

### Chemicals and nutrient media

The dye Navy N5RL1 was procured from Amit Carpet Industries Limited, Sant Ravidas Nagar (Bhadohi), Uttar Pradesh, India. All the solvents used in the HPLC were of HPLC grade (Fisher Scientific). The nutrient media used for culturing the bacteria were purchased from Hi-Media, India.

# Isolation and identification of bacteria

Dye-contaminated soil samples were collected from Sant Ravidas Nagar (Bhadohi), Uttar Pradesh, India. Ten milliliters of aqueous suspension of 1 g of soil was mixed in 100 ml nutrient broth containing 5 g peptone, 5 g NaCl, 1.5 g yeast extract and 1.5 g beef extract per litter for isolation of bacteria. The nutrient was supplemented with 500 mg/l Navy N5RL1 dye and incubated at 30  $\pm$  2 °C in an orbital shaker (100 rpm) as well as under static



#### Inoculum preparation

The cultivated loopful bacterial culture was inoculated in 100 ml of nutrient broth and incubated (100 rpm, 30 °C, 24 h). The inoculum size of 0.1 ml of actively growing culture ( $\sim 10^7$  cells/ml) was selected for the optimization of various parameters for dye degradation experiments. Another broth under identical conditions was used as control without bacterial culture.



3 Biotech (2015) 5:775–782

#### Decolorization studies

One milliliter of inoculum was incubated in 100 ml nutrient broth for 24 h and then 1 ml of dye stock containing 10,000 mg/l dye was added to it. Two-milliliter samples were withdrawn at regular interval, centrifuged (10,000 g for 15 min), and supernatant thus obtained was analyzed for estimation of degradation efficiency using double beam UV–Vis spectrophotometer in 200–700 nm range (Systronics 2202). The percentage decolorization was calculated as given below:

$$\label{eq:Decolorization} Decolorization~(\%) = \frac{initial~OD - final~OD}{intial~OD} \times 100.$$

Optimization of dye degradation parameters

The optimization studies were carried in pH range 4–10, temperature range 20–45 °C, initial dye concentration (100–1,000 ppm) at static condition as well by shaking at 100 rpm for degradation of Navy N5RL1 dye. Each experiment was performed in triplicate.

#### Analytical investigation

# HPLC and FTIR analysis

The HPLC and FTIR were performed for estimation of degradation efficiency and degradation products. The degraded samples (100 ml) were centrifuged at 10,000 rpm for 15 min at  $25 \pm 1$  °C, and mixed with equal volumes of ethyl acetate and kept in the desiccators for water removal using anhydrous sodium sulphate. The solution was further dried using rotary evaporator. The control was also exposed to similar step. The residue thus obtained was dissolved in 5 ml of methanol and subjected to HPLC analysis (Water HPLC, Model no. 2690) on a reverse phase C18 column (5 mm, 4.6, 250 mm) at 35 °C. Acetonitrile at 10–90 % gradient was used as the mobile phase and the flow rate was adjusted to 1.0 ml/min. Analysis was carried out for 20 min and the peaks were identified using a photodiode array detector at 294 nm.

The FTIR spectra of pure and degraded dye samples were analysed between wave number 4,000 and 500 cm<sup>-1</sup> by mixing them in KBr pellet using FTIR spectrophotometer (Perkin Elmer, version 10.03.05).

# Phytotoxicity study

The phototoxicity of Navy N5RL1 dye was assessed before and after bacterial degradation of the dye in the concentration range of 100 and 1,000 mg/l using *Phaseolus aureus* seeds. A piece of sterilized filter paper was soaked in selected dye concentration prior and after the degradation with bacterial

strain. The surface-sterilized seeds were placed over it and incubated in the seed germination chamber. Filter papers were moistened with the same amount of degraded and undegraded dye solution intermittently. The control was run by keeping the paper pad wet with tap water. Length of plumule and radical was measured after 6 days and percentage of germination was calculated.

#### Results and discussion

Bacterial identification by 16S rRNA gene sequencing

The fast-growing Gram-negative bacteria on the dye-amended nutrient agar was initially indentified morphologically and biochemically (Table 1) before their molecular

 Table 1 Characteistics of isolated bacterial strain Staphylococcus

 saprophytic BHUSS X3

Characteristic	Staphylococcus saprophytic BHUSS X3		
Gram staining	-ve		
Shape	Cluster, chain		
SIM motality	Non-motile		
TSI	+ve/no growth		
H <sub>2</sub> S production	+ve		
Glucose utilization	+ve		
Sucrose utilization	+ve		
Lactose utilization	+ve		
Citrate utilization	-ve		
Urease	-ve		
Oxidase	-ve		
Indol	+ve		




Fig. 1 The evolutionary history of bacterial strain BHUSS X3 was analysed using the neighbor-joining method, bootstrap values (n=1,000) are indicated at the nodes and scale bars represent 0.01 substitution/site; the sequences have been retrieved from NCBI database, showing the phylogenetic relationships of Staphylococcus saprophytic BHUSS X3 with different strain of Staphylococcus and other species of genus Pseudomonas and Bacillus




identification using 16S rRNA gene sequence technique. The bacterial 16S rRNA sequence was most closely related to *Staphylococcus saprophyticus* BHUSS X3. The evolutionary relations of the strain among the genus of *Staphylococcus* are shown in the phylogenetic tree (Fig. 1). The sequence of the strain was directly deposited in Gene Bank (Accession No. KJ439577) (http://www.ncbi.nlm.nih.gov/nuccore/KJ439577). The analysis of 1,150 base pair of 16S rRNA gene sequence obtained was 99 % identical to that of *Staphylococcus saprophyticus* compared to the other genera.

Parameter optimization for degradation studies

# Effect of agitation

The bacteria decolorized Navy N5RL1 dye more efficiently under static anoxic conditions (95.7 %) as

compared to the agitation at 100 rpm (25 %) for initial dye concentration of 100 mg/l, for 6 h incubation as shown in (Fig. 2a). The bacterial growth was fast under shaking condition but colour removal was slow. In contrast, under static condition, bacterial growth was slow but dye decolourization was comparatively fast. The result could be explained in terms of facultative anaerobic nature of isolated bacteria Staphylococcus saprophyticus strain BHUSS X3. Under static condition, partial anaerobic or microaerobic condition is generated and bacteria excrete extracellular and intracellular enzymes for dye decolourization. In the agitated samples of the dye, the bacterial respiration consumes most of the NADH necessary for the azoreductase activity in the dye decolourization (Stolz 2001). Therefore, static conditions were adopted to investigate dye decolorization in the following experiments.



**Fig. 2** a Effect of static/shaking condition for efficient decolorization of dye Navy N5RL1 by *Staphylococcus saprophytic* BHUSS X3. b Effect of pH on dye Navy N5RL1 decolorization by *Staphylococcus saprophytic* BHUSS X3 optimized static culture condition at pH 8.0,

Temperature<sup>0</sup>C)

35 °C. **c** Effect of temperature for decolorization of dye Navy N5RL1 by *Staphylococcus saprophytic* BHUSS X3. **d** Effect of initial dye Navy N5RL1 concentrations (100–1,000 mg/l) under optimized static culture condition at pH 8.0, 30 °C

Time (h)

10 12 14 16 18 20 22 24 26 28

8



30

20 10 3 Biotech (2015) 5:775–782

#### Effect of pH

The bacteria *Staphylococcus saprophyticus* BHUSS X3 was able to tolerate broad pH range of 6–10, so decolourization was tested for this range. For initial dye concentration, 100 mg/l, degradation increased with increasing pH up to 8 (95.5 %) and further increase in pH reduced the decolorization efficiency (Fig. 2b). The decolorization was affected by the extreme pH. The dye degradation under alkaline conditions has been reported to be favoured by various bacteria (Chen et al. 2003; Guo et al. 2007; Kilic et al. 2007; Bhatt et al. 2005) probably due to preferred growth in basic pH.

#### Effect of temperature

The incubation temperature is an important parameter for bacterial growth. The selected mesophilic bacteria were utilized for dye degradation in temperature range 20–45 °C as shown in Fig. 2c. It is clear from the figure that percentage decolorization increased with increase in temperature up to 35 °C and further increase in temperature beyond 35 °C resulted in decreased dye degradation. The result could be explained in terms of the inactivation of enzyme and loss of cell viability (Saratale et al. 2009).


### Effect of initial dye concentration

The dye degradation experiment was conducted for the initial concentration range of 100–1,000 mg/dye. The dye decolourized most effectively in initial concentration of 100 mg/l dye (95.7 %) within 6 h (Fig. 2d). The decolorization decreased as the initial concentration of dye increased. In case of 500 mg/l initial dye concentration degradation declined to 65 % in 18 h. Such reduction in the decolourization rate at higher concentrations has been attributed to toxic effect of dye (Jadhav et al. 2011; Kalme et al. 2007; Khera et al. 2005).

#### Analytical investigation

# UV-Vis spectral analysis

In the UV-Vis spectral analysis of pure dye solution, there were two minor peaks at 210, 260 nm and a major peak at 560 nm as shown in Fig. 3. The peak in the visible range disappeared after decolorization of the azo dye by bacteria and two peaks in the UV range were replaced by single peak at 250 nm (Fig. 3) probably due to the formation of some aromatic intermediate products.



**Fig. 3** UV–Vis spectrophotometer of Navy N5RLI (100 ppm) biodegraded by *Staphylococcus saprophytic* BHUSSX3 before and after optimized condition at T=35 °C, pH 8.0, bacterium =  $2.6\times10^6$  cells/ml

# HPLC analysis

The HPLC analysis of dye before degradation has two peaks at the retention time 5.99 and 6.00 min, whereas degradation products showed (Fig. 4a, b) peaks at lower retention time namely 3.99 and 4.10 min, probably due to degradation of dye into small intermediate products.

# FTIR analysis

The FTIR spectra of dye of (Fig. 5a) and dye degradation products differed with number of peaks and their positions (Fig. 5b). The appearance of peak at 1,598.93 cm<sup>-1</sup> confirmed the presence of aromatic nitro compound and azo group in dye whereas peaks at 1,494.98 and 1,565.62 cm<sup>-1</sup> were related to aromatic nitro compounds. The C-C stretching is indicated by peaks at 2,923.65 and  $2,853.57 \text{ cm}^{-1}$ . The peaks at  $1,347.41 \text{ and } 1,138.75 \text{ cm}^{-1}$ are due to the presence of the sulphonated dye compound. The peak at 1,038.81 cm<sup>-1</sup> indicates primary alcoholic group and peak at 837 cm<sup>-1</sup> indicates C-H deformation of benzene ring. The sharp peak at 1,598.93 cm<sup>-1</sup> in azo compounds absent in the FTIR spectral analysis of degraded products confirms the cleavage of azo bonds. The peak at 3,313.10 cm<sup>-1</sup> due to O-H stretching indicates hydroxylation of the product. A significant change in FTIR spectrum in degraded dye sample which displayed peaks at 3,230 and 1,667 cm<sup>-1</sup> for-OH stretching and a peak at for C=N respectively. Fermi resonance band at 2,930 cm<sup>-1</sup> for -CH<sub>3</sub> supported by a peak at 1,455 cm<sup>-1</sup> for -CH<sub>3</sub> asymmetric bending vibration indicates the formation of oximes and amines or nitroso compound due to the rearrangement of oximes. Thus, the FTIR analysis confirms biotransformation of dye into other compounds.



780 3 Biotech (2015) 5:775–782

**Fig. 4** HPLC analysis for dye degradation, **a** dye control sample, **b** degraded sample





Fig. 5 FTIR analysis of Navy N5RL, a before degradation,b after degradation



# Phytotoxicity study

The dye wastewater discharged without treatment into nearby water bodies causes serious environmental problems and health hazards (Mansour et al. 2011). It is clear from Table 2 that up to 100 % germination is being observed in cases of treated wastewater and control (pure water), whereas, only 50 and 10 % germinations were observed for

27-4000

3500

3000

2500

2000

cm-1

wastewater having dye concentrations 100 and 1,000 mg/l, respectively. Similar observations have been made for plumule and radical for control and dye-contaminated wastewater, whereas treated water shows better growth in plumule as compared to the control. In the case of radical, both control and treated wastewater show nearly similar result. Enhanced growth in plumule in the case of treated water might be due to leftover nutrients after biodegradation.

1500

1637.42cm-1

1000

500400



3 Biotech (2015) 5:775–782 781

Table 2 Phytoxicity study of Navy N5RL1 dye and its degradation metabolites

	Parameters studies				
	Water	Dye (100 mg/l)	Dye (1,000 mg/l)	Extracted products	
Germination	100	55	10	100	
Plumule	$2.56 \pm 0.99$	$1.2\pm0.84$	$0.2 \pm 0.17$	$4.48 \pm 0.99$	
Radical	$0.766 \pm 0.83$	$0.23\pm0.94$	$0.15\pm0.08$	$0.61 \pm 0.62$	

# Conclusion

The isolated bacterial strain *Staphylococcus saprophytic* BHUSS X3 was very efficient in degrading the dye Navy N5RL1 commonly used in carpet industry. The strain is supposed to be capable in degrading other class of the dyes also in the static microaerobic condition. An effluent storage pond near carpet industry without agitation but only amendment of selected locally available bacterial strain could efficiently decrease the dye level.

**Acknowledgments** We are thankful to Carpet Weaver India and Amit Carpet Industries, Bhadohi, India for providing the dye samples, industrial effluents and soil sample. The work was financially supported by Ministry of Human Resource Development through Department of Chemistry, Indian Institute of Technology (Banaras Hindu University), Varanasi, India.

**Conflict of interest** The authors declare that they have no conflict of interest in the publication.

**Open Access** This article is distributed under the terms of the Creative Commons Attribution License which permits any use, distribution, and reproduction in any medium, provided the original author(s) and the source are credited.

#### References

- Akhtar S, Khan AA, Husain Q (2005) Potential of immobilized bitter gourd (*Momordica charantia*) peroxidases in the decolorization and removal of textile dyes from polluted wastewater and dyeing effluent. Chemosphere 60:291–301
- Bhatt N, Patel KC, Keharia H, Madamwar D (2005) Decolorization of diazo dye reactive blue 172 by Pseudomonas aeruginosa. J Basic Microbiol 45:407–418
- Chen KC, Wu JY, Liou DJ, Hwang SCJ (2003) Decolorization of textile dyes by newly isolated bacterial strains. J Biotechnol 10:57–68
- Coelho MCLS, Coimbrao CA, Valent GU, Sato MIZ, Sanchez PS, Targa H (1992) Mutagenicity evaluation of industrial effluents by Ames assay. Environ Mol Mutagen 20:199–211
- Forgacs E, Cserhati T, Oros G (2004) Removal of synthetic dyes from wastewaters: a review. Environ Int 30:953–997
- Ghodake G, Telke A, Jadhav P, Govindwar P (2009) Potential of *Brassica juncea* in order to treat textile effluent contaminated sites. Int J Phytorem 11:297–312

Guo X, Zhang S, Shan XQ (2007) Adsorption of metal ions on lignin. J Hazard Mater 151(1):134–142

- Jadhav UU, Dawkar VV, Jadhav MU, Govindwar SP (2011) Decolorization of textile dyes using purified banana pulp polyphenol oxidase. Int J Phytorem 13:357–372
- Kalme SD, Parshetti GK, Jadhav SU, Govindwar SP (2007) Biodegradation of benzidine based dye Direct Blue-6 by Pseudomonas desmolyticum NCIM 2112. Bioresour Technol 98:1405–1410
- Khehra MS, Saini HS, Sharma DK, Chimni SS, Chadha BS (2005) Decolorization of various azo dyes by bacterial consortium. Dyes Pigments 67:55–61
- Kilic NK, Nielsen JL, Yuce M, Donmez G (2007) Characterization of a simple bacterial consortium for effective treatment of wastewaters with reactive dyes and Cr(VI). Chemosphere 67:826–831
- Kuhad RC, Sood N, Tripathi KK, Singh A, Ward OP (2004) Developments in microbial methods for the treatment of dye effluents. Adv Appl Microbiol 56:185–213
- Levine WG (1991) Metabolism of azo dyes: implication for detoxification and activation. Drug Metab Rev 23:253–309
- Mansour HB, Ghedira K, Barillier D, Ghedira LC, Mosrati R (2011) Degradation and detoxification of acid orange 52 by *Pseudomonas putida* mt-2: a laboratory study. Environ Sci Pollut Res 18:1527–1535
- Mohana SD, Desai C, Madamwar D (2007) Biodegradation and decolourization of anaerobically treated distillery spent wash by a novel bacterial consortium. Bioresour Technol 98:333–339
- Moosvi S, Kher X, Madamwar D (2007) Isolation, characterization and decolorization of textile dyes by a mixed bacterial consortium JW-2. Dyes Pigments 74:723–729
- Myung SW, Choi IH, Lee SH, Kim IC, Lee KH (2005) Use of fouling resistant nanofiltration and reverse osmosis membranes for dyeing wastewater effluent treatment. Water Sci Technol 51:159-64. http://www.ncbi.nlm.nih.gov/pubmed/16003974
- Ozdemir S, Cirik K, Akman D, Sahinkaya E, Cinar O (2013) Treatment of azo dye-containing synthetic textile dye effluent using sulfidogenic anaerobic baffled reactor. Bioresour Technol 146:135–143
- Pathak H, Patel S, Rathod M, Chauhan K (2011) In vitro studies on degradation of synthetic dye mixture by *Comamonas* sp. VS-MH2 and evaluation of its efficacy using simulated microcosm. Bioresour Technol 102:10391–10400
- Paul J, Rawat KP, Sarma KS, Sabharwal S (2011) Decolorization and degradation of Reactive Red-120 dye by electron beam irradiation in aqueous solution. Appl Radiat Isot 68(7):982–987
- Prasad AS, Rao KV (2013) Aerobic biodegradation of Azo dye by Bacillus cohnii MTCC 3616; an obligately alkaliphilic bacterium and toxicity evaluation of metabolites by different bioassay systems. Appl Microbiol Biotechnol 97:7469–7481
- Robinsion T, McMullan G, Marchant R, Nigam P (2001) Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative. Bioresour Technol 77:247–255
- Rodrigues CS, Madeira LM, Boaventura RA (2013) Treatment of textile dye wastewaters using ferrous sulphate in a chemical coagulation/flocculation process. Environ Technol 34:719–729
- Saratale RG, Saratale GD, Kalyani DC, Chang JS, Govindwar SP (2009) Enhanced decolorization and biodegradation of textile azo dye Scarlet R by using developed microbial consortium-GR. Bioresour Technol 100:2493–2500
- Saratale RG, Saratale GD, Chang JS, Govindwar SP (2011) Bacterial decolorization and degradation of azo dyes: a review. J Taiwan Inst Chem Eng 42:138–157
- Stolz A (2001) Basic and applied aspects in the microbial degradation of azo dyes. Appl Microbiol Biotechnol 56:69–80
- Tripathi A, Srivastava SK (2011) Ecofriendly treatment of azo dyes: biodecolorization using bacterial strains. Int J Biosci Biochem Bioinfor 1:37–40



782 3 Biotech (2015) 5:775–782

Wang Y, Zhao D, Ma W, Chen C, Zhao J (2008) Enhanced sonocatalytic degradation of azo dyes by Au/TiO2. Environ Sci Technol 42:6173–6178

- Wang Y, Gao B, Yue Q, Zhan X, Si X, Li C (2009) Flocculation performance of epichlorohydrin-dimethylamine polyamine in treating dyeing wastewater. J Environ Manage 91(2):423–431
- Zhang F, Yediler A, Liang X, Kettrup A (2004) Effects of dye additives on the ozonation process and oxidation by-products: a comparative study using hydrolyzed CI Reactive Red 120. Dyes Pigments 60(1):1–7

