TYPE Mini Review PUBLISHED 16 August 2022 DOI 10.3389/fbioe.2022.942077

Check for updates

OPEN ACCESS

EDITED BY Charlotte Riviere, Université Claude Bernard Lyon 1, France

REVIEWED BY Andrey Cherstvy, University of Potsdam, Germany

*CORRESPONDENCE Li Xiaoping, li-xp@zjsru.edu.cn

SPECIALTY SECTION This article was submitted to Tissue Engineering and Regenerative Medicine, a section of the journal Frontiers in Bioengineering and Biotechnology

RECEIVED 12 May 2022 ACCEPTED 30 June 2022 PUBLISHED 16 August 2022

CITATION

Jiawei S, Zhi C, Kewei T and Xiaoping L (2022), Magnetic bead-based adsorption strategy for exosome isolation. *Front. Bioeng. Biotechnol.* 10:942077. doi: 10.3389/fbioe.2022.942077

COPYRIGHT

© 2022 Jiawei, Zhi, Kewei and Xiaoping. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Magnetic bead-based adsorption strategy for exosome isolation

Sun Jiawei¹, Chen Zhi², Tian Kewei¹ and Li Xiaoping¹*

¹Shulan International Medical College, Zhejiang Shuren College, Hangzhou, China, ²Zhejiang University School of Medicine, Hangzhou, China

Exosomes, one type of extracellular vesicle (EV) secreted by cells, participate in intercellular communication and other biological processes as carriers of lipids, functional proteins, mRNAs, miRNAs, lncRNAs, and DNA fragments. Their presence in biofluids makes them attractive candidates as innovative clinical diagnostic tools. However, the conventional isolation and analysis of high-purity exosomes in clinical application is challenging, with traditional methods facing a number of shortcomings, including low yield or purity, long periods of processing, high cost, and difficulties in standardization. In this study, we provide an overview of commonly used exosome isolation approaches with a focus on magnetic bead-based capture, an ideal methodology with high purity and integrality of exosomes. The current challenges on exosome isolation methods are also described to highlight areas for future research and development.

KEYWORDS

exosomes, extracellular vesicles, exosome isolation, magnetic bead, ultracentrifugation

Introduction

Currently, molecular testing in biopsy samples has become a committed step in diagnosis, prognosis, and individualized therapy of disease in the era of precision medicine. At present, the tumor sample of a patient was obtained by surgery or puncture. However, tissue biopsy cannot always be performed because of the invasiveness of surgery and puncture. Moreover, results from a single biopsy might not provide sufficient real-time information to characterize the genetic heterogeneity of disease (Gerlinger et al., 2012; Swanton, 2012). Compared with the tissue biopsy, liquid biopsy (including circulating tumor cells (CTCs), circulating tumor DNA (ctDNA), and exosomes) is based on the non-invasive collection measure, convenient storage of samples, and fast acquisition of information at different stages of disease progression (Herrero et al., 2019).

Exosomes (Figure 1A), one type of extracellular vesicle (EV) secreted by cells, with size ranging from 30 to 150 nm in diameter (Raposo and Stoorvogel, 2013; Pegtel and Gould, 2019), participate in the intercellular communication and other biological processes as carriers of lipids, functional proteins, mRNAs, miRNAs, lncRNAs, and DNA fragments (Rani et al., 2011; Colombo et al., 2014; Wortzel et al., 2019). In various biological fluids including plasma, lymph, urine, saliva, ascites, saliva, and bronchoalveolar lavage fluid, exosomes can be found. At present, exosomes were widespread detected diagnostic



biomarkers owing to their vital roles as monitor in different stages of disease progression (Zhang et al., 2015; Kalluri, 2016; Li et al., 2019).

Exosomes are detectable in various biofluids, but the detection and analysis of exosomes are interfered because a large numbers of biomacromolecules are present in these biofluids (Yang et al., 2020; Zhu et al., 2020). The complexity

of biological samples and the heterogeneity of exosomes increased the difficulty of extraction and separation of exosomes, exploring the method of exosome isolation, and enrichment from complex biofluids for clinical detection is efficiently urgent. The main exosome isolation methods include ultracentrifugation, ultrafiltration, immunomagnetic isolation, and microfluidics (Yang et al., 2017; Sidhom et al.,

Method	Principle	Advantages	Disadvantages	Yield	Purity	Time	Equipment/ material cost, \$	Reference
Ultracentrifugation	Centrifugation and ultracentrifugation steps	Cost-effective	Time consuming Large primary	Low	High	2-20h	~3000/10	Johnstone et al. (1989); Cvjetkovic et al. (2014); Gudbergsson et al. (2016); Helwa et al. (2017)
		Suitable for large volume preparation	sample size					
			Contamination with media proteins					
			Time consuming					
Ultrafiltration	Centrifugation and filtration	Large primary sample size	Low portability	Low	High	~20h	1000/20	Cheruvanky et al. (2007); Lobb et al. (2015); Konoshenko et al. (2018)
			Sensitive to centrifugation time					
Immunoaffinity enrichment	Nano-magnetic bead	Low primary sample volume	Costly	High	High	~1h	0/650	Tauro et al. (2012); Greening et al. (2015)
		High accuracy						
Microfluidics	Microfluidic devices	Low primary sample volume	High-price	High	High	<2h	4217/1400	Chen et al. (2010); Zhang et al. (2016)
		Easily automated and integrated with diagnosis						

2020). Among them, the most widely used approach is ultracentrifugation (UC), but it has deficiencies such as poor effectiveness for viscous liquids, requirement for expensive equipment, time-consuming, and ineffectiveness of distinguishing between exosome subsets or other particles of similar size and density. The mechanism of immunomagnetic isolation protocols is using magnetic beads coated with antimarker antibodies to capture exosomes by recognizing the specific signature receptors on their surface. This method has advantages such as low primary sample volume, high accuracy, and no chemical contamination. The aim of the review is to summarize the roles of magnetic beads in exosome isolation.

Exosomes isolation techniques

In recent years, the separation and enrichment technology of exosomes in body fluid samples has developed rapidly, and various innovative technologies and new platforms are emerging, which play a key role in further exploring exosomes. At the same time, because the contents of biological samples are complex and changeable, it is still technically difficult to separate exosomes efficiently. Here we summarize the principle of different isolation methods and discuss their advantages and disadvantages (Table 1).

Ultracentrifugation, the gold standard exosome isolation method, is the most commonly used method to extract exosomes from cell biological fluid and culture supernatant (Gudbergsson et al., 2016; Helwa et al., 2017). Exosomes can be separated using size differences in the ultracentrifugation approach (Johnstone et al., 1989). Although ultracentrifugation is considered as the gold standard for exosome separation, it is tedious and time-consuming to separate exosomes by ultracentrifugation; in addition, high impurities including lipoprotein and protein, structure corruption of exosomes, and the high price of the device discourage the adoption of ultracentrifuge in the exosome separation. By this method, a number of factors, such as rotor type, ultracentrifugation time, and liquid viscosity influence the purity and yield of exosomes (Cvjetkovic et al., 2014).

In the protocol of ultrafiltration, a membrane with a specified pore size is used to separate a predetermined range of particles (Cheruvanky et al., 2007; Lobb et al., 2015; Konoshenko et al., 2018). This protocol can be used as a stand-alone isolation technique; meanwhile, it can also play the role as a complement to ultracentrifugation. After exosomes be separated from proteins *via* ultracentrifugation, membranes are used to sieve cells and large EVs. Ultrafiltration can cause the pores of the membrane to be blocked by vesicles, thus shortening the service life of the membrane and reducing the separation efficiency (Li et al., 2017). Some exosomes can also be attached to the membranes, which interfere downstream analysis, resulting in a decrease in yield and even false-positive or false-negative detection results.

The immunoaffinity capture technology has strong specificity to screen and separate exosomes selectively. Generally, the EVs with CD9, CD63, CD81, and other proteins on the membrane surface are considered as exosomes (Tauro et al., 2012). Because only a subset of exosomes expressing antibody recognition protein is captured, the

yield is usually insufficient, but its purity is much higher than that of exosomes separated according to the physical properties of exosomes (Greening et al., 2015). With the progression of tumor, the specific antibodies may lose their recognition ability; in addition, the surface antigen may also be blocked or shielded, resulting in the antigen–antibody unable to combine normally, so the target exosomes cannot be obtained.

The microfluidic method, which can be applicable to exosome separation and downstream analysis, is a promising development direction of liquid biopsy in the future for its high efficiency and easy operability. Exosomes are targeted by the binding with specific antibodies immobilized on the inner capture surface of microfluidic devices (Chen et al., 2010; Zhang et al., 2016). However, the application of microfluidic technology in the exosome separation is still immature, and the yield and purity are insufficient (Contreras-Naranjo et al., 2017). Therefore, many people pay attention to synergistically apply other technologies including immunomagnetic beads with microfluidic technology for the exosome biopsy (Sharma et al., 2018).

Magnetic bead-based exosome isolation

Specific capture of exosomes, which is closely related to immunoaffinity, is suitable for isolating by targeting specific markers on the membrane of exosome. Antibody-coated beads can be used to enrich by targeting exosome membrane markers, such as CD9, CD63, ALIX, and the epithelial cell adhesion molecule (EpCAM) (Greening et al., 2015). Latex beads have been used in the passive absorption of purified exosomes. The protocol is cheap, easy to recover from the solution while involving numerous centrifugation steps, and is challenging in terms of reproducibility (Théry et al., 2001). An alternative to latex beads for exosome capture, magnetic beadbased technology (Figure 1B), is attributed to the differences in specific interactions between receptors and ligands and other physical characteristics of exosomes (Jara-Acevedo et al., 2019).

The isolation of exosomes by magnetic beads includes two steps generally. First, exosomes from biofluid or pre-enriched by ultracentrifugation are captured by magnetic beads utilizing immunoaffinity, and then intact exosomes can be released from beads in the buffer. To enrich EVs and EV-associated miRNA efficiently, a two-step magnetic bead-based (2MBB) method is proposed for the isolation of exosomes as well as associated miRNAs from samples. Exosome-associated miRNAs are extracted by a second set of magnetic beads coated with complementary oligonucleotides after the enrichment of EV using magnetic beads. The result of RT-PCR demonstrated high efficiency of 2MBB in the EV enrichment (74 \pm 7%, n = 4) and miRNA isolation (91 \pm 4%, n = 4) (Chen et al., 2020). Several studies found a sandwich-type immunocomplex can be constructed for specific isolation and accurate quantification of exosomes. After exosomes specifically being captured by immunomagnetic beads, different types of nanoprobes are fixed on the surface of exosomes by hydrophobic interactions between cholesterol and lipid membranes, thus forming a sandwich-type immunocomplex. The immunocomplex can be magnetically captured and produce enhanced detectable signals (He et al., 2017; He et al., 2018; Huang et al., 2018; Tian et al., 2018; Zeng et al., 2021).

Tumor-specific exosomes are small in number, isolating total of them is complex to achieve, while the immunoaffinity beadbased method has been confirmed to be able to capture several types of tumor-specific exosomes. A 10-uL aliquot of magnetic beads coated with an anti-CD34 antibody, which is a unique marker of acute myeloid leukemia (AML), can isolate all the AML-specific exosomes from 100 to 1,000 µl AML plasma (Hong et al., 2014). The anti-epithelial cell adhesion molecule (EpCAM) tagged bead scan can be used to obtain highly pure circulating tumor-derived exosomes of ovarian cancer and esophageal squamous cell carcinoma patients (Taylor and Gercel-Taylor, 2008; Zhao et al., 2019). A CSPG4-coated magnetic bead can capture CSPG4+ exosomes produced by melanoma cells. The efficiency of immune-based capture of melanoma-derived exosomes obtained from the plasma of melanoma patients is around 95% (Sharma et al., 2018). To obtain prostate cancerrelated exosomes, immunomagnetic beads coated with an antiprostate-specific membrane antigen (PSMA) antibody can be applied to isolate them from the plasma of prostate cancer patients (Mizutani et al., 2014).

The immunomagnetic method is executed by different antibodies coated on the magnetic beads to target the surface markers of exosomes. A direct exosome isolation strategy using anti-human CD81 antibody-coated magnetic beads is able to enrich exosomes from T lymphocyte cell culture without the preenrichment step (Pedersen et al., 2013). Tim4, a phosphatidylserine receptor, can recognize the phosphatidylserine on the surface of EVs. Wataru N. et al. (Nakai et al., 2016) developed a practical and effective method using magnetic beads bound with Tim4 to purify exosomes and adding Ca2+ chelators to release exosomes from Tim4 easily. Monoclonal anti-HLA DP, DQ, and DR antibodies can be coated on magnetic beads to target exosomes derived by antigen-presenting cells (Clayton et al., 2001). The CD63-1 aptamer/magnetic bead complex formed by incubating can isolate exosomes from the colon and breast cancer cell culture supernatant effectively (Song et al., 2020). Combining the traditional immunomagnetic bead-based protocol and the microfluidic method results in benefits from both the high purity of the former and the automated continuous superiority (Niu et al., 2020).

Furthermore, some scholars found strategies of isolating exosomes in a generic way using physical or other properties of exosomes by magnetic beads. We know that the EV surface contains phosphatidylserine with negative charge. ExoCAS-2, a magnetic bead-based ion exchange platform for isolating exosomes attempts to separate exosomes by polycationic polymer-coated magnetic beads from plasma. The yield provided by ExoCAS-2 is 6.6-fold higher than UC. High purity and batch-to-batch repeatability are also unique features of ExoCAS-2 (Kim and Shin, 2021). A biofunctionalized magnetic bead with high affinity Ti(IV) ions and the insertion of a phospholipid derivative, 1,2-distearoyl-snglycero-3-phosphoethanolamine, is shown to effectively isolate exosomes with low contamination, a high recovery rate (>80%), and a short separation time (<1h) from the urine of prostate cancer patient (Sun et al., 2021).

Multiple studies have compared immunomagnetic beads and other current exosome isolation methods in terms of yield, purity, and operation difficulty. Comparation of common exosome isolation strategies including ultracentrifugation, OptiPrep[™] density-based separation, and immunoaffinity capture using anti-EpCAM-coated magnetic beads is performed by detecting exosome markers. Human colon cancer cell line LIM1863-derived exosomes based on the number of MS/MS spectra identified for exosome markers and proteins associated with their biogenesis, trafficking, and release; the researchers found IAC-Exos to be the most effective method to isolate exosomes. For example, Alix, TSG101, CD9, and CD81 were significantly higher (at least 2-fold) in anti-EpCAM-coated magnetic beads than the other two methods (Tauro et al., 2012). A comparative evaluation of ultra-centrifugation, polypeptide precipitation (ME Kit, NEP), and submicron size supermagnetic beads (SMB) with anti-CD9 confirmed SMB as a method of choice for plasma exosome enrichment; as the result of Western blot and FACS (fluorescenceactivated cell sorter), the analysis verified multifold increase of exosome specific protein comparing to exosomes purified via other methods from plasma of the same volume. Moreover beadbased assays allow simple and rapid protocol in comparison to the plate-based ELISA (Zarovni et al., 2015). The magnetic beadmediated selective adsorption strategy (MagExo), which tends to adsorb EVs on the surface of magnetic beads selectively, can separate EVs from plasma and cell culture media (CCM) with high purity, resulting in two times higher yield than EVs obtained by ultracentrifugation (Figure 1; Fang et al., 2021). However, in a comprehensive evaluation of differential centrifugation coupled with ultracentrifugation, epithelial cell adhesion molecule (EpCAM)-coupled microbead, and OptiPrepTM density gradient separation, the microbead shows inferior performance of purified exosomes. In Western blot analysis, less exosomal markers including HSP70, CD9, FLOT1, and CD63 are detected in exosomes purified by EpCAM-coupled microbeads. Microscopic analysis showed that the purified exosomes contain a large number of background proteins (Kalra et al., 2013).

Discussion

In practical experiments and clinical studies, the most suitable method for exosome isolation is usually chosen based on the objective factors such as sample type, downstream experiments, study target, and rigid experimental conditions. Compared with the traditional methods, the method of extracting exosomes by magnetic beads can obtain a considerable number of high active exosomes. The magnetic bead-based method has better repeatability than the latex bead-based method, and increased capture efficiency and sensitivity compared to the plate surface-based method due to the larger surface area. However, the magnetic bead-based method has its own limitations. Considering that the magnetic bead-based method has not been standardized, it is recommended to conduct necessary identification, characterization, and functional experiments on exosomes in order to rule out the possibility of other impurities. Now neither the magnetic bead-based method nor other methods can completely isolate exosomes from other EV subsets. Also, several factors such as incubation time, temperature, level of surface markers expression, concentration of target vesicles state, characteristics of the antibody-antigen interaction, sample type, concentration and ratio of beads, and target molecules will have influence on the efficiency of the magnetic bead-based separation (Sioud, 2015). Magnetic beads only capture exosomes with target proteins on membrane surfaces selectively, so the yield of exosome is limited (Zhu et al., 2020). More targets coated on magnetic bead, stabler separation device, and combination of different approaches will be the future direction to boost the yield of exosome isolation. The advance of emerging strategies for labeling and tracking of exosomes will also promote the progress of the magnetic bead affinity method (Betzer et al., 2020; Thapa et al., 2019), and the technical improvements of exosome extracting, labeling, and tracking are expected to greatly facilitate exosome-based medical applications.

To sum up, the magnetic bead affinity method is an ideal method to enrich EVs including exosomes. However, for clinical application, ultracentrifugation and ultrafiltration are still the best alternative methods; we still have a long way to go before the magnetic bead affinity method being used in clinical diagnosis.

Author contributions

SJ: data curation, writing—original draft, and writing—reviewing and editing. CZ: writing—reviewing and editing. TK: writing—original draft. LX: writing—original draft and writing—reviewing and editing.

Funding

The authors are grateful for the support of the Zhejiang Provincial Natural Science Foundation of China (LGF21H200007).

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's Note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

References

Chen, C., Skog, J., Hsu, C. H., Lessard, R. T., Balaj, L., Wurdinger, T., et al. (2010). Microfluidic isolation and transcriptome analysis of serum microvesicles. *Lab. Chip* 10, 505–511. doi:10.1039/b916199f

Chen, S., Shiesh, S. C., Lee, G. B., and Chen, C. (2020). Two-step magnetic beadbased (2MBB) techniques for immunocapture of extracellular vesicles and quantification of microRNAs for cardiovascular diseases: A pilot study. *PLoS One* 15, e0229610. doi:10.1371/journal.pone.0229610

Cheruvanky, A., Zhou, H., Pisitkun, T., Kopp, J. B., Knepper, M. A., Yuen, P. S., et al. (2007). Rapid isolation of urinary exosomal biomarkers using a nanomembrane ultrafiltration concentrator. *Am. J. Physiology-Renal Physiology* 292, F1657–F1661. doi:10.1152/ajprenal.00434.2006

Clayton, A., Court, J., Navabi, H., Adams, M., Mason, M. D., Hobot, J. A., et al. (2001). Analysis of antigen presenting cell derived exosomes, based on immunomagnetic isolation and flow cytometry. *J. Immunol. Methods* 247, 163–174. doi:10. 1016/s0022-1759(00)00321-5

Colombo, M., Raposo, G., and Théry, C. (2014). Biogenesis, secretion, and intercellular interactions of exosomes and other extracellular vesicles. *Annu. Rev. Cell Dev. Biol.* 30, 255–289. doi:10.1146/annurev-cellbio-101512-122326

Contreras-Naranjo, J. C., Wu, H. J., and Ugaz, V. M. (2017). Microfluidics for exosome isolation and analysis: Enabling liquid biopsy for personalized medicine. *Lab. Chip* 17, 3558–3577. doi:10.1039/c7lc00592j

Cvjetkovic, A., Lötvall, J., and Lässer, C. (2014). The influence of rotor type and centrifugation time on the yield and purity of extracellular vesicles. *J. Extracell. Vesicles* 3. doi:10.3402/jev.v3.23111

Fang, X., Chen, C., Liu, B., Ma, Z., Hu, F., Li, H., et al. (2021). A magnetic beadmediated selective adsorption strategy for extracellular vesicle separation and purification. *Acta Biomater.* 453. doi:10.1016/j.actbio.2021.02.004

Gerlinger, M., Rowan, A. J., Horswell, S., Larkin, M., Endesfelder, J., Gronroos, D., et al. (2012). Intratumor heterogeneity and branched evolution revealed by multiregion sequencing. *N. Engl. J. Med.* 366, 883–892. doi:10.1056/nejmoa1113205

Greening, D. W., Xu, R., Ji, H., Tauro, B. J., and Simpson, R. J. (2015). A protocol for exosome isolation and characterization: Evaluation of ultracentrifugation, density-gradient separation, and immunoaffinity capture methods. *Methods Mol. Biol.* 1295, 179–209. doi:10.1007/978-1-4939-2550-6_15

Gudbergsson, J. M., Johnsen, K. B., Skov, M. N., and Duroux, M. (2016). Systematic review of factors influencing extracellular vesicle yield from cell cultures. *Cytotechnology* 68, 579–592. doi:10.1007/s10616-015-9913-6

He, F., Liu, H., Guo, X., Yin, B. C., and Ye, B. C. (2017). Direct exosome quantification via bivalent-cholesterol-labeled DNA anchor for signal amplification. *Anal. Chem.* 89, 12968–12975. doi:10.1021/acs.analchem.7b03919

He, F., Wang, J., Yin, B. C., and Ye, B. C. (2018). Quantification of exosome based on a copper-mediated signal amplification strategy. *Anal. Chem.* 90, 8072–8079. doi:10.1021/acs.analchem.8b01187

Helwa, I., Cai, J., Drewry, M. D., Zimmerman, A., Dinkins, M. B., Khaled, M. L., et al. (2017). A comparative study of serum exosome isolation using differential ultracentrifugation and three commercial reagents. *PLoS One* 12, e0170628. doi:10. 1371/journal.pone.0170628

Herrero, C., De La Fuente, A., Casas-Arozamena, C., Sebastian, V., Prieto, M., Arruebo, M., et al. (2019). *Extracellular Vesicles-Based Biomarkers Represent a Promising Liquid Biopsy in Endometrial Cancer*, 11. doi:10.3390/ cancers11122000*Cancers (Basel)*

Hong, C. S., Muller, L., Boyiadzis, M., and Whiteside, T. L. (2014). Isolation and characterization of CD34+ blast-derived exosomes in acute myeloid leukemia. *PLoS One* 9, e103310. doi:10.1371/journal.pone.0103310

Huang, L., Wang, D. B., Singh, N., Yang, F., Gu, N., and Zhang, X. E. (2018). A dual-signal amplification platform for sensitive fluorescence biosensing of leukemia-derived exosomes. *Nanoscale* 10, 20289–20295. doi:10.1039/c8nr07720g

Jara-Acevedo, R., Campos-Silva, C., Valés-Gómez, M., Yáñez-Mó, M., Suárez, H., and Fuentes, M. (2019). Exosome beads array for multiplexed phenotyping in cancer. J. Proteomics 198, 87–97. doi:10.1016/j.jprot.2018.12.023 organizations, or those of the publisher, the editors, and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Johnstone, R. M., Bianchini, A., and Teng, K. (1989). Reticulocyte maturation and exosome release: Transferrin receptor containing exosomes shows multiple plasma membrane functions. *Blood* 74, 1844–1851. doi:10. 1182/blood.v74.5.1844.1844

Kalluri, R. (2016). The biology and function of exosomes in cancer. J. Clin. Invest. 126, 1208–1215. doi:10.1172/jci81135

Kalra, H., Adda, C. G., Liem, M., Ang, C. S., Mechler, A., Simpson, R. J., et al. (2013). Comparative proteomics evaluation of plasma exosome isolation techniques and assessment of the stability of exosomes in normal human blood plasma. *Proteomics* 13, 3354–3364. doi:10.1002/pmic.201300282

Kim, H., and Shin, S. (2021). ExoCAS-2: Rapid and pure isolation of exosomes by anionic exchange using magnetic beads. *Biomedicines* 9, 89–94. doi:10.3390/biomedicines9010028

Konoshenko, M. Y., Lekchnov, E. A., Vlassov, A. V., and Laktionov, P. P. (2018). Isolation of extracellular vesicles: General methodologies and latest trends. *Biomed. Res. Int.* 2018, 8545347. doi:10.1155/2018/8545347

Li, F. X., Liu, J. J., Xu, F., Lin, X., Zhong, J. Y., Wu, F., et al. (2019). Role of tumorderived exosomes in bone metastasis. *Oncol. Lett.* 18, 3935–3945. doi:10.3892/ol. 2019.10776

Li, P., Kaslan, M., Lee, S. H., Yao, J., and Gao, Z. (2017). Progress in exosome isolation techniques. *Theranostics* 7, 789–804. doi:10.7150/thno.18133

Lobb, R. J., Becker, M., Wen Wen, S. W., Wong, C. S., Wiegmans, A. P., Leimgruber, A., et al. (2015). Optimized exosome isolation protocol for cell culture supernatant and human plasma. *J. Extracell. Vesicles* 4, 27031. doi:10. 3402/jev.v4.27031

Mizutani, K., Terazawa, R., Kameyama, K., Kato, T., Horie, K., Tsuchiya, T., et al. (2014). Isolation of prostate cancer-related exosomes. *Anticancer Res.* 34, 3419–3423.

Nakai, W., Yoshida, T., Diez, D., Miyatake, Y., Nishibu, T., Imawaka, N., et al. (2016). A novel affinity-based method for the isolation of highly purified extracellular vesicles. *Sci. Rep.* 6, 33935. doi:10.1038/srep33935

Niu, F., Chen, X., Niu, X., Cai, Y., Zhang, Q., Chen, T., et al. (2020). Integrated immunomagnetic bead-based microfluidic chip for exosomes isolation. *Micromachines (Basel)* 11, 1103. doi:10.3390/mi11050503

Pedersen, K. W., Kierulf, B., Oksvold, M. P., Li, M., Vlassov, A. V., Roos, N., et al. (2013). Isolation and characterization of exosomes using magnetic beads. *BioProbes* 71, 10–13.

Pegtel, D. M., and Gould, S. J. (2019). Exosomes. Annu. Rev. Biochem. 88, 487-514. doi:10.1146/annurev-biochem-013118-111902

Rani, S., O'Brien, K., Kelleher, F. C., Corcoran, C., Germano, S., Radomski, M. W., et al. (2011). Isolation of exosomes for subsequent mRNA, MicroRNA, and protein profiling. *Methods Mol. Biol.* 784, 181–195. doi:10.1007/978-1-61779-289-2_13

Raposo, G., and Stoorvogel, W. (2013). Extracellular vesicles: Exosomes, microvesicles, and friends. J. Cell Biol. 200, 373-383. doi:10.1083/jcb.201211138

Sharma, P., Ludwig, S., Muller, L., Hong, C. S., Kirkwood, J. M., Ferrone, S., et al. (2018). Immunoaffinity-based isolation of melanoma cell-derived exosomes from plasma of patients with melanoma. *J. Extracell. Vesicles* 7, 1435138. doi:10.1080/ 20013078.2018.1435138

Sidhom, K., Obi, P. O., and Saleem, A. (2020). A review of exosomal isolation methods: Is size exclusion chromatography the best option? *Int. J. Mol. Sci.* 21. doi:10.3390/ijms21186466

Sioud, M. (2015). RNA interference: Mechanisms, technical challenges, and therapeutic opportunities. *Methods Mol. Biol.* 1218, 1–15. doi:10.1007/978-1-4939-1538-5_1

Song, Z., Mao, J., Barrero, R. A., Wang, P., Zhang, F., and Wang, T. (2020). Development of a CD63 aptamer for efficient cancer immunochemistry and immunoaffinity-based exosome isolation. *Molecules* 25, 276. doi:10.3390/ molecules25235585 Sun, J., Han, S., Ma, L., Zhang, H., Zhan, Z., Aguilar, H. A., et al. (2021). Synergistically bifunctional paramagnetic separation enables efficient isolation of urine extracellular vesicles and downstream phosphoproteomic analysis. *ACS Appl. Mat. Interfaces* 13, 3622–3630. doi:10.1021/acsami.0c19400

Swanton, C. (2012). Intratumor heterogeneity: Evolution through space and time. Cancer Res. 72, 4875–4882. doi:10.1158/0008-5472.can-12-2217

Tauro, B. J., Greening, D. W., Mathias, R. A., Ji, H., Mathivanan, S., Scott, A. M., et al. (2012). Comparison of ultracentrifugation, density gradient separation, and immunoaffinity capture methods for isolating human colon cancer cell line LIM1863-derived exosomes. *Methods* 56, 293–304. doi:10.1016/j.ymeth.2012. 01.002

Taylor, D. D., and Gercel-Taylor, C. (2008). MicroRNA signatures of tumorderived exosomes as diagnostic biomarkers of ovarian cancer. *Gynecol. Oncol.* 110, 13–21. doi:10.1016/j.ygyno.2008.04.033

Théry, C., Boussac, M., Véron, P., Ricciardi-Castagnoli, P., Raposo, G., Garin, J., et al. (2001). Proteomic analysis of dendritic cell-derived exosomes: A secreted subcellular compartment distinct from apoptotic vesicles. *J. Immunol.* 166, 7309–7318. doi:10.4049/jimmunol.166.12.7309

Tian, Y. F., Ning, C. F., He, F., Yin, B. C., and Ye, B. C. (2018). Highly sensitive detection of exosomes by SERS using gold nanostar@Raman reporter@nanoshell structures modified with a bivalent cholesterol-labeled DNA anchor. *Analyst* 143, 4915–4922. doi:10.1039/c8an01041b

Wortzel, I., Dror, S., Kenific, C. M., and Lyden, D. (2019). Exosome-mediated metastasis: Communication from a distance. *Dev. Cell* 49, 347–360. doi:10.1016/j. devcel.2019.04.011

Yang, D., Zhang, W., Zhang, H., Zhang, F., Chen, L., Ma, L., et al. (2020). Progress, opportunity, and perspective on exosome isolation - efforts for efficient exosomebased theranostics. *Theranostics* 10, 3684–3707. doi:10.7150/thno.41580

Yang, F., Liao, X., Tian, Y., and Li, G. (2017). Exosome separation using microfluidic systems: Size-based, immunoaffinity-based and dynamic methodologies. *Biotechnol. J.* 12. doi:10.1002/biot.201600699

Zarovni, N., Corrado, A., Guazzi, P., Zocco, D., Lari, E., Radano, G., et al. (2015). Integrated isolation and quantitative analysis of exosome shuttled proteins and nucleic acids using immunocapture approaches. *Methods* 87, 46–58. doi:10.1016/j. ymeth.2015.05.028

Zeng, R., Wang, J., Wang, Q., Tang, D., and Lin, Y. (2021). Horseradish peroxidase-encapsulated DNA nanoflowers: An innovative signal-generation tag for colorimetric biosensor. *Talanta* 221, 121600. doi:10.1016/j.talanta.2020.121600

Zhang, P., He, M., and Zeng, Y. (2016). Ultrasensitive microfluidic analysis of circulating exosomes using a nanostructured graphene oxide/polydopamine coating. *Lab. Chip* 16, 3033–3042. doi:10.1039/c6lc00279j

Zhang, X., Yuan, X., Shi, H., Wu, L., Qian, H., and Xu, W. (2015). Exosomes in cancer: Small particle, big player. *J. Hematol. Oncol.* 8, 83. doi:10.1186/s13045-015-0181-x

Zhao, A., Guo, L., Xu, J., Zheng, L., Guo, Z., Ling, Z., et al. (2019). Identification and validation of circulating exosomes-based liquid biopsy for esophageal cancer. *Cancer Med.* 8, 3566–3574. doi:10.1002/cam4.2224

Zhu, L., Sun, H. T., Wang, S., Huang, S. L., Zheng, Y., Wang, C. Q., et al. (2020). Isolation and characterization of exosomes for cancer research. *J. Hematol. Oncol.* 13, 152. doi:10.1186/s13045-020-00987-y