

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

An orthorhombic polymorph of N^1, N^4 -diphenyl-3,6-bis(phenylimino)cyclohexa-1,4-diene-1,4-diamine

Keiji Ohno,^a Takashi Fujihara^{b*} and Akira Nagasawa^a

^aDepartment of Chemistry, Graduate School of Science and Engineering, Saitama University, Shimo-Okubo 255, Sakura-ku, Saitama 338-8570, Japan, and ^bComprehensive Analysis Center for Science, Saitama University, Shimo-Okubo 255, Sakura-ku, Saitama 338-8570, Japan

Correspondence e-mail: fuji@chem.saitama-u.ac.jp


Received 5 March 2014; accepted 20 March 2014

Key indicators: single-crystal X-ray study; $T = 173$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.046; wR factor = 0.133; data-to-parameter ratio = 16.4.

A new orthorhombic polymorph of the title compound, $\text{C}_{30}\text{H}_{24}\text{N}_4$, with a density of 1.315 Mg m^{-3} , has been obtained. The molecule is centrosymmetric with the centroid of the cyclohexa-1,4-diene ring located on an inversion center. The two unique benzene rings are almost perpendicular to each other [dihedral angle = 86.70 (6)°] and are oriented at dihedral angles of 30.79 (5) and 68.07 (5)° with respect to the central cyclohexadiene ring. In the crystal, π - π stacking is observed between the central cyclohexa-1,4-diene-1,4-diamine unit and a phenyl ring of a neighboring molecule [centroid-centroid distance = 3.7043 (7) Å]. The crystal structure of the triclinic polymorph [Ohno *et al.* (2014). *Acta Cryst. E* **70**, o303–o304] showed chains running along the b -axis direction through weak $\text{C}-\text{H} \cdots \pi$ interactions.

Related literature

For general background to the title compound, see: Kimish (1875). For the triclinic polymorph of the title compound, see: Ohno *et al.* (2014). For related structures, see: Siri & Braunstein (2000); Khramov *et al.* (2006); Boydston *et al.* (2006); Huang *et al.* (2008); Su *et al.* (2012). A calculation using *Gaussian98* indicates that the triclinic form of the title compound is more stable, see: Frisch *et al.* (2001).



Experimental

Crystal data

$\text{C}_{30}\text{H}_{24}\text{N}_4$
 $M_r = 440.53$
 Orthorhombic, $Pbca$
 $a = 9.1927$ (5) Å
 $b = 12.4711$ (7) Å
 $c = 18.9806$ (11) Å

$V = 2176.0$ (2) Å³
 $Z = 4$
 Mo $K\alpha$ radiation
 $\mu = 0.08$ mm⁻¹
 $T = 173$ K
 $0.35 \times 0.30 \times 0.10$ mm

Data collection

Bruker SMART APEX CCD area-detector diffractometer
 Absorption correction: multi-scan (*SADABS*; Bruker, 2001)
 $T_{\min} = 0.97$, $T_{\max} = 0.99$

14830 measured reflections
 2591 independent reflections
 2193 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.116$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.046$
 $wR(F^2) = 0.133$
 $S = 1.09$
 2591 reflections
 158 parameters

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.31$ e Å⁻³
 $\Delta\rho_{\min} = -0.24$ e Å⁻³

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012); software used to prepare material for publication: *SHELXTL*.

This work was supported by the programs of the Grants-in-Aid for Scientific Research (to TF, No. 23510115) from the Japan Society for the Promotion of Science.

Supporting information for this paper is available from the IUCr electronic archives (Reference: XU5776).

References

- Boydston, A. J., Khramov, D. M. & Bielawski, C. W. (2006). *Tetrahedron Lett.* **47**, 5123–5125.
 Bruker (2001). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
 Bruker (2007). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
 Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849–854.

- Frisch, M. J., *et al.* (2001). *GAUSSIAN98*. Gaussian Inc., Pittsburgh, PA, USA.
- Huang, Y.-B., Tang, G.-R., Jin, G.-Y. & Jin, G.-X. (2008). *Organometallics*, **27**, 259–269.
- Khramov, D. M., Boydston, A. J. & Bielawski, C. W. (2006). *Org. Lett.* **8**, 1831–1834.
- Kimish, C. (1875). *Ber. Dtsch Chem. Ges.* **8**, 1026–1032.
- Ohno, K., Maruyama, H., Fujihara, T. & Nagasawa, A. (2014). *Acta Cryst.* **E70**, o303–o304.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Siri, O. & Braunstein, P. (2000). *Chem. Commun.* pp. 2223–2224.
- Su, Y., Zhao, Y., Gao, J., Dong, Q., Wu, B. & Yang, X.-J. (2012). *Inorg. Chem.* **51**, 5889–5896.

supplementary materials

Acta Cryst. (2014). E70, o495–o496 [doi:10.1107/S1600536814006254]

An orthorhombic polymorph of N^1,N^4 -diphenyl-3,6-bis(phenylimino)cyclohexa-1,4-diene-1,4-diamine

Keiji Ohno, Takashi Fujihara and Akira Nagasawa

1. Comment

N^1,N^4 -Diphenyl-3,6-bis(phenylimino)cyclohexa-1,4-diene-1,4-diamine (**I**) was synthesized as early as in 1875 (Kimish, 1875) and called azophenine. Recently derivatives of **I** were prepared and these molecular structures were reported (Siri & Braunstein, 2000; Khramov *et al.*, 2006; Boydston *et al.*, 2006; Huang *et al.*, 2008; Su *et al.*, 2012). Previously, we reported the molecular structure of **I** in triclinic $P-1$ space group, which is obtained from an oxidation reaction of aniline in the presence of $[\text{V}^{\text{IV}}(\text{O})(\eta^2\text{-ox})(\text{H}_2\text{O})_3]$ (ox^{2-} = oxalate) in a mixture of EtOH and H_2O (Ohno *et al.*, 2014).

We obtained the crystals of **I** in orthorhombic $Pbca$ space group from a reaction with aniline and $[\text{V}^{\text{IV}}(\text{O})(\eta^2\text{-ox})(\text{H}_2\text{O})_3]$ and will report here its molecular and crystal structures. This crystal is a polymorph of the previously reported triclinic structure, which showed one-dimensional chains running along the b -axis direction through weak $\text{C}-\text{H}\cdots\pi$ interactions in the crystal.

The crystals contain only **I**. The main structural difference between the polymorphs of **I** lies in the orientation of phenyl rings (Figure 2). The neighboring phenyl rings in orthorhombic polymorph of **I** locate near perpendicular with each other, where the dihedral angle between $\text{C}(4)-\text{C}(5)-\text{C}(6)-\text{C}(7)-\text{C}(8)-\text{C}(9)$ and $\text{C}(10\text{ A})-\text{C}(11\text{ A})-\text{C}(12\text{ A})-\text{C}(13\text{ A})-\text{C}(14\text{ A})-\text{C}(15\text{ A})$ phenyl rings is 86.71° . On the other hand, the dihedral angles between neighboring phenyl rings in triclinic polymorph of **I** are 29.46 and 19.69° for between $\text{C}(7)-\text{C}(8)-\text{C}(9)-\text{C}(10)-\text{C}(11)-\text{C}(12)$ and $\text{C}(25)-\text{C}(26)-\text{C}(27)-\text{C}(28)-\text{C}(29)-\text{C}(30)$ phenyl rings and $\text{C}(13)-\text{C}(14)-\text{C}(15)-\text{C}(16)-\text{C}(17)-\text{C}(18)$ and $\text{C}(19)-\text{C}(20)-\text{C}(21)-\text{C}(22)-\text{C}(23)-\text{C}(24)$ ones, respectively.

Packing structure of the orthorhombic polymorph of **I** represented two-dimensional sheets through intermolecular $\pi-\pi$ interaction, where the distances between the phenyl ring $\text{C}(10)-\text{C}(11)-\text{C}(12)-\text{C}(13)-\text{C}(14)-\text{C}(15)$ and the central six-membered ring of adjacent molecule $\text{C}(1)-\text{C}(2)-\text{C}(3)-\text{C}(1\text{ A})-\text{C}(2\text{ A})-\text{C}(3\text{ A})$ is about 3.54 \AA (the symmetry code: $-x + 0.5, y - 0.5, z$) and the dihedral angle between them is $10.70(8)^\circ$ (Figure 3).

Calculations using Gaussian98 (Frisch *et al.*, 2001) with a B3LYP/6-31 G(d) set of parameters for polymorphs indicate that the triclinic form is more stable than the monoclinic form by approximately 10 kJ mol^{-1} .

2. Experimental

The V^{IV} complex $[\text{V}^{\text{IV}}(\text{O})(\eta^2\text{-ox})(\text{H}_2\text{O})_3]$ was purchased as "VO(ox) $n\text{H}_2\text{O}$ " from Wako Chemicals, and used without further purification. A solution of aniline (27.9 g, 300 mmol) in EtOH (50 cm^3) was added to a solution of VO(ox) $n\text{H}_2\text{O}$ (1.13 g, 3.00 mmol) in a mixture of EtOH (50 cm^3) and H_2O (100 cm^3). The reaction mixture was set aside for 2 weeks at room temperature in air. The precipitated crystals of **I** were filtered off, washed with H_2O and EtOH, successively, and dried. Yield 1.34 g. (5.1%). $^1\text{H NMR}$ / CDCl_3 : δ 8.22 (s, 2H, NH), 7.41–6.88 (m, 20H, PhH), 6.21 (s, 2H, CH). MALDI TOF MS: 441 ($M+1$). UV-vis / CH_2Cl_2 , λ/nm ($\epsilon/M^1\text{cm}^{-1}$): 290 (46000), 379 (30000).

3. Refinement

The H atoms of NH moiety was located from a Fourier difference map and refined isotropically. Other H atoms were placed at idealized positions with C—H = 0.95 Å, and refined in riding mode with $U_{eq}(H) = 1.2U_{iso}(C)$.




Figure 1

The molecular structure in the orthorhombic polymorph of **I**, with displacement ellipsoids drawn at the 50% probability level.





Figure 2

A superposition of the molecular structures of the orthorhombic polymorph of **I** (colour: black) and the triclinic one (colour: orange).

**Figure 3**

The packing structure through intermolecular π - π interaction in the orthorhombic polymorph of **I**.

*N*¹,*N*⁴-Diphenyl-3,6-bis(phenylimino)cyclohexa-1,4-diene-1,4-diamine

Crystal data

$C_{30}H_{24}N_4$

$M_r = 440.53$

Orthorhombic, *Pbca*

Hall symbol: -P 2ac 2ab

$a = 9.1927 (5) \text{ \AA}$

$b = 12.4711 (7) \text{ \AA}$

$c = 18.9806 (11) \text{ \AA}$

$V = 2176.0 (2) \text{ \AA}^3$

$Z = 4$

$F(000) = 928$

$D_x = 1.345 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 6200 reflections

$\theta = 3.0\text{--}27.8^\circ$

$\mu = 0.08 \text{ mm}^{-1}$

$T = 173 \text{ K}$

Plate, orange

$0.35 \times 0.30 \times 0.10 \text{ mm}$

Data collection

Bruker SMART APEX CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Detector resolution: 8.366 pixels mm⁻¹

φ and ω scans

Absorption correction: multi-scan
(*SADABS*; Bruker, 2001)

$T_{\min} = 0.97$, $T_{\max} = 0.99$

14830 measured reflections

2591 independent reflections

2193 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.116$

$\theta_{\max} = 27.9^\circ$, $\theta_{\min} = 2.2^\circ$

$h = -12 \rightarrow 11$

$k = -16 \rightarrow 15$

$l = -16 \rightarrow 24$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.046$

$wR(F^2) = 0.133$

$S = 1.09$

2591 reflections

158 parameters

0 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites

H atoms treated by a mixture of independent
and constrained refinement

$w = 1/[\sigma^2(F_o^2) + (0.073P)^2 + 0.1882P]$

where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} < 0.001$

$\Delta\rho_{\max} = 0.31 \text{ e } \text{\AA}^{-3}$

$\Delta\rho_{\min} = -0.24 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Least-squares planes (x,y,z in crystal coordinates) and deviations from them (* indicates atom used to define plane)

$$-4.5932(0.0050)x + 6.9089(0.0064)y + 12.6394(0.0086)z = 6.3197(0.0043)$$

$$*0.0005(0.0006)C1 * -0.0005(0.0006)C2 * 0.0005(0.0006)C3 * -0.0005(0.0006)C1_S1 * 0.0005(0.0006)C2_S1 * -0.0005(0.0006)C3_S1$$

Rms deviation of fitted atoms = 0.0005

$$-5.6034(0.0038)x + 5.0416(0.0058)y + 12.9434(0.0070)z = 2.9266(0.0041)$$

Angle to previous plane (with approximate e.s.d.) = 10.70 (0.08)

$$*0.0006(0.0008)C10_S2 * -0.0066(0.0008)C11_S2 * 0.0067(0.0009)C12_S2 * -0.0008(0.0009)C13_S2 * -0.0053(0.0009)C14_S2 * 0.0053(0.0008)C15_S2$$

Rms deviation of fitted atoms = 0.0049

$$-4.5932(0.0050)x + 6.9089(0.0064)y + 12.6394(0.0086)z = 6.3197(0.0043)$$

Angle to previous plane (with approximate e.s.d.) = 10.70 (0.08)

$$*0.0005(0.0006)C1 * -0.0005(0.0006)C2 * 0.0005(0.0006)C3 * -0.0005(0.0006)C1_S1 * 0.0005(0.0006)C2_S1 * -0.0005(0.0006)C3_S1 - 3.7228(0.0017)C10_S2 - 3.4796(0.0019)C11_S2 - 3.2849(0.0018)C12_S2$$

Rms deviation of fitted atoms = 0.0005

$$-4.5932(0.0050)x + 6.9089(0.0064)y + 12.6394(0.0086)z = 6.3197(0.0043)$$

Angle to previous plane (with approximate e.s.d.) = 0.00 (0.10)

$$*0.0005(0.0006)C1 * -0.0005(0.0006)C2 * 0.0005(0.0006)C3 * -0.0005(0.0006)C1_S1 * 0.0005(0.0006)C2_S1 * -0.0005(0.0006)C3_S1 - 3.3572(0.0015)C13_S2 - 3.6100(0.0013)C14_S2 - 3.7830(0.0014)C15_S2$$

Rms deviation of fitted atoms = 0.0005

$$-7.4963(0.0028)x + 1.7481(0.0065)y + 10.6592(0.0082)z = 4.5261(0.0067)$$

Angle to previous plane (with approximate e.s.d.) = 30.79 (0.06)

$$*0.0118(0.0008)C4 * -0.0134(0.0008)C5 * 0.0021(0.0009)C6 * 0.0111(0.0009)C7 * -0.0128(0.0009)C8 * 0.0013(0.0009)C9$$

Rms deviation of fitted atoms = 0.0101

$$5.6034(0.0038)x + 5.0416(0.0058)y + 12.9434(0.0071)z = 8.2491(0.0021)$$

Angle to previous plane (with approximate e.s.d.) = 86.71 (0.03)

$$*0.0006(0.0008)C10 * -0.0066(0.0008)C11 * 0.0067(0.0009)C12 * -0.0008(0.0009)C13 * -0.0053(0.0009)C14 * 0.0053(0.0008)C15$$

Rms deviation of fitted atoms = 0.004

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.12006 (12)	-0.00788 (8)	0.54798 (6)	0.0209 (3)
C2	0.10916 (12)	0.08101 (8)	0.49535 (6)	0.0206 (3)
C3	-0.01449 (12)	0.08355 (9)	0.44911 (6)	0.0215 (3)
H3	-0.0224	0.1398	0.4156	0.026*
C4	0.29282 (12)	-0.06850 (9)	0.64289 (6)	0.0219 (3)
C5	0.27035 (13)	-0.17924 (10)	0.64288 (6)	0.0256 (3)
H5	0.2148	-0.2119	0.6065	0.031*
C6	0.32978 (14)	-0.24128 (10)	0.69630 (7)	0.0301 (3)
H6	0.3123	-0.3164	0.6968	0.036*
C7	0.41411 (15)	-0.19588 (10)	0.74902 (6)	0.0321 (3)
H7	0.4531	-0.2392	0.7856	0.039*
C8	0.44080 (15)	-0.08662 (10)	0.74762 (6)	0.0314 (3)
H8	0.5013	-0.0551	0.7825	0.038*
C9	0.37968 (13)	-0.02321 (9)	0.69556 (6)	0.0264 (3)

H9	0.3969	0.0519	0.6956	0.032*
C10	0.21200 (12)	0.24083 (9)	0.45179 (6)	0.0223 (3)
C11	0.11033 (13)	0.32190 (10)	0.46367 (6)	0.0262 (3)
H11	0.0366	0.3124	0.4982	0.031*
C12	0.11658 (14)	0.41614 (9)	0.42529 (7)	0.0280 (3)
H12	0.0483	0.4717	0.4343	0.034*
C13	0.22200 (14)	0.43007 (10)	0.37364 (7)	0.0288 (3)
H13	0.2254	0.4945	0.3469	0.035*
C14	0.32205 (14)	0.34921 (10)	0.36147 (7)	0.0291 (3)
H14	0.3940	0.3582	0.3260	0.035*
C15	0.31853 (13)	0.25534 (9)	0.40038 (6)	0.0254 (3)
H15	0.3887	0.2008	0.3921	0.031*
H1	0.2849 (18)	0.0610 (13)	0.5831 (8)	0.030 (4)*
N1	0.23876 (11)	0.00087 (8)	0.59090 (5)	0.0248 (2)
N2	0.21592 (10)	0.14848 (8)	0.49516 (5)	0.0236 (2)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0178 (5)	0.0226 (5)	0.0223 (5)	0.0024 (4)	-0.0001 (4)	-0.0009 (4)
C2	0.0181 (5)	0.0207 (5)	0.0231 (5)	0.0007 (4)	0.0008 (4)	-0.0010 (4)
C3	0.0197 (5)	0.0220 (5)	0.0229 (5)	0.0005 (4)	-0.0010 (4)	0.0020 (4)
C4	0.0160 (5)	0.0264 (6)	0.0234 (5)	0.0013 (4)	0.0005 (4)	0.0022 (4)
C5	0.0198 (6)	0.0265 (6)	0.0305 (6)	-0.0003 (4)	-0.0015 (4)	-0.0008 (4)
C6	0.0243 (6)	0.0266 (6)	0.0393 (7)	0.0012 (5)	0.0003 (5)	0.0055 (5)
C7	0.0288 (7)	0.0374 (7)	0.0302 (6)	0.0062 (5)	-0.0025 (5)	0.0084 (5)
C8	0.0267 (7)	0.0395 (7)	0.0279 (6)	0.0026 (5)	-0.0061 (5)	-0.0014 (5)
C9	0.0233 (6)	0.0267 (6)	0.0291 (6)	0.0007 (4)	-0.0032 (4)	-0.0007 (4)
C10	0.0183 (5)	0.0222 (5)	0.0264 (6)	-0.0041 (4)	-0.0045 (4)	0.0007 (4)
C11	0.0201 (6)	0.0287 (6)	0.0297 (6)	-0.0013 (4)	0.0015 (4)	0.0006 (4)
C12	0.0225 (6)	0.0250 (6)	0.0364 (7)	0.0025 (4)	-0.0017 (5)	-0.0001 (5)
C13	0.0282 (6)	0.0251 (6)	0.0330 (6)	-0.0032 (5)	-0.0028 (5)	0.0064 (5)
C14	0.0244 (6)	0.0326 (6)	0.0301 (6)	-0.0035 (5)	0.0032 (5)	0.0038 (5)
C15	0.0202 (6)	0.0264 (6)	0.0296 (6)	0.0006 (4)	-0.0014 (4)	-0.0002 (4)
N1	0.0217 (5)	0.0237 (5)	0.0290 (5)	-0.0051 (4)	-0.0059 (4)	0.0044 (4)
N2	0.0194 (5)	0.0227 (5)	0.0286 (5)	-0.0017 (4)	-0.0019 (4)	0.0021 (4)

Geometric parameters (\AA , $^\circ$)

C1—C3 ⁱ	1.3547 (16)	C8—C9	1.3847 (17)
C1—N1	1.3662 (15)	C8—H8	0.9500
C1—C2	1.4957 (15)	C9—H9	0.9500
C2—N2	1.2927 (14)	C10—C15	1.3942 (17)
C2—C3	1.4365 (15)	C10—C11	1.3952 (17)
C3—C1 ⁱ	1.3547 (16)	C10—N2	1.4160 (14)
C3—H3	0.9500	C11—C12	1.3840 (17)
C4—C5	1.3964 (16)	C11—H11	0.9500
C4—C9	1.3985 (16)	C12—C13	1.3893 (18)
C4—N1	1.4032 (15)	C12—H12	0.9500
C5—C6	1.3874 (17)	C13—C14	1.3842 (18)

C5—H5	0.9500	C13—H13	0.9500
C6—C7	1.3866 (19)	C14—C15	1.3846 (16)
C6—H6	0.9500	C14—H14	0.9500
C7—C8	1.3848 (19)	C15—H15	0.9500
C7—H7	0.9500	N1—H1	0.874 (17)
C3 ⁱ —C1—N1	127.12 (10)	C8—C9—H9	119.6
C3 ⁱ —C1—C2	119.71 (10)	C4—C9—H9	119.6
N1—C1—C2	113.12 (10)	C15—C10—C11	119.31 (10)
N2—C2—C3	125.78 (10)	C15—C10—N2	119.63 (10)
N2—C2—C1	115.69 (10)	C11—C10—N2	120.83 (10)
C3—C2—C1	118.51 (10)	C12—C11—C10	120.17 (11)
C1 ⁱ —C3—C2	121.78 (10)	C12—C11—H11	119.9
C1 ⁱ —C3—H3	119.1	C10—C11—H11	119.9
C2—C3—H3	119.1	C11—C12—C13	120.44 (11)
C5—C4—C9	118.94 (10)	C11—C12—H12	119.8
C5—C4—N1	123.87 (10)	C13—C12—H12	119.8
C9—C4—N1	117.12 (10)	C14—C13—C12	119.34 (11)
C6—C5—C4	119.55 (11)	C14—C13—H13	120.3
C6—C5—H5	120.2	C12—C13—H13	120.3
C4—C5—H5	120.2	C13—C14—C15	120.76 (11)
C7—C6—C5	121.32 (11)	C13—C14—H14	119.6
C7—C6—H6	119.3	C15—C14—H14	119.6
C5—C6—H6	119.3	C14—C15—C10	119.96 (11)
C8—C7—C6	119.14 (11)	C14—C15—H15	120.0
C8—C7—H7	120.4	C10—C15—H15	120.0
C6—C7—H7	120.4	C1—N1—C4	130.77 (10)
C9—C8—C7	120.25 (12)	C1—N1—H1	110.7 (10)
C9—C8—H8	119.9	C4—N1—H1	118.5 (10)
C7—C8—H8	119.9	C2—N2—C10	120.77 (10)
C8—C9—C4	120.74 (11)		
C3 ⁱ —C1—C2—N2	-178.63 (10)	N2—C10—C11—C12	173.81 (11)
N1—C1—C2—N2	3.91 (14)	C10—C11—C12—C13	1.35 (18)
C3 ⁱ —C1—C2—C3	0.14 (17)	C11—C12—C13—C14	-0.79 (19)
N1—C1—C2—C3	-177.31 (10)	C12—C13—C14—C15	-0.37 (19)
N2—C2—C3—C1 ⁱ	178.50 (11)	C13—C14—C15—C10	0.95 (18)
C1—C2—C3—C1 ⁱ	-0.14 (17)	C11—C10—C15—C14	-0.38 (17)
C9—C4—C5—C6	2.39 (17)	N2—C10—C15—C14	-175.02 (10)
N1—C4—C5—C6	179.27 (11)	C3 ⁱ —C1—N1—C4	7.7 (2)
C4—C5—C6—C7	-1.51 (18)	C2—C1—N1—C4	-175.09 (11)
C5—C6—C7—C8	-0.8 (2)	C5—C4—N1—C1	26.84 (19)
C6—C7—C8—C9	2.2 (2)	C9—C4—N1—C1	-156.22 (12)
C7—C8—C9—C4	-1.33 (19)	C3—C2—N2—C10	6.60 (17)
C5—C4—C9—C8	-1.00 (18)	C1—C2—N2—C10	-174.73 (9)
N1—C4—C9—C8	-178.09 (11)	C15—C10—N2—C2	-119.41 (12)
C15—C10—C11—C12	-0.76 (17)	C11—C10—N2—C2	66.04 (14)

Symmetry code: (i) $-x, -y, -z+1$.