

N'-(*E*)-4-(Diethylamino)benzylidene]-4-nitrobenzohydrazide monohydrate

Tanveer Ahmad,^a Muhammad Zia-ur-Rehman,^{b*}
 Hamid Latif Siddiqui,^a Syed Umar Farooq Rizvi^a and
 Masood Parvez^c

^aInstitute of Chemistry, University of the Punjab, Lahore 54590, Pakistan, ^bApplied Chemistry Research Centre, PCSIR Laboratories Complex, Lahore 54600, Pakistan, and ^cDepartment of Chemistry, The University of Calgary, 2500 University Drive NW, Calgary, Alberta, Canada T2N 1N4
 Correspondence e-mail: rehman_pcsrc@hotmail.com


Received 25 March 2010; accepted 26 March 2010

Key indicators: single-crystal X-ray study; $T = 173\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$;
 R factor = 0.059; wR factor = 0.138; data-to-parameter ratio = 16.5.

In the title compound, $\text{C}_{18}\text{H}_{20}\text{N}_4\text{O}_3\cdot\text{H}_2\text{O}$, the two aromatic rings are linked through a methylidenehydrazide fragment, which is fully extended with $\text{C}-\text{C}-\text{N}-\text{N}$, $\text{C}-\text{N}-\text{N}=\text{C}$ and $\text{N}-\text{N}=\text{C}-\text{C}$ torsion angles of $179.4(2)$, $174.7(2)$ and $178.3(2)^\circ$, respectively. The dihedral angle between the two aromatic rings is $7.01(8)^\circ$. In the crystal structure, the water of hydration is involved in extensive hydrogen bonding. Intermolecular $\text{O}-\text{H}\cdots\text{O}$, $\text{N}-\text{H}\cdots\text{O}$ and $\text{O}-\text{H}\cdots\text{N}$ hydrogen bonds link the components of the structure into a two-dimensional network and additional stabilization is provided by weak intermolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds.

Related literature

For the synthesis of related compounds, see: Ahmad *et al.* (2010). For the coordinating capability of hydrazones, see: Rodríguez-Argüelles *et al.* (2004). For the biological activity of benzohydrazides, see: Zia-ur-Rehman *et al.* (2009); Galal *et al.* (2009); Bordoloi *et al.* (2009). For closely related structures, see: Fun *et al.* (2008); Bessy *et al.* (2006).



Experimental

Crystal data

$\text{C}_{18}\text{H}_{20}\text{N}_4\text{O}_3\cdot\text{H}_2\text{O}$	$V = 3572.0(2)\text{ \AA}^3$
$M_r = 358.40$	$Z = 8$
Monoclinic, $C2/c$	Mo $K\alpha$ radiation
$a = 38.3142(12)\text{ \AA}$	$\mu = 0.10\text{ mm}^{-1}$
$b = 7.4563(3)\text{ \AA}$	$T = 173\text{ K}$
$c = 12.6332(5)\text{ \AA}$	$0.08 \times 0.06 \times 0.04\text{ mm}$
$\beta = 98.215(2)^\circ$	

Data collection

Nonius KappaCCD diffractometer	5710 measured reflections
Absorption correction: multi-scan (<i>SORTAV</i> ; Blessing, 1997)	4048 independent reflections
$T_{\min} = 0.992$, $T_{\max} = 0.996$	3182 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.021$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.059$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.138$	$\Delta\rho_{\text{max}} = 0.29\text{ e \AA}^{-3}$
$S = 1.11$	$\Delta\rho_{\text{min}} = -0.19\text{ e \AA}^{-3}$
4048 reflections	
246 parameters	

Table 1
 Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
O4—H4B \cdots O3 ⁱ	0.83 (4)	2.23 (4)	3.009 (3)	156 (3)
N2—H2N \cdots O4	0.88 (2)	2.00 (2)	2.861 (2)	165 (2)
O4—H4A \cdots O3 ⁱⁱ	0.85 (3)	2.06 (4)	2.823 (2)	149 (3)
O4—H4A \cdots N3 ⁱⁱ	0.85 (3)	2.57 (3)	3.250 (3)	138 (3)
C5—H5 \cdots O3 ⁱⁱ	0.95	2.54	3.308 (2)	138
C8—H8 \cdots O4	0.95	2.50	3.270 (3)	138
Cl3—H13 \cdots O2 ⁱⁱⁱ	0.95	2.51	3.350 (3)	148

Symmetry codes: (i) $-x + \frac{1}{2}, -y + \frac{3}{2}, -z + 1$; (ii) $x, -y + 1, z - \frac{1}{2}$; (iii) $-x + \frac{1}{2}, y - \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *COLLECT* (Hooft, 1998); cell refinement: *DENZO* (Otwinowski & Minor, 1997); data reduction: *SCALEPACK* (Otwinowski & Minor, 1997); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97*.

HLS is grateful to the Institute of Chemistry, University of the Punjab, for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT5231).

References

- Ahmad, M., Siddiqui, H. L., Zia-ur-Rehman, M. & Parvez, M. (2010). *Eur. J. Med. Chem.* **45**, 698–704.
- Bessy, R. B. N., Prathapachandra, K. M. R. & Suresh, E. (2006). *Struct. Chem.* **17**, 201–208.
- Blessing, R. H. (1997). *J. Appl. Cryst.* **30**, 421–426.
- Bordoloi, M., Kotoky, R., Mahanta, J. J., Sarma, T. C. & Kanjilal, P. B. (2009). *Eur. J. Med. Chem.* **44**, 2754–2757.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Fun, H.-K., Jebas, S. R., Sujith, K. V., Patil, P. S. & Kalluraya, B. (2008). *Acta Cryst. E64*, o1907–o1908.
- Galal, S. A., Hegab, K. H., Kassab, A. S., Rodriguez, M. L., Kerwin, S. M., El-Khamry, A. A. & El Diwani, H. I. (2009). *Eur. J. Med. Chem.* **44**, 1500–1508.
- Hooft, R. (1998). *COLLECT*. Nonius BV, Delft, The Netherlands.

organic compounds

- Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology*, Vol. 276, *Macromolecular Crystallography*, Part A, edited by C. W. Carter Jr & R. M. Sweet, pp. 307–326. New York: Academic Press.
- Rodríguez-Argüelles, M. C., Ferrari, M. B., Bisceglie, F., Pelizzi, C., Pelosi, G., Pinelli, S. & Sassi, M. (2004). *J. Inorg. Biochem.* **98**, 313–321.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Zia-ur-Rehman, M., Choudary, J. A., Elsegood, M. R. J., Siddiqui, H. L. & Khan, K. M. (2009). *Eur. J. Med. Chem.* **44**, 1311–1316.

supplementary materials

Acta Cryst. (2010). E66, o1007-o1008 [doi:10.1107/S1600536810011554]

N'-[*(E*-4-(Diethylamino)benzylidene]-4-nitrobenzohydrazide monohydrate

T. Ahmad, M. Zia-ur-Rehman, H. L. Siddiqui, S. U. F. Rizvi and M. Parvez

Comment

The chemistry of hydrazones is being investigated continuously due to their excellent coordinating capability (Rodríguez-Argüelles *et al.*, 2004) and biological activities (Zia-ur-Rehman *et al.*, 2009; Galal *et al.*, 2009; Bordoloi *et al.*, 2009). In continuation of our studies on the synthesis of various heterocyclic compounds (Ahmad *et al.*, 2010), the title compound, (I), has been synthesized and its crystal structure determined by X-ray crystallographic method which is presented in this article.

In the title compound (Fig. 1) the bond distances and angles agree with the corresponding bond distances and angles reported in closely related compounds (Fun *et al.*, 2008; Bessy *et al.*, 2006). The benzene rings in (I) are linked through a methylidenehydrazide fragment, C6/C7/N2/N3/C8, which is fully extended with torsion angles C6—C7—N2—N3, C7—N2—N3\ C8 and N2—N3=C8—C9 179.4 (2), 174.7 (2) and 178.3 (2) $^{\circ}$, respectively. The dihedral angle between the two benzene rings is 7.01 (8) $^{\circ}$. In the crystal structure, the water of hydration is extensively involved in hydrogen bonding. Thus, intermolecular O—H \cdots O, N—H \cdots O and O—H \cdots N hydrogen bonds link the components of the structure into a two-dimensional network and additional stabilization is provided by weak intermolecular C—H \cdots O hydrogen bonds; details have been provided in Table 1. and Fig. 2.

Experimental

A mixture of para nitrobenzohydrazide (0.5 g, 2.76 mmoles), *p*-(diethylamino)benzaldehyde (0.49 g, 2.76 mmoles), orthophosphoric acid (0.2 ml) and methanol (50.0 ml) was refluxed for a period of 5.5 hours followed by removal of the solvent under vacuum. The contents were cooled and washed with cold methanol followed by crystallization from the same solvent at room temperature by slow evaporation. Yield: 91%. M.p. 491 K.

Refinement

Though all the H atoms could be distinguished in the difference Fourier map the H-atoms bonded to C-atoms were included at geometrically idealized positions and refined in riding-model approximation with C—H = 0.95, 0.98 and 0.99 Å, for aryl, methyl and methylene H-atoms, respectively; the coordinates of the H-atoms bonded to N2 and O4 were allowed to refine. The $U_{\text{iso}}(\text{H})$ were allowed at $1.5U_{\text{eq}}$ (methyl-C and water-O) and $1.2U_{\text{eq}}$ (the rest of the parent atoms). The final difference map was essentially featureless.

supplementary materials

Figures




Fig. 1. The title compound with the displacement ellipsoids plotted at 50% probability level (Farrugia, 1997). Symmetry code * = $x, 1-y, z+1/2$.




Fig. 2. The unit cell packing of the title compound; H-bonds have been plotted with dashed lines and H-atoms not involved in H-bonds have been excluded for clarity.

N'-[(E)-4-(Diethylamino)benzylidene]-4-nitrobenzohydrazide monohydrate

Crystal data

$C_{18}H_{20}N_4O_3 \cdot H_2O$	$F(000) = 1520$
$M_r = 358.40$	$D_x = 1.333 \text{ Mg m}^{-3}$
Monoclinic, $C2/c$	Melting point: 491 K
Hall symbol: -C 2yc	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$a = 38.3142 (12) \text{ \AA}$	Cell parameters from 3855 reflections
$b = 7.4563 (3) \text{ \AA}$	$\theta = 1.0-27.5^\circ$
$c = 12.6332 (5) \text{ \AA}$	$\mu = 0.10 \text{ mm}^{-1}$
$\beta = 98.215 (2)^\circ$	$T = 173 \text{ K}$
$V = 3572.0 (2) \text{ \AA}^3$	Prism, orange
$Z = 8$	$0.08 \times 0.06 \times 0.04 \text{ mm}$

Data collection

Nonius KappaCCD diffractometer	4048 independent reflections
Radiation source: fine-focus sealed tube graphite	3182 reflections with $I > 2\sigma(I)$
ω and φ scans	$R_{\text{int}} = 0.021$
Absorption correction: multi-scan (SORTAV; Blessing, 1997)	$\theta_{\max} = 27.5^\circ, \theta_{\min} = 2.1^\circ$
$T_{\min} = 0.992, T_{\max} = 0.996$	$h = -49 \rightarrow 49$
5710 measured reflections	$k = -6 \rightarrow 9$
	$l = -16 \rightarrow 16$

Refinement

Refinement on F^2	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.059$	Hydrogen site location: difference Fourier map
$wR(F^2) = 0.138$	H atoms treated by a mixture of independent and constrained refinement
$S = 1.11$	$w = 1/[\sigma^2(F_o^2) + (0.0299P)^2 + 6.8806P]$ where $P = (F_o^2 + 2F_c^2)/3$
4048 reflections	$(\Delta/\sigma)_{\max} < 0.001$
246 parameters	$\Delta\rho_{\max} = 0.29 \text{ e \AA}^{-3}$
0 restraints	$\Delta\rho_{\min} = -0.19 \text{ e \AA}^{-3}$

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O4	0.24370 (5)	0.6548 (3)	0.29158 (14)	0.0491 (5)
H4A	0.2524 (8)	0.625 (5)	0.236 (3)	0.074*
H4B	0.2376 (9)	0.762 (5)	0.289 (3)	0.074*
O1	0.44265 (4)	0.7990 (3)	0.48843 (14)	0.0504 (5)
O2	0.42219 (4)	0.7098 (3)	0.32907 (14)	0.0529 (5)
O3	0.29243 (4)	0.4979 (3)	0.66984 (12)	0.0470 (5)
N1	0.41920 (5)	0.7349 (3)	0.42338 (15)	0.0382 (4)
N2	0.26157 (4)	0.5178 (2)	0.50392 (14)	0.0309 (4)
H2N	0.2601 (6)	0.555 (3)	0.4374 (19)	0.037*
N3	0.23060 (4)	0.4687 (2)	0.54236 (14)	0.0329 (4)
N4	0.06636 (4)	0.2626 (3)	0.54414 (14)	0.0385 (5)
C1	0.35196 (5)	0.6469 (3)	0.60129 (16)	0.0360 (5)
H1	0.3497	0.6546	0.6750	0.043*
C2	0.38313 (5)	0.6981 (3)	0.56723 (17)	0.0376 (5)
H2	0.4023	0.7423	0.6165	0.045*
C3	0.38577 (5)	0.6834 (3)	0.45998 (16)	0.0317 (4)
C4	0.35855 (5)	0.6218 (3)	0.38607 (16)	0.0355 (5)
H4	0.3611	0.6134	0.3125	0.043*

supplementary materials

C5	0.32730 (5)	0.5720 (3)	0.42139 (16)	0.0331 (5)
H5	0.3081	0.5294	0.3716	0.040*
C6	0.32385 (5)	0.5841 (3)	0.52888 (15)	0.0286 (4)
C7	0.29128 (5)	0.5290 (3)	0.57364 (16)	0.0308 (4)
C8	0.20420 (5)	0.4474 (3)	0.46932 (17)	0.0330 (4)
H8	0.2075	0.4627	0.3968	0.040*
C9	0.16922 (5)	0.4008 (3)	0.49284 (16)	0.0313 (4)
C10	0.16034 (5)	0.3932 (3)	0.59596 (16)	0.0324 (5)
H10	0.1778	0.4189	0.6553	0.039*
C11	0.12662 (5)	0.3491 (3)	0.61358 (16)	0.0327 (5)
H11	0.1213	0.3454	0.6847	0.039*
C12	0.09998 (5)	0.3094 (3)	0.52795 (16)	0.0326 (5)
C13	0.10887 (5)	0.3192 (3)	0.42407 (17)	0.0371 (5)
H13	0.0915	0.2945	0.3644	0.044*
C14	0.14265 (6)	0.3645 (3)	0.40804 (17)	0.0373 (5)
H14	0.1480	0.3711	0.3370	0.045*
C15	0.05774 (6)	0.2167 (3)	0.64950 (17)	0.0387 (5)
H15A	0.0788	0.1621	0.6922	0.046*
H15B	0.0388	0.1253	0.6410	0.046*
C16	0.04582 (6)	0.3745 (4)	0.7111 (2)	0.0502 (6)
H16A	0.0392	0.3322	0.7789	0.075*
H16B	0.0255	0.4321	0.6686	0.075*
H16C	0.0651	0.4613	0.7256	0.075*
C17	0.03658 (6)	0.2743 (4)	0.45771 (18)	0.0449 (6)
H17A	0.0415	0.3697	0.4073	0.054*
H17B	0.0152	0.3095	0.4884	0.054*
C18	0.02924 (7)	0.1007 (4)	0.3964 (2)	0.0595 (8)
H18A	0.0493	0.0714	0.3595	0.089*
H18B	0.0080	0.1144	0.3438	0.089*
H18C	0.0257	0.0040	0.4463	0.089*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O4	0.0535 (10)	0.0650 (12)	0.0311 (8)	0.0156 (9)	0.0143 (7)	0.0043 (9)
O1	0.0315 (8)	0.0661 (12)	0.0534 (10)	-0.0138 (8)	0.0055 (7)	0.0024 (9)
O2	0.0483 (10)	0.0704 (13)	0.0443 (9)	-0.0106 (9)	0.0216 (8)	0.0001 (9)
O3	0.0312 (8)	0.0813 (13)	0.0286 (7)	-0.0081 (8)	0.0043 (6)	0.0116 (8)
N1	0.0316 (9)	0.0399 (11)	0.0443 (10)	-0.0039 (8)	0.0098 (8)	0.0046 (9)
N2	0.0241 (8)	0.0398 (10)	0.0297 (8)	-0.0028 (7)	0.0063 (7)	0.0027 (8)
N3	0.0241 (8)	0.0379 (10)	0.0376 (9)	-0.0030 (7)	0.0072 (7)	0.0018 (8)
N4	0.0248 (8)	0.0575 (13)	0.0325 (9)	-0.0085 (8)	0.0011 (7)	0.0024 (9)
C1	0.0307 (10)	0.0519 (14)	0.0248 (9)	-0.0055 (10)	0.0017 (8)	0.0008 (9)
C2	0.0286 (10)	0.0512 (14)	0.0317 (10)	-0.0083 (10)	0.0002 (8)	-0.0005 (10)
C3	0.0261 (9)	0.0335 (11)	0.0359 (10)	-0.0018 (8)	0.0062 (8)	0.0034 (9)
C4	0.0333 (11)	0.0469 (13)	0.0270 (10)	-0.0019 (9)	0.0071 (8)	-0.0027 (9)
C5	0.0282 (10)	0.0419 (12)	0.0287 (10)	-0.0041 (9)	0.0023 (8)	-0.0033 (9)
C6	0.0258 (9)	0.0313 (10)	0.0290 (9)	-0.0006 (8)	0.0049 (8)	0.0010 (8)

C7	0.0287 (10)	0.0354 (11)	0.0289 (10)	-0.0029 (8)	0.0061 (8)	0.0009 (8)
C8	0.0294 (10)	0.0361 (11)	0.0343 (10)	-0.0021 (9)	0.0075 (8)	0.0009 (9)
C9	0.0249 (9)	0.0347 (11)	0.0340 (10)	-0.0024 (8)	0.0028 (8)	0.0010 (9)
C10	0.0258 (9)	0.0377 (11)	0.0322 (10)	-0.0012 (8)	-0.0006 (8)	-0.0009 (9)
C11	0.0263 (10)	0.0415 (12)	0.0299 (10)	-0.0007 (9)	0.0027 (8)	0.0032 (9)
C12	0.0257 (9)	0.0379 (11)	0.0339 (10)	-0.0035 (8)	0.0028 (8)	0.0025 (9)
C13	0.0291 (10)	0.0489 (13)	0.0314 (10)	-0.0071 (9)	-0.0023 (8)	0.0022 (10)
C14	0.0338 (11)	0.0466 (13)	0.0314 (10)	-0.0067 (10)	0.0047 (9)	-0.0001 (9)
C15	0.0280 (10)	0.0515 (14)	0.0363 (11)	-0.0080 (10)	0.0039 (8)	0.0067 (10)
C16	0.0405 (13)	0.0680 (18)	0.0436 (13)	0.0061 (12)	0.0114 (11)	0.0064 (13)
C17	0.0287 (10)	0.0637 (16)	0.0407 (12)	-0.0069 (11)	-0.0006 (9)	0.0075 (11)
C18	0.0498 (15)	0.080 (2)	0.0464 (14)	-0.0243 (14)	-0.0024 (12)	-0.0023 (14)

Geometric parameters (Å, °)

O4—H4A	0.85 (3)	C8—C9	1.456 (3)
O4—H4B	0.83 (4)	C8—H8	0.9500
O1—N1	1.225 (2)	C9—C10	1.394 (3)
O2—N1	1.228 (2)	C9—C14	1.395 (3)
O3—C7	1.232 (2)	C10—C11	1.382 (3)
N1—C3	1.473 (3)	C10—H10	0.9500
N2—C7	1.339 (2)	C11—C12	1.409 (3)
N2—N3	1.394 (2)	C11—H11	0.9500
N2—H2N	0.88 (2)	C12—C13	1.404 (3)
N3—C8	1.278 (3)	C13—C14	1.380 (3)
N4—C12	1.378 (3)	C13—H13	0.9500
N4—C15	1.457 (3)	C14—H14	0.9500
N4—C17	1.465 (3)	C15—C16	1.517 (4)
C1—C2	1.380 (3)	C15—H15A	0.9900
C1—C6	1.391 (3)	C15—H15B	0.9900
C1—H1	0.9500	C16—H16A	0.9800
C2—C3	1.377 (3)	C16—H16B	0.9800
C2—H2	0.9500	C16—H16C	0.9800
C3—C4	1.376 (3)	C17—C18	1.514 (4)
C4—C5	1.387 (3)	C17—H17A	0.9900
C4—H4	0.9500	C17—H17B	0.9900
C5—C6	1.386 (3)	C18—H18A	0.9800
C5—H5	0.9500	C18—H18B	0.9800
C6—C7	1.499 (3)	C18—H18C	0.9800
H4A—O4—H4B	111 (3)	C11—C10—H10	119.4
O1—N1—O2	123.34 (19)	C9—C10—H10	119.4
O1—N1—C3	118.57 (18)	C10—C11—C12	121.19 (19)
O2—N1—C3	118.09 (18)	C10—C11—H11	119.4
C7—N2—N3	118.26 (17)	C12—C11—H11	119.4
C7—N2—H2N	122.7 (15)	N4—C12—C13	120.59 (18)
N3—N2—H2N	118.4 (15)	N4—C12—C11	121.96 (19)
C8—N3—N2	113.98 (17)	C13—C12—C11	117.45 (18)
C12—N4—C15	122.27 (17)	C14—C13—C12	120.52 (19)
C12—N4—C17	121.30 (18)	C14—C13—H13	119.7

supplementary materials

C15—N4—C17	116.15 (17)	C12—C13—H13	119.7
C2—C1—C6	120.75 (19)	C13—C14—C9	122.1 (2)
C2—C1—H1	119.6	C13—C14—H14	118.9
C6—C1—H1	119.6	C9—C14—H14	118.9
C3—C2—C1	118.25 (19)	N4—C15—C16	114.2 (2)
C3—C2—H2	120.9	N4—C15—H15A	108.7
C1—C2—H2	120.9	C16—C15—H15A	108.7
C4—C3—C2	122.61 (19)	N4—C15—H15B	108.7
C4—C3—N1	118.86 (19)	C16—C15—H15B	108.7
C2—C3—N1	118.52 (18)	H15A—C15—H15B	107.6
C3—C4—C5	118.47 (19)	C15—C16—H16A	109.5
C3—C4—H4	120.8	C15—C16—H16B	109.5
C5—C4—H4	120.8	H16A—C16—H16B	109.5
C6—C5—C4	120.35 (18)	C15—C16—H16C	109.5
C6—C5—H5	119.8	H16A—C16—H16C	109.5
C4—C5—H5	119.8	H16B—C16—H16C	109.5
C5—C6—C1	119.55 (18)	N4—C17—C18	113.5 (2)
C5—C6—C7	123.55 (17)	N4—C17—H17A	108.9
C1—C6—C7	116.88 (18)	C18—C17—H17A	108.9
O3—C7—N2	122.99 (18)	N4—C17—H17B	108.9
O3—C7—C6	120.63 (17)	C18—C17—H17B	108.9
N2—C7—C6	116.38 (17)	H17A—C17—H17B	107.7
N3—C8—C9	122.62 (19)	C17—C18—H18A	109.5
N3—C8—H8	118.7	C17—C18—H18B	109.5
C9—C8—H8	118.7	H18A—C18—H18B	109.5
C10—C9—C14	117.46 (18)	C17—C18—H18C	109.5
C10—C9—C8	123.73 (18)	H18A—C18—H18C	109.5
C14—C9—C8	118.80 (19)	H18B—C18—H18C	109.5
C11—C10—C9	121.26 (18)		
C7—N2—N3—C8	-174.7 (2)	N2—N3—C8—C9	-178.3 (2)
C6—C1—C2—C3	-0.7 (4)	N3—C8—C9—C10	6.9 (3)
C1—C2—C3—C4	0.6 (4)	N3—C8—C9—C14	-174.4 (2)
C1—C2—C3—N1	-178.9 (2)	C14—C9—C10—C11	0.8 (3)
O1—N1—C3—C4	176.0 (2)	C8—C9—C10—C11	179.6 (2)
O2—N1—C3—C4	-4.6 (3)	C9—C10—C11—C12	0.2 (3)
O1—N1—C3—C2	-4.4 (3)	C15—N4—C12—C13	167.7 (2)
O2—N1—C3—C2	175.0 (2)	C17—N4—C12—C13	-18.6 (3)
C2—C3—C4—C5	-0.2 (4)	C15—N4—C12—C11	-12.3 (3)
N1—C3—C4—C5	179.4 (2)	C17—N4—C12—C11	161.3 (2)
C3—C4—C5—C6	-0.2 (3)	C10—C11—C12—N4	179.1 (2)
C4—C5—C6—C1	0.1 (3)	C10—C11—C12—C13	-1.0 (3)
C4—C5—C6—C7	-178.5 (2)	N4—C12—C13—C14	-179.4 (2)
C2—C1—C6—C5	0.3 (3)	C11—C12—C13—C14	0.6 (3)
C2—C1—C6—C7	179.1 (2)	C12—C13—C14—C9	0.5 (4)
N3—N2—C7—O3	0.1 (3)	C10—C9—C14—C13	-1.2 (3)
N3—N2—C7—C6	-179.4 (2)	C8—C9—C14—C13	179.9 (2)
C5—C6—C7—O3	160.9 (2)	C12—N4—C15—C16	91.3 (3)
C1—C6—C7—O3	-17.8 (3)	C17—N4—C15—C16	-82.7 (3)
C5—C6—C7—N2	-19.6 (3)	C12—N4—C17—C18	93.1 (3)

C1—C6—C7—N2

161.7 (2)

C15—N4—C17—C18

−92.8 (3)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
O4—H4B···O3 ⁱ	0.83 (4)	2.23 (4)	3.009 (3)	156 (3)
N2—H2N···O4	0.88 (2)	2.00 (2)	2.861 (2)	165 (2)
O4—H4A···O3 ⁱⁱ	0.85 (3)	2.06 (4)	2.823 (2)	149 (3)
O4—H4A···N3 ⁱⁱ	0.85 (3)	2.57 (3)	3.250 (3)	138 (3)
C5—H5···O3 ⁱⁱ	0.95	2.54	3.308 (2)	138
C8—H8···O4	0.95	2.50	3.270 (3)	138
C13—H13···O2 ⁱⁱⁱ	0.95	2.51	3.350 (3)	148

Symmetry codes: (i) $-x+1/2, -y+3/2, -z+1$; (ii) $x, -y+1, z-1/2$; (iii) $-x+1/2, y-1/2, -z+1/2$.

supplementary materials

Fig. 1




Fig. 2

