Local, Controlled Release In Vivo of Vascular Endothelial Growth Factor Within a Subcutaneous Scaffolded Islet Implant Reduces Early Islet Necrosis and Improves Performance of the Graft

Cell Transplantation 2018, Vol. 27(3) 531–541 © The Author(s) 2018 Reprints and permission: sagepub.com/journalsPermissions.nav DOI: 10.1177/0963689718754562 journals.sagepub.com/home/cll

John A. Gebe¹, Anton Preisinger¹, Michel D. Gooden¹, Leonard A. D'Amico^{1,2}, and Robert B. Vernon¹

Abstract

Islet transplantation remains the only alternative to daily insulin therapy for control of type I diabetes (TID) in humans. To avoid the drawbacks of intrahepatic islet transplantation, we are developing a *scaffolded islet implant* to transplant islets into nonhepatic sites. The implant test bed, sized for mice, consists of a limited (2-mm) thickness, large-pore polymeric sponge scaffold perforated with peripheral cavities that contain islets suspended in a collagen hydrogel. A central cavity in the scaffold holds a 2-mm diameter alginate sphere for controlled release of the angiogenic cytokine *vascular endothelial growth factor* (*VEGF*). Host microvessels readily penetrate the scaffold and collagen gel to vascularize the islets. Here, we evaluate the performance of the implant in a subcutaneous (SC) graft site. Implants incorporating 500 syngeneic islets reversed streptozotocin-induced diabetes in mice approximately 30 d after SC placement. Controlled release of a modest quantity (20 ng) of VEGF within the implant significantly reduced the time to normoglycemia compared to control implants lacking VEGF. Investigation of underlying causes for this effect revealed that inclusion of 20 ng of VEGF in the implants significantly reduced central necrosis of islets 24 h after grafting and increased implant vascularization (measured 12 d after grafting). Collectively, our results demonstrate (1) that the scaffolded islet implant design can reverse diabetes in SC sites in the absence of prevascularization of the graft site and (2) that relatively low quantities of VEGF, delivered by controlled release within the implant, can be a useful approach to limit islet stress after grafting.

Keywords

alginate, collagen, growth factor, mouse, transplantation, type I diabetes

Introduction

Type 1 diabetes (T1D) is a consequence of autoimmunemediated loss of insulin-secreting pancreatic β cells that results in an inability to maintain blood glucose homeostasis^{1,2}. Islet transplantation (utilizing either intact pancreata or islet isolates) remains the only alternative to daily insulin therapy for control of T1D in humans. In the one clinically approved method for transplantation of islet isolates, *intraportal islet transplantation (IPIT)*, islets are injected into the liver via the portal vein, where they lodge in small-caliber hepatic vasculature. Although IPIT is convenient for islet delivery, islet loss can exceed 50% within the first few days of transplantation^{3–5} as a consequence of local necrosis at the graft site (caused by vascular blockage) and by an *instant blood-mediated inflammatory reaction (IBMIR*) elicited by direct contact of the islets with blood³. In addition, islet survival and function are compromised by intrahepatic processes such as detoxification of immunosuppressive agents⁶ and glycogenolysis-mediated increase in intrahepatic

Submitted: September 11, 2017. Revised: November 29, 2017. Accepted: December 24, 2017.

Corresponding Author:

John A. Gebe, Matrix Biology Program, Benaroya Research Institute at Virginia Mason, 1201 Ninth Ave., Seattle, WA 98101, USA. Email: jgebe@benaroyaresearch.org



Creative Commons Non Commercial CC BY-NC: This article is distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 License (http://www.creativecommons.org/licenses/by-nc/4.0/) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed as specified on the SAGE and Open Access pages (https://us.sagepub.com/en-us/nam/open-access-at-sage).

¹ Matrix Biology Program, Benaroya Research Institute at Virginia Mason, Seattle, WA, USA

² Cancer Immunotherapy Trials, Fred Hutchinson Cancer Research Center, Seattle, WA, USA

glucose flux, which incorrectly signals islet α cells to suppress glucagon release during systemic hypoglycemia^{7,8}. Collectively, islet loss due to the relatively harsh hepatic environment^{9,10}, combined with incomplete control of alloimmune and autoimmune rejection of islets, limits insulin independence of IPIT recipients to less than 5 y⁹.

The problematic nature of IPIT has led to an interest in nonhepatic sites for islet transplantation, such as the kidney, omentum, bone marrow, muscle, and skin¹¹⁻¹⁶. The kidney subcapsular space is optimal in rodents for rapid islet functionality, low marginal islet mass, and glycemic stability; however, the kidney subcapsule in humans is inelastic, with limited space to accommodate large numbers of islets. Moreover, islets implanted in the kidney can die from exocrine contamination¹⁷, contributing to poor clinical outcomes¹⁸. Secondary complications of T1D leading to kidney disease^{17,19} further limit the kidney as a viable graft site. The omentum requires a relatively low marginal islet mass¹⁴ and has a blood supply and drainage that resembles that of native pancreatic islets²⁰ but is suboptimal therapeutically with respect to surgical safety, implant monitoring, and capacity for more than one transplantation. Moreover, an omental implant would be susceptible to damage by other surgical procedures performed in the abdominal cavity. Transplantation into bone marrow cavities prohibits monitoring and removal of islets and, for stem-cell therapies, provides direct access of tumorigenic cells to the circulation. Muscle provides easier surgical access compared to sites in the abdominal cavity, but vascularization is relatively poor, resulting in long time periods to achieve functionality and a need for large amounts of islets¹⁴. Compared to other sites, the subcutaneous (SC) site is ideal in terms of surgical safety, device monitoring and removal, and retransplantation; however, the skin is no better than muscle with respect to blood supply and support of early neovascularization²¹, making a focus on early angiogenesis essential^{13,19}. Studies in animal models indicate that prevascularization (PV) of SC sites before islet transplantation improves graft performance²²⁻²⁷, which has led to a phase I/II clinical trial in humans 28 .

In the contexts of convenience, lower treatment costs, and improved patient safety, it would be desirable to eliminate the PV step in SC islet graft protocols; however, work in this area has been limited^{21,29} and further investigation is warranted. To this end, the current study evaluates the performance of our scaffolded islet implant in an SC site without PV. The disk-shaped implant, sized for mice, consists of a limited (2-mm) thickness, large-pore polymeric sponge scaffold perforated with columnar cavities that contain collagen hydrogel and suspended islets³⁰. Host microvessels readily penetrate the scaffold and collagen gel to vascularize the islets. Implants loaded with 450 to 500 syngeneic islets and implanted on the gut mesentery of streptozotocin (STZ)treated diabetic mice became vascularized within 2 wk and induced normoglycemia in experiments lasting 54 d³⁰ to over 200 d. Each implant contains a central cavity in the scaffold into which an alginate sphere can be placed for local, controlled release of bioactive compounds. Here, we show that release of a low level of vascular endothelial growth factor (VEGF) within implants loaded with syngeneic islets and implanted beneath the skin decreases the time to normoglycemia of STZ-treated diabetic mice. Our results suggest that local delivery of VEGF improves implant performance by not only increasing vascular density within the implant but also by reducing islet stress prior to vascularization.

Materials and Methods

Isolation of Islets

Islets were isolated from C57Bl/6 mice (12 to 24 wk of age) by digesting the pancreata with collagenase P and centrifugation of the digests through a culture medium-Histopaque[®]-1077 (Sigma-Aldrich, St. Louis, MO, USA) interface, as described previously³⁰. Immediately after all islets were isolated, the islets were handpicked once, cultured overnight in an incubator (37 °C, 5% CO₂,100% humidity), and then handpicked a second time. Yields averaged 125 to 175 islets per mouse. Average diameter of the islets was 136 µm. Total time of islet culture (i.e., from isolation to surgical implantation) was approximately 24 h.

Fabrication of Implant Scaffolds

To fabricate the scaffolds for the implants, 6-mm diameter disks were cut from 2-mm thick sheets of polyvinyl alcohol (PVA) sponge (Type CF90, 500 µm average pore size with no surfactant treatment—a generous gift from Merocel/Medtronic, Inc., USA) with biopsy punches (Sklar Instruments, West Chester, PA, USA). Subsequently, each disk was throughpunched with a single central hole (cavity) of 1.5-mm diameter and 8 peripheral cavities of 1-mm diameter, using correspondingly sized biopsy punches (Sklar Instruments). The punched disks were incubated for 10 min in 40 mL of sterile distilled water repeated five times, then air-dried on sterile gauze, transferred to sterile 60-mm dishes, exposed to gamma radiation, and stored until needed for implant assembly.

Preparation of Alginate Spheres Loaded with VEGF

Controlled release of VEGF in implants was accomplished using small alginate spheres. To prepare the spheres, a stock solution of 4% Na alginate (Sigma-Aldrich, Product No. A0682) was dissolved in deionized water and filtered at 0.45 µm, using positive pressure. A stock solution of human recombinant VEGF₁₆₅ (Peprotech, Rocky Hill, NJ, USA, Product No. 100-20) was prepared at 100 ng/µL in sterile, deionized water with 0.1% normal mouse serum (NMS). For spheres containing VEGF, 32 µL of alginate stock was combined with 28 µL of sterile deionized water and 4 µL of VEGF stock and pipetted in 8 µL volumes (each containing 2% alginate and 50 ng of VEGF) onto a sheet of hydrophobic ParafilmTM "M" (Pechiney Plastic Packaging, Chicago, IL, USA) that was cut into a

narrow triangular shape. The Parafilm triangle was held vertically on a clamp positioned 5 cm above a 60-mm petri dish filled with a solution of 100 mM CaCl₂. The alginate/VEGF droplets were pulled to the tip of the Parafilm triangle by gravity, where they fell one at a time into the CaCl₂ solution and were cross-linked by the free Ca⁺⁺ ions into spheres approximately 2 mm in diameter. The spheres were cross-linked for 15 min in the CaCl₂ solution, then washed twice (2 min each wash) in 10 mL of a saline-HEPES-calcium (SHC) buffer consisting of 0.15 M NaCl-25 mM N-(2-hydroxyethyl)piperazine-N'-2-ethanesulfonic acid (HEPES)-2 mM CaCl₂, pH 7.0, transferred to a 35-mm dish filled with SHC buffer, and maintained at room temperature until needed for implant assembly. VEGF-loaded alginate spheres prepared as described above retain approximately 20 ng of VEGF in the sphere (a proportion of VEGF is lost from the alginate during the gelation process)³⁰.

Preparation of Type I Collagen Solution

To prepare type I collagen solution for the implants, 1 volume of a stock solution of rat tail native type I collagen in dilute acetic acid (Corning, Corning, NY, USA, Product No. 354236) was combined with 1/9 volume of 10 strength NaHCO₃-saturated Medium 199 (Gibco/Invitrogen Waltham, MA, USA) and sufficient Dulbecco's Modified Eagle's Medium (DMEM) (Gibco/Invitrogen) with NMS to yield a final solution containing 2.5 mg/mL collagen and 10% NMS³¹. The collagen solution was prepared just prior to assembly of the implants and maintained on ice until needed.

Implant Assembly

To assemble the implants, the dry PVA sponge scaffolds were hydrated for 5 min in sterile DMEM, blotted on sterile gauze, and a single, freshly prepared alginate sphere was gently pressed into the 1.5-mm diameter center cavity of each scaffold. The scaffolds were then transferred to 60-mm plastic tissue culture dishes lined with UV-sterilized Parafilm M. As the scaffolds were being prepared, the islets were undergoing the second handpicking and were distributed in equal numbers into 1.5 mL centrifuge tubes containing culture medium-the number of tubes equaling the number of mice to receive islet-loaded implants in a given experiment (i.e., in a given experiment, all mice received the same number of islets). The tubes were then placed briefly in the incubator to allow the islets to settle to the bottom of the tubes. Subsequently, the following 3 operations were performed repetitively to load the islets into each implant: (1) The culture medium was aspirated from the tube and replaced with $60 \,\mu L$ of the type I collagen solution. (2) The collagen solution was gently agitated to uniformly disperse the islets. (3) The collagen solution, with dispersed islets, was pipetted onto the prepared scaffold (over the 1-mm diameter peripheral cavities). The PVA sponge absorbed the collagen solution, which caused the islets to enter the peripheral cavities in an evenly dispersed fashion. The islets did not penetrate into the sponge proper, as the open connections between the pores of the sponge (i.e., the pore "throats") were too narrow to permit the islets' passage. Subsequently, the dishes were covered with dish tops (lined with moist filter paper) and incubated for 30 min at 37 °C, 5% CO₂, 100% humidity to gel the collagen. The completed implants were transferred to a 24-well tissue culture plate filled with 1 mL/well of pre-equilibrated DMEM–10% NMS–100 μ g/mL penicillin–100 U/mL streptomycin and briefly maintained in a tissue culture incubator until implantation into mice.

Induction of Diabetes and SC Placement of Implants into Mice

Three days prior to implant grafting, C57Bl/6 mice were treated with a high dose (200 mg/kg) of STZ^{30} . All mice receiving STZ became diabetic within 72 h and had blood glucose levels (BGLs) > 500 mg/dL at the time of surgical implantation. BGLs were measured daily and insulin was given when needed (see following section). Insulin was not administered on the day of surgery.

For the grafting procedure, mice were given buprenorphine (0.05 to 0.1 mg/kg) 15 to 30 min prior to surgery, which was performed under isoflurane. A 1.2 cm vertical incision was made in the dorsal skin near the spine, and a dermal pocket approximately 1.5 cm deep was created using blunt dissection. The scaffolded islet implant was carefully pushed into the pocket, and the skin was closed with 3 to 4 surgical staples. Meloxicam (5 mg/kg) was administered SC immediately after surgery and buprenorphine given at 8 and 18 h after surgery. Removal of implants was done in the same manner as implantation. All work with mice was done in an Association for Assessment and Accreditation of Laboratory Animal Care International (AAALAC)accredited facility and was approved by the Animal Care and Use Committee of the Benaroya Research Institute.

Monitoring of Mice Following Grafting of Implants

Body weights of STZ-treated mice were measured daily. BGLs were measured daily from a saphenous vein blood draw (30-gauge needle) using a Wavesense Presto glucometer (AgaMatrix, Inc., Salem, NH, USA).

To prevent excessive diabetes-mediated weight loss, all diabetic mice received sustained release Levemir[®] insulin (Novo Nordisk, Bagsvaerd, Denmark) injected SC as needed: 0.12 U of insulin for BGLs of 250 to 350 mg/dL, 0.23 U for BGLs of 350 to 450 mg/dL, or 0.33 U for BGLs $< 450 \text{ mg/dL}^{30}$, which lowered BGLs to near normal for at least 6 h after administration but did not sustain normal BGLs after 24 h. This response profile allowed us to determine whether a mouse was still diabetic under daily insulin therapy. The frequency of body weight and BGL measurements was reduced for mice that achieved normoglycemia (BGLs < 250 mg/dL) after islet transplantation.

For intraperitoneal glucose tolerance tests (IPGTTs), mice were fasted (water/no food) for 6 h before injection with 1 mg of glucose per gram of body weight³⁰. BGLs in saphenous vein blood were measured at 0, 15, 30, 60, and 120 min after injection of glucose.

Histological Analyses

To assess islet necrosis and implant vascularization in vivo, implants were surgically removed from mice and fixed in neutral-buffered formalin, dehydrated, and embedded in paraffin. Sections of 8 µm thickness were taken en face across the entire diameter of each implant and stained with hematoxylin and eosin (H&E). Images were recorded with a Leica DM2500 bright field microscope equipped with a SPOT Insight[™] digital camera (Diagnostic Instruments, Sterling Heights, MI, USA). Necrotic areas in midplane sections through islets were identified by extensive eosinophilia and the presence of sparse, pyknotic nuclei. To assess vascular density, 8 sections were evaluated for each implant. These consisted of a series of 4 sections, each separated by 50 µm, and a second series of 4 sections taken at a level starting 200 µm deeper in the implant. Collectively, these sections sampled the central 500 µm thickness of each implant. Each entire section was imaged by collecting multiple digital images with a $20 \times$ objective (each image covered a 1 mm^2 field), and the images were analyzed using ImageJ (http://rsbweb.nih.gov/ij/) to quantify the percentage of vascular area, which was expressed as [total area of vascular profiles divided by the total cellularized area of each implant section] $\times 100\%$ (the cellularized areas occupied the peripheral cavities, pores, and pore throats of the sponge: the acellular areas occupied by the PVA sponge proper were not included). Data were collected from 3 mice within each VEGF+ and VEGF- group.

Selected sections were stained by immunohistochemistry (IHC) using a polyclonal rabbit antibody against active caspase-3 (Abcam, Cambridge, MA, USA, Product ab2302). Bound antibody was visualized with a Bond[™] Polymer Refine Detection Kit (Leica Microsystems, Wetzlar, Germany) using 3,3'-diaminobenzidine as the chromogen.

Statistical Analyses

P values were calculated with Prism[®] (GraphPad Software, Inc., La Jolla, CA, USA) using a 2-tailed t test. P values for Kaplan–Meier plots were calculated using a log-rank Mantel–Cox test. Intergroup comparison of IPGTT measurements was made using the Mann–Whitney test.

Results

In our previous study, we reported on the capability of scaffolded implants loaded with syngeneic islets and grafted on the mesentery to reverse STZ-induced diabetes³⁰. The present study extends that work to demonstrate (1) the



Fig. 1. Scaffolded islet implant test bed sized for mice. (a) The implant is comprised of a polyvinyl alcohol sponge scaffold (SS) with a central cavity holding an alginate sphere (asterisk) and 8 peripheral cavities (e.g., arrow) holding collagen gel and islets. (b) Diagram illustrating placement of the implant in a pocket beneath the skin.



Fig. 2. Average blood glucose levels (BGLs, black circles) of streptozotocin-treated, diabetic mice following subcutaneous grafting of implants containing 500 islets on day 0 (large open circle; n = 5 mice). Dotted line indicates threshold of hyperglycemia (250 mg/ dL). Implants were surgically removed at day 116 (large gray circle), which led to a rapid return to hyperglycemia. Open triangles indicate dose levels of exogenous insulin given to the mice.

biofunctionality of the scaffolded islet implant when placed in a less surgically invasive (SC) site and (2) a reduction in the time interval to normoglycemia through controlled release of VEGF locally within the implant. The primary structural component of the implant is a large-pore PVA sponge scaffold that brings isolated islets (in a supportive type I collagen gel) and a controlled release component (an alginate sphere loaded with the potent angiogenic cytokine VEGF) into close proximity in a unified, compact structure that can be easily assembled, handled, and implanted in a pocket beneath the skin (Fig. 1).

In the present study, we incorporated 450 to 500 islets per implant, the same number as in our previous study of implants grafted on the mouse mesentery³⁰, in order to compare implant performance in SC versus mesenteric graft sites. Implants containing 500 syngeneic islets reversed STZ-induced diabetes in mice approximately 30 d after placement beneath the skin (Fig. 2). In all mice where diabetes



Fig. 3. Streptozotocin-treated, diabetic mice received subcutaneous implants containing 500 islets loaded with 20 ng of vascular endothelial growth factor (VEGF; VEGF+ group) or no VEGF (VEGF- group). (a) Implant-mediated reversal of diabetes in the VEGF+ group (n = 7 mice) was confirmed by rapid (24 to 48 h) return to hyperglycemia following implant removal at day 42 (large gray circle). Blood glucose levels and exogenous insulin doses are indicated by black circles and open triangles, respectively. (b) The fraction of mice that ultimately achieved normoglycemia (arrow) was not significantly different between the VEGF+ and VEGF- groups. (c) Of the mice that achieved normoglycemia in the VEGF+ and VEGF- groups, the VEGF+ group had a shorter average time to normoglycemia than the VEGF- group.

was reversed, we confirmed that the implants were responsible for the reversal by removing them after 116 d, which resulted in a rapid (24 h) return to hyperglycemia (Fig. 2).

Previously, we found that 2-mm spheres of 2% alginate loaded with 20 ng of VEGF released the VEGF in a linear fashion in vitro over a period of 2 wk under physiological conditions of ionic strength, pH, and temperature³⁰—a sufficient duration of release that could, in principle, permit VEGF to have a biological effect in vivo when incorporated in scaffolded islet implants. Accordingly, STZ-treated diabetic mice received implants containing 500 islets and 20 ng of VEGF (VEGF+ group) or no VEGF (VEGF- group). Implant-mediated reversal of diabetes in the VEGF+ group was confirmed by rapid (24 to 48 h) return to hyperglycemia following implant removal (Fig. 3a).

In a Kaplan–Meier plot of the results (Fig. 3b), the fraction of mice that ultimately achieved normoglycemia was not significantly different (by log-rank Mantel–Cox test) between the 2 groups (VEGF+ group = 63.6% [7/11] vs. VEGF- group = 62.5% [5/8]).

However, of the mice that achieved normoglycemia, the VEGF+ group had a significantly reduced time to normoglycemia compared to the VEGF- group (2-tailed *t* test, P < 0.02). Specifically, the time to reach normoglycemia in the VEGF+ group (n = 7) averaged 19.7 \pm 4.2 d versus an average of 28.6 \pm 6.8 d in the VEGF- group (n = 5; Fig. 3c).

Three weeks after the implanted mice registered BGLs below 250 mg/dL, we did not observe a statistical difference in basal BGLs between the VEGF+ and VEGF- groups. The capacity of these normoglycemic mice to respond to glucose challenge was evaluated by IPGTTs (Fig. 4). At 10 to 30 min following glucose challenge, the VEGF+ and VEGF- groups had similar BGLs, which were significantly

600



- · VEGF- Group

streptozotocin-treated, diabetic mice receiving subcutaneous implants. Assays were performed on mice that had achieved normoglycemia for at least 4 wk and were off insulin (n = 4 per group). Vascular endothelial growth factor minus (VEGF-) group (black circles); VEGF+ group (open circles); healthy, nondiabetic control mice (black squares).

higher than healthy, nondiabetic mice that had not received STZ or implanted islets (controls). However, within 60 to 120 min of glucose challenge, BGLs of the control and transplanted groups had returned to normal and were not significantly different from one another, indicating that the scaffolded islet implants, placed beneath the skin, could effectively respond to major changes in BGL. At all time points of the IPGTTs, BGLs were not significantly different between the VEGF+ and VEGF- groups.

Previously, we found that inclusion of 20 ng of VEGF in the implants prevented transitory hypoglycemia that occurred 24 h after placement of the implants in gut mesenteric pockets³⁰. As this effect occurred well before host vasculature could enter the graft site, we concluded that local release of VEGF was reducing postoperative islet stress by acting directly on the islets. Although, in the present study, we found that transitory hypoglycemia did not occur in mice that received SC implants (with or without inclusion of VEGF), it was possible that early postoperative mitigation of islet stress might contribute to the shortened interval to normoglycemia we observed in the VEGF+ group. Accordingly, implants (450 islets, +20 ng of VEGF) were placed beneath the skin in STZ-treated diabetic mice and removed 24 h later. Levels of islet central necrosis (identified by extensive eosinophilia and the presence of sparse, pyknotic nuclei) were measured from H&E-stained sections of the implants (Fig. 5a vs. 5b). There was little evidence of apoptosis, as determined by IHC for activated caspase-3 (Fig. 5c, d). Measurements of necrosis were expressed per islet as the fraction ($\times 100\%$) of necrotic area/total islet area of sections taken through the midplane of each islet. Notably, the implanted islets of the VEGF+ group had significantly less central necrosis than the islets of the VEGF- group $(14.1\% \pm 2.8\%)$ for the VEGF+ group vs. $43.4\% \pm 4.3\%$ for the VEGF- group, P < 0.0001; Fig. 5e). Average midplane areas of the islets that were sampled were not significantly different (P > 0.2) between the VEGF+ and VEGF- groups (Fig. 5f), indicating that the difference in necrotic area between the 2 groups was not influenced by differences in islet size.

VEGF-mediated reduction in islet necrosis was observed within 24 h of grafting-well before entry of host neovessels into the graft-suggesting that VEGF could mitigate islet stress by acting directly on the islets. Of course, VEGF is a potent stimulator of angiogenesis and, therefore, might also stimulate later-stage growth of host vasculature into the implant. Accordingly, we assessed whether controlled release of VEGF in SC implants could enhance vascularization by the host. As transplanted islets themselves are a potential source of both vasculature and VEGF³²⁻³⁵, islets were omitted from the implants in these experiments. Twelve days after grafting (near the estimated 2-wk time span of VEGF release), vascularization of the implants was measured from multiple sections as a percentage of the vascular area relative to total cellularized area of each implant. We found that implants containing 20 ng of VEGF had a significantly (1.85-fold) higher vascular density than implants lacking VEGF (1.39%) \pm 0.25% for the VEGF+ group vs. 0.75% \pm 0.14% for the VEGF- group, P < 0.04; Fig. 6).

Discussion

Major impediments to greater use of islet transplantation in the treatment of T1D are poor short-term islet survival^{9,10} and failure to achieve durable immune tolerance to the graft^{36,37}. Although development of better tolerogenic strategies is crucial, it is also important to consider how the "early" postgraft environment can be optimized to promote islet survival and function. Stem cell sources of islets are unavailable at present and the quantity of cadaveric islets is limited (multiple donors are often required for each recipient^{38,39}); therefore, improvements in early postgraft islet survival could increase the number of T1D patients served. A major step in this direction is to identify a suitable nonhepatic graft site; however, candidate sites have specific drawbacks, particularly the kidney subcapsular space which, despite a high degree of effectiveness in rodent models, is not translatable to human recipients. Other nonhepatic graft sites (e.g., muscle, omentum, and skin) are translationally feasible but exhibit delayed normoglycemia and require larger numbers of islets¹⁴.

To improve islet graft performance in nonrenal sites, 2-step PV approaches have been evaluated, in which vascular growth is initiated in the graft site by introduction of proangiogenic agents, followed by a second surgery to introduce islets. Approaches to PV (in rodents) include delivery of the proangiogenic cytokine basic fibroblast growth factor (bFGF) via PVA hydrogel (1 wk PV)⁴⁰, agarose rods (1 wk PV)²⁵, gelatin microspheres (2 wk PV)⁴¹, or



Fig. 5. Controlled release of vascular endothelial growth factor (VEGF) in subcutaneous implants inhibits early (24 h) posttransplantation islet necrosis. Streptozotocin-treated diabetic mice received implants containing 450 islets with 20 ng of VEGF (VEGF+ group) or without VEGF (VEGF- group; n = 3 mice per group). Implants were removed at 24 h, sectioned, and stained with hematoxylin and eosin to assess necrosis. (a, b) Examples of midplane sections of islets without (a) and with (b) central necrosis (b, asterisk). Of the islets that had central necrosis (c, d, asterisks), only a few (c) showed immunohistochemical staining for activated caspase-3 (brown 3,3'-diaminobenzidine stain, arrows), whereas most islets were negative (d) for this apoptotic marker. (e) Islets of the VEGF+ group had significantly less necrotic area, on average, than islets of the VEGF- group (red bars). (f) Average midplane areas (red bars) of islets of the VEGF+ and VEGF- groups were not significantly different. Scale bars in (a), (b), (d) = 50 μ m; (c) = 100 μ m.

MatrigelTM (3 wk PV)²³ or, alternatively, induction of neovessels by foreign-body responses to removable nylon catheters (4 wk PV)^{26,27} or indwelling stainless steel mesh tubes⁴² (40 d PV).

As mentioned earlier, a single-step graft procedure omitting PV would be desirable from the standpoint of convenience, patient safety, and lower treatment costs. To this end, the scaffolded islet implant described here serves as a useful test bed to evaluate single-step strategies to accelerate vascularization in SC islet grafts. The limited (2-mm) thickness, large pore (0.5 mm) scaffold, and supportive collagen gel facilitate vascularization of the implant, which is augmented by local release of a proangiogenic cytokine. We selected VEGF because it specifically targets endothelial cells, as opposed to bFGF, which is a mitogen to a broader spectrum of cell types, such as fibroblasts, keratinocytes, and melanocytes of the skin⁴³. Islets transfected to overexpress VEGF have been shown to enhance graft vascularization^{44,45}, but this approach poses problems therapeutically. Consequently, we used an acellular approach, delivering purified VEGF from a biocompatible alginate hydrogel.

We found that release of a relatively small quantity (20 ng) of VEGF within the implant significantly decreased (by 31%) the time required for diabetic mice to achieve normoglycemia relative to controls lacking VEGF. It is likely that blood vessel growth in response to VEGF played a role in this result; as 2 wk after grafting, the VEGF+ group had nearly twice the vascular density of the VEGF- group (although this difference was observed in implants without islets and may or may not be valid for implants that contain islets). Interestingly, we did not see a VEGF-mediated reduction in time to normoglycemia when implants were grafted on the gut mesentery³⁰. The reason for this discrepancy is unclear but may relate to (1) the high endogenous levels of VEGF in mesenteric structures relative to other



Fig. 6. Controlled release of vascular endothelial growth factor (VEGF) enhances growth of host vasculature into subcutaneous implants. (a) Implants lacking islets but containing 20 ng of VEGF (black bar) or no VEGF (gray bar) were removed after 12 d, sectioned, stained with hematoxylin and eosin, and assessed for degree of vascularization. The presence of VEGF significantly increased vascular growth into the implants (n = 3 mice per group). (b, c) Representative 8 µm sections of cellularized areas of implants with (b) or without (c) VEGF. Vascular profiles of various calibers (a few are indicated by arrows) are filled with red blood cells. In (b) and (c), scale bars = 50 µm.

tissues⁴⁶, which may make mesenteric vasculature less responsive to exogenous VEGF than SC vasculature and/or (2) the relatively lower baseline vascularity of dermis versus mesentery, which might result in dermis having a larger difference in vascularity between VEGF-stimulated and unstimulated conditions than mesentery would. Although addition of VEGF to the implants accelerated the time to normoglycemia, the fraction of mice that ultimately achieved normoglycemia was not significantly different between VEGF+ and VEGF- groups. This may be due to the fact that a "subtherapeutic" number of islets were implanted in order to prolong the time to normoglycemia to demonstrate the effects of VEGF with the sample size we used.

Central necrosis is a factor in islet transplantation and has been observed in vivo⁴⁷ and in vitro⁴⁸. It is noteworthy, therefore, that we observed VEGF to markedly reduce islet central necrosis 24 h after grafting. As this effect occurs well before penetration of the graft by host blood vessels, we conclude that the exogenous VEGF acts directly on the islets, probably by stimulating endogenous endothelial cells within the islet (intra-islet endothelial cells). In this context, it has been reported that intra-islet endothelial cells of transplanted islets can contribute to revascularization of the graft, integrating with vessels of the host $^{32-34}$. Although it has been shown that endothelial cells of isolated mouse islets are lost after a few days of culture (e.g., approximately 8% are present after 3 d³⁴), we cultured our islets for only 24 h-at which time approximately 45% of the endothelial cells are still present in the islets³⁴. Of note, islets from Tie-2 LacZ mice cultured 24 h and then transplanted under the kidney capsules of wild-type recipient mice had LacZ-expressing, donor islet endothelial cells present in the graft site at 5, 10, and even 21 d after transplantation³². Collectively, these observations suggest that intra-islet endothelial cells would be present in donor islets in our implants 24 h after grafting where they could respond to locally released VEGF in the implant.

It is somewhat surprising that locally released VEGF can bring about a substantial reduction in islet necrosis in such a short time (24 h). Nonetheless, this observation is consistent with our earlier finding that VEGF rapidly reduced islet stress in mesenteric islet grafts, as indicated by prevention of acute insulin release (leading to transitory hypoglycemia) 24 h after grafting³⁰. Moreover, we have observed a similar rapid effect of VEGF in vitro-cultured mouse islets exposed to 10 ng/mL of VEGF for only 2 h released significantly less insulin in response to a subsequent 30 min exposure to elevated (16.6 mM) glucose than did control islets not exposed to VEGF³⁰. It is known that macro- and microvascular endothelial cell responses to VEGF stimulation can be very rapid-for example, changes in barrier function in vitro are maximal on the order of 30 to 40 min after exposure to 10 ng/mL of VEGF⁴⁹. Therefore, it is not unreasonable that elements of a rapid response to VEGF by intra-islet endothelial cells might include pro-survival signals to islet endocrine cells.

Whatever mechanism may underlie the pro-survival effects of VEGF on islets, our past and present results in mice, in combination with an earlier finding that VEGF preserved β -cell mass in rat islet cultures⁵⁰, support the proposition that VEGF would be a useful agent to incorporate in islet transplantation devices to limit early postgraft islet stress.

In conclusion, the current study demonstrates that scaffolded islet implants grafted in SC sites in the absence of PV can reverse diabetes and that controlled release of a relatively small quantity of VEGF within the implant reduces the time to normoglycemia. Contributing factors to this latter effect appear to be (1) a VEGF-mediated reduction in islet stress/necrosis immediately after grafting and (2) increased graft vascularity. In subsequent studies, we will use scaffolded test beds that hold multiple alginate spheres to determine whether multiple cytokines, released concomitantly within a single SC implant, can interact synergistically to improve the survival and function of transplanted islets.

Authors' Note

John A. Gebe and Robert B. Vernon contributed to research design; John A. Gebe, Anton Preisinger, Michel D. Gooden, Leonard A. D'Amico, and Robert B. Vernon contributed to research performance; John A. Gebe and Michel D. Gooden contributed to data analysis; John A. Gebe and Robert B. Vernon contributed to manuscript writing.

Acknowledgments

We would like to thank Dr. Rebecca L. Hull for her valuable help in optimizing the islet isolation procedures and Dr. Virginia M. Green for her editorial assistance.

Ethical Approval

Animal protocols in this study were approved by the Animal Care and Use Committee of the Benaroya Research Institute.

Statement of Human and Animal Rights

Treatment of research animals was performed in accordance with the USA Public Health Service Policy on Humane Care and Use of Laboratory Animals.

Statement of Informed Consent

There are no human subjects in this article and informed consent is not applicable.

Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: This project was supported by a major grant from the Klorfine Foundation (to R.B.V.).

References

1. Onkamo P, Vaananen S, Karvonen M, Tuomilehto J. Worldwide increase in incidence of Type I diabetes—the analysis of the data on published incidence trends. Diabetologia. 1999; 42(12):1395–1403.

- Ziegler AG, Nepom GT. Prediction and pathogenesis in type 1 diabetes. Immunity. 2010;32(4):468–478.
- Bennet W, Groth CG, Larsson R, Nilsson B, Korsgren O. Isolated human islets trigger an instant blood mediated inflammatory reaction: implications for intraportal islet transplantation as a treatment for patients with type 1 diabetes. Ups J Med Sci. 2000;105(2):125–133.
- Biarnes M, Montolio M, Nacher V, Raurell M, Soler J, Montanya E. Beta-cell death and mass in syngeneically transplanted islets exposed to short- and long-term hyperglycemia. Diabetes. 2002;51(1):66–72.
- Eriksson O, Eich T, Sundin A, Tibell A, Tufveson G, Andersson H, Felldin M, Foss A, Kyllonen L, Langstrom B, Nilsson B, Korsgren O, Lundgren T. Positron emission tomography in clinical islet transplantation. Am J Transplant. 2009;9(12): 2816–2824.
- Drachenberg CB, Klassen DK, Weir MR, Wiland A, Fink JC, Bartlett ST, Cangro CB, Blahut S, Papadimitriou JC. Islet cell damage associated with tacrolimus and cyclosporine: morphological features in pancreas allograft biopsies and clinical correlation. Transplantation. 1999;68(3):396–402.
- Zhou H, Zhang T, Bogdani M, Oseid E, Parazzoli S, Vantyghem MC, Harmon J, Slucca M, Robertson RP. Intrahepatic glucose flux as a mechanism for defective intrahepatic islet alpha-cell response to hypoglycemia. Diabetes. 2008; 57(6):1567–1574.
- Robertson RP. Spontaneous hypoglycemia after islet transplantation: the case for using non-hepatic sites. J Clin Endocrinol Metab. 2016;101(10):3571–3574.
- Alejandro R, Barton FB, Hering BJ, Wease S. 2008 update from the Collaborative Islet Transplant Registry. Transplantation. 2008;86(12):1783–1788.
- Hirsch D, Odorico J, Radke N, Hanson M, Danobeitia JS, Hullett D, Alejandro R, Ricordi C, Fernandez LA. Correction of insulin sensitivity and glucose disposal after pancreatic islet transplantation: preliminary results. Diabetes Obes Metab. 2010;12(11):994–1003.
- Salazar-Banuelos A, Wright J, Sigalet D, Benitez-Bribiesca L. The bone marrow as a potential receptor site for pancreatic islet grafts. Arch Med Res. 2008;39(1):139–141.
- Salazar-Banuelos A, Wright JR Jr., Sigalet D, Benitez-Bribiesca L. Pancreatic islet transplantation into the bone marrow of the rat. Am J Surg. 2008;195(5):674–678; discussion 678.
- Sakata N, Aoki T, Yoshimatsu G, Tsuchiya H, Hata T, Katayose Y, Egawa S, Unno M. Strategy for clinical setting in intramuscular and subcutaneous islet transplantation. Diabetes Metab Res Rev. 2014;30(1):1–10.
- Kim HI, Yu JE, Park CG, Kim SJ. Comparison of four pancreatic islet implantation sites. J Korean Med Sci. 2010;25(2): 203–210.
- Hefty TR, Kuhr CS, Chong KT, Guinee DG, Wang W, Reems JA, Greenbaum CJ. Omental roll-up: a technique for islet engraftment in a large animal model. J Surg Res. 2010; 161(1):134–138.

- 16. Wang C, Du X, He S, Yuan Y, Han P, Wang D, Chen Y, Liu J, Tian B, Yang G, Yi S, Gao F, Zhong Z, Li H, Cheng J, Lu Y. A preclinical evaluation of alternative site for islet allotransplantation. PLoS One. 2017;12(3):e0174505.
- Gray DW, Sutton R, McShane P, Peters M, Morris PJ. Exocrine contamination impairs implantation of pancreatic islets transplanted beneath the kidney capsule. J Surg Res. 1988; 45(5):432–442.
- Jindal RM, Sidner RA, McDaniel HB, Johnson MS, Fineberg SE. Intraportal vs kidney subcapsular site for human pancreatic islet transplantation. Transplant Proc. 1998;30(2):398–399.
- Rajab A. Islet transplantation: alternative sites. Curr Diab Rep. 2010;10(5):332–337.
- Kin T, Korbutt GS, Rajotte RV. Survival and metabolic function of syngeneic rat islet grafts transplanted in the omental pouch. Am J Transplant. 2003;3(3):281–285.
- Juang JH, Hsu BR, Kuo CH. Islet transplantation at subcutaneous and intramuscular sites. Transplant Proc. 2005;37(8): 3479–3481.
- Kawakami Y, Iwata H, Gu YJ, Miyamoto M, Murakami Y, Balamurugan AN, Imamura M, Inoue K. Successful subcutaneous pancreatic islet transplantation using an angiogenic growth factor-releasing device. Pancreas. 2001;23(4):375–381.
- Hussey AJ, Winardi M, Han XL, Thomas GP, Penington AJ, Morrison WA, Knight KR, Feeney SJ. Seeding of pancreatic islets into prevascularized tissue engineering chambers. Tissue Eng Part A. 2009;15(12):3823–3833.
- 24. Forster NA, Penington AJ, Hardikar AA, Palmer JA, Hussey A, Tai J, Morrison WA, Feeney SJ. A prevascularized tissue engineering chamber supports growth and function of islets and progenitor cells in diabetic mice. Islets. 2011;3(5): 271–283.
- Luan NM, Iwata H. Long-term allogeneic islet graft survival in prevascularized subcutaneous sites without immunosuppressive treatment. Am J Transplant. 2014;14(7):1533–1542.
- Pepper AR, Gala-Lopez B, Pawlick R, Merani S, Kin T, Shapiro AM. A prevascularized subcutaneous device-less site for islet and cellular transplantation. Nat Biotechnol. 2015;33(5): 518–523.
- Pepper AR, Bruni A, Pawlick RL, Gala-Lopez B, Rafiei Y, Wink J, Kin T, Shapiro AM. Long-term function and optimization of mouse and human islet transplantation in the subcutaneous device-less site. Islets. 2016;8(6):186–194.
- Gala-Lopez BL, Pepper AR, Dinyari P, Malcolm AJ, Kin T, Pawlick LR, Senior PA, Shapiro AMJ. Subcutaneous clinical islet transplantation in a prevascularized subcutaneous pouch—preliminary experience. CellR4. 2016;4(5):e2132.
- Juang JH, Bonner-Weir S, Ogawa Y, Vacanti JP, Weir GC. Outcome of subcutaneous islet transplantation improved by polymer device. Transplantation. 1996;61(11):1557–1561.
- Vernon RB, Preisinger A, Gooden MD, D'Amico LA, Yue BB, Bollyky PL, Kuhr CS, Hefty TR, Nepom GT, Gebe JA. Reversal of diabetes in mice with a bioengineered islet implant incorporating a type I collagen hydrogel and sustained release of vascular endothelial growth factor. Cell Transplant. 2012; 21(10):2099–2110.

- Vernon RB, Gooden MD. New technologies in vitro for analysis of cell movement on or within collagen gels. Matrix Biol. 2002;21(8):661–669.
- Linn T, Schneider K, Hammes HP, Preissner KT, Brandhorst H, Morgenstern E, Kiefer F, Bretzel RG. Angiogenic capacity of endothelial cells in islets of Langerhans. FASEB J. 2003; 17(8):881–883.
- Brissova M, Fowler M, Wiebe P, Shostak A, Shiota M, Radhika A, Lin PC, Gannon M, Powers AC. Intraislet endothelial cells contribute to revascularization of transplanted pancreatic islets. Diabetes. 2004;53(5):1318–1325.
- Nyqvist D, Kohler M, Wahlstedt H, Berggren PO. Donor islet endothelial cells participate in formation of functional vessels within pancreatic islet grafts. Diabetes. 2005;54(8): 2287–2293.
- 35. Brissova M, Shostak A, Shiota M, Wiebe PO, Poffenberger G, Kantz J, Chen Z, Carr C, Jerome WG, Chen J, Baldwin HS, Nicholson W, Bader DM, Jetton T, Gannon M, Powers AC. Pancreatic islet production of vascular endothelial growth factor-A is essential for islet vascularization, revascularization, and function. Diabetes. 2006;55(11):2974–2985.
- Laughlin E, Burke G, Pugliese A, Falk B, Nepom G. Recurrence of autoreactive antigen-specific CD4+ T cells in autoimmune diabetes after pancreas transplantation. Clin Immunol. 2008;128(1):23–30.
- 37. Monti P, Scirpoli M, Maffi P, Ghidoli N, De Taddeo F, Bertuzzi F, Piemonti L, Falcone M, Secchi A, Bonifacio E. Islet transplantation in patients with autoimmune diabetes induces homeostatic cytokines that expand autoreactive memory T cells. J Clin Invest. 2008;118(5):1806–1814.
- Ryan EA, Lakey JR, Rajotte RV, Korbutt GS, Kin T, Imes S, Rabinovitch A, Elliott JF, Bigam D, Kneteman NM, Warnock GL, Larsen I, Shapiro AM. Clinical outcomes and insulin secretion after islet transplantation with the Edmonton protocol. Diabetes. 2001;50(4):710–719.
- McCall M, Shapiro AM. Update on islet transplantation. Cold Spring Harb Perspect Med. 2012;2(7):a007823.
- 40. Kawakami Y, Iwata H, Gu Y, Miyamoto M, Murakami Y, Yamasaki T, Cui W, Ikada Y, Imamura M, Inoue K. Modified subcutaneous tissue with neovascularization is useful as the site for pancreatic islet transplantation. Cell Transplant. 2000;9(5):729–732.
- 41. Wang W, Gu Y, Tabata Y, Miyamoto M, Hori H, Nagata N, Touma M, Balamurugan AN, Kawakami Y, Nozawa M, Inoue K. Reversal of diabetes in mice by xenotransplantation of a bioartificial pancreas in a prevascularized subcutaneous site. Transplantation. 2002;73(1):122–129.
- Pileggi A, Molano RD, Ricordi C, Zahr E, Collins J, Valdes R, Inverardi L. Reversal of diabetes by pancreatic islet transplantation into a subcutaneous, neovascularized device. Transplantation. 2006;81(9):1318–1324.
- Akita S, Akino K, Hirano A. Basic fibroblast growth factor in scarless wound healing. Adv Wound Care (New Rochelle). 2013;2(2):44–49.
- 44. Zhang N, Richter A, Suriawinata J, Harbaran S, Altomonte J, Cong L, Zhang H, Song K, Meseck M, Bromberg J, Dong H.

Elevated vascular endothelial growth factor production in islets improves islet graft vascularization. Diabetes. 2004;53(4): 963–970.

- 45. Lee BW, Lee M, Chae HY, Lee S, Kang JG, Kim CS, Lee SJ, Yoo HJ, Ihm SH. Effect of hypoxia-inducible VEGF gene expression on revascularization and graft function in mouse islet transplantation. Transpl Int. 2011;24(3):307–314.
- Zhang QX, Magovern CJ, Mack CA, Budenbender KT, Ko W, Rosengart TK. Vascular endothelial growth factor is the major angiogenic factor in omentum: mechanism of the omentummediated angiogenesis. J Surg Res. 1997;67(2):147–154.
- 47. Buitinga M, Assen F, Hanegraaf M, Wieringa P, Hilderink J, Moroni L, Truckenmuller R, van Blitterswijk C, Romer GW, Carlotti F, de Koning E, Karperien M, van Apeldoorn A.

Micro-fabricated scaffolds lead to efficient remission of diabetes in mice. Biomaterials. 2017;135:10–22.

- Giuliani M, Moritz W, Bodmer E, Dindo D, Kugelmeier P, Lehmann R, Gassmann M, Groscurth P, Weber M. Central necrosis in isolated hypoxic human pancreatic islets: evidence for postisolation ischemia. Cell Transplant. 2005;14(1):67–76.
- Becker PM, Verin AD, Booth MA, Liu F, Birukova A, Garcia JG. Differential regulation of diverse physiological responses to VEGF in pulmonary endothelial cells. Am J Physiol Lung Cell Mol Physiol. 2001;281(6):L1500–1511.
- Stagner J, Mokshagundam S, Wyler K, Samols E, Rilo H, Stagner M, Parthasarathy L, Parthasarathy R. Beta-cell sparing in transplanted islets by vascular endothelial growth factor. Transplant Proc. 2004;36(4):1178–1180.