OPEN ACCESS marine drugs ISSN 1660-3397 www.mdpi.com/journal/marinedrugs

Article

Secocrassumol, a *seco*-Cembranoid from the Dongsha Atoll Soft Coral *Lobophytum crassum*

Shi-Yie Cheng¹, Shang-Kwei Wang² and Chang-Yih Duh^{3,4,*}

- ¹ Department of Life Sciences, National University of Kaohsiung, Kaohsiung 811, Taiwan; E-Mail: shiyie@nuk.edu.tw
- ² Department of Microbiology, Kaohsiung Medical University, Kaohsiung 807, Taiwan; E-Mail: skwang@cc.kmu.edu.tw
- ³ Department of Marine Biotechnology and Resources, National Sun Yat-Sen University, Kaohsiung 804, Taiwan
- ⁴ Graduate Institute of Natural Products, Kaohsiung Medical University, Kaohsiung 807, Taiwan
- * Author to whom correspondence should be addressed; E-Mail: yihduh@mail.nsysu.edu.tw; Tel.: +886-7-525-2000 (ext. 5036).

External Editor: Orazio Taglialatela-Scafati

Received: 16 October 2014; in revised form: 7 November 2014 / Accepted: 28 November 2014 / Published: 17 December 2014

Abstract: Chemical investigations on the Dongsha Atoll soft coral *Lobophytum crassum* led to the purification of a new *seco*-cembranoid, secocrassumol. The structural elucidation was established by extensive NMR, HRESIMS and CD data. The absolute configuration at C-12 was determined as *S* using a modified Mosher's acylation. Secocrassumol differs from previously known marine *seco*-cembranoid in that it possesses an unprecedented skeleton functionalized at C11-C12 bond cleavage. Secocrassumol showed antiviral activity against human cytomegalovirus (HCMV) with an IC₅₀ value of 5.0 µg/mL.

Keywords: Lobophytum crassum; seco-cembranoid; Mosher's acylation; antiviral activity

1. Introduction

Marine soft corals have evolved characteristic metabolic and physiological capabilities to produce secondary metabolites that may function in defense, food capture, interference competition, and even possibly the acquisition and selection of symbiotic zooxanthellae [1]. The first cembrane-type

diterpenoid was obtained in 1951 from the oleoresin of *Pinus albicaulis* [2]. Marine cembranoids are the representative compounds from soft corals, having been first discovered from gorgonians by the Ciereszko lab in 1960 [3]. For more than 60 years, hundreds of cembranoids possessing almost every structural modification have been reported from virtually all alcoonarians and gorgonians [4]. Prior studies have shown that members of the genus *Lobophytum* produce a rich harvest of cembranoids endowed with diversified macrocyclic skeletons [4–25]. Previous bioassay results of these metabolites have been shown to exhibit diverse biological activities such as cytotoxicity [11,13,15–19,23], anti-inflammatory properties [20–22], antimicrobial activities [20], and HIV-inhibitory activities [17]. During the course of our initial investigation of bioactive metabolites from the soft coral L. crassum (von Marenzeller, 1886), six cembranoids (lobocrassolide, lobocrasol, crassumols A-C and 13-acetoxysarcophytoxide) and two á-tocopherols (crassumtocopherols A and B) were discovered and some of these have been shown to possess cytotoxic properties [18,23–25]. Our continuing chemical investigations of this organism led to the isolation of secocrassumol (Figure 1). Secocrassumol apparently derives from a cembranoid precursor through cleavage of the C11-C12 bond. The plausible biosynthetic pathway for formation of secocrassumol is postulated in Scheme 1. Furthermore, it was evaluated *in vitro* for cytotoxicity against A-459 (human lung carcinoma), P-388 (mouse lymphocytic leukemia), and HT-29 (human colon adenocarcinoma) cancer cell lines as well as antiviral activity against HCMV (human cytomegalovirus) cells.

Figure 1. The structure of secocrassumol and crassumol C.





Scheme 1. The plausible biosynthetic pathway for formation of secocrassumol.

2. Results and Discussion

The chromatographic separation of the EtOAc extract (20 g) of the soft coral L. crassum using Si-60 and ODS gel columns in combination with semi-preparative reversed-phase C₁₈ HPLC resulted in the purification of secocrassumol (see Experimental Section), which was obtained as a colorless oil. The HRESIMS exhibited a pseudo molecular ion peak at m/z 417.2256 [M + Na]⁺ (calcd. for C₂₂H₃₄O₆Na, 417.2253), consistent with the molecular formula of C₂₂H₃₄O₆, requiring six degrees of unsaturation. The IR spectrum demonstrated a broad absorption band at 3434 cm⁻¹ (OH stretching) diagnostic of a secondary hydroxy group, which was associated to C-12 on the basis of the HMBC correlations from Me-20 to C-12 and C-13 (Figure 2). The IR spectrum revealed the presence of an ester (1742 cm⁻¹) moiety, which was further identified by the ¹H·NMR signals at $\delta_{\rm H}$ 2.09 (3H, s) and ¹³C NMR signals at $\delta_{\rm C}$ 170.4 (qC) and 20.9 (CH₃) (Table 1). The existence of two guaternary carbons [$\delta_{\rm C}$ 133.0 (qC, C-1) and 128.4 (qC, C-15)], an oxygenated methine [$\delta_{\rm H}$ 5.09 (dd, 1H, J = 9.2, 0.8 Hz) and $\delta_{\rm C}$ 84.4 (C-2)] and an oxygenated methylene [$\delta_{\rm H}$ 4.54 (dd, 1H, J = 11.6, 5.6 Hz) and 4.45 (br d, 1H, J = 11.6 Hz); $\delta_{\rm C}$ 78.1 CH₂], as well as the long-range COSY correlations between H-2 and H₂-16 exhibited the presence of a 2,5-dihydrofuran ring (Figure 2). In addition, the ¹³C NMR signals at $\delta_{\rm C}$ 126.0 (CH, C-3) and 138.2 (qC, C-4) assigned a trisubstituted double bond. Although there were no direct HMBC correlations available, the remaining one unsaturation indicated that an oxygen bridge is probably present between a lactone carbonyl carbon [δ_C 176.2 (qC, C-11)] and an oxygenated quaternary carbon $[\delta_{\rm C} 82.6 (qC, C-8)]$. This assumption was further confirmed by a strong IR absorption at 1771 cm⁻¹ [26]. Comparison to the NMR data reported for crassumol C [24] permitted us to propose the 11,12-secocembranoid structure for secocrassumol.

Figure 2. Selected ${}^{1}\text{H}{-}^{1}\text{H}$ COSY (—) and HMBC (\rightarrow) correlations of secocrassumol.



The geometry of the trisubstituted olefin was assigned as *E* based on the γ -effect of the olefinic methyl signals for C-18 (16.4 ppm) [27] and the NOESY correlations between H-3 and H₂-5, and H-2 and H₃-18. The relative configurations of C2, C7 and C8 could not be determined due to the absence of decided NOESY correlations available. Additionally, the failure to crystallize, the limitation of material, and scarcity of sample source make secocrassumol inaccessible to X-ray crystallographic analysis for confirmation of the relative configurations of the aforementioned carbons. Based on biogenic considerations, a 2*S*, 7*S* configuration of secocrassumol was assumed to be identical with that of crassumol C [24]. The circular dichroism (CD) spectrum exhibited a positive Cotton effect around λ_{max} 214 nm due to the γ -lactone (Figure 3). The absolute configuration at C-8 was deduced to be *R* based on its CD data comparable to that of some C11-C12 secocembranoids from the leaves of air-cured Burley tobaccos [26]. The appropriate stereochemistry of secocrassumol was identified by Mosher's esterification for absolute configuration determination of chiral alcohols [28]. Analysis of the $\Delta \delta_{S-R}$ values according to the Mosher model pointed to an *S* configuration for C-12, because H₂-13 and H₂-14 of the (*S*)-MTPA ester were less shielded by the phenyl ring of MTPA products (Figure 4). Accordingly, the structure of secocrassumol was elucidated unambiguously.

#	¹³ C	$^{1}\mathrm{H}$	¹ H– ¹ H COSY	HMBC (H \rightarrow C)
1	133.0 (qC) ^b			
2	84.4 (CH)	5.42 m	H-3, H-16, H-17	
3	126.0 (CH)	5.09 br·d (9.2, 0.8) ^{c}	H-2, H-18	C-5, C-18
4	138.2 (qC)			
5	35.8 (CH ₂)	2.04 m	Н-6	
6	27.6 (CH ₂)	a: 1.94 m	H-5, H-7	
		b: 1.80 m		
7	75.9 (CH)	5.01 dd (10.4, 2.4)	Н-6	C-8, C-9, 7-OAc
8	82.6 (qC)			
9	29.9 (CH ₂)	a: 2.22 m	H-10	C-10, C-11, C-19
		b: 1.91 m		
10	28.7 (CH ₂)	2.61 m	Н-9	C-8, C-9, C-11
11	176.2 (qC)			
12	68.0 (CH)	3.76 m	H-13, H-20	
13	37.5 (CH ₂)	1.49 m	H-12, H-14	C-1, C-14, C-20
14	21.1 (CH ₂)	a: 2.24 m	H-13	C-1, C-2, C-13
		b: 1.89 m		
15	128.4 (qC)			
16	78.1 (CH ₂)	a: 4.54 dd (11.6, 5.6)	H-2, H-17	C-1
		b: 4.45 br · d (11.6)		
17	10.0 (CH ₃)	1.66 s	H-2, H-16	C-1, C-15, C-16
18	16.4 (CH ₃)	1.76 s	H-3	C-3, C-4, C-5
19	22.5 (CH ₃)	1.40 s		C-7, C-8, C-9
20	23.3 (CH ₃)	1.19 d (6.0)	H-12	C-12, C-13
7-OAc	20.9 (CH ₃)	2.09 s		7-OAc
	170.4 (qC)			

 Table 1. NMR spectroscopic data of secocrassumol^a.

^{*a*} Spectra were measured in CDCl₃ (¹H, 400 MHz and ¹³C, 100 MHz). ^{*b*} Multiplicities are deduced by HSQC and DEPT experiments. ^{*c*} J values (in Hz) are in parentheses.



Figure 3. The CD spectrum of secocrassumol.

Figure 4. Selected ¹H·NMR $\Delta \delta_{S-R}$ values in ppm for the *S*- and *R*-MTPA esters of secocrassumol in CDCl₃.



Apparently, the co-occurrence of crassumol C within the same organism raises the probability that secocrassumol results from crassumol C. The biosynthetic precursor is transformed into intermediate I by oxidative C11-C12 cleavage. The intermediate I would undergo an enzymatic lactonization to yield intermediate II, which was converted into secocrassumol by reduction (Scheme 1). Purification of secocembranoids is intriguing, especially in light of the previous isolation and characterization of the related metabolites [29–33], suggesting that marine soft corals possess a biodegradable capacity to modify parent cembranoids through simple ring cleavage. The few examples of secocembranoids from soft corals include two C12-C13 analogues from *Sinularia mayi* [29], a C1-C14 secocembranoid from *Eunicea succinea* [30], a C8-C9 secocembranoid (*seco*-sethukarailin) from *Sinularia dissecta* [31], two C2-C3 secocembranoids (caucanolides E and F) from *Pseudopterogorgia bipinnata* [32], two C9-C10 secocembranoids from *Nephthea* sp. [33], and a C11-C12 secocembranoid from *Sinularia flexibilis* [34]. Among these marine secocembranoids already reported in the literature, secocrassumol also represents a secocembrane skeleton functionalized at the C11-C12 bond cleavage.

Preliminary cytotoxic screening revealed that secocrassumol exhibited no discernible cytotoxicity against mouse lymphocytic leukemia (P-388), human lung carcinoma (A-459) as well as human colon adenocarcinoma (HT-29) (ED₅₀ > 50 μ M). Similarly, the biosynthetic precursor crassumol C was not cytotoxic to P-388, A-549, and HT-29 cells [24]. The anticancer agent mithramycin was used as the positive control and exhibited EC₅₀ values of 0.05, 0.06 and 0.07 μ M against P-388, A-549 and HT-29 cells, respectively. It was noteworthy to mention that crassumol C did not show anti-HCMV activity (IC₅₀ > 50 μ g/mL), but secocrassumol exhibited moderate antiviral activity against HCMV cells with an IC₅₀ value of 5.0 μ g/mL.

3. Experimental Section

3.1. General Experimental Procedures

Optical rotations were recorded on a JASCO P1020 polarimeter (Tokyo, Japan). CD analysis was performed on a JASCO J-815 spectropolarimeter (Tokyo, Japan). IR and UV spectra were measured on JASCO FT/IR-4100 (Tokyo, Japan) and JASCO V-650 spectrophotometers (Tokyo, Japan), respectively. The NMR spectra were recorded on a Varian 400 MR NMR spectrometer (Santa Clara, CA, USA) at 400 MHz for ¹H and 100 MHz for ¹³C, respectively. Chemical shifts are expressed in δ (ppm) referring to the solvent peaks $\delta_{\rm H}$ 7.27 and $\delta_{\rm C}$ 77.0 for CDCl₃, respectively, and coupling constants are expressed in Hz. ESIMS spectra were recorded by ESI FT-MS on a Bruker APEX II

mass spectrometer (Bruker, Bremen, Germany). Silica gel 60 (Merck, Darmstadt, Germany, 230–400 mesh), LiChroprep RP-18 (Merck, Darmstadt, Germany, 40–63 μm) and Sephadex LH-20 (Amersham Pharmacia Biotech., Piscataway, NJ, USA) were used for column chromatography. Precoated silica gel plates (Merck, Darmstadt, Germany, Kieselgel 60 F₂₅₄, 0.25 mm) and precoated RP-18 F_{254s} plates (Merck, Darmstadt, Germany) were used for analytical thin-layer chromatography (TLC) analyses. High-performance liquid chromatography (HPLC) was performed on a Hitachi L-7100 pump (Tokyo, Japan) equipped with a Hitachi L-7400 UV detector (Tokyo, Japan) at 220 nm and an ODS column (Merck, Darmstadt, Germany, Hibar Purospher RP-18e, 5 μm, 250 × 10 mm). *S*-(+)- and *R*-(–)-α-methoxy-α-trifluoromethylphenylacetyl chloride were obtained from ACROS Organics (Geel, Belgium).

3.2. Animal Material

Specimens of *L. crassum*, identified by Professor Chang-Feng Dai of the Institute of Oceanography, National Taiwan University (Taipei, Taiwan), were collected from coral reefs offshore from the Dongsha Atoll off Taiwan in April 2007, at a depth of 8 m, and were immediately frozen at -20 °C until further processed for extraction in the laboratory. A voucher specimen (TS-11) has been deposited at the Department of Marine Biotechnology and Resources, National Sun Yat-sen University (Kaohsiung, Taiwan).

3.3. Extraction and Isolation

The sliced bodies of *L. crassum* were exhaustively extracted with acetone. The combined extracts were concentrated *in vacuo* (under 35 °C) to obtain a dry crude extract (25 g), which was suspended in water and extracted with EtOAc. The EtOAc-soluble portion was evaporated to dryness *in vacuo* to give a dark brown residue (20 g). The resulting EtOAc residue was subjected to a silica gel chromatography using a stepwise gradient mixture of *n*-hexane–EtOAc–MeOH as elution and separated into 40 fractions. Fraction 20 (223 mg) eluted with *n*-hexane/EtOAc (1:10) was submitted to repeated chromatography over Si-60 gel column using *n*-hexane–EtOAc mixtures of increasing polarity as eluent. Altogether, three subfractions were obtained, of which subfraction 20-3 (142 mg) was followed by column chromatography on ODS column using 53% MeOH in H₂O to yield a mixture (25 mg). In turn, the mixture was further purified by RP-18 HPLC using an isocratic solvent system of 65% MeOH in H₂O to give secocrassumol (2 mg).

Secocrassumol: Colorless oil; $[\alpha]_D^{25}$ –192 (*c* 0.1, CHCl₃); IR (KBr) v_{max} 3434, 2965, 2924, 2857, 1771, 1742, 1649, 1557, 1375, 1232, 1036 cm⁻¹; CD (4.80 × 10⁻⁴ M, MeOH) λ_{max} ($\Delta \epsilon$) 214 (+12.24) nm; ¹H·NMR (CDCl₃, 400 MHz) and ¹³C·NMR (CDCl₃, 100 MHz) data, see Table 1; ESIMS *m/z* 417 [M + Na]⁺; HRESIMS *m/z* 417.2256 [M + Na]⁺ (calcd. for C₂₂H₃₄O₆Na, 417.2253) (Supplementary Figures S1–S7).

3.4. Preparation of (R)- and (S)-MTPA Esters of Secocrassumol

Two secocrassumol samples (0.5 mg) were dissolved in pyridine- d_5 (0.6 mL) and allowed to react overnight at room temperature with (*R*)- and (*S*)-MTPA chloride (one drop), affording the (*S*)-MTPA ester (**S**) and (*R*)-MTPA ester (**R**), respectively.

Selected ¹H-NMR (pyridine- d_5 , 400 MHz) of S: δ_H 7.88–7.61 (5H, m, Ph), 5.70 (1H, m, H-2), 5.35 (1H, d, J = 9.2 Hz, H-3), 5.29 (1H, m, H-12), 4.65 (1H, dd, J = 11.6, 4.8 Hz, 16a), 4.56 (1H, d, J = 11.6 Hz, 16b), 2.70 (1H, t, J = 8.8 Hz, H-14a), 2.30 (1H, m, H-14b), 1.87 (1H, m, H-13a), 1.76 (1H, m, H-13b), 2.10 (3H, s, 7-OAc), 1.76 (3H, s, H-18), 1.59 (3H, s, H-17), 1.36 (3H, s, H-19), 1.29 (3H, d, J = 6.4 Hz, H-20).

Selected ¹H-NMR (pyridine- d_5 , 400 MHz) of **R**: $\delta_{\rm H}$ 7.88–7.61 (5H, m, ph), 5.65 (1H, m, H-2), 5.34 (1H, d, J = 9.2 Hz, H-3), 5.30 (1H, m, H-12), 4.63 (1H, dd, J = 11.6, 4.8 Hz, 16a), 4.53 (1H, d, J = 11.6 Hz, 16b), 2.70 (1H, t, J = 8.8 Hz, H-14a), 2.29 (1H, m, H-14b), 1.84 (1H, m, H-13a), 1.73 (1H, m, H-13b), 2.10 (3H, s, 7-OAc), 1.73 (3H, s, H-18), 1.51 (3H, s, H-17), 1.36 (3H, s, H-19), 1.37 (3H, d, J = 6.4 Hz, H-20).

3.5. Cytotoxicity Assay

Cytotoxicity was determined against P-388 (mouse lymphocytic leukemia), HT-29 (human colon adenocarcinoma), as well as A-549 (human lung epithelial carcinoma) tumor cells using a modification of the MTT colorimetric method according to a previously described procedure [35,36]. The P-388 cell line was kindly provided by John M. Pezzuto, formerly of the Department of Medicinal Chemistry and Pharmacognosy, University of Illinois at Chicago. Additionally, HT-29 and A-549 cell lines were purchased from the American Type Culture Collection (Manassas, VA, USA).

3.6. Anti-HCMV Assay

To determine the effects of natural products upon HCMV cytopathic effect (CPE), confluent human embryonic lung (HEL) cells grown in 24-well plates were incubated for 1 h in the presence or absence of various concentrations of tested natural products. Then, cells were infected with HCMV at an input of 1000 pfu (plaque forming units) per well of 24-well dish. Antiviral activity was expressed as IC₅₀ (50% inhibitory concentration), or compound concentration required to reduce virus-induced CPE by 50% after seven days, as compared with the untreated control. To monitor the cell growth upon treatment with natural products, an MTT-colorimetric assay was employed [37].

4. Conclusions

A new *seco*-cembranoid, designated as secocrassumol, was isolated from the Dongsha Atoll soft coral *Lobophytum crassum*. Secocrassumol differs from the previously known marine *seco*-cembranoid in that it possesses an unprecedented skeleton functionalized at the C11-C12 bond cleavage. Preliminary cytotoxic screening revealed that secocrassumol are not cytotoxic to P-388, A-549, and HT-29 cells. However, secocrassumol showed antiviral activity against HCMV with an IC₅₀ value of 5.0 μ g/mL.

Acknowledgments

Financial support was provided by the National Science Council (NSC102-2320-B-110-003-MY3 and NSC102-2113-M-390-001) of Taiwan and NSYSUKMU Joint Project (NSYSUKMU 103-P016).

Author Contributions

Conceived and designed the experiments: Chang-Yih Duh; Performed the experiments: Shi-Yie Cheng, Shang-Kwei Wang; Analyzed the data: Chang-Yih Duh, Shi-Yie Cheng.

Conflicts of Interest

The authors declare no conflict of interest.

References

- 1. Coll, J.C. The chemistry and chemical ecology of octocorals (Coelenterata, Anthozoa, Octocorallia). *Chem. Rev.* **1992**, *92*, 613–631.
- 2. Haagen-Smit, A.J.; Wang, T.H.; Mirov, N.T. Composition of gum turpentines of pines. XIII. A report on *Pinus albicaulis. J. Am. Pharm. Assoc. Sci. Ed.* **1951**, *40*, 557–559.
- 3. Ciereszko, L.S.; Sifford, D.H.; Weinheimer, A.J. Chemistry of coelenterates. I. Occurrence of terpenoid compounds in gorgonians. *Ann. N.Y. Acad. Sci.* **1960**, *90*, 917–919.
- 4. Blunt, J.W.; Copp, B.R.; Keyzers, R.A.; Munro, M.H.G.; Prinsep, M.R. Marine natural products. *Nat. Prod. Rep.* **2013**, *30*, 237–323, and references cited therein.
- 5. Kashman, Y.; Groweiss, A. Lobolide: A new epoxy cembranolide from marine origin. *Tetrahedron Lett.* **1977**, *13*, 1159–1160.
- 6. Kashman, Y.; Carmely, S.; Groweiss, A. Further cembranoid derivatives from the Red Sea soft corals *Alcyonium flaccidum* and *Lobophytum crassum*. J. Org. Chem. **1981**, *46*, 3592–3596.
- 7. Kinamoni, Z.; Groweiss, A.; Carmely, S.; Kashman, Y. Several new cembranoid diterpenes from three soft corals of the Red Sea. *Tetrahedron* **1983**, *39*, 1643–1648.
- 8. Bowden, B.F.; Coll, J.C.; Tapiolas, D.M. Studies of Australian soft corals. XXXIII. New cembranoid diterpenes from a *Lobophytum* species. *Aust. J. Chem.* **1983**, *36*, 2289–2295.
- Bowden, B.F.; Coll, J.C.; Decosta, M.S.L.; Desilva, E.D.; Mackay, M.F.; Mahendran, M.; Willis, R.H. The structure determination of a new cembranolide diterpene from the soft coral *Lobophytum cristigalli* (Coelenterata, Octocorallia, Alcyonacea). *Aust. J. Chem.* 1984, *34*, 545–552.
- Bowdon, B.F.; Coll, J.C.; Heaton, A.; Konig, G.; Bruck, M.A.; Cramer, R.E.; Klein, D.M.; Scheuer, P.J. The structures of four isomeric dihydrofuran-containing cembranoid diterpenes from several species of soft coral. *J. Nat. Prod.* **1987**, *50*, 650–659.
- 11. Wang, S.-K.; Duh, C.-Y.; Wu, Y.-C.; Wang, Y.; Cheng, M.-C.; Soong, K.; Fang, L.-S. Cytotoxic cembranolides from the soft coral *Lobophytum michaelae*. J. Nat. Prod. **1992**, 55, 1430–1435.
- 12. Subrahmanyam, C.; Rao, C.V.; Anjaneyulu, V.; Satyanarayana, P.; Rao, P.V.S. New diterpenes from a new species of *Lobophytum* soft coral of the South Andaman coast. *Tetrahedron* **1992**, *48*, 3111–3120.

- Coval, S.J.; Patton, R.W.; Petrin, J.M.; James, L.; Rothofsky, M.L.; Lin, S.L.; Patel, M.; Reed, J.K.; McPhil, A.T.; Bishop, W.R. A cembranolide diterpene farnesyl protein transferase inhibitor from the marine soft coral *Lobophytum cristagalli*. *Bioorg*. *Med. Chem. Lett.* **1996**, *6*, 909–912.
- Yamada, K.; Ryu, K.; Miyamoto, T.; Higuchi, R. Bioactive terpenoids from octocorallia. 4. Three new cembrane-type diterpenoids from the soft coral *Lobophytum schoedei*. J. Nat. Prod. 1997, 60, 798–801.
- 15. Higuchi, R.; Miyamoto, T.; Yamada, K.; Komori, T. Cytotoxic and ichthyotoxic compounds from marine opisthobranchia and soft coral. *Toxicon* **1998**, *36*, 1703–1705.
- 16. Matthee, G.F.; Konig, G.M.; Wright, A.D. Three new diterpenes from the marine soft coral *Lobophytum crassum. J. Nat. Prod.* **1998**, *61*, 237–240.
- 17. Rashid, M.A.; Gustafson, K.R.; Boyd, M.R. HIV-inhibitory cembrane derivatives from a Philippines collection of the soft coral *Lobophytum* species. *J. Nat. Prod.* **2000**, *63*, 531–533.
- 18. Duh, C.-Y.; Wang, S.-K.; Huang, B.-T.; Dai, C.-F. Cytotoxic cembrenolide diterpenes from the Formosan soft coral *Lobophytum crassum*. *J. Nat. Prod.* **2000**, *63*, 884–885.
- Zhang, W.; Krohn, K.; Ding, J.; Miao, Z.-H.; Zhou, X.-H.; Chen, S.-H.; Pescitelli, G.; Salvadori, P.; Kurtan, T.; Guo, Y.-W. Structural and stereochemical studies of α-methylene-γ-lactone-bearing cembrane diterpenoids from a South China sea soft coral *Lobophytum crassum*. J. Nat. Prod. 2008, 71, 961–966.
- Cheng, S.-Y.; Wen, Z.-H.; Chiou, S.-F.; Wang, S.-K.; Hsu, C.-H.; Dai, C.-F.; Chiang, M.Y.; Duh, C.-Y. Durumolides A–E, Anti-inflammatory and antibacterial cembranolides from the soft coral *Lobophytum durum*. *Tetrahedron* 2008, 64, 9698–9704.
- Cheng, S.-Y.; Wen, Z.-H.; Wang, S.-K.; Chiou, S.-F.; Hsu, C.-H.; Dai, C.-F.; Duh, C.-Y. Anti-inflammatory cembranolides from the soft coral *Lobophytum durum*. *Bioorg. Med. Chem.* 2009, 17, 3763–3769.
- Cheng, S.-Y.; Wen, Z.-H.; Chiou, S.-F.; Wang, S.-K.; Hsu, C.-H.; Dai, C.-F.; Chiang, M.Y.; Duh, C.-Y. Unprecedented hemiketal cembranolides with anti-inflammatory activity from the soft coral *Lobophytum durum*. J. Nat. Prod. 2009, 72, 152–155.
- 23. Lin, S.-T.; Wang, S.-K.; Cheng, S.-Y.; Duh, C.-Y. Lobocrasol, a new diterpenoid from the soft coral *Lobophytum crassum. Org. Lett.* **2009**, *14*, 3012–3014.
- 24. Lin, S.-T.; Wang, S.-K.; Duh, C.-Y. Cembranoids from the Dongsha Atoll soft coral *Lobophytum* crassum. Mar. Drugs. **2011**, *9*, 2705–2716.
- 25. Cheng, S.-Y.; Lin, S.-T.; Wang, S.-K.; Duh, C.-Y. α-Tocopherols from the Formosan soft coral *Lobophytum crassum. Bull. Chem. Soc. Jpn.* **2011**, *7*, 783–787.
- 26. Wahlberg, I.; Arndt, R.; Nishida, T.; Enzell, C.R. Tobacco chemistry. 63. Syntheses and stereostructures of six tobacco seco-cembranoids. *Acta. Chem. Scand.* **1986**, *40B*, 123–134.
- 27. Iwashima, M.; Matsumoto, Y.; Takenaka, Y.; Iguchi, K.; Yamori, T. New marine diterpenoids from the Okinawan soft coral *Clavularia koellikeri*. J. Nat. Prod. **2002**, 65, 1441–1446.
- Ohtani, I.; Kusumi, T.; Kashman, Y.; Kakisawa, H. High-field FT NMR application of Mosher's method. The absolute configurations of marine terpenoids. J. Am. Chem. Soc. 1991, 113, 4092–4096.

- 29. Kobayashi, M. Marine terpenes and terpenoids. IV. Isolation of new cembranoid and secocembranoid lactones from the soft coral *Sinularia mayi*. *Chem. Pharm. Bull.* **1988**, *36*, 488–494.
- 30. Rodríguez, A.D.; Acosta, A.L. New cembranoid diterpenes and a geranylgeraniol derivative from the common Caribbean sea whip *Eunicea succinea*. *J. Nat. Prod.* **1997**, *60*, 1134–1138.
- 31. Srinivasa Reddy, N.; Venkateshwar Goud, T.; Venkateswarlu, Y. *Seco*-sethukarailin, a novel diterpenoid from the soft coral *Sinularia dissecta*. J. Nat. Prod. **2002**, 65, 1059–1060.
- Ospina, C.A.; Rodríguez, A.D.; Sánchez, J.A.; Ortega-Barria, E.; Capson, T.L.; Mayer, A.M.S. Caucanolides A–F, unusual antiplasmodial constituents from a Colombian collection of the gorgonian coral *Pseudopterogorgia bipinnata*. J. Nat. Prod. 2005, 68, 1519–1526.
- 33. Gross, H.; Kehraus, S.; Nett, M.; König, G.M.; Beil, W.; Wright, A.D. New cytotoxic cembrane based diterpenes from the soft corals *Sarcophyton cherbonnieri* and *Nephthea* sp. *Org. Biomol. Chem.* **2003**, *1*, 944–949.
- Shih, H.-J.; Tseng, Y.-J.; Huang, C.-Y.; Wen, Z.-H.; Dai, C.-F.; Sheu, J.-H. Cytotoxic and anti-inflammatory diterpenoids from the Dongsha Atoll soft coral Sinularia flexibilis. *Tetrahedron* 2012, 68, 244–249.
- 35. Geran, R.I.; Greenberg, N.H.; MacDonald, M.M.; Schumacher, A.M.; Abbott, B.J. Protocols for screening chemical agents and natural products against animal tumors and other biological systems. *Cancer Chemother. Rep.* **1972**, *3*, 1–91.
- 36. Hou, R.-S.; Duh, C.-Y.; Chiang, M.Y.; Lin, C.-N. Sinugibberol, a new cytotoxic cembranoid diterpene from the soft coral *Sinularia gibberosa*. J. Nat. Prod. **1995**, *58*, 1126–1130.
- Stevens, M.; Balzarini, J.; Tabarrini, O.; Andrei, G.; Snoeck, R.; Cecchetti, V.; Fravolini, A.; de Clercq, E.; Pannecouque, C. Cell-dependent interference of a series of new 6-aminoquinolone derivatives with viral (HIV/CMV) transactivation. *J. Antimicrob. Chemother.* 2005, *56*, 847–855.

© 2014 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (http://creativecommons.org/licenses/by/4.0/).