

Evaluating the Effects of Wheat Cultivar and Extrusion Processing on Nutritional, Health-Promoting, and Antioxidant Properties of Flour

Sneh Punia Bangar^{1*}, Kawaljit Singh Sandhu², Alexandru Rusu^{3,4*†}, Monica Trif^{5†} and Sukhvinder Singh Purewal²

¹ Department of Food, Nutrition and Packaging Sciences, Clemson University, Clemson, SC, United States, ² Department of Food Science and Technology, Maharaja Ranjit Singh Punjab Technical University, Bathinda, India, ³ Life Science Institute, University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca, Cluj-Napoca, Romania, ⁴ Faculty of Animal Science and Biotechnology, University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca, Cluj-Napoca, Romania, ⁵ Centre for Innovative Process Engineering (CENTIV) GmbH, Syke, Germany

OPEN ACCESS

Edited by:

Fatih Ozogul, Çukurova University, Turkey

Reviewed by:

Miguel Angel Prieto Lage, University of Vigo, Spain Kristian Pastor, University of Novi Sad, Serbia

*Correspondence:

Sneh Punia Bangar snehpunia69@gmail.com Alexandru Rusu rusu_alexandru@hotmail.com

[†]These authors have contributed equally to this work

Specialty section:

This article was submitted to Nutrition and Sustainable Diets, a section of the journal Frontiers in Nutrition

Received: 09 February 2022 Accepted: 28 March 2022 Published: 16 June 2022

Citation:

Bangar SP, Sandhu KS, Rusu A, Trif M and Purewal SS (2022) Evaluating the Effects of Wheat Cultivar and Extrusion Processing on Nutritional, Health-Promoting, and Antioxidant Properties of Flour. Front. Nutr. 9:872589. doi: 10.3389/fnut.2022.872589 Wheat has been considered one of the most important staple foods for thousands of years. It is one of the largest suppliers of calories in the daily diet, which is added to many different products. Wheat is also a good source of health-benefiting antioxidants. This study aims toinvestigate the changes in the antioxidant properties, such as total phenol content, 2,2-diphenyl-1-picrylhydrazyl (DPPH), metal chelating activity, 2,2'-azino-bis (3-ethylbenz-thiazoline-6-sulfonic acid) diammonium salt (ABTS⁺) scavenging activity, and color intensity, during the extrusion processing of six different wheat cultivars. The extrusion factors evaluated were 15% feed moisture and two extrusion temperatures (150 and 180°C). Extrusion processing increased antioxidant activity (DPPH, metal chelating activity, and ABTS⁺ scavenging activity), whereas total flavonoids content and total phenolic content were decreased. The L* values of wheat flours increased significantly (p < 0.05) after extrusion at 150 and 180°C, 15% mc. Furthermore, redness was decreased from control wheat cultivars (range: 0.17–0.21) to extrusion at 150°C (range: 0.14–0.17) and 180°C (range: 0.1–0.14). The study suggests that extruded wheat could improve the antioxidant potential in food products.

Keywords: wheat, extrusion, total phenolics, antioxidants, redness intensity

INTRODUCTION

Processing methods of foods can modulate the polyphenol content of foods in several ways (1). Extrusion of cereal-based products has advantages over other usual processing methods because of low cost, short time, high productivity, versatility, unique product shapes, and energy savings (2). It is a versatile and efficient technology involving high temperature, pressure, and short time among different processing methods. It is used to develop infant foods, snack foods, ready-to-eat breakfast cereals, and pet foods, among other products. Extrusion technology is a new economical processing method; it can achieve protein, starch, and cellulose polymer transformation directly or indirectly in a short time (3–5).

1

Antioxidants as health-promoting food components have been discussed in nutrition science for several years (6-8). The natural or enriched content of antioxidants is associated with health and disease prevention (9, 10). Phenolic acids are the main antioxidants in cereal grains that seem to have enough potential to be beneficial to health by scavenging free radicals, inhibiting lipid peroxidation, and thus exhibiting anti-cancer activity (11, 12). Free radicals are highly reactive forms that persist during the routine metabolic process in our body (13). They are responsible for cell damage which may ultimately lead to diseases. To counteract the negative effect of free radicals, one should eat an antioxidant-rich diet in a routine dietary chart (14). Wheat has been one of the most important staple foods for thousands of years. It is rich in basic nutrients a source of energy, protein, vitamins, and minerals, and contains important amounts of dietary fibers along with bioactive compounds and antioxidant properties (15). Despite the well-known health benefits, recommendations, labeling, and communication campaigns, the majority of cereal foods are made from refined wheat flour and contain less dietary fiber and other health-promoting compounds when compared to whole grain raw materials. Because of its high gluten content, wheat flour is very suitable for making bread and other bakery products. The use of whole grains wheat flour in extruded products can be an effective alternative for obtaining healthier breakfast cereals. The objective of the present study was to provide a comprehensive summary of the changes in the antioxidant properties, such as total phenol content, DPPH, metal chelating activity, ABTS⁺ scavenging activity, and color intensity during the extrusion processing of different wheat cultivars. Diversity is worthwhile because every wheat variety has something to offer in terms of ingredients, taste, and possible uses.

MATERIALS AND METHODS

Wheat Varieties

For this study, six wheat cultivars (cv) (wheat varieties *viz.* PBW-343, WH-896, WH-1080, PBW-590, WH-283, and WHD-943) were collected from Chaudhary Charan Singh Haryana Agricultural University (CCSHAU), Hisar, Haryana, India. The grain of each variety was cleaned and stored (5°C) for further evaluation. All tests were performed in triplicates on a dry weight basis.

De-husking, Milling, and Extrusion of Wheat

Dehusking of wheat samples was carried out using a rice miller, as reported by Punia and Sandhu (16). In the polishing chamber, hulled wheat (150 g) was transferred, and the polisher was run until the husk was fully removed from the grain. The whole wheat flour was made by grinding de-husked wheat in a Super Mill (Newport Scientific, Australia), conditioning it to 15% feed moisture content (mc), and storing it in polyethylene bags for 12 h. A corotating twin-screw extruder was used for the extrusion (Clextral, BC 21, Firminy, France). The screw diameter, (L/D) ratio and die diameter were adjusted to 25 mm, 16 mm, and 6 mm, respectively. The screw speed (400 rpm) and feed rate (20 kg/h) were kept constant. Wheat flour was extruded at 150 and

180°C with barrel temperatures of 50, 100, 125, and 150°C (for 150°C) and 50, 100, 140, and 180°C (for 180°C). An induction heating belt warmed the terminal section of the barrel while running water cooled the feeding section.

Antioxidant Activity

DPPH Radical Scavenging Activity Assay

A modified version of the method described by Brand-Williams et al. (17) was used to measure 2,2-diphenyl-1picrylhydrazyl (DPPH) radical scavenging activity. Methanolcontaining solution of the free radical DPPH has been used. In brief, 100 mg of ground wheat samples were extracted for 2 h in 1 ml methanol and centrifuged for 10 min at 3,000 rpm. The supernatant (100 μ l) was treated with 3.9 ml of a DPPH solution containing 6 x 10⁻⁵ mol/l. Absorbance (A) at 517 nm was recorded after the solution was stored in a dark place for 30 min at 25°C.

The DPPH activity was calculated using the following formula (18, 19):

$$DPPH (\%) = \frac{Abs_{DPPH} - Abs_{sol}}{Abs_{DPPH}} \times 100$$

where $Abs_{DPPH} = Absorbance$ of DPPH solution and $Abs_{sol} = Absorbance$ of extracts.

Metal Chelating Fe²⁺Activity

The already published method described by Dinis et al. (20) was used to determine metal chelating activity. Briefly, 50 μ l of ferrous chloride (2 mM/l) was mixed with 0.5 ml extract, and 1.6 ml of 80% methanol was added. After 5 min, the reaction was started by adding 5 mM/l ferrozines (100 μ l) and vortex shaking the mixture. For 10 min, the mixture was incubated at room temperature (25°C). A spectrophotometer (UV-VIS-NIR Spectrophotometer UV-3600 Plus Series, Shimadzu, Kyoto, Japan) was used to measure the absorbance (A) of the solution at 562 nm. The following formulae were used to calculate the extract's Fe²⁺ chelating activity (7):

Iron (Fe²⁺) chelating activity $\% = \{1 - (A \text{ of sample at } 562 \text{ nm}/\text{Absorbance of control at } 562 \text{ nm})\}x 100$

ABTS⁺ Scavenging Activity

Generally known as the ABTS, the 2,2'-azinobis (3ethylbenzothiazoline-6-sulfonic acid) diammonium salt (Sigma-Aldrich Chemie, Steinheim, Germany) is a spectrophotometric method for determining the antioxidant properties of different compounds. An improved ABTS decolorization test was used in the study (21). The oxidation of ABTS using potassium persulfate (BDH, Poole, UK) generates ABTS⁺. In a disposable microcuvette, 3 ml of ABTS cation solution was combined with 30 μ l extract, and the decrease in absorbance was evaluated after 1 min of incubation. Different concentrations of vitamin C were used to create a standard curve. The scavenging ability of ABTS⁺ was measured in μ mol of ascorbic acid equivalents (VEAC) per gram of wheat.

Total Phenolic Content

Total phenolic content (TPC) in studied extracts was evaluated using the already published method described by Gao et al. (22) using the Folin-Ciocalteu- Sigma-Aldrich, Buenos Aires, Argentina reagent. Briefly, 200 mg (wheat flour) were extracted for 2 h at room temperature (25°C) with 4 ml acidified methanol (HCl/methanol/water, 1:80:10, v/v/v) using a wrist action shaker. On a centrifuge, the mixture was centrifuged at 3,000 g for 10 min (REMI, Mumbai, India). The total phenolic content of the supernatant was determined. A 200 µl aliquot of the extract was added to a 1.5 ml Folin-Ciocalteu reagent that had been freshly diluted (10-fold). After allowing the liquid to equilibrate for 5 min, 1.5 ml of sodium carbonate solution (60 g/l) was added. The absorbance of the combination was measured at 725 nm after 90 min of incubation at room temperature (25°C). As a blank, acidified methanol was used. The results were calculated in gallic acid equivalents (GAE)/g of flour. All of the analyses were carried out in duplicate.

Total Flavonoid Content

Jia et al. (23) previously described the method for determining total flavonoids content, and for this study same method has been used. In brief, 1.25 ml of distilled water was used to dilute the wheat extract (250 μ l). The sodium nitrite (75 μ l of a 5% solution) was added, and the mixture was allowed to stand for 6 min. In addition, 150 μ l of a 10% aluminum chloride solution was added, and the combination was allowed to react for 5 min. Thereafter, the solution was then stirred well with 0.5 ml of 1M sodium hydroxide. A Spectrophotometer-Thermo-scientific was used to detect the absorbance at 510 nm. The standard was catechin, and the results were expressed as g of catechin equivalents (CE)/g of flour.

Color Characteristics

Color measurement of flours has been analyzed based on the L^{*}, a^{*}, b^{*} color scheme, and a Hunter Colorimeter with an optical sensor (Hunter Associates Laboratory Inc. Restan VA., USA) was used. The color difference (ΔE) was calculated as:

$$\Delta E = \{(dL^*) + (da^*) + (db^*)\}^{1/2}$$

Redness intensity (RI = a^*/b^*) was calculated for each sample cultivar (PBW-343, WH-896, WH-1080, PBW-590, WH-283, WHD-943).

DATA ANALYSIS

All of the tables' data is an average of triplicate observations that were subjected to one-way ANOVA, applying Minitab statistical software version 14 (Minitab Inc., USA).

RESULT AND DISCUSSION

Antioxidant Activity

DPPH Radical Scavenging Activity Assay

The DPPH procedure assesses the target compounds' hydrogen donating capacity in a methanolic media. Antioxidative activities of wheat flour samples with extrusion are shown

in Figure 1. Percent DPPH inhibition shown by control (non-extruded) wheat cultivars ranged from 13.2 to 21.6%, with cv.WH-283 and cv.PBW-343 shows the highest and the lowest values, respectively. Compared to control wheat samples, extrusion cooking significantly increased DPPH free radical scavenging activity in all wheat cultivars. Antioxidant activity varied significantly among cultivars when the extrusion was carried out at 180°C and 15% mc. The DPPH ranged from 16.7 to 22.6%, with the highest and lowest being cv.WHD-943 and cv. PBW-343, respectively. Also, the DPPH in the extrudates (150°C, 15% mc) varied significantly among cultivars that ranged between 19.8 and 33.5%. The highest and the lowest increase were exhibited by cv. WHD-943 and cv. WH-1080, respectively. Rufian-Henares and Delgado-Andrade (24) and Punia Bangar et al. (7) reported an increase in the antioxidant activity of rye and barley, which could be related to the development of Maillard browning pigments, which boosted the antioxidant activity of extrudates (25, 26).

Metal Chelating Fe²⁺Activity

Extrusion cooking considerably boosted metal-chelating Fe²⁺activity in all cultivars studied as compared to their corresponding control samples. Metal chelating activity varied substantially (p < 0.05) among non-extruded wheat cultivars, ranging from 22 to 42% (Figure 2), with cv.WH-283 and cv.WH-896 having the highest and lowest levels, respectively. When extrusion was carried out at 180°C, and the feed moisture was 15%, the metal chelating activity varied significantly among the cultivars and ranged between 26.6 and 43.4%. The highest and the lowest metal chelating activity was exhibited by cv.WH-283 (43.4%) and cv.PBW-343 (26.6%). When the feed moisture was sustained at 15%, and temperature at 150°C, the metal chelating activity in all wheat cultivars increased and ranged from 31.3 to 54.4%. Cv. WH-283 exhibited the highest, while cv. WH-896 showed the lowest metal chelating power. An increase in the metal chelating activity may be due to the formation of melanoidins during thermal processing (27). Rufian-Henares and Delgado-Andrade (24) reported that the increase in antioxidant activity could be explained by the formation of Maillard browning pigments, which enhanced the antioxidant activity of extruded products.

ABTS⁺ Activity

The antioxidative capacity of test compounds is assessed by measuring their ability to reduce the ABTS radical anion to its non-radical form. In control wheat cultivars, ABTS scavenging activity ranged from 3.06 to 8.11 μ mole VEAC/g, the highest was observed for cv. WH-283 and cv. PBW-343 showed the lowest. Compared to non-extruded samples, extrusion cooking resulted in a considerable increase in ABTS free radical scavenging activity in all cultivars (**Figure 3**). The ABTS radical scavenging activity in 180°C and 15% mc extrudates varied insignificantly (p < 0.05) among wheat cultivars and ranged from 5.44 to 12.6 μ mol/g, with the highest and lowest being for cv. WH-283 and cv. PBW-343. Further, the ABTS radical scavenging activity in 180°C and 15% mc wheat varieties (PBW-343, WH-896, WH-1080, PBW-590, WH-283, and WHD-943) extrudates varied significantly (p < 0.05)





0.05) among cultivars and ranged from 8.23 to 20.3 μ mol/g. The highest and the lowest were observed for cv. WHD-943 and cv. PBW-343, respectively. According to studies (24, 28), pigments (especially melanoidins) are widely known to have antioxidant action. The development of Maillard browning pigments, which boosted the antioxidant activity of extruded goods, could explain the increased antioxidant activity.

Total Phenolic Content

The total phenolic content (TPC) in the wheat cultivars ranged from 974 to 1,399 μ g GAE/g (**Figure 4**). Vaher et al. (29) reported TPC of winter and spring wheat varieties ranged from 892 to 569 μ g/g. Changes in the TPC can be attributed to differences in wheat cultivars and extraction solvent. When compared to control (non-extruded) wheat samples, the total phenolic content



WH-896, WH-1080, PBW-590, WH-283, and WHD-943) flours at different temperatures (150 and 180°C, mc = 15%).



of all cultivars decreased considerably after extrusion. TPC at 180°C and 15% moisture, varied significantly (p < 0.05) among cultivars and ranged between 423 to 786 µg GAE/g. The highest and the lowest were observed for cv.WHD-943 and cv.PBW-343. At 150°C and 15%, mc TPC varied significantly (p < 0.05) among cultivars and ranged from 524 to 911 µg GAE/g, the

highest and the lowest being for cv.WHD-943 and cv.PBW-343, respectively. Sharma et al. (30) reported a decrease in TPC in HTLM (180° C, 15% mc) and LTLM (150° C, 15% mc) extrudates of wheat cultivars. Korus et al. (31) investigated the effect of extrusion on polyphenol content and antioxidant activity of common bean. It has been observed a significant





decrease in polyphenol content and antioxidant activity. Repo-Carrasco-Valencia et al. (32) reported that phenolic compounds during extrusion might undergo decarboxylation due to high barrel temperature, and high moisture content may promote polymerization of phenols leading to reduced extractability and antioxidant activity on one side. Thermal treatment induced

TABLE 1 Color parameters of extruded and non-extruded wheat cultivars (PBW-343, WH-896, WH-1080, PBW-590, WH-283, and WHD-943) at different temperatures
(150 and 180°C, mc = 15%).

Wheat cultivars	Samples	L	a*	b*	$RI = a^*/b^3$
PBW 343	Control	71.2	1.62	9.31	0.17
	Extruded 150°C	74.3	1.51	9.11	0.16
	Extruded 180°C	79.4	1.34	10.22	0.13
WH-896	Control	74.4	2.57	13.2	0.19
	Extruded 150°C	76.9	2.41	14.3	0.17
	Extruded 180°C	82.6	2.02	15.1	0.13
WH-1080	Control	75.2	2.08	10.4	0.20
	Extruded 150°C	78	1.91	12.8	0.15
	Extruded 180°C	81.3	1.83	14.6	0.12
PBW-590	Control	78.8	2.26	10.6	0.21
	Extruded 150°C	82.8	2.12	12.3	0.17
	Extruded 180°C	85.3	1.98	13.5	0.14
WH-283	Control	55.9	1.55	8.49	0.18
	Extruded 150°C	59.8	1.31	9.3	0.14
	Extruded 180°C	61.4	1.20	11.2	0.10
WHD-943	Control	75.8	2.62	13.3	0.19
	Extruded 150°C	77.8	2.03	14.4	0.14
	Extruded 180°C	79.6	1.82	16.9	0.10

As shown in this Table and Figure 6, RI decreased from control (range: 0.17–0.21) to 150°C (range: 0.14–0.17) to 180°C (range: 0.10–0.14), and differences between wheat cultivars (PBW-343, WH-896, WH-1080, PBW-590, WH-283, WHD-943) are representative.

the hydrolysis of conjugated phenolic compounds resulting in the release of free phenolic acids (33). On the other side, according to Ramos-Enríquez et al. (32), the extrusion process does not cause an increase in the release of TPC due to the addition of methanol during the extraction of TPC. Besides, feed moisture and temperature significantly affect TPC, as already reported (34).

Total Flavonoid Content

Flavonoids' antioxidant mechanism may be due to interactions between flavonoids and metal ions, particularly iron and copper (35). The total flavonoid content (TFC) of control wheat ranged from 75 to 102 µg CE/g and varied significantly (p < 0.05) among control wheat cultivars (Figure 5), cv. WH-283 had the highest content and cv. WH-1080 has the lowest content. A significant decrease in the TFC was observed during extrusion cooking. TFC levels may have decreased due to the thermal destruction of heat-sensitive flavonoids (36). TFC varied significantly among cultivars in the extrudates (180°C and 15% mc) and ranged from 22 to 49 μ g catechin equivalent (CE)/g. TFC varied significantly among wheat cultivars in extrudates (150°C and 15% mc) and ranged from 35 to 61 µg catechin equivalent (CE)/g. as shown in Figure 1. It has also been shown that flavonoids and phenols interact with proteins, causing a loss of their effectiveness (37). Zhu et al. (38) reported that flavonoids are heat susceptible phenolic compounds; therefore, heat exposure during roasting could be a reason for the decrease in TFC.

Color Characteristics

Hunter Colorimeter was used to analyze the ground wheat extrudates. The lightness is indicated by the L^* value, which

ranges from 0 to 100. When compared to their equivalent control samples, the lightness of extrudates dropped dramatically. Color characteristics are shown in Table 1. The L* of extrudates at 180⁰C varied significantly (**Table 1**), and a significant increase in lightness was observed. Cv. PBW-590 and cv. WH-283 exhibited the highest and lowest value of L* (85.3 and 61.4) after extrusion. Extrudates at 150°C also showed a significant variation in L* among the cultivars that ranged from 59.8 to 82.8. The moisture content of feed material (wheat flour and brewer's spent grain) had a substantial effect on the L values, also according to Stojceska et al. (39, 40). Extrusion cooking of barley and their blends with tomato pomace resulted in a decrease in lightness, according to Altan et al. (41). The redness (a*) varied significantly within the cultivars and ranged from 1.55 to 2.57, and after extrusion, the redness significantly decreased both at 180°C and 150°C. The yellowness (b*) of wheat flours from control cultivars varied significantly within the cultivars and ranged from 8.49 to 13.3, and upon extrusion, at 150°C, the b value decreased and ranged between 9.3 and 14.4 and at 180°C the b value increases, the highest for cv. WHD-943 and the lowest for cv. WH-283 was observed.

CONCLUSION

During the present investigation, the effect of extrusion on the antioxidant properties, such as total phenol content, DPPH, metal chelating activity, ABTS⁺ scavenging activity, and color intensity of different wheat cultivars (wheat varieties WH-283, WHD-943, PBW-590, WH-1080, WH-896, and PBW-343), was studied. Results demonstrated that the feed moisture (15%) and extrusion at different temperatures (150 and 180°C)

could improve the wheat flour quality. Extrusion increased antioxidant activity (DPPH, metal chelating activity, and ABTS⁺ scavenging activity), compared with total flavonoids content and total phenolic content, which were decreased. Antioxidant-rich flour could be utilized at a commercial scale for the preparation of health-benefiting food/bakery products. An elaborated study could be designed to optimize the processing conditions in this context. Diversity is worthwhile because every wheat variety has something to offer in terms of ingredients, taste, possible uses, and further food and feed applications.

DATA AVAILABILITY STATEMENT

The original contributions presented in the study are included in the article/supplementary material, further inquiries can be directed to the corresponding authors.

REFERENCES

- Manach C, Scalbert A, Morand C, Remesy C, Jimenez L. Polyphenols: food sources and bioavailability. Am J Clin Nutr. (2004) 79:727–47. doi: 10.1093/ajcn/79.5.727
- Annica AM, Andersson R, Andersson AJ, Andersson J, Fredriksson H. Effect of different extrusion parameters on dietary fiber in wheat bran and rye bran. *J Food Sci.* (2017) 82:1344–50. doi: 10.1111/1750-3841.13741
- Valentina S, Paul A, Andrew P, Senol L. The advantage of using extrusion processing for increasing dietary fibre level in gluten-free products. *Food Chem.* (2010) 121:156–64. doi: 10.1016/j.foodchem.2009.12.024
- Alam MS, Kaur J, Khaira H, Gupta K. Extrusion and extruded products: changes in quality attributes as affected by extrusion process parameters: a review. *Crit Rev Food Sci Nutr.* (2016) 56:445–75. doi: 10.1080/10408398.2013.779568
- Punia Bangar S, Purewal SS, Trif M, Maqsood S, Kumar M, Manjunatha V, et al. Functionality and applicability of starch-based films: an eco-friendly approach. *Foods*. (2021) 10:2181. doi: 10.3390/foods10092181
- Purewal SS, Kamboj R, Sandhu KS, Kaur P, Sharma K, Kaur M, et al. Unraveling the effect of storage duration on antioxidant properties, physicochemical and sensorial parameters of ready to serve kinnow-amla beverages. *Appl Food Res.* (2022) 2. doi: 10.1016/j.afres.2022.100057
- Punia Bangar S, Singh Sandhu K, Trif M, Rusu A, Pop ID, Kumar M. Enrichment in different health components of barley flour using twin-screw extrusion technology to support nutritionally balanced diets. *Front Nutr.* (2022) 8:823148. doi: 10.3389/fnut.2021.823148
- Farooq M, Azadfar E, Trif M, Jabaleh RA, Rusu A, Bahrami Z, et al. Soybean oil enriched with antioxidants extracted from watermelon (*Citrullus colocynthis*) skin sap and coated in hydrogel beads via ionotropic gelation. *Coatings*. (2021) 11:1370. doi: 10.3390/coatings111 11370
- Rusu AV, Criste FL, Mierlită D, Socol CT, Trif M. Formulation of lipoprotein microencapsulated beadlets by ionic complexes in algae-based carbohydrates. *Coatings*. (2020) 10:302. doi: 10.3390/coatings10030302
- Polat S, Trif M, Rusu A, Šimat V, Cagalj M, Alak G, et al. Recent advances in industrial applications of seaweeds. *Crit Rev Food Sci Nutr.* (2021) 8:1– 30. doi: 10.1080/10408398.2021.2010646
- Baublis AJ, Cyldesdale FM, Decker EA. Whole grains and health: an overview. J Am Coll Nutr. (2000) 19(3 Suppl):289S-90S. doi: 10.1080/07315724.2000.10718962
- Jurj A, Pop LA, Zanoaga O, Ciocan-Cârtită CA, Cojocneanu R, Moldovan C, et al. New Insights in gene expression alteration as effect of paclitaxel drug resistance in triple negative breast cancer cells. *Cell Physiol Biochem.* (2020) 54:648-64. doi: 10.33594/000000246

AUTHOR CONTRIBUTIONS

All authors participated in the performing, generating, and interpretation of results.

FUNDING

This work was supported by a grant from the Romanian National Authority for Scientific Research and Innovation, CNCS— UEFISCDI, project number PN-III-P2-2.1-PED-2019-1723 and PFE 14, within PNCDI III.

ACKNOWLEDGMENTS

The authors acknowledge the Department of Food Science and Technology, Chaudhary Devi Lal University, Sirsa, for providing the necessary infrastructure for this research work.

- Braicu C, Gulei D, Raduly L, Harangus A, Rusu A, Berindan-Neagoe I. Altered expression of miR-181 affects cell fate and targets drug resistance-related mechanisms. *Mol Aspects Med.* (2019) 70:90–105. doi: 10.1016/j.mam.2019.10.007
- 14. Rusu AV, Alvarez Penedo B, Schwarze A, Trif M. The influence of candida spp in intestinal microbiota diet therapy, the emerging conditions related to candida in athletes and elderly people. In: Amornyotin S, editor. *Update in Geriatrics*. IntechOpen (2020). doi: 10.5772/intechopen.92791
- Călinoiu LF, Vodnar DC. Whole grains and phenolic acids: a review on bioactivity, functionality, health benefits and bioavailability. *Nutrients*. (2018) 10:1615. doi: 10.3390/nu10111615
- Punia S, Sandhu KS. Functional and antioxidant properties of different milling fractions of indian barley cultivars. *Carpathian J Food Sci Technol.* (2015) 7:19–27.
- Brand-Williams W, Cuvelier ME, Berset C. Use of free radical method to evaluate the antioxidant activity. *LWT - Food Sci Technol.* (1995) 28:25–30.
- Trif M, Socaciu C. Evaluation of effiency, release and oxidation stability of seabuckthorn microencapsulated oil using Fourier transformed infrared spectroscopy. *Chem Listy.* (2008) 102:s1198–9.
- Farooq M, Azadfar E, Rusu A, Trif M, Poushi MK, Wang Y. improving the shelf life of peeled fresh almond kernels by edible coating with mastic gum. *Coatings*. (2021) 11:618. doi: 10.3390/coatings11060618
- Dinis TCP, Madeira VMC, Almeidam LM. Action of phenolic derivates (acetoaminophen, salycilate, and 5-aminosalycilate) as inhibitors of membrane lipid peroxidation and peroxylradicals scavengers. *Arch Biochem Biophys.* (1994) 315:161–9.
- Re R, Pellegrini N, Proteggente A, Pannala A, Yang M, Rice-Evans C. Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radic Biol Med.* (1999) 26:1231–7.
- Gao L, Wang S, Oomah BD, Mazza G. Wheat quality: antioxidant activity of wheat millstreams. In: Ng P, Wrigley W, editors. *Wheat Quality Elucidation*. St. Paul, MN: American Association of Cereal Chemists (2002). p. 219–33.
- 23. Jia Z, Tang M, Wu J. The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food Chem.* (1998) 64:555–9.
- Rufián-Henares JA, Delgado-Andrade C. Effect of digestive process on Maillard reaction indexes and antioxidant properties of breakfast cereals. *Food Res Int.* (2009) 42:394e400. doi: 10.1016/j.foodres.2009. 01.011
- 25. Zielinski H, Troszynska A. Antioxidant capacity of raw and hydrothermal processed cereal grains. *Polish J Food Nutr Sci.* (2000) 9:79–83.
- Punia Bangar S, Trif M, Özogul F, Kumar M, Chaudhary V, Vukic M, et al. Recent developments in cold plasma-based enzyme activity (browning, cell wall degradation, and antioxidant) in fruits and vegetables.

Comp Rev Food Sci Food Safe. (2022) 21:1958–78. doi: 10.1111/1541-4337. 12895

- Shih MC, Kuo CC, Chiang W. Effects of drying and extrusion on colour, chemical composition, antioxidant activities and mitogenic response of spleenlymphocytes of sweet potatoes. *Food Chem.* (2009) 117:114– 21. doi: 10.1016/j.foodchem.2009.03.084
- Manzocco L, Calligaris S, Masrrocola D, Nicoli MC, Lerici CR. Review of nonenzymatic browning and antioxidant capacity in processed foods. *Trends Food Sci Tech.* (2000) 11: 340–6. doi: 10.1016/S0924-2244(01)00014-0
- Vaher M, Masto K, Levandi T, Helmja K, Kaljurand M. Phenolic compounds and the antioxidant activity of the bran, flour and whole grain of different wheat varieties. *Procedia Chem.* (2010) 2:76–82. doi: 10.1016/j.proche.2009.12.013
- Sharma P, Gujral HS, Singh B. Antioxidant activity of barley as affected by extrusion cooking. *Food Chemistry*. (2012) 131:1406–13.
- Korus J, Gumul D, Czechowska K. Effect of extrusion on the phenolic composition and antioxidant activity of dry beans of phaseolus vulgaris l. *Food Technol Biotechnol.* (2007) 45:139–46.
- Repo-Carrasco-Valencia R, de La Cruz AA, Alvarez JCI, Kallio H. Chemical and functional characterization of kaiwa (*Chenopodium pallidicaule*) grain, extrudate and bran. *Plant Foods Hum Nutr.* (2009) 64:94– 101. doi: 10.1007/s11130-009-0109-0
- Galvez Ranilla L, Genovese MI, Lajolo F. Effect of different cooking conditions on phenolic compounds and antioxidant capacity of some selected Brazilian bean (*Phaseolus vulgaris L.*) cultivars. J Agricult Food Chem. (2009) 57:5734– 42. doi: 10.1021/jf900527v
- 34. Ramos-Enríquez JR, Ramírez-Wong B, Robles-Sánchez RM, Robles-Zepeda RE, González-Aguilar GA, Gutiérrez-Dorado R. Effect of extrusion conditions and the optimization of phenolic compound content and antioxidant activity of wheat bran using response surface methodology. *Plant Foods Hum Nutr.* (2018) 73:228-34. doi: 10.1007/s11130-018-0679-9
- Sharma P, Gujral HS. Effect of sand roasting and microwave cooking on antioxidant activity of barley. *Food Res Int.* 44:235–40. doi: 10.1016/j.foodres.2010.10.030
- 36. Xu B, Chang SKC. Total phenolics, phenolic acids, isoflavones, and anthocyanins and antioxidant properties of yellow and black soybeans as affected by thermal processing. J Agric Food Chem. (2008) 56:7165– 75. doi: 10.1021/jf8012234

- Arts MJTJ, Haenen GRMM, Wilms LC. Interactions between flavanoids and proteins: effect on the total antioxidant capacity. J Agricult Food Chem. (2002) 50:1184–7. doi: 10.1021/jf010855a
- Zhu F, Cai YZ, Bao J, Corke H. Effect of γ-irradiation on phenolic compounds in rice grain. *Food Chem.* (2010) 120:74– 77. doi: 10.1016/j.foodchem.2009.09.072
- Stojceska V, Ainsworth P. The effect of different enzymes on the quality of high-fibre enriched brewer's spent grain breads. *Food Chem.* (2008) 110:865– 72. doi: 10.1016/j.foodchem.2008.02.074
- Stojceska V, Ainsworth P, Plunkett A, Ibanoglu S. The recycling of brewer's processing by-product into ready-to-eat snacks using extrusion technology. J Cereal Sci. (2008) 47:469–79. doi: 10.1016/j.jcs.2007.05.016
- Altan A, Mccarthy KL, Maskan M. Evaluation of snack foods from barley-tomato pomace blends by extrusion processing. *J Food Eng.* (2008) 84:231–42. doi: 10.1016/j.jfoodeng.2007.0 5.014

Conflict of Interest: MT was employed by Centre for Innovative Process Engineering CENTIV GmbH.

The remaining authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Bangar, Sandhu, Rusu, Trif and Purewal. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.