

Bis[3-(2*H*-benzotriazol-2-yl)-2-(prop-2-ynyoxy)-5-(2,4,4-trimethylpentan-2-yl)-phenyl]methane

Tahir Qadri,^a Itrat Anis,^a M. R. Shah^a and Seik Weng Ng^{b*}

^aH.E.J. Research Institute of Chemistry, International Center for Chemical and Biological Sciences, University of Karachi, Karachi 7527, Pakistan, and ^bDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia
Correspondence e-mail: seikweng@um.edu.my


Received 23 January 2011; accepted 19 February 2011

Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å;
 R factor = 0.051; wR factor = 0.127; data-to-parameter ratio = 18.1.

In the title compound, $\text{C}_{47}\text{H}_{54}\text{N}_6\text{O}_2$, the $\text{C}-\text{C}-\text{C}$ bond angle between the rings is $108.40(13)^\circ$. One aryl ring aligned at $38.5(1)^\circ$ with respect to the *N*-heterocyclic substituent and the other at $56.0(1)^\circ$ with respect to its substituent. In the crystal, adjacent molecules are linked by $\text{C}-\text{H}\cdots\text{N}$ hydrogen bonds, forming a chain extending along the a axis.

Related literature

For a similar compound, see: Ali *et al.* (2011).



Experimental

Crystal data

$\text{C}_{47}\text{H}_{54}\text{N}_6\text{O}_2$
 $M_r = 734.96$
Triclinic, $P\bar{1}$
 $a = 11.4805(4)$ Å
 $b = 13.8247(4)$ Å
 $c = 14.6180(6)$ Å
 $\alpha = 104.808(3)^\circ$
 $\beta = 103.706(3)^\circ$
 $\gamma = 100.642(3)^\circ$
 $V = 2103.58(14)$ Å³
 $Z = 2$
Mo $K\alpha$ radiation
 $\mu = 0.07$ mm⁻¹
 $T = 100$ K
 $0.30 \times 0.25 \times 0.20$ mm

Data collection

Agilent SuperNova Dual diffractometer with an Atlas detector
Absorption correction: multi-scan (*CrysAlis PRO*; Agilent, 2010)
 $T_{\min} = 0.822$, $T_{\max} = 1.000$
17578 measured reflections
9290 independent reflections
6994 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.031$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.051$
 $wR(F^2) = 0.127$
 $S = 1.01$
9290 reflections
514 parameters
2 restraints

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.47$ e Å⁻³
 $\Delta\rho_{\min} = -0.30$ e Å⁻³

Table 1
Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{C}41-\text{H}41\cdots\text{N}3^{\text{i}}$	0.96 (1)	2.38 (1)	3.283 (3)	158 (2)

Symmetry code: (i) $x - 1, y, z$.

Data collection: *CrysAlis PRO* (Agilent, 2010); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *publCIF* (Westrip, 2010).

We thank the Higher Education Commission of Pakistan and the University of Malaya for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: ZS2092).

References

- Agilent (2010). *CrysAlis PRO*. Agilent Technologies, Yarnton, England.
Ali, Q., Anis, I., Raza Shah, M. & Ng, S. W. (2011). *Acta Cryst. E* **67**, o533.
Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

supplementary materials

Acta Cryst. (2011). E67, o738 [doi:10.1107/S1600536811006374]

Bis[3-(2H-benzotriazol-2-yl)-2-(prop-2-nyloxy)-5-(2,4,4-trimethylpentan-2-yl)phenyl]methane

T. Qadri, I. Anis, M. R. Shah and S. W. Ng

Comment

Some background on di(aryl)methane compounds having oxyacetate substituents was presented in an earlier report (Ali *et al.*, 2011). The title compound also has an *N*-heterocyclic substituent in the rings (Scheme I).

Experimental

6,6'-Methylenebis(2-(2H-benzo[d][1,2,3]triazol-2-yl)-4-(2,4,4-trimethylpentan-2-yl)phenol) (0.01 g) and potassium carbonate (0.05 g) were dissolved in acetone (20 ml) at 323 K. Propargyl bromide (0.04 ml) was added and the reaction was stirred for 20 h. The progress of the reaction was monitored by thin layer chromatography (hexane: dichloromethane 60:40). The reaction was quenched by adding 1 M hydrochloric acid (10 ml). The aqueous phase was extracted with dichloromethane, the solvent evaporated and the crude product was recrystallized from dichloromethane (yield 80%).

Refinement

Carbon-bound H-atoms were placed in calculated positions [C—H = 0.95 to 0.99 Å and $U_{\text{iso}}(\text{H}) = 1.2$ to $1.5U_{\text{eq}}(\text{C})$] and were included in the refinement in the riding model approximation. The acetylenic H-atoms were located in a difference Fourier map and were refined with a distance restraint of C—H = 0.95 ± 0.01 Å and their isotropic displacement parameters also refining. The structure contains solvent accessible voids of 66 \AA^3 .

Figures




Fig. 1. Thermal ellipsoid plot (Barbour, 2001) of $\text{C}_{47}\text{H}_{54}\text{N}_6\text{O}_2$ at the 70% probability level with hydrogen atoms drawn as spheres of arbitrary radius.

2-(3-{[3-(1,2,3-benzotriazol-2-yl)-2-(prop-2-yn-1-yloxy)-5-(2,4,4-trimethylpentan-2-yl)phenyl]methyl}-2-(prop-2-yn-1-yloxy)-5-(2,4,4-trimethylpentan-2-yl)phenyl)-1,2,3-benzotriazole

Crystal data

$\text{C}_{47}\text{H}_{54}\text{N}_6\text{O}_2$

$Z = 2$

$M_r = 734.96$

$F(000) = 788$

Triclinic, $P\bar{T}$

$D_x = 1.160 \text{ Mg m}^{-3}$

supplementary materials

Hall symbol: -P 1	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$a = 11.4805 (4) \text{ \AA}$	Cell parameters from 6715 reflections
$b = 13.8247 (4) \text{ \AA}$	$\theta = 2.5\text{--}29.3^\circ$
$c = 14.6180 (6) \text{ \AA}$	$\mu = 0.07 \text{ mm}^{-1}$
$\alpha = 104.808 (3)^\circ$	$T = 100 \text{ K}$
$\beta = 103.706 (3)^\circ$	Block, beige
$\gamma = 100.642 (3)^\circ$	$0.30 \times 0.25 \times 0.20 \text{ mm}$
$V = 2103.58 (14) \text{ \AA}^3$	

Data collection

Agilent SuperNova Dual diffractometer with an Atlas detector	9290 independent reflections
Radiation source: SuperNova (Mo) X-ray Source	6994 reflections with $I > 2\sigma(I)$
Mirror	$R_{\text{int}} = 0.031$
Detector resolution: 10.4041 pixels mm^{-1}	$\theta_{\text{max}} = 27.5^\circ, \theta_{\text{min}} = 2.5^\circ$
ω scans	$h = -11 \rightarrow 14$
Absorption correction: multi-scan (<i>CrysAlis PRO</i> ; Agilent, 2010)	$k = -17 \rightarrow 17$
$T_{\text{min}} = 0.822, T_{\text{max}} = 1.000$	$l = -18 \rightarrow 18$
17578 measured reflections	

Refinement

Refinement on F^2	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.051$	Hydrogen site location: inferred from neighbouring sites
$wR(F^2) = 0.127$	H atoms treated by a mixture of independent and constrained refinement
$S = 1.01$	$w = 1/[\sigma^2(F_o^2) + (0.0421P)^2 + 1.0461P]$
9290 reflections	where $P = (F_o^2 + 2F_c^2)/3$
514 parameters	$(\Delta/\sigma)_{\text{max}} = 0.001$
2 restraints	$\Delta\rho_{\text{max}} = 0.47 \text{ e \AA}^{-3}$
	$\Delta\rho_{\text{min}} = -0.30 \text{ e \AA}^{-3}$

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.62069 (10)	0.57849 (8)	0.68366 (8)	0.0181 (2)
O2	0.46427 (10)	0.92915 (9)	0.74295 (8)	0.0180 (2)
N1	0.75682 (14)	0.48200 (11)	0.55515 (11)	0.0253 (3)
N2	0.79630 (13)	0.58497 (10)	0.58114 (10)	0.0175 (3)
N3	0.91866 (13)	0.62735 (11)	0.61580 (10)	0.0210 (3)
N4	0.63903 (13)	1.12608 (10)	1.02490 (10)	0.0191 (3)
N5	0.62242 (12)	1.07152 (10)	0.93082 (9)	0.0170 (3)
N6	0.62881 (13)	1.12402 (11)	0.86637 (10)	0.0208 (3)

supplementary materials

C1	0.86471 (17)	0.45397 (14)	0.57584 (13)	0.0243 (4)
C2	0.8856 (2)	0.35465 (16)	0.56490 (17)	0.0382 (5)
H2	0.8190	0.2935	0.5382	0.046*
C3	1.0059 (2)	0.35097 (17)	0.59449 (17)	0.0418 (6)
H3	1.0231	0.2854	0.5892	0.050*
C4	1.1068 (2)	0.44130 (18)	0.63295 (14)	0.0368 (5)
H4	1.1891	0.4345	0.6529	0.044*
C5	1.08845 (18)	0.53777 (16)	0.64196 (13)	0.0313 (4)
H5	1.1561	0.5981	0.6666	0.038*
C6	0.96427 (16)	0.54370 (14)	0.61302 (12)	0.0218 (4)
C7	0.71225 (15)	0.64916 (12)	0.57571 (11)	0.0164 (3)
C8	0.62335 (15)	0.64286 (12)	0.62555 (11)	0.0160 (3)
C9	0.54520 (14)	0.70952 (12)	0.62302 (11)	0.0159 (3)
C10	0.55881 (15)	0.77843 (12)	0.56992 (11)	0.0169 (3)
H10	0.5046	0.8226	0.5672	0.020*
C11	0.64859 (15)	0.78633 (12)	0.52001 (11)	0.0165 (3)
C12	0.72566 (15)	0.71951 (12)	0.52388 (11)	0.0175 (3)
H12	0.7876	0.7222	0.4909	0.021*
C13	0.52191 (16)	0.48396 (12)	0.63901 (12)	0.0214 (4)
H13A	0.5508	0.4290	0.5995	0.026*
H13B	0.4500	0.4956	0.5944	0.026*
C14	0.48590 (16)	0.45259 (13)	0.71871 (13)	0.0227 (4)
C15	0.45817 (19)	0.42907 (15)	0.78391 (15)	0.0319 (4)
C16	0.66093 (15)	0.86743 (13)	0.46638 (12)	0.0187 (3)
C17	0.53433 (16)	0.84807 (14)	0.38963 (12)	0.0229 (4)
H17A	0.5128	0.7787	0.3416	0.034*
H17B	0.5391	0.9001	0.3550	0.034*
H17C	0.4705	0.8531	0.4235	0.034*
C18	0.75675 (17)	0.85806 (14)	0.40902 (13)	0.0237 (4)
H18A	0.7281	0.7915	0.3558	0.036*
H18B	0.8367	0.8619	0.4543	0.036*
H18C	0.7665	0.9147	0.3803	0.036*
C19	0.68883 (15)	0.97889 (12)	0.53917 (12)	0.0193 (3)
H19A	0.6861	1.0258	0.4981	0.023*
H19B	0.6176	0.9802	0.5661	0.023*
C20	0.80758 (16)	1.03051 (13)	0.62902 (13)	0.0227 (4)
C21	0.8235 (2)	0.97002 (15)	0.70266 (14)	0.0368 (5)
H21A	0.8414	0.9048	0.6723	0.055*
H21B	0.7469	0.9552	0.7210	0.055*
H21C	0.8924	1.0112	0.7621	0.055*
C22	0.79155 (19)	1.13578 (14)	0.68323 (14)	0.0295 (4)
H22A	0.8666	1.1738	0.7387	0.044*
H22B	0.7200	1.1248	0.7084	0.044*
H22C	0.7779	1.1759	0.6371	0.044*
C23	0.92515 (19)	1.05220 (19)	0.59749 (16)	0.0462 (6)
H23A	0.9497	0.9877	0.5772	0.069*
H23B	0.9923	1.1028	0.6533	0.069*
H23C	0.9088	1.0800	0.5418	0.069*
C24	0.45816 (15)	0.71523 (12)	0.68700 (11)	0.0173 (3)

supplementary materials

H24A	0.3871	0.7399	0.6573	0.021*
H24B	0.4254	0.6457	0.6914	0.021*
C25	0.53039 (14)	0.78978 (12)	0.78966 (11)	0.0163 (3)
C26	0.59913 (15)	0.75508 (12)	0.86006 (12)	0.0172 (3)
H26	0.5928	0.6829	0.8451	0.021*
C27	0.67730 (15)	0.82160 (12)	0.95195 (12)	0.0171 (3)
C28	0.68230 (15)	0.92638 (12)	0.97296 (12)	0.0171 (3)
H28	0.7345	0.9739	1.0348	0.020*
C29	0.61161 (15)	0.96223 (12)	0.90424 (12)	0.0165 (3)
C30	0.53422 (14)	0.89489 (12)	0.81258 (11)	0.0160 (3)
C31	0.75537 (15)	0.77823 (13)	1.02367 (12)	0.0191 (3)
C32	0.66482 (18)	0.70338 (15)	1.05332 (14)	0.0299 (4)
H32A	0.6130	0.7411	1.0849	0.045*
H32B	0.7122	0.6746	1.0999	0.045*
H32C	0.6118	0.6469	0.9940	0.045*
C33	0.83766 (17)	0.86281 (14)	1.11939 (13)	0.0266 (4)
H33A	0.7852	0.8932	1.1563	0.040*
H33B	0.8890	0.9169	1.1030	0.040*
H33C	0.8914	0.8325	1.1602	0.040*
C34	0.83234 (16)	0.71225 (13)	0.97307 (13)	0.0229 (4)
H34A	0.8710	0.6800	1.0214	0.027*
H34B	0.7716	0.6550	0.9169	0.027*
C35	0.93593 (17)	0.75639 (15)	0.93242 (13)	0.0274 (4)
C36	0.89336 (18)	0.81043 (16)	0.85695 (15)	0.0335 (5)
H36A	0.9604	0.8295	0.8289	0.050*
H36B	0.8719	0.8731	0.8896	0.050*
H36C	0.8203	0.7636	0.8038	0.050*
C37	0.9750 (2)	0.66217 (19)	0.87945 (17)	0.0488 (6)
H37A	1.0385	0.6850	0.8495	0.073*
H37B	0.9026	0.6127	0.8276	0.073*
H37C	1.0088	0.6288	0.9275	0.073*
C38	1.05044 (19)	0.8306 (2)	1.01414 (16)	0.0518 (7)
H38A	1.1175	0.8475	0.9854	0.078*
H38B	1.0775	0.7976	1.0644	0.078*
H38C	1.0297	0.8943	1.0449	0.078*
C39	0.36827 (15)	0.97167 (13)	0.77280 (12)	0.0194 (3)
H39A	0.3669	1.0357	0.7545	0.023*
H39B	0.3869	0.9901	0.8457	0.023*
C40	0.24673 (17)	0.89734 (14)	0.72536 (13)	0.0255 (4)
C41	0.14749 (19)	0.83803 (16)	0.68885 (17)	0.0388 (5)
C42	0.65798 (15)	1.22441 (13)	1.02168 (12)	0.0190 (3)
C43	0.68485 (16)	1.31885 (13)	1.09851 (13)	0.0252 (4)
H43	0.6879	1.3205	1.1644	0.030*
C44	0.70612 (17)	1.40743 (14)	1.07339 (14)	0.0297 (4)
H44	0.7256	1.4723	1.1235	0.036*
C45	0.70014 (18)	1.40630 (14)	0.97485 (15)	0.0314 (4)
H45	0.7158	1.4702	0.9612	0.038*
C46	0.67257 (18)	1.31596 (14)	0.89937 (14)	0.0287 (4)
H46	0.6677	1.3155	0.8335	0.034*

C47	0.65172 (15)	1.22327 (13)	0.92390 (12)	0.0206 (4)
H15	0.438 (2)	0.4082 (16)	0.8366 (12)	0.047 (6)*
H41	0.0684 (14)	0.7883 (15)	0.6599 (17)	0.060 (8)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0199 (6)	0.0156 (5)	0.0173 (6)	0.0022 (5)	0.0042 (5)	0.0055 (4)
O2	0.0175 (6)	0.0234 (6)	0.0157 (5)	0.0079 (5)	0.0059 (4)	0.0077 (5)
N1	0.0278 (8)	0.0169 (7)	0.0367 (9)	0.0076 (6)	0.0168 (7)	0.0098 (6)
N2	0.0173 (7)	0.0162 (7)	0.0190 (7)	0.0043 (6)	0.0067 (5)	0.0045 (5)
N3	0.0170 (7)	0.0241 (7)	0.0194 (7)	0.0066 (6)	0.0041 (6)	0.0032 (6)
N4	0.0181 (7)	0.0212 (7)	0.0163 (7)	0.0043 (6)	0.0068 (6)	0.0020 (6)
N5	0.0179 (7)	0.0175 (7)	0.0151 (7)	0.0041 (6)	0.0052 (5)	0.0045 (5)
N6	0.0226 (8)	0.0192 (7)	0.0204 (7)	0.0046 (6)	0.0052 (6)	0.0076 (6)
C1	0.0298 (10)	0.0250 (9)	0.0294 (9)	0.0139 (8)	0.0182 (8)	0.0143 (8)
C2	0.0448 (13)	0.0301 (10)	0.0611 (14)	0.0200 (10)	0.0348 (11)	0.0254 (10)
C3	0.0586 (15)	0.0444 (13)	0.0558 (14)	0.0372 (12)	0.0393 (12)	0.0345 (11)
C4	0.0404 (12)	0.0596 (14)	0.0274 (10)	0.0361 (11)	0.0160 (9)	0.0205 (10)
C5	0.0271 (10)	0.0448 (12)	0.0214 (9)	0.0187 (9)	0.0047 (8)	0.0053 (8)
C6	0.0249 (9)	0.0289 (9)	0.0161 (8)	0.0137 (8)	0.0079 (7)	0.0082 (7)
C7	0.0148 (8)	0.0148 (7)	0.0169 (8)	0.0038 (6)	0.0029 (6)	0.0021 (6)
C8	0.0162 (8)	0.0162 (8)	0.0123 (7)	0.0017 (6)	0.0019 (6)	0.0032 (6)
C9	0.0125 (8)	0.0162 (8)	0.0143 (7)	0.0010 (6)	0.0017 (6)	0.0010 (6)
C10	0.0146 (8)	0.0178 (8)	0.0165 (8)	0.0045 (6)	0.0030 (6)	0.0034 (6)
C11	0.0156 (8)	0.0170 (8)	0.0144 (7)	0.0029 (6)	0.0027 (6)	0.0033 (6)
C12	0.0167 (8)	0.0186 (8)	0.0159 (8)	0.0037 (7)	0.0060 (6)	0.0029 (6)
C13	0.0230 (9)	0.0166 (8)	0.0213 (8)	0.0000 (7)	0.0069 (7)	0.0037 (7)
C14	0.0218 (9)	0.0188 (8)	0.0277 (9)	0.0055 (7)	0.0079 (7)	0.0069 (7)
C15	0.0341 (11)	0.0338 (11)	0.0361 (11)	0.0095 (9)	0.0170 (9)	0.0187 (9)
C16	0.0185 (8)	0.0212 (8)	0.0185 (8)	0.0066 (7)	0.0062 (6)	0.0081 (7)
C17	0.0230 (9)	0.0247 (9)	0.0211 (8)	0.0074 (7)	0.0043 (7)	0.0087 (7)
C18	0.0275 (10)	0.0266 (9)	0.0222 (9)	0.0096 (8)	0.0119 (7)	0.0106 (7)
C19	0.0201 (9)	0.0193 (8)	0.0217 (8)	0.0061 (7)	0.0082 (7)	0.0090 (7)
C20	0.0196 (9)	0.0252 (9)	0.0216 (9)	0.0035 (7)	0.0076 (7)	0.0047 (7)
C21	0.0439 (13)	0.0253 (10)	0.0276 (10)	0.0054 (9)	-0.0077 (9)	0.0050 (8)
C22	0.0342 (11)	0.0227 (9)	0.0264 (9)	0.0031 (8)	0.0053 (8)	0.0055 (8)
C23	0.0221 (11)	0.0617 (15)	0.0357 (11)	-0.0067 (10)	0.0102 (9)	-0.0058 (11)
C24	0.0142 (8)	0.0182 (8)	0.0183 (8)	0.0024 (6)	0.0051 (6)	0.0051 (6)
C25	0.0139 (8)	0.0190 (8)	0.0173 (8)	0.0033 (6)	0.0077 (6)	0.0056 (6)
C26	0.0167 (8)	0.0170 (8)	0.0193 (8)	0.0047 (7)	0.0079 (6)	0.0056 (6)
C27	0.0156 (8)	0.0212 (8)	0.0173 (8)	0.0054 (7)	0.0078 (6)	0.0077 (7)
C28	0.0158 (8)	0.0199 (8)	0.0153 (8)	0.0036 (7)	0.0062 (6)	0.0046 (6)
C29	0.0152 (8)	0.0160 (8)	0.0188 (8)	0.0036 (6)	0.0073 (6)	0.0045 (6)
C30	0.0136 (8)	0.0218 (8)	0.0158 (8)	0.0069 (7)	0.0065 (6)	0.0079 (6)
C31	0.0177 (8)	0.0218 (8)	0.0197 (8)	0.0066 (7)	0.0068 (7)	0.0078 (7)
C32	0.0269 (10)	0.0400 (11)	0.0321 (10)	0.0116 (9)	0.0109 (8)	0.0233 (9)
C33	0.0268 (10)	0.0315 (10)	0.0213 (9)	0.0142 (8)	0.0040 (7)	0.0061 (8)

supplementary materials

C34	0.0238 (9)	0.0244 (9)	0.0207 (8)	0.0099 (7)	0.0044 (7)	0.0069 (7)
C35	0.0212 (9)	0.0398 (11)	0.0226 (9)	0.0124 (8)	0.0077 (7)	0.0077 (8)
C36	0.0260 (10)	0.0461 (12)	0.0358 (11)	0.0118 (9)	0.0164 (8)	0.0168 (9)
C37	0.0559 (15)	0.0667 (16)	0.0456 (13)	0.0417 (13)	0.0297 (12)	0.0225 (12)
C38	0.0215 (11)	0.0903 (19)	0.0316 (11)	0.0005 (12)	0.0081 (9)	0.0089 (12)
C39	0.0173 (8)	0.0222 (8)	0.0218 (8)	0.0093 (7)	0.0073 (7)	0.0075 (7)
C40	0.0214 (10)	0.0267 (9)	0.0279 (9)	0.0080 (8)	0.0074 (7)	0.0067 (8)
C41	0.0235 (11)	0.0349 (11)	0.0492 (13)	0.0047 (9)	0.0092 (9)	0.0021 (10)
C42	0.0139 (8)	0.0204 (8)	0.0214 (8)	0.0045 (7)	0.0055 (6)	0.0044 (7)
C43	0.0209 (9)	0.0248 (9)	0.0265 (9)	0.0055 (7)	0.0093 (7)	0.0005 (7)
C44	0.0264 (10)	0.0205 (9)	0.0355 (10)	0.0057 (8)	0.0079 (8)	-0.0010 (8)
C45	0.0337 (11)	0.0189 (9)	0.0400 (11)	0.0068 (8)	0.0069 (9)	0.0101 (8)
C46	0.0335 (11)	0.0245 (9)	0.0286 (10)	0.0076 (8)	0.0057 (8)	0.0123 (8)
C47	0.0174 (8)	0.0199 (8)	0.0232 (8)	0.0058 (7)	0.0036 (7)	0.0061 (7)

Geometric parameters (\AA , $^\circ$)

O1—C8	1.3795 (19)		C22—H22A	0.9800
O1—C13	1.4442 (19)		C22—H22B	0.9800
O2—C30	1.3801 (19)		C22—H22C	0.9800
O2—C39	1.4446 (19)		C23—H23A	0.9800
N1—N2	1.3342 (19)		C23—H23B	0.9800
N1—C1	1.355 (2)		C23—H23C	0.9800
N2—N3	1.3343 (19)		C24—C25	1.519 (2)
N2—C7	1.429 (2)		C24—H24A	0.9900
N3—C6	1.350 (2)		C24—H24B	0.9900
N4—N5	1.3375 (18)		C25—C26	1.385 (2)
N4—C42	1.351 (2)		C25—C30	1.395 (2)
N5—N6	1.3350 (19)		C26—C27	1.396 (2)
N5—C29	1.434 (2)		C26—H26	0.9500
N6—C47	1.353 (2)		C27—C28	1.389 (2)
C1—C6	1.406 (3)		C27—C31	1.529 (2)
C1—C2	1.413 (3)		C28—C29	1.389 (2)
C2—C3	1.361 (3)		C28—H28	0.9500
C2—H2	0.9500		C29—C30	1.394 (2)
C3—C4	1.420 (3)		C31—C33	1.532 (2)
C3—H3	0.9500		C31—C32	1.544 (2)
C4—C5	1.367 (3)		C31—C34	1.556 (2)
C4—H4	0.9500		C32—H32A	0.9800
C5—C6	1.412 (2)		C32—H32B	0.9800
C5—H5	0.9500		C32—H32C	0.9800
C7—C12	1.386 (2)		C33—H33A	0.9800
C7—C8	1.390 (2)		C33—H33B	0.9800
C8—C9	1.401 (2)		C33—H33C	0.9800
C9—C10	1.384 (2)		C34—C35	1.547 (3)
C9—C24	1.521 (2)		C34—H34A	0.9900
C10—C11	1.401 (2)		C34—H34B	0.9900
C10—H10	0.9500		C35—C36	1.521 (3)
C11—C12	1.394 (2)		C35—C38	1.530 (3)

C11—C16	1.528 (2)	C35—C37	1.537 (3)
C12—H12	0.9500	C36—H36A	0.9800
C13—C14	1.462 (2)	C36—H36B	0.9800
C13—H13A	0.9900	C36—H36C	0.9800
C13—H13B	0.9900	C37—H37A	0.9800
C14—C15	1.175 (3)	C37—H37B	0.9800
C15—H15	0.951 (19)	C37—H37C	0.9800
C16—C18	1.538 (2)	C38—H38A	0.9800
C16—C17	1.540 (2)	C38—H38B	0.9800
C16—C19	1.558 (2)	C38—H38C	0.9800
C17—H17A	0.9800	C39—C40	1.460 (2)
C17—H17B	0.9800	C39—H39A	0.9900
C17—H17C	0.9800	C39—H39B	0.9900
C18—H18A	0.9800	C40—C41	1.183 (3)
C18—H18B	0.9800	C41—H41	0.956 (10)
C18—H18C	0.9800	C42—C47	1.410 (2)
C19—C20	1.551 (2)	C42—C43	1.414 (2)
C19—H19A	0.9900	C43—C44	1.362 (3)
C19—H19B	0.9900	C43—H43	0.9500
C20—C21	1.521 (3)	C44—C45	1.422 (3)
C20—C23	1.530 (3)	C44—H44	0.9500
C20—C22	1.536 (2)	C45—C46	1.364 (3)
C21—H21A	0.9800	C45—H45	0.9500
C21—H21B	0.9800	C46—C47	1.411 (2)
C21—H21C	0.9800	C46—H46	0.9500
C8—O1—C13	113.93 (12)	C20—C23—H23C	109.5
C30—O2—C39	114.29 (12)	H23A—C23—H23C	109.5
N2—N1—C1	102.29 (14)	H23B—C23—H23C	109.5
N3—N2—N1	117.53 (14)	C25—C24—C9	108.40 (13)
N3—N2—C7	120.33 (13)	C25—C24—H24A	110.0
N1—N2—C7	122.11 (13)	C9—C24—H24A	110.0
N2—N3—C6	102.41 (13)	C25—C24—H24B	110.0
N5—N4—C42	102.34 (13)	C9—C24—H24B	110.0
N6—N5—N4	117.52 (13)	H24A—C24—H24B	108.4
N6—N5—C29	122.02 (12)	C26—C25—C30	119.10 (14)
N4—N5—C29	120.13 (13)	C26—C25—C24	120.18 (14)
N5—N6—C47	102.38 (13)	C30—C25—C24	120.62 (15)
N1—C1—C6	108.80 (15)	C25—C26—C27	122.80 (15)
N1—C1—C2	130.06 (18)	C25—C26—H26	118.6
C6—C1—C2	121.14 (18)	C27—C26—H26	118.6
C3—C2—C1	116.6 (2)	C28—C27—C26	117.44 (15)
C3—C2—H2	121.7	C28—C27—C31	122.76 (14)
C1—C2—H2	121.7	C26—C27—C31	119.78 (14)
C2—C3—C4	122.51 (19)	C29—C28—C27	120.53 (15)
C2—C3—H3	118.7	C29—C28—H28	119.7
C4—C3—H3	118.7	C27—C28—H28	119.7
C5—C4—C3	121.61 (19)	C28—C29—C30	121.39 (15)
C5—C4—H4	119.2	C28—C29—N5	117.37 (14)
C3—C4—H4	119.2	C30—C29—N5	121.24 (15)

supplementary materials

C4—C5—C6	116.91 (19)	O2—C30—C29	122.25 (14)
C4—C5—H5	121.5	O2—C30—C25	119.07 (14)
C6—C5—H5	121.5	C29—C30—C25	118.66 (15)
N3—C6—C1	108.96 (15)	C27—C31—C33	112.41 (14)
N3—C6—C5	129.86 (17)	C27—C31—C32	107.48 (14)
C1—C6—C5	121.17 (17)	C33—C31—C32	107.02 (14)
C12—C7—C8	121.83 (15)	C27—C31—C34	111.73 (13)
C12—C7—N2	118.48 (14)	C33—C31—C34	111.62 (14)
C8—C7—N2	119.63 (14)	C32—C31—C34	106.16 (14)
O1—C8—C7	119.86 (14)	C31—C32—H32A	109.5
O1—C8—C9	120.97 (14)	C31—C32—H32B	109.5
C7—C8—C9	118.90 (15)	H32A—C32—H32B	109.5
C10—C9—C8	118.53 (14)	C31—C32—H32C	109.5
C10—C9—C24	120.36 (14)	H32A—C32—H32C	109.5
C8—C9—C24	120.71 (14)	H32B—C32—H32C	109.5
C9—C10—C11	123.25 (15)	C31—C33—H33A	109.5
C9—C10—H10	118.4	C31—C33—H33B	109.5
C11—C10—H10	118.4	H33A—C33—H33B	109.5
C12—C11—C10	117.22 (15)	C31—C33—H33C	109.5
C12—C11—C16	122.74 (14)	H33A—C33—H33C	109.5
C10—C11—C16	120.02 (14)	H33B—C33—H33C	109.5
C7—C12—C11	120.26 (15)	C35—C34—C31	123.94 (15)
C7—C12—H12	119.9	C35—C34—H34A	106.3
C11—C12—H12	119.9	C31—C34—H34A	106.3
O1—C13—C14	107.94 (13)	C35—C34—H34B	106.3
O1—C13—H13A	110.1	C31—C34—H34B	106.3
C14—C13—H13A	110.1	H34A—C34—H34B	106.4
O1—C13—H13B	110.1	C36—C35—C38	108.52 (18)
C14—C13—H13B	110.1	C36—C35—C37	107.67 (16)
H13A—C13—H13B	108.4	C38—C35—C37	107.99 (18)
C15—C14—C13	178.8 (2)	C36—C35—C34	113.78 (15)
C14—C15—H15	177.3 (14)	C38—C35—C34	113.00 (15)
C11—C16—C18	112.27 (14)	C37—C35—C34	105.57 (17)
C11—C16—C17	107.74 (13)	C35—C36—H36A	109.5
C18—C16—C17	107.06 (14)	C35—C36—H36B	109.5
C11—C16—C19	111.17 (13)	H36A—C36—H36B	109.5
C18—C16—C19	111.89 (13)	C35—C36—H36C	109.5
C17—C16—C19	106.36 (13)	H36A—C36—H36C	109.5
C16—C17—H17A	109.5	H36B—C36—H36C	109.5
C16—C17—H17B	109.5	C35—C37—H37A	109.5
H17A—C17—H17B	109.5	C35—C37—H37B	109.5
C16—C17—H17C	109.5	H37A—C37—H37B	109.5
H17A—C17—H17C	109.5	C35—C37—H37C	109.5
H17B—C17—H17C	109.5	H37A—C37—H37C	109.5
C16—C18—H18A	109.5	H37B—C37—H37C	109.5
C16—C18—H18B	109.5	C35—C38—H38A	109.5
H18A—C18—H18B	109.5	C35—C38—H38B	109.5
C16—C18—H18C	109.5	H38A—C38—H38B	109.5
H18A—C18—H18C	109.5	C35—C38—H38C	109.5

H18B—C18—H18C	109.5	H38A—C38—H38C	109.5
C20—C19—C16	123.93 (14)	H38B—C38—H38C	109.5
C20—C19—H19A	106.3	O2—C39—C40	110.99 (13)
C16—C19—H19A	106.3	O2—C39—H39A	109.4
C20—C19—H19B	106.3	C40—C39—H39A	109.4
C16—C19—H19B	106.3	O2—C39—H39B	109.4
H19A—C19—H19B	106.4	C40—C39—H39B	109.4
C21—C20—C23	110.31 (18)	H39A—C39—H39B	108.0
C21—C20—C22	107.26 (15)	C41—C40—C39	178.5 (2)
C23—C20—C22	107.14 (16)	C40—C41—H41	178.0 (16)
C21—C20—C19	113.27 (15)	N4—C42—C47	108.93 (14)
C23—C20—C19	112.49 (15)	N4—C42—C43	130.09 (16)
C22—C20—C19	105.95 (15)	C47—C42—C43	120.94 (16)
C20—C21—H21A	109.5	C44—C43—C42	116.72 (17)
C20—C21—H21B	109.5	C44—C43—H43	121.6
H21A—C21—H21B	109.5	C42—C43—H43	121.6
C20—C21—H21C	109.5	C43—C44—C45	122.34 (16)
H21A—C21—H21C	109.5	C43—C44—H44	118.8
H21B—C21—H21C	109.5	C45—C44—H44	118.8
C20—C22—H22A	109.5	C46—C45—C44	121.85 (18)
C20—C22—H22B	109.5	C46—C45—H45	119.1
H22A—C22—H22B	109.5	C44—C45—H45	119.1
C20—C22—H22C	109.5	C45—C46—C47	116.80 (18)
H22A—C22—H22C	109.5	C45—C46—H46	121.6
H22B—C22—H22C	109.5	C47—C46—H46	121.6
C20—C23—H23A	109.5	N6—C47—C42	108.82 (15)
C20—C23—H23B	109.5	N6—C47—C46	129.79 (16)
H23A—C23—H23B	109.5	C42—C47—C46	121.34 (15)
C1—N1—N2—N3	0.61 (18)	C16—C19—C20—C23	67.1 (2)
C1—N1—N2—C7	-177.38 (14)	C16—C19—C20—C22	-176.18 (15)
N1—N2—N3—C6	-0.50 (18)	C10—C9—C24—C25	-88.59 (17)
C7—N2—N3—C6	177.52 (14)	C8—C9—C24—C25	84.04 (17)
C42—N4—N5—N6	0.14 (18)	C9—C24—C25—C26	-85.49 (18)
C42—N4—N5—C29	173.68 (14)	C9—C24—C25—C30	90.85 (17)
N4—N5—N6—C47	-0.13 (18)	C30—C25—C26—C27	-3.1 (2)
C29—N5—N6—C47	-173.53 (14)	C24—C25—C26—C27	173.28 (14)
N2—N1—C1—C6	-0.44 (18)	C25—C26—C27—C28	1.7 (2)
N2—N1—C1—C2	179.75 (19)	C25—C26—C27—C31	-176.83 (14)
N1—C1—C2—C3	-178.54 (19)	C26—C27—C28—C29	0.0 (2)
C6—C1—C2—C3	1.7 (3)	C31—C27—C28—C29	178.46 (14)
C1—C2—C3—C4	-1.1 (3)	C27—C28—C29—C30	-0.2 (2)
C2—C3—C4—C5	-0.4 (3)	C27—C28—C29—N5	-179.48 (14)
C3—C4—C5—C6	1.2 (3)	N6—N5—C29—C28	138.04 (15)
N2—N3—C6—C1	0.17 (17)	N4—N5—C29—C28	-35.2 (2)
N2—N3—C6—C5	-178.86 (17)	N6—N5—C29—C30	-41.3 (2)
N1—C1—C6—N3	0.2 (2)	N4—N5—C29—C30	145.51 (15)
C2—C1—C6—N3	-179.99 (16)	C39—O2—C30—C29	-65.62 (19)
N1—C1—C6—C5	179.31 (15)	C39—O2—C30—C25	116.27 (15)
C2—C1—C6—C5	-0.9 (3)	C28—C29—C30—O2	-179.32 (14)

supplementary materials

C4—C5—C6—N3	178.34 (17)	N5—C29—C30—O2	0.0 (2)
C4—C5—C6—C1	-0.6 (3)	C28—C29—C30—C25	-1.2 (2)
N3—N2—C7—C12	55.3 (2)	N5—C29—C30—C25	178.07 (14)
N1—N2—C7—C12	-126.81 (16)	C26—C25—C30—O2	-179.05 (13)
N3—N2—C7—C8	-122.00 (16)	C24—C25—C30—O2	4.6 (2)
N1—N2—C7—C8	55.9 (2)	C26—C25—C30—C29	2.8 (2)
C13—O1—C8—C7	-104.28 (16)	C24—C25—C30—C29	-173.61 (14)
C13—O1—C8—C9	81.71 (17)	C28—C27—C31—C33	0.1 (2)
C12—C7—C8—O1	-174.05 (13)	C26—C27—C31—C33	178.55 (15)
N2—C7—C8—O1	3.1 (2)	C28—C27—C31—C32	117.60 (17)
C12—C7—C8—C9	0.1 (2)	C26—C27—C31—C32	-63.94 (19)
N2—C7—C8—C9	177.24 (13)	C28—C27—C31—C34	-126.31 (16)
O1—C8—C9—C10	174.77 (13)	C26—C27—C31—C34	52.1 (2)
C7—C8—C9—C10	0.7 (2)	C27—C31—C34—C35	63.8 (2)
O1—C8—C9—C24	2.0 (2)	C33—C31—C34—C35	-63.1 (2)
C7—C8—C9—C24	-172.06 (14)	C32—C31—C34—C35	-179.34 (16)
C8—C9—C10—C11	-1.3 (2)	C31—C34—C35—C36	-56.0 (2)
C24—C9—C10—C11	171.51 (14)	C31—C34—C35—C38	68.3 (2)
C9—C10—C11—C12	1.0 (2)	C31—C34—C35—C37	-173.84 (17)
C9—C10—C11—C16	-177.59 (14)	C30—O2—C39—C40	-102.14 (16)
C8—C7—C12—C11	-0.4 (2)	N5—N4—C42—C47	-0.09 (17)
N2—C7—C12—C11	-177.54 (14)	N5—N4—C42—C43	-177.86 (17)
C10—C11—C12—C7	-0.2 (2)	N4—C42—C43—C44	176.48 (17)
C16—C11—C12—C7	178.39 (14)	C47—C42—C43—C44	-1.1 (2)
C8—O1—C13—C14	-149.87 (14)	C42—C43—C44—C45	0.9 (3)
C12—C11—C16—C18	6.2 (2)	C43—C44—C45—C46	0.0 (3)
C10—C11—C16—C18	-175.24 (14)	C44—C45—C46—C47	-0.8 (3)
C12—C11—C16—C17	123.87 (16)	N5—N6—C47—C42	0.06 (17)
C10—C11—C16—C17	-57.60 (18)	N5—N6—C47—C46	177.52 (18)
C12—C11—C16—C19	-119.96 (16)	N4—C42—C47—N6	0.02 (19)
C10—C11—C16—C19	58.56 (19)	C43—C42—C47—N6	178.03 (15)
C11—C16—C19—C20	62.8 (2)	N4—C42—C47—C46	-177.70 (16)
C18—C16—C19—C20	-63.7 (2)	C43—C42—C47—C46	0.3 (3)
C17—C16—C19—C20	179.77 (15)	C45—C46—C47—N6	-176.57 (18)
C16—C19—C20—C21	-58.9 (2)	C45—C46—C47—C42	0.6 (3)

Hydrogen-bond geometry (\AA , $^\circ$)

$D\cdots H$	$D\cdots A$	$H\cdots A$	$D\cdots A$	$D\cdots H\cdots A$
C41—H41 ⁱ —N3 ⁱ	0.96 (1)	2.38 (1)	3.283 (3)	158 (2)

Symmetry codes: (i) $x-1, y, z$.

Fig. 1

