

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

N-[(1E)-5-(3-Chlorophenyl)-3-methyl-cyclohex-2-en-1-ylidene]hydroxylamine

 G. Ganesh,^a K. Murugavel,^b P. S. Kannan,^a
 S. Amirthaganesan^b and A. SubbiahPandi^{c*}
^aDepartment of Physics, S.M.K. Fomra Institute of Technology, Thaiyur, Chennai 603 103, India, ^bDepartment of Chemistry, Saveetha Engineering College, Chennai, India, and ^cDepartment of Physics, Presidency College (Autonomous), Chennai 600 005, India

Correspondence e-mail: a_sp59@yahoo.in


Received 8 November 2012; accepted 18 February 2013

 Key indicators: single-crystal X-ray study; $T = 295$ K; mean $\sigma(I) = 0.000$ Å; disorder in main residue; R factor = 0.080; wR factor = 0.242; data-to-parameter ratio = 9.4.

The whole of the title molecule, $C_{13}H_{14}ClNO$, is disordered over two sets of sites with a refined occupancy ratio of 0.560 (6):0.440 (6). The oxime group having a $C=N$ double bond adopts an *E* conformation. The dihedral angles between the rings (all atoms) are 89.5 (5) (major component) and 88.0 (6)° (minor component).

Related literature

For applications of oximes, see: Kukushkin *et al.* (1996); Chaudhuri (2003). For a related structure of a chlorophenyl oxime derivative, see: Ravichandran *et al.* (2010).



Experimental

Crystal data

$C_{13}H_{14}ClNO$	$Z = 16$
$M_r = 235.70$	Mo $K\alpha$ radiation
Tetragonal, $I4_1/a$	$\mu = 0.29$ mm ⁻¹
$a = 19.7898$ (8) Å	$T = 295$ K
$c = 12.4416$ (11) Å	$0.25 \times 0.22 \times 0.19$ mm
$V = 4872.6$ (5) Å ³	

Data collection

Bruker APEXII CCD area-detector diffractometer	19841 measured reflections
Absorption correction: multi-scan (SADABS; Sheldrick, 1996)	2394 independent reflections
$T_{min} = 0.930$, $T_{max} = 0.946$	1765 reflections with $I > 2\sigma(I)$
	$R_{int} = 0.034$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.080$	93 restraints
$wR(F^2) = 0.242$	H-atom parameters constrained
$S = 1.05$	$\Delta\rho_{max} = 0.72$ e Å ⁻³
2394 reflections	$\Delta\rho_{min} = -0.50$ e Å ⁻³
255 parameters	

Data collection: APEX2 (Bruker, 2008); cell refinement: SAINT (Bruker, 2008); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 2012); software used to prepare material for publication: SHELXL97 and PLATON (Spek, 2009).

The authors thank Dr Babu Varghese and the SAIF, IIT, Chennai, India, for the data collection.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: NK2191).

References

- Bruker (2008). APEX2 and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
- Chaudhuri, P. (2003). *Coord. Chem. Rev.* **243**, 143–168.
- Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849–854.
- Kukushkin, V. Yu., Tudela, D. & Pombeiro, A. J. L. (1996). *Coord. Chem. Rev.* **156**, 333–362.
- Ravichandran, K., Ramesh, P., Rani, M., Kabilan, S. & Ponnuswamy, M. N. (2010). *Acta Cryst.* **E66**, o1506.
- Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.

supplementary materials

Acta Cryst. (2013). E69, o449 [doi:10.1107/S1600536813004698]

***N*-[(1*E*)-5-(3-Chlorophenyl)-3-methylcyclohex-2-en-1-ylidene]hydroxylamine**

G. Ganesh, K. Murugavel, P. S. Kannan, S. Amirthaganesan and A. SubbiahPandi

Comment

Oximes are a classical type of chelating ligands which are widely used in coordination and analytical chemistry (Kukushkin *et al.*, 1996; Chaudhuri, 2003).

The bond lengths and bond angles of the title compound are comparable with those observed in other chlorophenyl oxime derivative. (Ravichandran *et al.*, 2010). The whole molecule of the title compound is disordered over two positions (Fig. 1 and 2) with a refined occupancy ratio of 0.560:0.440 (6). For the major disorder component, the phenyl ring [C8—C13] is almost perpendicular to the cyclohexene ring [C1—C6] with dihedral angle 89.5 (5) °. Similarly, for the minor disorder component, the phenyl ring [C8'-C13'] is almost perpendicular to the cyclohexene ring [C1'-C6'] with dihedral angle 88.0 (6) °. In the crystal unit, the oxime groups C2=N1 and C2'=N1' double bond exists in *E* configuration, which is confirmed by the torsion angle of -177.7 (2) and 177.0 (2)° of C3—C2—N1—O1 and C3'-C2'-N1'-O1' moiety respectively. Phenyl ring is completely planar, while cyclohexene ring is far from being planar with maximum deviations from the mean plane being 0.195 (2) and 0.241 (7) Å for the C1 and C6' atoms respectively.

Experimental

To a stirred suspension of benzo[*c*]furan (2.38 g, 7.437 mmol) in dry THF (20 ml), lead tetraacetate (3.2 g, 7.437 mmol) was added and refluxed at 50°C for half an hour. The reaction mixture was then poured into water (200 ml) and extracted with ethyl acetate (2 x 20 ml), washed with brine solution and dried (Na₂SO₄). The removal of solvent *in vacuo* followed by crystallization from methanol afforded the title compound as a colorless solid. Single crystals suitable for X-ray diffraction were obtained by slow evaporation of a solution of the title compound in methanol at room temperature.

Refinement

The whole molecule was disordered over two sites (C1—C13/C1'/N1'/O1 and C1'-C13'/C1'/N1'/O1') with refined occupancy ratio 0.560:0.440 (6). Displacement ellipsoid and bond distance similarity restraints were employed to control the geometry of both disorder components. The residual factors are R1 = 0.0803 and wR2 = 0.2417 are rather high. The data were collected with the body centred tetragonal cell as the Bravais cell and processed in the Laue class 4/m. The multiscan absorption correction was done assuming in the crystal to be medium absorber. The residual factors are high, probably due to the restraints needed to account for completely disordered molecule. The actual disorder probably could be several fold with each having slightly different orientation. The idealized two fold disorder may not be accounting for the full disorder. All H atoms were fixed geometrically and allowed to ride on their parent C atoms, with C—H distances fixed in the range 0.93–0.97 Å with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ for other H atoms.

Computing details

Data collection: *APEX2* (Bruker, 2008); cell refinement: *SAINTE* (Bruker, 2008); data reduction: *SAINTE* (Bruker, 2008); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97*

(Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012); software used to prepare material for publication: *SHELXL97* (Sheldrick, 2008) and *PLATON* (Spek, 2009).




Figure 1

The molecular structure of the major component of title compound with 30% probability displacement ellipsoids.




Figure 2

Stick plot of both major and minor components of the title compound with atom labels for non-H atoms.

***N*-[*(E)*-5-(3-Chlorophenyl)-3-methylcyclohex-2-en-1-ylidene]hydroxylamine**

Crystal data

$C_{13}H_{14}ClNO$

$M_r = 235.70$

Tetragonal, $I4_1/a$

Hall symbol: $-I\ 4ad$

$a = 19.7898\ (8)\ \text{\AA}$

$c = 12.4416\ (11)\ \text{\AA}$

$V = 4872.6 (5) \text{ \AA}^3$
 $Z = 16$
 $F(000) = 1984$
 $D_x = 1.285 \text{ Mg m}^{-3}$
 Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
 Cell parameters from 2394 reflections

$\theta = 1.5\text{--}26.0^\circ$
 $\mu = 0.29 \text{ mm}^{-1}$
 $T = 295 \text{ K}$
 Block, white
 $0.25 \times 0.22 \times 0.19 \text{ mm}$

Data collection

Bruker APEXII CCD area-detector
 diffractometer
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 ω and ϕ scans
 Absorption correction: multi-scan
 (SADABS; Sheldrick, 1996)
 $T_{\min} = 0.930$, $T_{\max} = 0.946$

19841 measured reflections
 2394 independent reflections
 1765 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.034$
 $\theta_{\max} = 26.0^\circ$, $\theta_{\min} = 1.5^\circ$
 $h = -24 \rightarrow 24$
 $k = -24 \rightarrow 24$
 $l = -15 \rightarrow 15$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.080$
 $wR(F^2) = 0.242$
 $S = 1.05$
 2394 reflections
 255 parameters
 93 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.1164P)^2 + 10.7128P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.026$
 $\Delta\rho_{\max} = 0.72 \text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.50 \text{ e \AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
O1	0.5714 (9)	0.6964 (10)	0.5126 (13)	0.064 (4)	0.560 (6)
H1	0.5873	0.7176	0.5632	0.095*	0.560 (6)
N1	0.5172 (8)	0.6572 (8)	0.5484 (11)	0.055 (4)	0.560 (6)
C1	0.5202 (8)	0.6216 (9)	0.3560 (9)	0.053 (4)	0.560 (6)
H1A	0.5687	0.6283	0.3589	0.064*	0.560 (6)
H1B	0.5010	0.6582	0.3141	0.064*	0.560 (6)
C2	0.4922 (8)	0.6246 (8)	0.4677 (7)	0.036 (3)	0.560 (6)
C3	0.4336 (8)	0.5833 (7)	0.4904 (12)	0.044 (4)	0.560 (6)
H3	0.4135	0.5871	0.5577	0.053*	0.560 (6)
C4	0.4070 (6)	0.5404 (6)	0.4205 (13)	0.043 (3)	0.560 (6)
C5	0.4409 (10)	0.5208 (11)	0.3142 (15)	0.055 (5)	0.560 (6)

H5A	0.4480	0.4723	0.3128	0.067*	0.560 (6)
H5B	0.4111	0.5323	0.2550	0.067*	0.560 (6)
C6	0.5054 (4)	0.5550 (4)	0.2999 (5)	0.0570 (18)	0.560 (6)
H6	0.5377	0.5238	0.3331	0.068*	0.560 (6)
C7	0.34307 (17)	0.49939 (17)	0.4407 (3)	0.057 (2)	0.560 (6)
H7A	0.3338	0.4715	0.3793	0.085*	0.560 (6)
H7B	0.3058	0.5295	0.4527	0.085*	0.560 (6)
H7C	0.3494	0.4713	0.5028	0.085*	0.560 (6)
C8	0.52861 (17)	0.55769 (17)	0.1822 (3)	0.0421 (17)	0.560 (6)
C9	0.58200 (17)	0.51926 (17)	0.1431 (3)	0.0541 (19)	0.560 (6)
H9	0.6054	0.4904	0.1888	0.065*	0.560 (6)
C10	0.60045 (17)	0.52400 (17)	0.0355 (3)	0.063 (3)	0.560 (6)
C11	0.56550 (17)	0.56717 (17)	-0.0328 (3)	0.066 (3)	0.560 (6)
H11	0.5778	0.5703	-0.1048	0.080*	0.560 (6)
C12	0.51211 (17)	0.60561 (17)	0.0063 (3)	0.057 (2)	0.560 (6)
H12	0.4887	0.6345	-0.0395	0.069*	0.560 (6)
C13	0.49367 (17)	0.60087 (17)	0.1138 (3)	0.055 (2)	0.560 (6)
H13	0.4580	0.6266	0.1400	0.066*	0.560 (6)
Cl1	0.6641 (5)	0.4726 (6)	-0.0028 (7)	0.105 (2)	0.560 (6)
O1'	0.5722 (9)	0.6919 (14)	0.5195 (19)	0.072 (7)	0.440 (6)
H1'	0.5786	0.7190	0.5682	0.108*	0.440 (6)
N1'	0.5138 (8)	0.6543 (11)	0.5411 (14)	0.049 (5)	0.440 (6)
C1'	0.5283 (9)	0.6052 (12)	0.3642 (11)	0.054 (5)	0.440 (6)
H1'1	0.5638	0.5713	0.3650	0.064*	0.440 (6)
H1'2	0.5491	0.6484	0.3485	0.064*	0.440 (6)
C2'	0.4964 (11)	0.6083 (10)	0.4731 (9)	0.039 (4)	0.440 (6)
C3'	0.4381 (9)	0.5666 (9)	0.4972 (14)	0.036 (3)	0.440 (6)
H3'	0.4183	0.5704	0.5647	0.043*	0.440 (6)
C4'	0.4117 (7)	0.5234 (8)	0.4276 (16)	0.040 (3)	0.440 (6)
C5'	0.4337 (12)	0.5340 (13)	0.3107 (17)	0.049 (4)	0.440 (6)
H5'1	0.4548	0.4921	0.2880	0.059*	0.440 (6)
H5'2	0.3926	0.5384	0.2689	0.059*	0.440 (6)
C6'	0.4783 (3)	0.5882 (4)	0.2756 (5)	0.0406 (16)	0.440 (6)
H6'	0.4491	0.6280	0.2699	0.049*	0.440 (6)
C7'	0.3566 (2)	0.4738 (2)	0.4612 (4)	0.052 (2)	0.440 (6)
H7'1	0.3422	0.4482	0.3997	0.078*	0.440 (6)
H7'2	0.3188	0.4983	0.4900	0.078*	0.440 (6)
H7'3	0.3740	0.4437	0.5149	0.078*	0.440 (6)
C8'	0.5110 (2)	0.5810 (2)	0.1653 (4)	0.039 (2)	0.440 (6)
C9'	0.5606 (2)	0.5320 (2)	0.1517 (4)	0.0379 (19)	0.440 (6)
H9'	0.5722	0.5039	0.2086	0.046*	0.440 (6)
C10'	0.5928 (2)	0.5251 (2)	0.0530 (4)	0.045 (2)	0.440 (6)
C11'	0.5754 (2)	0.5671 (2)	-0.0321 (4)	0.052 (3)	0.440 (6)
H11'	0.5969	0.5625	-0.0981	0.063*	0.440 (6)
C12'	0.5258 (2)	0.6161 (2)	-0.0185 (4)	0.058 (3)	0.440 (6)
H12'	0.5141	0.6443	-0.0755	0.070*	0.440 (6)
C13'	0.4936 (2)	0.6231 (2)	0.0802 (4)	0.049 (2)	0.440 (6)
H13'	0.4604	0.6558	0.0892	0.059*	0.440 (6)
Cl1'	0.6585 (5)	0.4711 (6)	0.0291 (8)	0.0866 (18)	0.440 (6)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.087 (9)	0.075 (7)	0.028 (5)	-0.022 (6)	0.006 (5)	-0.025 (4)
N1	0.080 (9)	0.053 (7)	0.033 (5)	0.002 (5)	-0.007 (5)	-0.011 (5)
C1	0.067 (6)	0.060 (8)	0.033 (4)	-0.015 (5)	0.006 (3)	-0.010 (4)
C2	0.046 (4)	0.032 (7)	0.032 (3)	0.008 (4)	0.004 (3)	-0.003 (3)
C3	0.059 (5)	0.032 (7)	0.042 (4)	0.010 (5)	0.008 (3)	0.002 (4)
C4	0.046 (4)	0.034 (7)	0.051 (4)	0.004 (4)	0.002 (3)	0.007 (4)
C5	0.065 (7)	0.050 (6)	0.052 (6)	-0.004 (6)	0.010 (5)	-0.012 (4)
C6	0.058 (4)	0.073 (4)	0.040 (3)	-0.009 (3)	0.007 (3)	-0.018 (3)
C7	0.067 (4)	0.044 (4)	0.060 (4)	-0.005 (3)	0.015 (3)	0.011 (3)
C8	0.048 (4)	0.044 (4)	0.035 (3)	-0.004 (3)	0.000 (3)	-0.010 (3)
C9	0.019 (3)	0.082 (5)	0.061 (4)	0.000 (3)	0.009 (2)	-0.021 (3)
C10	0.044 (4)	0.090 (7)	0.057 (5)	-0.020 (4)	0.015 (4)	-0.011 (4)
C11	0.052 (4)	0.097 (10)	0.050 (6)	-0.020 (4)	0.003 (4)	-0.017 (5)
C12	0.050 (4)	0.067 (4)	0.055 (4)	-0.022 (3)	0.011 (3)	0.010 (3)
C13	0.065 (4)	0.038 (4)	0.063 (5)	-0.003 (3)	0.019 (4)	0.003 (4)
Cl1	0.073 (2)	0.133 (3)	0.107 (5)	0.0165 (18)	0.030 (3)	-0.023 (3)
O1'	0.051 (8)	0.104 (13)	0.061 (11)	-0.032 (8)	0.006 (7)	-0.015 (8)
N1'	0.034 (6)	0.074 (11)	0.041 (8)	-0.008 (6)	0.017 (5)	-0.014 (7)
C1'	0.060 (7)	0.062 (11)	0.039 (5)	-0.023 (7)	0.007 (4)	-0.006 (5)
C2'	0.054 (6)	0.026 (8)	0.036 (4)	0.009 (6)	0.001 (4)	-0.002 (4)
C3'	0.041 (4)	0.027 (8)	0.038 (4)	0.014 (4)	0.008 (3)	0.007 (4)
C4'	0.049 (5)	0.021 (7)	0.049 (5)	0.011 (4)	0.003 (4)	0.003 (5)
C5'	0.049 (5)	0.054 (10)	0.043 (5)	-0.003 (6)	-0.006 (4)	-0.013 (5)
C6'	0.040 (3)	0.045 (4)	0.037 (3)	0.016 (3)	0.000 (3)	-0.005 (3)
C7'	0.040 (4)	0.057 (5)	0.058 (5)	-0.005 (3)	-0.004 (3)	0.017 (4)
C8'	0.045 (4)	0.030 (5)	0.041 (4)	0.012 (3)	-0.005 (3)	0.003 (3)
C9'	0.016 (4)	0.062 (5)	0.035 (4)	0.011 (3)	0.009 (3)	-0.009 (3)
C10'	0.042 (5)	0.065 (6)	0.030 (4)	-0.003 (4)	0.010 (4)	-0.023 (3)
C11'	0.053 (5)	0.065 (8)	0.040 (6)	-0.015 (4)	0.011 (4)	-0.015 (5)
C12'	0.048 (5)	0.076 (6)	0.051 (5)	-0.015 (4)	0.023 (4)	0.007 (4)
C13'	0.063 (5)	0.049 (5)	0.035 (4)	0.002 (4)	0.016 (3)	0.010 (3)
Cl1'	0.065 (3)	0.099 (3)	0.096 (5)	0.0217 (19)	0.016 (3)	-0.007 (3)

Geometric parameters (\AA , $^\circ$)

O1—N1	1.396 (7)	O1'—N1'	1.400 (7)
O1—H1	0.8200	O1'—H1'	0.8200
N1—C2	1.292 (8)	N1'—C2'	1.290 (9)
C1—C2	1.497 (7)	C1'—C2'	1.496 (8)
C1—C6	1.520 (12)	C1'—C6'	1.520 (13)
C1—H1A	0.9700	C1'—H1'1	0.9700
C1—H1B	0.9700	C1'—H1'2	0.9700
C2—C3	1.448 (7)	C2'—C3'	1.449 (8)
C3—C4	1.324 (7)	C3'—C4'	1.324 (8)
C3—H3	0.9300	C3'—H3'	0.9300
C4—C7	1.524 (6)	C4'—C7'	1.525 (7)
C4—C5	1.532 (10)	C4'—C5'	1.533 (10)

C5—C6	1.456 (10)	C5'—C6'	1.454 (10)
C5—H5A	0.9700	C5'—H5'1	0.9700
C5—H5B	0.9700	C5'—H5'2	0.9700
C6—C8	1.535 (6)	C6'—C8'	1.525 (6)
C6—H6	0.9800	C6'—H6'	0.9800
C7—H7A	0.9600	C7'—H7'1	0.9600
C7—H7B	0.9600	C7'—H7'2	0.9600
C7—H7C	0.9600	C7'—H7'3	0.9600
C8—C9	1.3900	C8'—C13'	1.3900
C8—C13	1.3900	C8'—C9'	1.3900
C9—C10	1.3900	C9'—C10'	1.3900
C9—H9	0.9300	C9'—H9'	0.9300
C10—C11	1.3900	C10'—C11'	1.3900
C10—C11	1.687 (5)	C10'—C11'	1.710 (6)
C11—C12	1.3900	C11'—C12'	1.3900
C11—H11	0.9300	C11'—H11'	0.9300
C12—C13	1.3900	C12'—C13'	1.3900
C12—H12	0.9300	C12'—H12'	0.9300
C13—H13	0.9300	C13'—H13'	0.9300
N1—O1—H1	109.5	N1'—O1'—H1'	109.5
C2—N1—O1	108.8 (13)	C2'—N1'—O1'	118.0 (16)
C2—C1—C6	112.9 (9)	C2'—C1'—C6'	113.0 (10)
C2—C1—H1A	109.0	C2'—C1'—H1'1	109.0
C6—C1—H1A	109.0	C6'—C1'—H1'1	109.0
C2—C1—H1B	109.0	C2'—C1'—H1'2	109.0
C6—C1—H1B	109.0	C6'—C1'—H1'2	109.0
H1A—C1—H1B	107.8	H1'1—C1'—H1'2	107.8
N1—C2—C3	115.9 (11)	N1'—C2'—C3'	118.6 (13)
N1—C2—C1	126.9 (11)	N1'—C2'—C1'	120.7 (13)
C3—C2—C1	117.1 (7)	C3'—C2'—C1'	120.0 (9)
C4—C3—C2	123.5 (9)	C4'—C3'—C2'	123.1 (10)
C4—C3—H3	118.2	C4'—C3'—H3'	118.5
C2—C3—H3	118.2	C2'—C3'—H3'	118.5
C3—C4—C7	124.2 (11)	C3'—C4'—C7'	121.2 (13)
C3—C4—C5	123.7 (9)	C3'—C4'—C5'	114.8 (10)
C7—C4—C5	111.8 (7)	C7'—C4'—C5'	123.4 (10)
C6—C5—C4	111.8 (9)	C6'—C5'—C4'	123.9 (11)
C6—C5—H5A	109.3	C6'—C5'—H5'1	106.4
C4—C5—H5A	109.3	C4'—C5'—H5'1	106.4
C6—C5—H5B	109.3	C6'—C5'—H5'2	106.4
C4—C5—H5B	109.3	C4'—C5'—H5'2	106.4
H5A—C5—H5B	107.9	H5'1—C5'—H5'2	106.4
C5—C6—C1	121.1 (10)	C5'—C6'—C1'	109.9 (12)
C5—C6—C8	113.3 (8)	C5'—C6'—C8'	117.3 (9)
C1—C6—C8	110.5 (7)	C1'—C6'—C8'	113.4 (7)
C5—C6—H6	103.2	C5'—C6'—H6'	105.0
C1—C6—H6	103.2	C1'—C6'—H6'	105.0
C8—C6—H6	103.2	C8'—C6'—H6'	105.0

C4—C7—H7A	109.5	C4'—C7'—H7'1	109.5
C4—C7—H7B	109.5	C4'—C7'—H7'2	109.5
H7A—C7—H7B	109.5	H7'1—C7'—H7'2	109.5
C4—C7—H7C	109.5	C4'—C7'—H7'3	109.5
H7A—C7—H7C	109.5	H7'1—C7'—H7'3	109.5
H7B—C7—H7C	109.5	H7'2—C7'—H7'3	109.5
C9—C8—C13	120.0	C13'—C8'—C9'	120.0
C9—C8—C6	122.9 (4)	C13'—C8'—C6'	121.7 (3)
C13—C8—C6	117.1 (4)	C9'—C8'—C6'	118.3 (3)
C8—C9—C10	120.0	C10'—C9'—C8'	120.0
C8—C9—H9	120.0	C10'—C9'—H9'	120.0
C10—C9—H9	120.0	C8'—C9'—H9'	120.0
C9—C10—C11	120.0	C11'—C10'—C9'	120.0
C9—C10—C11	115.3 (3)	C11'—C10'—C11'	115.5 (4)
C11—C10—C11	124.6 (3)	C9'—C10'—C11'	124.4 (4)
C12—C11—C10	120.0	C10'—C11'—C12'	120.0
C12—C11—H11	120.0	C10'—C11'—H11'	120.0
C10—C11—H11	120.0	C12'—C11'—H11'	120.0
C11—C12—C13	120.0	C13'—C12'—C11'	120.0
C11—C12—H12	120.0	C13'—C12'—H12'	120.0
C13—C12—H12	120.0	C11'—C12'—H12'	120.0
C12—C13—C8	120.0	C12'—C13'—C8'	120.0
C12—C13—H13	120.0	C12'—C13'—H13'	120.0
C8—C13—H13	120.0	C8'—C13'—H13'	120.0
O1—N1—C2—C3	-177.7 (17)	O1'—N1'—C2'—C3'	177 (2)
O1—N1—C2—C1	7 (3)	O1'—N1'—C2'—C1'	-13 (4)
C6—C1—C2—N1	149 (2)	C6'—C1'—C2'—N1'	-140 (2)
C6—C1—C2—C3	-27 (2)	C6'—C1'—C2'—C3'	30 (3)
N1—C2—C3—C4	-171.4 (18)	N1'—C2'—C3'—C4'	172 (2)
C1—C2—C3—C4	5 (3)	C1'—C2'—C3'—C4'	2 (3)
C2—C3—C4—C7	-176.5 (15)	C2'—C3'—C4'—C7'	171.5 (18)
C2—C3—C4—C5	10 (3)	C2'—C3'—C4'—C5'	-16 (3)
C3—C4—C5—C6	0 (3)	C3'—C4'—C5'—C6'	-2 (4)
C7—C4—C5—C6	-174.3 (14)	C7'—C4'—C5'—C6'	170.0 (19)
C4—C5—C6—C1	-25 (3)	C4'—C5'—C6'—C1'	32 (3)
C4—C5—C6—C8	-159.4 (14)	C4'—C5'—C6'—C8'	163 (2)
C2—C1—C6—C5	38 (2)	C2'—C1'—C6'—C5'	-43 (2)
C2—C1—C6—C8	174.1 (12)	C2'—C1'—C6'—C8'	-176.8 (15)
C5—C6—C8—C9	-108.1 (13)	C5'—C6'—C8'—C13'	111.6 (16)
C1—C6—C8—C9	112.4 (10)	C1'—C6'—C8'—C13'	-118.5 (12)
C5—C6—C8—C13	71.8 (13)	C5'—C6'—C8'—C9'	-70.0 (16)
C1—C6—C8—C13	-67.7 (10)	C1'—C6'—C8'—C9'	59.9 (12)
C13—C8—C9—C10	0.0	C13'—C8'—C9'—C10'	0.0
C6—C8—C9—C10	179.9 (3)	C6'—C8'—C9'—C10'	-178.4 (4)
C8—C9—C10—C11	0.0	C8'—C9'—C10'—C11'	0.0
C8—C9—C10—C11	-177.8 (5)	C8'—C9'—C10'—C11'	175.1 (6)
C9—C10—C11—C12	0.0	C9'—C10'—C11'—C12'	0.0
C11—C10—C11—C12	177.6 (6)	C11'—C10'—C11'—C12'	-175.5 (6)

supplementary materials

C10—C11—C12—C13	0.0	C10'—C11'—C12'—C13'	0.0
C11—C12—C13—C8	0.0	C11'—C12'—C13'—C8'	0.0
C9—C8—C13—C12	0.0	C9'—C8'—C13'—C12'	0.0
C6—C8—C13—C12	-179.9 (3)	C6'—C8'—C13'—C12'	178.4 (4)
