

2-Methyl-2-(2-pyridyl)hexahydro-pyrimidine

Saud Al-Resayes

Department of Chemistry, King Saud University, PO Box 2455, Riyadh 11451, Saudi Arabia

Correspondence e-mail: sresayes@ksu.edu.sa


Received 29 June 2009; accepted 4 July 2009

Key indicators: single-crystal X-ray study; $T = 294\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$; R factor = 0.044; wR factor = 0.115; data-to-parameter ratio = 10.3.

In the aminal-type title compound, $\text{C}_{10}\text{H}_{15}\text{N}_3$, the six-membered hexahdropyrimidine ring adopts a chair conformation and the N atoms are pyramidally coordinated. One of the two amido $-\text{NH}$ units engages in intermolecular hydrogen bonding with the pyridyl N atom, generating a helical chain running along the b axis of the orthorhombic unit cell.

Related literature

The title compound is used in Fe(II) spin-crossover materials; see: Bréfuel *et al.* (2007).



Experimental

Crystal data

 $\text{C}_{10}\text{H}_{15}\text{N}_3$
 $M_r = 177.25$ Orthorhombic, $P2_12_12_1$
 $a = 8.4070 (17)\text{ \AA}$ $b = 10.371 (2)\text{ \AA}$
 $c = 11.363 (2)\text{ \AA}$
 $V = 990.7 (3)\text{ \AA}^3$
 $Z = 4$ Mo $K\alpha$ radiation
 $\mu = 0.07\text{ mm}^{-1}$
 $T = 294\text{ K}$
 $0.35 \times 0.15 \times 0.15\text{ mm}$

Data collection

Rigaku R-AXIS RAPID
diffractometer
Absorption correction: multi-scan
(*CrystalClear*; Rigaku/MSC,
2007)
 $T_{\min} = 0.97$, $T_{\max} = 0.99$ 8017 measured reflections
1324 independent reflections
1206 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.022$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.044$
 $wR(F^2) = 0.115$
 $S = 1.01$
1324 reflections
128 parametersH atoms treated by a mixture of
independent and constrained
refinement
 $\Delta\rho_{\max} = 0.20\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.34\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|--|--------------|--------------------|-------------|----------------------|
| N2—H2A \cdots N1 ⁱ | 0.89 (3) | 2.31 (3) | 3.188 (2) | 168 (2) |
| Symmetry code: (i) $-x, y + \frac{1}{2}, -z + \frac{1}{2}$ | | | | |

Data collection: *CrystalClear* (Rigaku/MSC, 2007); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND* (Brandenburg, 2006) and *PLUTO* (Motherwell *et al.*, 1999); software used to prepare material for publication: *publCIF* (Westrip, 2009).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: NG2608).

References

- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
Bréfuel, N., Shova, S. & Tuchagues, J.-P. (2007). *Eur. J. Inorg. Chem.* pp. 4326–4334.
Motherwell, W. D. S., Shields, G. P. & Allen, F. H. (1999). *Acta Cryst. B55*, 1044–1056.
Rigaku/MSC (2007). *CrystalClear*. Rigaku/MSC, The Woodlands, Texas, USA.
Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
Westrip, S. P. (2009). *publCIF*. In preparation.

supplementary materials

Acta Cryst. (2009). E65, o1874 [doi:10.1107/S1600536809025963]

2-Methyl-2-(2-pyridyl)hexahydropyrimidine

S. Al-Resayes

Comment

The title compound was known as precursor for syntheses of umsymmetrical tetradentate Schiff base ligands that form bistable Fe(II) spin crossover materials (Bréfuel *et al.* 2007).

The molecular packing of the title compound is supported by N—H···N intermolecular hydrogen bondings at H···A distance of 2.31 (3) and D—H···A angle of 168 (2) $^{\circ}$ and calculated with Pluto (Motherwell *et al.*, 1999), see Figure 2.

Experimental

1,3-Propane diamine (1 g, 0.013 mmol) was mixed with 1-(2-pyridinyl)-1-ethanone (1.635 g, 0.013 mmol) in 30 ml ethanol. The mixture was stirred under reflux for 5 h. The solution was concentrated under reduced pressure and the product was precipitated by addition of 30 ml of cool distilled water. Product was filtered off and washed three times with 15 ml of distilled water then dried under vacuum. Crude product was recrystallized from ethanol and allowed to stand at room temperature. Crystals were collected after 2 weeks.

Refinement

Hydrogen atoms were refined isotropically and were constrained to the ideal geometry using an appropriate riding model with $U_{\text{iso}}(\text{H})$ fixed at 1.2 times U_{eq} of the pivot atom. The —NH hydrogen atoms was located from difference Fourier map and refined isotropically without constraints. 949 Friedel-pair reflections were merged for a weak anomalous scatterer structure.

Figures




Fig. 1. Perspective drawings of the title compound showing the atom-numbering scheme. The atomic displacement ellipsoids are shown at the 50% probability level. Hydrogen atoms are drawn as spheres of arbitrary radius.




Fig. 2. N—H···N intermolecular hydrogen bonding pattern of the title compound with hydrogen bonding shown as broken lines. Symmetry code: $-x, y + 1/2, -z + 1/2$.

supplementary materials

2-Methyl-2-(2-pyridyl)hexahdropyrimidine

Crystal data

| | |
|---|--|
| C ₁₀ H ₁₅ N ₃ | $F_{000} = 384$ |
| $M_r = 177.25$ | $D_x = 1.188 \text{ Mg m}^{-3}$ |
| Orthorhombic, P2 ₁ 2 ₁ 2 ₁ | Mo K α radiation, $\lambda = 0.71073 \text{ \AA}$ |
| Hall symbol: P 2ac 2ab | Cell parameters from 7168 reflections |
| $a = 8.4070 (17) \text{ \AA}$ | $\theta = 3.0\text{--}27.5^\circ$ |
| $b = 10.371 (2) \text{ \AA}$ | $\mu = 0.07 \text{ mm}^{-1}$ |
| $c = 11.363 (2) \text{ \AA}$ | $T = 294 \text{ K}$ |
| $V = 990.7 (3) \text{ \AA}^3$ | Plate, yellow |
| $Z = 4$ | $0.35 \times 0.15 \times 0.15 \text{ mm}$ |

Data collection

| | |
|--|--|
| Rigaku R-AXIS RAPID diffractometer | 1324 independent reflections |
| Radiation source: fine-focus sealed tube | 1206 reflections with $I > 2\sigma(I)$ |
| Monochromator: graphite | $R_{\text{int}} = 0.022$ |
| $T = 294 \text{ K}$ | $\theta_{\text{max}} = 27.5^\circ$ |
| ω scans | $\theta_{\text{min}} = 3.0^\circ$ |
| Absorption correction: multi-scan (CrystalClear; Rigaku/MSC, 2007) | $h = -10 \rightarrow 10$ |
| $T_{\text{min}} = 0.97$, $T_{\text{max}} = 0.99$ | $k = -13 \rightarrow 12$ |
| 8017 measured reflections | $l = -13 \rightarrow 14$ |

Refinement

| | |
|--|---|
| Refinement on F^2 | Secondary atom site location: difference Fourier map |
| Least-squares matrix: full | Hydrogen site location: inferred from neighbouring sites |
| $R[F^2 > 2\sigma(F^2)] = 0.044$ | H atoms treated by a mixture of independent and constrained refinement |
| $wR(F^2) = 0.115$ | $w = 1/[\sigma^2(F_o^2) + (0.0907P)^2 + 0.0352P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| $S = 1.01$ | $(\Delta/\sigma)_{\text{max}} < 0.001$ |
| 1324 reflections | $\Delta\rho_{\text{max}} = 0.20 \text{ e \AA}^{-3}$ |
| 128 parameters | $\Delta\rho_{\text{min}} = -0.34 \text{ e \AA}^{-3}$ |
| Primary atom site location: structure-invariant direct methods | Extinction correction: none |

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations

between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|------|---------------|--------------|---------------|----------------------------------|
| N1 | 0.20810 (17) | 0.34068 (14) | 0.21846 (15) | 0.0473 (4) |
| C1 | 0.3442 (2) | 0.27459 (18) | 0.2066 (2) | 0.0562 (5) |
| H1 | 0.3416 | 0.1859 | 0.2183 | 0.067* |
| N2 | 0.05820 (18) | 0.66511 (13) | 0.16234 (14) | 0.0475 (3) |
| H2A | -0.026 (3) | 0.711 (2) | 0.187 (2) | 0.063 (6)* |
| C2 | 0.4872 (2) | 0.3304 (2) | 0.17791 (18) | 0.0553 (5) |
| H2 | 0.5789 | 0.2809 | 0.1707 | 0.066* |
| N3 | -0.08570 (15) | 0.46514 (15) | 0.18351 (14) | 0.0436 (3) |
| H3A | -0.087 (3) | 0.391 (2) | 0.221 (2) | 0.063 (6)* |
| C3 | 0.49114 (19) | 0.4615 (2) | 0.16021 (17) | 0.0518 (4) |
| H3 | 0.5861 | 0.5025 | 0.1410 | 0.062* |
| C4 | 0.35197 (19) | 0.53176 (17) | 0.17129 (16) | 0.0445 (4) |
| H4 | 0.3523 | 0.6205 | 0.1599 | 0.053* |
| C5 | 0.21182 (17) | 0.46810 (14) | 0.19969 (13) | 0.0364 (3) |
| C6 | 0.05402 (18) | 0.53948 (14) | 0.22108 (14) | 0.0385 (3) |
| C7 | 0.0394 (3) | 0.5618 (2) | 0.35388 (16) | 0.0574 (5) |
| H7A | 0.1299 | 0.6097 | 0.3812 | 0.086* |
| H7B | 0.0352 | 0.4802 | 0.3936 | 0.086* |
| H7C | -0.0560 | 0.6095 | 0.3701 | 0.086* |
| C8 | -0.0901 (2) | 0.44394 (19) | 0.05613 (18) | 0.0536 (4) |
| H8A | -0.1817 | 0.3918 | 0.0356 | 0.064* |
| H8B | 0.0051 | 0.3987 | 0.0311 | 0.064* |
| C9 | -0.1001 (3) | 0.5740 (2) | -0.00463 (18) | 0.0630 (5) |
| H9A | -0.0978 | 0.5624 | -0.0893 | 0.076* |
| H9B | -0.1990 | 0.6164 | 0.0161 | 0.076* |
| C10 | 0.0403 (2) | 0.6562 (2) | 0.03398 (18) | 0.0574 (5) |
| H10A | 0.1370 | 0.6202 | 0.0009 | 0.069* |
| H10B | 0.0274 | 0.7424 | 0.0022 | 0.069* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|----|-------------|-------------|-------------|-------------|------------|-------------|
| N1 | 0.0406 (7) | 0.0382 (6) | 0.0631 (9) | 0.0007 (6) | 0.0038 (7) | 0.0057 (6) |
| C1 | 0.0532 (10) | 0.0419 (8) | 0.0737 (12) | 0.0105 (8) | 0.0012 (9) | 0.0040 (9) |
| N2 | 0.0480 (7) | 0.0342 (6) | 0.0602 (8) | 0.0046 (6) | 0.0084 (7) | 0.0023 (6) |
| C2 | 0.0406 (8) | 0.0658 (11) | 0.0594 (10) | 0.0145 (8) | 0.0010 (7) | -0.0043 (9) |
| N3 | 0.0321 (6) | 0.0439 (7) | 0.0549 (8) | -0.0012 (5) | 0.0053 (5) | 0.0062 (7) |

supplementary materials

| | | | | | | |
|-----|-------------|-------------|-------------|-------------|-------------|-------------|
| C3 | 0.0340 (7) | 0.0649 (10) | 0.0564 (9) | -0.0048 (7) | 0.0033 (7) | -0.0035 (9) |
| C4 | 0.0388 (7) | 0.0425 (7) | 0.0522 (9) | -0.0059 (6) | 0.0040 (6) | -0.0022 (7) |
| C5 | 0.0340 (7) | 0.0353 (7) | 0.0400 (7) | -0.0006 (6) | 0.0011 (6) | -0.0017 (6) |
| C6 | 0.0371 (7) | 0.0359 (7) | 0.0427 (7) | 0.0006 (6) | 0.0067 (6) | 0.0007 (6) |
| C7 | 0.0614 (11) | 0.0643 (11) | 0.0466 (9) | 0.0089 (9) | 0.0088 (8) | -0.0057 (8) |
| C8 | 0.0415 (8) | 0.0590 (10) | 0.0603 (10) | -0.0022 (8) | -0.0019 (7) | -0.0084 (8) |
| C9 | 0.0568 (11) | 0.0812 (13) | 0.0509 (10) | 0.0073 (10) | -0.0036 (8) | 0.0088 (10) |
| C10 | 0.0591 (10) | 0.0551 (9) | 0.0579 (10) | 0.0062 (9) | 0.0097 (9) | 0.0181 (9) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|------------|-------------|-------------|-------------|
| N1—C1 | 1.340 (2) | C4—H4 | 0.9300 |
| N1—C5 | 1.339 (2) | C5—C6 | 1.539 (2) |
| C1—C2 | 1.374 (3) | C6—C7 | 1.532 (2) |
| C1—H1 | 0.9300 | C7—H7A | 0.9600 |
| N2—C10 | 1.469 (3) | C7—H7B | 0.9600 |
| N2—C6 | 1.464 (2) | C7—H7C | 0.9600 |
| N2—H2A | 0.89 (3) | C8—C9 | 1.517 (3) |
| C2—C3 | 1.375 (3) | C8—H8A | 0.9700 |
| C2—H2 | 0.9300 | C8—H8B | 0.9700 |
| N3—C6 | 1.468 (2) | C9—C10 | 1.521 (3) |
| N3—C8 | 1.464 (3) | C9—H9A | 0.9700 |
| N3—H3A | 0.88 (3) | C9—H9B | 0.9700 |
| C3—C4 | 1.384 (2) | C10—H10A | 0.9700 |
| C3—H3 | 0.9300 | C10—H10B | 0.9700 |
| C4—C5 | 1.389 (2) | | |
| C1—N1—C5 | 117.95 (14) | N2—C6—C5 | 109.60 (12) |
| N1—C1—C2 | 123.75 (16) | C7—C6—C5 | 107.30 (14) |
| N1—C1—H1 | 118.1 | C6—C7—H7A | 109.5 |
| C2—C1—H1 | 118.1 | C6—C7—H7B | 109.5 |
| C10—N2—C6 | 113.21 (14) | H7A—C7—H7B | 109.5 |
| C10—N2—H2A | 105.3 (17) | C6—C7—H7C | 109.5 |
| C6—N2—H2A | 108.1 (16) | H7A—C7—H7C | 109.5 |
| C3—C2—C1 | 118.18 (16) | H7B—C7—H7C | 109.5 |
| C3—C2—H2 | 120.9 | N3—C8—C9 | 108.52 (16) |
| C1—C2—H2 | 120.9 | N3—C8—H8A | 110.0 |
| C6—N3—C8 | 112.72 (13) | C9—C8—H8A | 110.0 |
| C6—N3—H3A | 109.1 (16) | N3—C8—H8B | 110.0 |
| C8—N3—H3A | 110.1 (16) | C9—C8—H8B | 110.0 |
| C2—C3—C4 | 119.15 (16) | H8A—C8—H8B | 108.4 |
| C2—C3—H3 | 120.4 | C10—C9—C8 | 108.91 (16) |
| C4—C3—H3 | 120.4 | C10—C9—H9A | 109.9 |
| C5—C4—C3 | 119.22 (16) | C8—C9—H9A | 109.9 |
| C5—C4—H4 | 120.4 | C10—C9—H9B | 109.9 |
| C3—C4—H4 | 120.4 | C8—C9—H9B | 109.9 |
| N1—C5—C4 | 121.74 (15) | H9A—C9—H9B | 108.3 |
| N1—C5—C6 | 115.44 (13) | N2—C10—C9 | 113.65 (16) |
| C4—C5—C6 | 122.65 (13) | N2—C10—H10A | 108.8 |
| N3—C6—N2 | 110.72 (13) | C9—C10—H10A | 108.8 |

supplementary materials

| | | | |
|----------|-------------|---------------|-------|
| N3—C6—C7 | 107.56 (13) | N2—C10—H10B | 108.8 |
| N2—C6—C7 | 108.46 (14) | C9—C10—H10B | 108.8 |
| N3—C6—C5 | 113.03 (12) | H10A—C10—H10B | 107.7 |

Hydrogen-bond geometry (\AA , $^\circ$)

| $D\text{—H}\cdots A$ | $D\text{—H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D\text{—H}\cdots A$ |
|---------------------------------|--------------|--------------------|-------------|----------------------|
| N2—H2A \cdots N1 ⁱ | 0.89 (3) | 2.31 (3) | 3.188 (2) | 168 (2) |

Symmetry codes: (i) $-x, y+1/2, -z+1/2$.

supplementary materials

Fig. 1




Fig. 2

