

CORRECTION

Correction: Automatic emphysema detection using weakly labeled HRCT lung images

Isabel Pino Peña, Veronika Cheplygina, Sofia Paschaloudi, Morten Vuust, Jesper Carl, Ulla Møller Weinreich, Lasse Riis Østergaard, Marleen de Bruijne

The last six authors, Sofia Paschaloudi, Morten Vuust, Jesper Carl, Ulla Møller Weinreich, Lasse Riis Østergaard, and Marleen de Bruijne, should not have been attributed equal contribution to this work.

Reference

1. Pino Peña I, Cheplygina V, Paschaloudi S, Vuust M, Carl J, Weinreich UM, et al. (2018) Automatic emphysema detection using weakly labeled HRCT lung images. PLoS ONE 13(10): e0205397. <https://doi.org/10.1371/journal.pone.0205397> PMID: 30321206



OPEN ACCESS

Citation: Pino Peña I, Cheplygina V, Paschaloudi S, Vuust M, Carl J, Weinreich UM, et al. (2019) Correction: Automatic emphysema detection using weakly labeled HRCT lung images. PLoS ONE 14(8): e0220873. <https://doi.org/10.1371/journal.pone.0220873>

Published: August 1, 2019

Copyright: © 2019 Pino Peña et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.