ELSEVIER

Contents lists available at ScienceDirect

American Journal of Preventive Cardiology

journal homepage: www.journals.elsevier.com/american-journal-of-preventive-cardiology

ASPC President's Message

The role of the preventive cardiologist in addressing climate change





ARTICLE INFO

Keywords Atherosclerotic cardiovascular disease Climate change Prevention Pollution

As I begin my term as the President of the American Society for Preventive Cardiology, I wished to reflect on the important impact that climate change is having on cardiovascular health calling for greater awareness of this issue in the preventive cardiology community. Climate change has altered our Earth and its impact on human health has become increasing concerning, particularly for cardiovascular health. As the American Society for Preventive Cardiology (ASPC) is recognized as leading the charge in cardiovascular disease prevention, we can no longer discuss this without addressing the effect climate change and pollution is having on cardiovascular health. In the past decade, we observed a 1.5 °Celsius elevation in the global mean surface temperature, which is significantly higher than any prior time period when compared with the pre-industrial period [1]. Rising temperatures, extreme weather, increases in greenhouse gasses (GHG) and rising sea levels are threating human lives and dramatically impacting cardiovascular health.

Historically, physicians have quickly mobilized and addressed global threats to human health. Inexplicably, there has not been the same response to climate change, despite its unprecedented global impact on health. The United Nations Intergovernmental Panel on Climate Change (IPCC) report from 2021 noted unprecedented changes in the Earth's climate in every region, and stated that there was "discernable human influence on the global climate" and noted that how we respond in the next few years will determine how hot the earth gets, and how much it will stress all forms of life [2]. Unfortunately, some changes that have occurred because of climate change -such as rising sea levels- have found to already be irreversible [2].

Within the United States (US), the persons affected disproportionately by climate change and pollution are those already at the highest risk for cardiovascular disease [3]. Maps that demonstrate areas of higher risk of cardiovascular mortality in the US can be easily superimposed on maps of high concentrations of particulate matter, which are also superimposable on maps of the highest social deprivation index [3]. This is relatively unsurprising, given that neighborhood zoning in the US dates back to dates the Home Owners' Loan Corporation (HOLC) in the 1930s, which created maps of US cities based on racial composition, housing and neighborhood environments as a rating metric [4]. This resulted in discriminatory practices and racial segregation, and although it was outlawed in the 1960s, it created structures that have resulted in further widening health inequities, including harmful environmental exposures based on neighborhood [4]. The lowest HOLC grade given was a "D" and D neighborhoods were labelled as "red (hazardous) zones" based on investment risk for banks, but came to be known as historical redlining [4]. Results from the Multi-Ethnic Study of Atherosclerosis found an association of poorer cardiovascular health for Black adults who lived in historically redlined areas in the six enrolling cities, when compared with those living in the best neighborhoods [5]. Similarly, the Center for Disease Control and Prevention PLACES database has demonstrated the persistent association of redlined neighborhoods and cardiometabolic disease and cardiovascular risk factors [6].

Climate change is evident by both rising temperatures on Earth, extreme weather events, increased GHG and rising sea levels. The effect of climate change on human cardiovascular health is exerted both directly and indirectly [7]. Some of the direct effects are seen as a result of change in temperature and precipitation. The continued temperature rise, along with heat waves that are occurring in greater frequency, intensity and duration, are resulting in heat-related premature mortality or morbidity and quite frequently present as ischemic heart disease or stroke [7]. Extreme temperatures- heat or cold- are associated with cardiovascular mortality, with a U-shaped association of temperature and mortality from coronary artery disease [8]. Rising air pollution, worsened by an increase in wildfires, increased the risk for cardiovascular disease. Indirectly, heat and extreme weather will affect food and water availability, vector ecology, home stability, and will disproportionately affects those with the poorest social determinants of health [9]. Globally, nine million deaths annually are attributed just to GHG alone, with 62% of them due to cardiovascular disease, and although the World Health Organization recommends a mean annual air pollution level of 10 µg per cubic meter or less, 91% of the world's population currently lives in places that exceeds this threshold [10]. This makes air pollution

https://doi.org/10.1016/j.ajpc.2022.100375

Received 12 August 2022; Accepted 19 August 2022 Available online 23 August 2022

2666-6677/© 2022 The Author. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

the fourth leading cause of death, with ambient air pollution continuing to rise [10]. In high income countries, air pollution plays less of a role in cardiovascular disease than in the past, due to laws, regulations, and new technology that has reduced pollution significantly. For example, in the US, the passage of The Clean Air Act in 1970 resulted in a dramatic fall in air pollution [11]. Nonetheless, in much of the developing world, air pollution is worsening and eve short term variations in particulate matter increase the risk of myocardial infarction, stroke and cardiovascular deaths [12].

There have been extensive reviews explaining the mechanisms by which climate change, pollution, extreme weather, and toxin pollutants affect cardiovascular risk factors and cardiovascular health [9,12]. Although reviewing their mechanisms is beyond the scope of this brief commentary, pollutants may cause inflammation and are associated with oxidative stress, resulting in altered vascular tone, autonomic tone, and endocrine dysfunction [13,14]. There is a noted elevated risk of hypertension, insulin resistance, and diabetes, resulting in an increased risk of cardiovascular disease [9,13,14].

For the preventive cardiology community, we must raise the alarm regarding climate change immediately and demand actionable solutions to this crisis. We must take on this risk factor with an urgency that must exceed our prior response to any other global epidemic if we are going to be able to offset the impact of climate change on cardiovascular disease American Journal of Preventive Cardiology 11 (2022) 100375

(Fig. 1) First, we must understand climate change and its impact on cardiovascular health. Second, assessment of climate change must become a core component of any cardiovascular prevention program. Individual assessment and providing recommendations for modifying exposure must be part of patient care. Helping our patients understand the effect of what we eat- not just on the cardiovascular system but also the environment- is an important part of patient education. Lastly, climate change is a modifiable risk factor, but it can only be modified on a population level if we can affect public policy, hence the need for a public health and policy intervention. Given the threat to global health, the cardiovascular prevention community must be the voice for action and change.

Additionally, we must look for solutions to climate change within our hospital systems, the places we are most likely to have the greatest influence. The healthcare sector is responsible for one-tenth of the GHG emissions in the US, which is much greater than the global estimate of 4.6% [15]. Our hospitals directly contribute through direct emissions from our healthcare facilities (including anesthetic gasses and combustion), in addition to indirect emissions from our high energy consumption in forms of gas and fossil fuels. Nonetheless, the greatest contribution of healthcare emissions come from the products and pharmaceuticals used in our hospital systems, each with their own carbon footprint. What we purchase and how we deal with waste

Patients

Assess patient risk & exposure to climate change & pollution
Individual risk assessment and modification: Air Quality Index
Advise on Patient Food Choices: local food, less meat, less processed foods with information of impact on climate change
Advocate for stabilized population, promote access to birth control



Healthcare Systems

• Place climate change on agenda

- •Informed colleagues on climate change and effect on cardiovascular health
- Hospital Choices: Reusable products, compostable for unavoidable disposals, assessment of carbon footprint of supplies

•Use of low carbon footprint pharmaceutics

- •Improve system effectiveness: eliminate unnecessary practices, invest in telehealth
- •Purchasing decisions made based on public health impact



Public Health & Policy

•Advocate for Healthcare without Harm

Inform public & government on climate change and the effect on cardiovascular health
Advocate for Change with government leaders on a local and national level
Joint Commission: Can set emission standards for health systems
Lobby to Fund the Office of Climate Change and Health Equity
Engage with Million Hearts Climate Change and Cardiovascular Disease Collaborative
Connect Environmental Health with Patient Health

Fig. 1. Actionable item for the preventive cardiology community on climate change.

produced within a hospital, must be recognized for their role in climate change. The healthcare system must work to achieve carbon neutrality and implement plans for greener models of care [15] (Fig. 1).

The importance of the climate on health has been recognized in the US, with President Biden having directed the Secretary of the Department of Health and Human Services (HHS) in his first week in office in 2021 to establish an Office of Climate Change and Health Equity (OCCHE) to address the impact of climate change on the health of American people (Executive Order 14,008, Section 222(d)). Nonetheless, the office has yet to receive funding [16]. Under HHS, Million Hearts®, in collaboration with OCCHE and the Environmental Protection Agency, has initiated the Climate Change and Cardiovascular Disease Collaborative (CCC) with the goal of creating a national forum for healthcare organizations to expand their knowledge about cardiovascular threats that climate change and air pollution present, and develop interventions to address these threats, especially for vulnerable populations [17]. Cardiovascular organizations like the American College of Cardiology, the American Heart Association, the European Society of Cardiology and the World Heart Federation have issued a joint statement addressing the urgency to address air pollution, and have insisted that structural actions to mitigate pollution be undertaken [18]. There is no time to wait. We cannot simply ignore the problem and address cardiovascular disease prevention by addressing only the traditional cardiovascular risk factors that we have done in the past. As stated by President Barack Obama Bar,

"We are the first generation to feel the impact of climate change and the last generation that can do something about it." [19].

Our time is now. Let's be the leaders in cardiovascular disease prevention and lead the way.

Declaration of Competing Interest

None.

Funding

None.

References

[1] Masson-Delmotte V, Zhai P, Pörtner H-O, Roberts D, Skea J, Shukla PR, Pirani A, Moufouma-Okia W, Péan C, Pidcock R, Connors S, Matthews JBR, Chen Y, Zhou X, Gomis MI, Lonnoy E, Maycock T, Tignor M, Waterfield TIPCC. 2018: summary for Policymakers. In: global Warming of 1.5°C. An ipcc special report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty. in. UK: Cambridge; 2018. p. 24.

- [2] Masson-Delmotte V, Zhai P, Pirani A, Connors SL, Péan C, Berger S, Caud N, Chen Y, Goldfarb L, Gomis MI, Huang M, Leitzell K, Lonnoy E, Matthews JBR, Maycock TK, Waterfield T, Yelekçi O, Yu R, Zhou BIPCC. 2021: Climate change 2021: the physical science basis. contribution of working group I to the sixth assessment report of the intergovernmental panel on climate change. in. UK: Cambridge; 2021.
- [3] Bevan GH, Freedman DA, Lee EK, Rajagopalan S, Al-Kindi SG. Association between ambient air pollution and county-level cardiovascular mortality in the United States by social deprivation index. Am Heart J 2021;235:125–31.
- [4] Nelson R.K., Winling L., Marciano R.Mapping inequality: redlining in New Deal America. https://dsl.richmond.edu/panorama/redlining (August 8 2022).
- [5] Mujahid MS, Gao X, Tabb LP, Morris C, Lewis TT. Historical redlining and cardiovascular health: the Multi-Ethnic Study Of Atherosclerosis. Proc Natl Acad Sci U S A 2021;118(51).
- [6] Motairek I, Lee EK, Janus S, Farkouh M, Freedman D, Wright J, Nasir K, Rajagopalan S, Al-Kindi S. Historical neighborhood redlining and contemporary cardiometabolic risk. J Am Coll Cardiol 2022;80(2):171–5.
- [7] De Blois J, Kjellstrom T, Agewall S, Ezekowitz JA, Armstrong PW, Atar D. The effects of climate change on cardiac health. Cardiology 2015;131(4):209–17.
- [8] Curriero FC, Heiner KS, Samet JM, Zeger SL, Strug L, Patz JA. Temperature and mortality in 11 cities of the eastern United States. Am J Epidemiol 2002;155(1): 80–7.
- [9] Rajagopalan S, Landrigan PJ. Pollution and the Heart. N Engl J Med 2021;385(20): 1881–92.
- [10] GBDRF Collaborators. Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet 2020;396(10258):1223–49.
- [11] Samet JM, Burke TA, Goldstein BD. The trump administration and the environment - heed the science. N Engl J Med 2017;376(12):1182–8.
- [12] Peters A, Schneider A. Cardiovascular risks of climate change. Nat Rev Cardiol 2021;18(1):1–2.
- [13] Lamas GA, Navas-Acien A, Mark DB, Lee KL. Heavy Metals, Cardiovascular Disease, and the Unexpected Benefits of Chelation Therapy. J Am Coll Cardiol 2016;67(20): 2411–8.
- [14] Nawrot TS, Thijs L, Den Hond EM, Roels HA, Staessen JA. An epidemiological reappraisal of the association between blood pressure and blood lead: a meta-analysis. J Hum Hypertens 2002;16(2):123–31.
- [15] Seervai S, Gustafsson L, Abrams MK. How the u.s. health care system contributes to climate change. Explainer. The Commonwealth Fund. 2022.
- [16] Joselow M. Federal office focused on climate change and health has zero funding. Washington Post July 29, 2022:2022.
- Hearts M.Particle pollution and heart disease. https://millionhearts.hhs.gov/aboutmillion-hearts/building-communities/particle-pollution.html (August 9 2022).
- [18] Brauer M, Casadei B, Harrington RA, Kovacs R, Sliwa K, Group WHFAPE. Taking a stand against air pollution-the impact on cardiovascular disease: a joint opinion from the world heart federation. American college of cardiology, american heart association, and the european society of cardiology, 143. Circulation; 2021. p. e800–4.
- [19] Davidson H. Climate change summit: Julie Bishop commends Australia's emission targets. The Guardian. 2014. September 23.

Martha Gulati

Cedars-Sinai Heart Institute, 127 S. San Vicente Blvd, Suite A3600, Los Angeles, CA 90048, United States

> * Corresponding author. *E-mail address:* martha.gulati@cshs.org.