


CORRECTION

# Correction: Insulin resistance enhances the mitogen-activated protein kinase signaling pathway in ovarian granulosa cells

Linghui Kong, Qien Wang, Jiewen Jin, Zou Xiang, Taoyu Chen, Shanmei Shen, Hongwei Wang, Qian Gao, Yong Wang

Fig 2D is incorrect. The authors have provided a corrected version of Fig 2 here.




**Fig 2. Mitogen-activated protein kinase (MAPK) and phosphor-p44/42 MAPK (P-MAPK) protein expression in GCs.** GCs were incubated in the absence (Con) or presence of Dex for 48 h (GD) or Dex for 48 h with PD98059 added 4 h before the end of the incubation (GDP). Relative density ratios were calculated by setting the control group value as one. Data are expressed as the mean + SEM. All data presented are representative of at least three separate experiments. \*p < 0.05, \*\*\*p < 0.001.

<https://doi.org/10.1371/journal.pone.0249806.g001>

## Reference

1. Kong L, Wang Q, Jin J, Xiang Z, Chen T, Shen S, et al. (2017) Insulin resistance enhances the mitogen-activated protein kinase signaling pathway in ovarian granulosa cells. PLoS ONE 12(11): e0188029. <https://doi.org/10.1371/journal.pone.0188029> PMID: 29125859



## OPEN ACCESS

**Citation:** Kong L, Wang Q, Jin J, Xiang Z, Chen T, Shen S, et al. (2021) Correction: Insulin resistance enhances the mitogen-activated protein kinase signaling pathway in ovarian granulosa cells. PLoS ONE 16(4): e0249806. <https://doi.org/10.1371/journal.pone.0249806>

**Published:** April 5, 2021

**Copyright:** © 2021 Kong et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.