


Thread a needle with two hands: inner countertraction using clip with rubber band facilitates difficult pancreatic cannulation during ERCP



Difficult biliary or pancreatic cannulation during endoscopic retrograde cholangiopancreatography (ERCP) is among the leading causes of failed operations [1]. Inspired by the application of traction in endoscopic treatment of early gastrointestinal tumors [2], we have developed clip-and-rubber-band traction to accomplish difficult pancreatic cannulation during ERCP (▶ **Video 1**).

An elderly woman was diagnosed with an uncinate process tumor of the pancreas by endoscopic ultrasound-guided fine-needle biopsy. To relieve the high pressure of the extremely dilated pancreatic duct, ERCP was considered to perform pancreatic duct drainage. Unfortunately, a long, rugose, and pendulous papilla with a stiff and constrictive orifice was revealed under duodenoscopy (▶ **Fig. 1 a**), resulting in the failure of conventional cannulation because the papillary orifice could not be reached or entered (▶ **Fig. 1 b**). Consequently, the clip-and-rubber-band traction technique was used to rescue the difficult ERCP. After an endo-clip holding a rubber band was anchored to the inferior border of the papillary orifice, a second endo-clip was introduced to pick up the rubber band and fix it to the opposite wall of the duodenum (▶ **Fig. 1 c**). As the papilla was completely lifted upright with the countertraction device and the papillary orifice was well exposed, the sphincterotome with a guidewire was successfully inserted into the pancreatic duct within seconds (▶ **Fig. 1 d**). After the stenosis of the pancreatic duct head was thoroughly dilated with dilating bougies, a 7-Fr × 7-cm plastic stent was smoothly placed into the pancreatic duct body with fluent drainage of pancreatic juice (▶ **Fig. 1 e**).



▶ **Fig. 1** The inner countertraction using a clip with rubber band rescued a difficult pancreatic cannulation during ERCP. **a** Duodenoscopy shows an elongated and rugose major papilla with a stiff and pendulous orifice. **b** Due to an extremely twisted and unreachable location of the papillary orifice, several attempts using conventional cannulation proved difficult and pancreatic access failed. **c** The countertraction device using clips and a rubber band was applied to straighten the folded papillary structure and expose its orifice. **d** Since the papilla orifice was pulled out and fully displayed using countertraction-assisted force, ultimately the guidewire was smoothly advanced into the pancreatic duct. **e** A pancreatic plastic stent was smoothly inserted into the body pancreatic duct after the stricture part of the head pancreatic duct was fully dilated.

Compared with the external means of traction including clip with line [2], snare [3] and forceps [4] in ERCP, internal countertraction has several remarkable advantages. It does not interfere ERCP instruments, and it is inexpensive, easily accessible, and simple and convenient to manipulate. This technique is very promising for improving the success rate of difficult biliary or pancreatic cannulation during ERCP in the future.


Endoscopy_UCTN_Code_TTT_1AR_2AK

Funding

Department of Science and Technology of Sichuan Province
<http://dx.doi.org/10.13039/501100004829>
 2021YFS0375

Competing interests

The authors declare that they have no conflict of interest.



Video 1 The clip-and-rubber-band traction rescued the difficult pancreatic duct drainage during ERCP in a patient with an uncinus process tumor.

Bibliography

Endoscopy 2023; 55: E305–E306

DOI 10.1055/a-1981-2212

ISSN 0013-726X

published online 13.12.2022

© 2022. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution-NonDerivative-NonCommercial License, permitting copying and reproduction so long as the original work is given appropriate credit. Contents may not be used for commercial purposes, or adapted, remixed, transformed or built upon. (<https://creativecommons.org/licenses/by-nc-nd/4.0/>)

Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany



ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>



Endoscopy E-Videos is an open access online section, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online. Processing charges apply (currently EUR 375), discounts and waivers acc. to HINARI are available.

This section has its own submission website at <https://mc.manuscriptcentral.com/e-videos>

The authors

Ren-yi Zhang¹*, Qiang Guo²*, Xiao Hu¹, Wei-hui Liu¹

- 1 Department of Gastroenterology and Hepatology, Sichuan Academy of Medical Sciences & Sichuan Provincial People's Hospital, School of Medicine, University of Electronic Science and Technology of China, Chengdu, Sichuan Province, China
- 2 Department of Endocrinology, the People's Hospital of Jianyang City, Jianyang, Sichuan Province, China

Corresponding author

Wei-hui Liu, MD

Department of Gastroenterology and Hepatology, Sichuan Academy of Medical Sciences & Sichuan Provincial People's Hospital, 32# W. Sec 2, 1st Ring Rd., 610072 Chengdu, Sichuan Province, China
audiliu12@163.com

References

- [1] Dumonceau J-M, Kapral C, Aabakken L et al. ERCP-related adverse events: European Society of Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy 2020; 52: 127–149. doi:10.1055/a-1075-4080
- [2] Liu W, Li Z, Wang D. Make mission impossible successful: clip-with-line traction facilitates difficult pancreatic duct cannulation in a patient with duodenal duplication. Endoscopy 2020; 52: E346–E348. doi:10.1055/a-1097-4963
- [3] Hu X, Yang Y, Liu X et al. Clip-and-snare traction facilitates difficult biliary cannulation during ERCP. Endoscopy 2020; 52: E82–E83. doi:10.1055/a-0875-3759
- [4] Gonzalez J-M, Debourdeau A, Barthet M. How to facilitate cannulation of an intradiverticular papilla: a technique with two devices in one channel using pediatric forceps. Endoscopy 2019; 51: 1095–1096. doi:10.1055/a-0919-4154

* Contributed equally to this work.