

CORRECTION

Correction: Minimal model of interictal and ictal discharges “Epileptor-2”

Anton V. Chizhov, Artyom V. Zefirov, Dmitry V. Amakhin, Elena Yu. Smirnova, Aleksey V. Zaitsev

In Fig 10 panels A and B are the wrong way around and the labels were therefore incorrect. The authors have provided a corrected version here.





Fig 10. Slow subsystem producing IDs. (A) IDs in the full Epileptor-2 model. (B) Oscillations in the reduced model based on Eqs 1', 2', 5" and 8'. The plots repeat those in Fig 4. (C, D, and E) Phase portraits of the reduced model obtained for $[K]_{bath} = 3, 6.42017, \text{ and } 8.5 \text{ mM}$, correspondingly. Note the stable node in C and the limit cycle around the unsteady focus in D.

<https://doi.org/10.1371/journal.pcbi.1007359.g001>

Reference

1. Chizhov AV, Zefirov AV, Amakhin DV, Smirnova EY, Zaitsev AV (2018) Minimal model of interictal and ictal discharges “Epileptor-2”. PLoS Comput Biol 14(5): e1006186. <https://doi.org/10.1371/journal.pcbi.1006186> PMID: 29851959



OPEN ACCESS

Citation: Chizhov AV, Zefirov AV, Amakhin DV, Smirnova EY, Zaitsev AV (2019) Correction: Minimal model of interictal and ictal discharges “Epileptor-2”. PLoS Comput Biol 15(9): e1007359. <https://doi.org/10.1371/journal.pcbi.1007359>

Published: September 12, 2019

Copyright: © 2019 Chizhov et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.