

CORRECTION

Correction: Influence of the fixation/ permeabilization step on peptide nucleic acid fluorescence *in situ* hybridization (PNA-FISH) for the detection of bacteria

Rui Rocha, Carina Almeida, Nuno F. Azevedo

In the Funding section, the reference for the funder Center of Biological Engineering is listed incorrectly. The correct reference is: UID/BIO/04469.

Reference

1. Rocha R, Almeida C, Azevedo NF (2018) Influence of the fixation/permeabilization step on peptide nucleic acid fluorescence *in situ* hybridization (PNA-FISH) for the detection of bacteria. PLoS ONE 13(5): e0196522. <https://doi.org/10.1371/journal.pone.0196522> PMID: 29851961



OPEN ACCESS

Citation: Rocha R, Almeida C, Azevedo NF (2018) Correction: Influence of the fixation/ permeabilization step on peptide nucleic acid fluorescence *in situ* hybridization (PNA-FISH) for the detection of bacteria. PLoS ONE 13(12): e0208867. <https://doi.org/10.1371/journal.pone.0208867>

Published: December 5, 2018

Copyright: © 2018 Rocha et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.