

Call for emergency action to limit global temperature increases, restore biodiversity and protect health

Lukoye Atwoli,^a Abdullah H Baqui,^b Thomas Benfield,^c Raffaella Bosurgi,^d Fiona Godlee,^e Stephen Hancocks,^f Richard Horton,^g Laurie Laybourn-Langton,^h Carlos Augusto Monteiro,ⁱ Ian Norman,^j Kirsten Patrick,^k Nigel Praities,^l Marcel GM Olde Rikkert,^m Eric J Rubin,ⁿ Peush Sahni,^o Richard Smith,^h Nicholas J Talley,^p Sue Turale^q & Damián Vázquez^r

The United Nations General Assembly in September 2021 will bring countries together at a critical time for organizing collective action to tackle the global environmental crisis. Countries will meet again at the biodiversity summit in Kunming, China, and at the climate conference (COP26) in Glasgow, United Kingdom of Great Britain and Northern Ireland. Ahead of these pivotal meetings, we, the editors of health journals worldwide, call for urgent action to keep average global temperature increases below 1.5 °C, halt the destruction of nature and protect health.

Health is already being harmed by global temperature increases and the destruction of the natural world, a state of affairs health professionals have been bringing attention to for decades.¹ The science is unequivocal; a global increase of 1.5 °C above the pre-industrial average and the continued loss of biodiversity risk catastrophic harm to health that will be impossible to reverse.^{2,3} Despite the world's necessary preoccupation with the coronavirus disease 2019 (COVID-19), we cannot wait for the pandemic to pass to rapidly reduce emissions.

Reflecting the severity of the moment, this article appears in health journals across the world. We are united in recognizing that only fundamental and equitable changes to societies will reverse our current trajectory.

The risks to health of increases above 1.5 °C are now well established.² Indeed, no temperature rise is safe. In the past 20 years, heat-related mortality among people older than 65 years has increased by more than half.⁴ Higher temperatures have brought increased dehydration and renal function loss, dermatological malignancies, tropical infections, adverse mental health outcomes, pregnancy complications, allergies, and cardiovascular and pulmonary morbidity and mortality.^{5,6} Harms disproportionately affect the most vulnerable, including children, older populations, ethnic minorities, poorer communities and those with underlying health problems.^{2,4}

Global heating is also contributing to the decline in global yield potential for major crops, falling by 1.8–5.6% since 1981; this decrease, together with the effects of extreme weather and soil depletion, is hampering efforts

to reduce undernutrition.⁴ Thriving ecosystems are essential to human health, and the widespread destruction of nature, including habitats and species, is eroding water and food security and increasing the likelihood of pandemics.^{3,7,8}

The consequences of the environmental crisis fall disproportionately on those countries and communities that have contributed least to the problem and are least able to mitigate its harms. Yet no country, no matter how wealthy, can shield itself from these effects. Allowing the consequences to fall disproportionately on the most vulnerable will breed more conflict, food insecurity, forced displacement and zoonotic disease – with severe implications for all countries and communities. As with the COVID-19 pandemic, we are globally as strong as our weakest member.

Rises above 1.5 °C increase the risk of reaching tipping points in natural systems that could lock the world into an acutely unstable state, which would critically impair our ability to mitigate harms and to prevent catastrophic, runaway environmental change.^{9,10}

^a East African Medical Journal, Nairobi, Kenya.

^b Journal of Health, Population and Nutrition, Baltimore, United States of America (USA).

^c Danish Medical Journal, Copenhagen, Denmark.

^d PLOS Medicine, Cambridge, England.

^e The BMJ, London, England.

^f British Dental Journal, London, England.

^g The Lancet, London, England.

^h UK Health Alliance on Climate Change, C/O BMJ Publishing Group, Tavistock Square, London WC1H 9JR, England.

ⁱ Revista de Saúde Pública, São Paulo, Brazil.

^j International Journal of Nursing Studies, London, England.

^k Canadian Medical Association Journal, Ottawa, Canada.

^l The Pharmaceutical Journal, London, England.

^m Dutch Journal of Medicine, Amsterdam, Netherlands.

ⁿ New England Journal of Medicine, Boston, USA.

^o National Medical Journal of India, New Delhi, India.

^p Medical Journal of Australia, Sydney, Australia.

^q International Nursing Review, Geneva, Switzerland.

^r Pan American Journal of Public Health, Washington, DC, USA.

Correspondence to Laurie Laybourn-Langton (email: laurie.laybourn@ukhealthalliance.org).

(Submitted: 23 August 2021 – Revised version received: 31 August 2021 – Accepted: 31 August 2021 – Published online: 6 September 2021)

Global targets are not enough

Encouragingly, many governments, financial institutions and businesses are setting targets to reach net-zero emissions, including targets for 2030 and the sustainable development goals' targets. The cost of renewable energy is dropping rapidly. Many countries are aiming to protect at least 30% of the world's land and oceans by 2030.¹¹

These promises are not enough. Targets are easy to set and hard to achieve. They are yet to be matched with credible short- and longer-term plans to accelerate cleaner technologies and transform societies. Emissions reduction plans do not adequately incorporate health considerations.¹² Concern is growing that temperature rises above 1.5 °C are beginning to be seen as inevitable, or even acceptable, to powerful members of the global community.¹³ Relatedly, current strategies for reducing emissions to net zero by the middle of the century implausibly assume that the world will acquire great capabilities to remove greenhouse gases from the atmosphere.^{14,15}

This insufficient action means that temperature increases are likely to be well in excess of 2 °C,¹⁶ a catastrophic outcome for health and environmental stability. Crucially, the destruction of nature does not have parity of esteem with the climate element of the crisis, and every single global target to restore biodiversity loss by 2020 was missed.¹⁷ The world faces an overall environmental crisis.¹⁸

Health professionals are united with environmental scientists, businesses and many others in rejecting that this outcome is inevitable. More can and must be done now – in Glasgow and Kunming – and in the immediate years that follow. We join health professionals worldwide who have already supported calls for rapid action.^{1,19}

Equity must be at the centre of the global response. Contributing a fair share to the global effort means that reduction commitments must account for the cumulative, historical contribution each country has made to emissions, as well as its current emissions and capacity to respond. Wealthier countries will have to cut emissions more quickly, making reductions by 2030 beyond those currently proposed^{20,21} and reach-

ing net-zero emissions before 2050. Similar targets and emergency action are needed for biodiversity loss and the wider destruction of the natural world.

To achieve these targets, governments must make fundamental changes to how our societies and economies are organized and how we live. The current strategy of encouraging markets to swap dirty for cleaner technologies is not enough. Governments must intervene to support the redesign of transport systems, cities, production and distribution of food, markets for financial investments, health systems and much more. Global coordination is needed to ensure that the rush for cleaner technologies does not come at the cost of more environmental destruction and human exploitation.

Many governments met the threat of the COVID-19 pandemic with unprecedented funding. The environmental crisis demands a similar emergency response. Huge investment will be needed, beyond what is being considered or delivered anywhere in the world. But such investments will produce huge positive health and economic outcomes. These benefits include high quality jobs, reduced air pollution, increased physical activity and improved housing and diet. Better air quality alone would realize health benefits that easily offset the global costs of emissions reductions.²²

These measures will also improve the social and economic determinants of health, the poor state of which may have made populations more vulnerable to the COVID-19 pandemic.²³ But the changes cannot be achieved through a return to damaging austerity policies or the continuation of the large inequalities of wealth and power within and between countries.

Wealthy nations need to do more

Countries that have disproportionately created the environmental crisis must do more to support low- and middle-income countries to build cleaner, healthier and more resilient societies. High-income countries must meet and go beyond their outstanding commitment to provide 100 billion United States dollars (US\$) a year, making up for any shortfall in 2020 and increasing contributions to and beyond 2025. Funding must be equally split between

mitigation and adaptation, including improving the resilience of health systems.

Financing should be through grants rather than loans, building local capabilities and truly empowering communities, and should come alongside forgiving large debts, which constrain the agency of so many low-income countries. Additional funding must be marshalled to compensate for inevitable loss and damage caused by the consequences of the environmental crisis.

As health professionals, we must do all we can to aid the transition to a sustainable, fairer, resilient and healthier world. Alongside acting to reduce the harm from the environmental crisis, we should proactively contribute to global prevention of further damage and action on the root causes of the crisis. We must hold global leaders to account and continue to educate others about the health risks of the crisis. We must join in the work to achieve environmentally sustainable health systems before 2040, recognizing that this will mean changing clinical practice. Health institutions have already divested more than US\$ 42 billion of assets from fossil fuels; others should join them.⁴

The greatest threat to global public health is the continued failure of world leaders to keep the global temperature rise below 1.5 °C and to restore nature. Urgent, society-wide changes must be made and will lead to a fairer and healthier world. We, as editors of health journals, call for governments and other leaders to act, marking 2021 as the year that the world finally changes course. ■

Acknowledgements

This paper is being published simultaneously in many international journals. Please see the full list here: <https://www.bmj.com/content/full-list-authors-and-signatories-climate-emergency-editorial-september-2021>.

Competing interests: FG serves on the executive committee for the UK Health Alliance on Climate Change and is a Trustee of the Eden Project. RS is the chair of Patients Know Best, has stock in UnitedHealth Group, has done consultancy work for Oxford Pharmagenesis and is chair of the Lancet Commission of the Value of Death.

References

- In support of a #HealthyRecovery. Letter [internet]. healthyrecovery; May 26, 2020. Available from: <https://healthyrecovery.net> [cited 2021 Aug 17].
- Global warming of 1.5°C. Special Report. Geneva: Intergovernmental Panel on Climate Change; 2020. Available from: <https://www.ipcc.ch/sr15/> [cited 2021 Aug 17].
- The global assessment report on biodiversity and ecosystem services: summary for policymakers. Bonn: Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services; 2019. Available from: https://ipbes.net/sites/default/files/2020-02/ipbes_global_assessment_report_summary_for_policymakers_en.pdf [cited 2021 Aug 17].
- Watts N, Amann M, Arnell N, Ayeb-Karlsson S, Beagley J, Belesova K, et al. The 2020 report of The Lancet Countdown on health and climate change: responding to converging crises. *Lancet*. 2021 Jan 9;397(10269):129–70. doi: [http://dx.doi.org/10.1016/S0140-6736\(20\)32290-X](http://dx.doi.org/10.1016/S0140-6736(20)32290-X) PMID: 33278353
- Rocque RJ, Beaudoin C, Ndjaboue R, Cameron L, Poirier-Bergeron L, Poulin-Rheault RA, et al. Health effects of climate change: an overview of systematic reviews. *BMJ Open*. 2021 Jun 9;11(6):e046333. doi: <http://dx.doi.org/10.1136/bmjopen-2020-046333> PMID: 34108165
- Haines A, Ebi K. The imperative for climate action to protect health. *N Engl J Med*. 2019 Jan 17;380(3):263–73. doi: <http://dx.doi.org/10.1056/NEJMra1807873> PMID: 30650330
- Preventing the next pandemic: zoonotic diseases and how to break the chain of transmission. Geneva: United Nations Environment Programme, International Livestock Research Institute; 2020. Available from: https://72d37324-5089-459c-8f70-271d19427cf2.filesusr.com/ugd/056cf4_b5b2fc067f094dd3b2250cda15c47acd.pdf [cited 2021 Aug 17].
- Special report on climate change and land. Summary for policymakers. Geneva: Intergovernmental Panel on Climate Change; 2019. Available from: <https://www.ipcc.ch/srccl/chapter/summary-for-policymakers/> [cited 2021 Aug 17].
- Lenton TM, Rockström J, Gaffney O, Rahmstorf S, Richardson K, Steffen W, et al. Climate tipping points - too risky to bet against. *Nature*. 2019 Nov;575(7784):592–5. doi: <http://dx.doi.org/10.1038/d41586-019-03595-0> PMID: 31776487
- Wunderling N, Donges JF, Kurths J, Winkelmann R. Interacting tipping elements increase risk of climate domino effects under global warming. *Earth Syst Dyn*. 2021;12(2):601–19. doi: <http://dx.doi.org/10.5194/esd-12-601-2021>
- High Ambition Coalition [internet]. High Ambition Coalition; 2021. Available from: <https://www.hacfutureandpeople.org> [cited 2021 Aug 17].
- Are national climate commitments enough to protect our health? Durban: Global Climate and Health Alliance; 2021. Available from: <https://climateandhealthalliance.org/initiatives/healthy-ndcs/ndc-scorecards/> [cited 2021 Aug 17].
- Thunberg G, Neubauer L, Charlier A, De Wever A, O'Connor S, Castro B, et al. Climate strikers: open letter to EU leaders on why their new climate law is “surrender”. London: Carbon Brief; March 3, 2020. Available from: <https://www.carbonbrief.org/climate-strikers-open-letter-to-eu-leaders-on-why-their-new-climate-law-is-surrender> [cited 2021 Aug 17].
- Fajardy M, Köberle A, MacDowell N, Fantuzzi A. BECCS deployment: a reality check. London: Grantham Institute; January, 2019. Available from: <https://www.imperial.ac.uk/media/imperial-college/grantham-institute/publications/briefing-papers/BECCS-deployment---a-reality-check.pdf> [cited 2021 Aug 17].
- Anderson K, Peters G. The trouble with negative emissions. *Science*. 2016 Oct 14;354(6309):182–3. doi: <http://dx.doi.org/10.1126/science.aah4567> PMID: 27738161
- Climate action tracker [internet]. Cologne and Berlin: Climate action tracker; 2021. Available from: <https://climateactiontracker.org> [cited 2021 Aug 17].
- Global biodiversity outlook 5. Montreal: Secretariat of the Convention on Biological Diversity; 2020. Available from: <https://www.cbd.int/gbo5> [cited 2021 Aug 17].
- Steffen W, Richardson K, Rockström J, Cornell SE, Fetzer I, Bennett EM, et al. Planetary boundaries: guiding human development on a changing planet. *Science*. 2015 Feb 13;347(6223):1259855. doi: <http://dx.doi.org/10.1126/science.1259855> PMID: 25592418
- Our calls for action. London: the UK Health Alliance; 2021. Available from: <http://www.ukhealthalliance.org/cop26/> [cited 2021 Aug 17].
- Warming projections global update [internet]. Cologne and Berlin: Climate action tracker; 2021. Available from: https://climateactiontracker.org/documents/853/CAT_2021-05-04_Briefing_Global-Update_Climate-Summit-Momentum.pdf [cited 2021 Aug 17].
- Emissions gap report 2020. Nairobi: United Nations Environment Programme; 2020. Available from: <https://www.unep.org/emissions-gap-report-2020> [cited 2021 Aug 17].
- Markandya A, Sampedro J, Smith SJ, Van Dingenen R, Pizarro-Irizar C, Arto I, et al. Health co-benefits from air pollution and mitigation costs of the Paris Agreement: a modelling study. *Lancet Planet Health*. 2018 Mar;2(3):e126–33. doi: [http://dx.doi.org/10.1016/S2542-5196\(18\)30029-9](http://dx.doi.org/10.1016/S2542-5196(18)30029-9) PMID: 29615227
- Paremoer L, Nandi S, Serag H, Baum F. Covid-19 pandemic and the social determinants of health. *BMJ*. 2021 Jan 28;372(129):n129. doi: <http://dx.doi.org/10.1136/bmj.n129> PMID: 33509801