



POSTER PRESENTATION

Open Access

# A novel HSP90 inhibitor, 17-DMAG, induces Tax down-regulation and its oral administration to ATL-model mice intervenes against the infiltration property of the ATL-like lymphocytes and provides extended survival period

Emi Ikebe<sup>1</sup>, Akira Kawaguchi<sup>2,6</sup>, Kenta Tezuka<sup>3</sup>, Shinya Taguchi<sup>1</sup>, Satoshi Hirose<sup>1</sup>, Takashi Matsumoto<sup>1</sup>, Takahiro Mitsui<sup>1</sup>, Kazuyo Senba<sup>1</sup>, Akira Nishizono<sup>1</sup>, Mitsuo Hori<sup>4</sup>, Hiroo Hasegawa<sup>5</sup>, Yasuaki Yamada<sup>5</sup>, Takaharu Ueno<sup>3</sup>, Yuetsu Tanaka<sup>6</sup>, Hirofumi Sawa<sup>7</sup>, William Hall<sup>8</sup>, Yasuaki Minami<sup>9</sup>, Kuan-Teh Jeang<sup>10</sup>, Masao Ogata<sup>11</sup>, Kazuhiro Morishita<sup>12</sup>, Hideki Hasegawa<sup>2</sup>, Jun-ichi Fujisawa<sup>3</sup>, Hidekatsu Iha<sup>1\*</sup>

From 16th International Conference on Human Retroviruses: HTLV and Related Viruses Montreal, Canada. 26-30 June 2013

In the peripheral blood leukocytes (PBL) infected with human T-cell leukemia virus type-1 (HTLV-1), which causes HTLV-1 associated diseases including adult T-cell leukemia (ATL), HTLV-1 associated myelopathy (HAM) and HTLV-1 uveitis (HU), NF- $\kappa$ B-mediated anti-apoptotic signals or inflammatory signals are constitutively activated primarily by the HTLV-1 encoded oncoprotein Tax.

Tax interacts with the I- $\kappa$ B kinase regulatory subunit, NEMO, to activate NF- $\kappa$ B, and this interaction is maintained in part by a molecular chaperone, Hsp90, and its co-chaperone Cdc37. The antibiotic geldanamycin (GA) inhibits Hsp90's ATP binding for its proper interaction with client proteins. Administration of a novel water soluble and less toxic GA derivative, 17-dimethylaminoethylamino-17-demethoxygeldanamycin hydrochloride (17-DMAG) to Tax-expressing ATL transformed cell lines, C8166 and MT4, induced significant degradation of Tax. 17-DMAG also facilitated growth arrest and cellular apoptosis to C8166 and MT4 and other ATL cell lines while this treatment has no apparent effects on normal PBLs. 17-DMAG also down-regulated Tax-mediated intracellular signals including activation of NF- $\kappa$ B, AP-1 or HTLV1-LTR in Tax-transfected HEK293 cells.

Oral administration of 17-DMAG to ATL-model mice xenografted with lymphomatous transgenic Lck-Tax cells or HTLV-1 producing tumor cells dramatically attenuated the aggressive infiltration into multiple organs, viral replication and improved survival periods. These observations identified 17-DMAG as a promising candidate for prevention of ATL progression.

#### Authors' details

<sup>1</sup>Department of Infectious Diseases, Oita University, Faculty of Medicine, Japan. <sup>2</sup>Department of Pathology, National Institute of Infectious Diseases, Japan. <sup>3</sup>Department of Microbiology, Kansai Medical University, Japan. <sup>4</sup>Department of Hematology, Ibaragi Pref. Central Hospital, Japan. <sup>5</sup>Department of Laboratory Medicine, Nagasaki University Graduate School of Biomedical Sciences, Japan. <sup>6</sup>Department of Immunology, Graduate School of Medicine University of Ryukyus, Japan. <sup>7</sup>Department of Molecular Pathobiology, Hokkaido University Research Center Zoonosis Control, Japan. <sup>8</sup>Department of Medicine and Microbiology, Centre Research Infectious Disease, Conway Institute Biomolecular Biomedical Research University, Coll. Dublin, Ireland. <sup>9</sup>Department of Biotechnology, Maebashi Institute Technology, Japan. <sup>10</sup>Laboratory and Molecular Microbiology, National Institutes of Health, USA. <sup>11</sup>Department of Hematology, Oita University, Faculty of Medicine, Japan. <sup>12</sup>Department of Medical Sciences, Faculty of Medicine, University of Miyazaki, Japan.

Published: 7 January 2014

doi:10.1186/1742-4690-11-S1-P44

**Cite this article as:** Ikebe *et al.*: A novel HSP90 inhibitor, 17-DMAG, induces Tax down-regulation and its oral administration to ATL-model mice intervenes against the infiltration property of the ATL-like lymphocytes and provides extended survival period. *Retrovirology* 2014 **11**(Suppl 1):P44.

<sup>1</sup>Department of Infectious Diseases, Oita University, Faculty of Medicine, Japan  
Full list of author information is available at the end of the article