

CORRECTION

Open Access



# Correction to: Multicenter study of lumen-apposing metal stents with or without pigtail in endoscopic ultrasound-guided biliary drainage for malignant obstruction—BAMPI TRIAL: an open-label, randomized controlled trial protocol

Albert Garcia-Sumalla<sup>1,2,3</sup>, Carme Loras<sup>4,5</sup>, Vicente Sanchiz<sup>6</sup>, Rafael Pedraza Sanz<sup>7</sup>, Enrique Vazquez-Sequeiros<sup>8</sup>, Jose Ramon Aparicio<sup>9</sup>, Carlos de la Serna-Higuera<sup>10</sup>, Daniel Luna-Rodriguez<sup>1,2,3</sup>, Xavier Andujar<sup>4</sup>, Maria Capilla<sup>6</sup>, Tatiana Barberá<sup>7</sup>, Jose Ramon Foruny-Olcina<sup>8</sup>, Belen Martinez<sup>9</sup>, Miguel Dura<sup>10</sup>, Silvia Salord<sup>11</sup>, Berta Laquente<sup>12</sup>, Cristian Tebe<sup>2,13</sup>, Sebastia Videla<sup>1,2,3,14</sup>, Manuel Perez-Miranda<sup>9</sup>, Joan B. Gornals<sup>1,2,3,5\*</sup> and On behalf of Spanish Working Group on Endoscopic Ultrasound Guided Biliary Drainage

**Correction to:** *Trials* 23, 181 (2022)

<https://doi.org/10.1186/s13063-022-06106-1>

Following the publication of the original article [1], we were notified that the below statement needed to be added to the Acknowledgements section:

'We thank CERCA Programme / Generalitat de Catalunya for institutional support'.

The original article has been corrected.

## Author details

<sup>1</sup>Endoscopy Unit, Department of Digestive Diseases, Hospital Universitari de Bellvitge, Bellvitge Biomedical Research Institute (IDIBELL), Barcelona, Catalonia, Spain. <sup>2</sup>Bellvitge Biomedical Research Institute (IDIBELL), Barcelona, Spain. <sup>3</sup>University of Barcelona, Barcelona, Spain. <sup>4</sup>Endoscopy Unit, Department of Digestive Diseases, Hospital Universitari Mútua Terrassa,

Fundació per la Recerca Mútua Terrassa, CIBERehd, Terrassa, Spain. <sup>5</sup>Health Sciences, Universitat Oberta de Catalunya, Barcelona, Spain. <sup>6</sup>Endoscopy Unit, Department of Digestive Diseases, Hospital Clínico Universitario de Valencia, Instituto de Investigación Sanitaria INCLIVA, Valencia, Spain. <sup>7</sup>Endoscopy Unit, Department of Digestive Diseases Endoscopy Unit, Hospital General Universitario de Castellón, Castelló de la Plana, Spain. <sup>8</sup>Endoscopy Unit, Gastroenterology and Hepatology Service, Hospital Ramon y Cajal, IRYCIS, Madrid, Spain. <sup>9</sup>Endoscopy Unit, Department of Digestive Diseases, Hospital General Universitario de Alicante; Instituto de Investigación Sanitaria y Biomédica de Alicante (ISABIAL), Alicante, Spain. <sup>10</sup>Endoscopy Unit, Department of Digestive Diseases, Hospital Universitario Rio Hortega, Valladolid, Spain. <sup>11</sup>Hepato-Bilio-Pancreatic Unit, Digestive Diseases Department, Hospital Universitari de Bellvitge, Bellvitge Biomedical Research Institute (IDIBELL), Barcelona, Catalonia, Spain. <sup>12</sup>Clinical Oncology Department, Hospital Duran y Reynals, Institut Oncologic de Catalunya, Barcelona, Catalonia, Spain. <sup>13</sup>Biostatistics Unit, Institut of Biomedical Research of Bellvitge, L'Hospitalet de Llobregat, Barcelona, Spain. <sup>14</sup>Clinical Research and Clinical Trial Unit (UICEC), Clinical Pharmacology Department, Hospital Universitari de Bellvitge, Catalonia, Spain.

The original article can be found online at <https://doi.org/10.1186/s13063-022-06106-1>.

\* Correspondence: [jgornals@bellvitgehospital.cat](mailto:jgornals@bellvitgehospital.cat)

<sup>1</sup>Endoscopy Unit, Department of Digestive Diseases, Hospital Universitari de Bellvitge, Bellvitge Biomedical Research Institute (IDIBELL), Barcelona, Catalonia, Spain

<sup>2</sup>Bellvitge Biomedical Research Institute (IDIBELL), Barcelona, Spain

Full list of author information is available at the end of the article

Published online: 14 March 2022

## Reference

1. Garcia-Sumalla, et al. Multicenter study of lumen-apposing metal stents with or without pigtail in endoscopic ultrasound-guided biliary drainage for malignant obstruction—BAMPI TRIAL: an open-label, randomized controlled trial protocol. *Trials*. 2022;23:181. <https://doi.org/10.1186/s13063-022-06106-1>.



© The Author(s). 2022 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.