


## CORRECTION

# Correction: Corticosteroid Use and Complications in a US Inflammatory Bowel Disease Cohort

Akbar K. Waljee, Wyndy L. Wiitala, Shail Govani, Ryan Stidham, Sameer Saini, Jason Hou, Linda A. Feagins, Nabeel Khan, Chester B. Good, Sandeep Vijnan, Peter D. R. Higgins

In [Table 1](#), the labels “Ulcerative Colitis” and “Crohn’s Disease” are swapped in the first column. Please see the corrected [Table 1](#) here.

In Supplementary Table A of [S1 Tables](#), the labels “UC” and “CD” are swapped in the first column. Please see the correct Supplementary Table A here.



---

## OPEN ACCESS

**Citation:** Waljee AK, Wiitala WL, Govani S, Stidham R, Saini S, Hou J, et al. (2018) Correction: Corticosteroid Use and Complications in a US Inflammatory Bowel Disease Cohort. PLoS ONE 13(5): e0197341. <https://doi.org/10.1371/journal.pone.0197341>

**Published:** May 9, 2018

**Copyright:** © 2018 Waljee et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

**Table 1.** Patient characteristics of no corticosteroid and all corticosteroid users among IBD Veterans.

		Total	No Corticosteroid Users (NS)	All Corticosteroid Users *	P-value
No. of Patients, N (%)		30,456 (100)	20,575 (67.6)	9,881 (32.4)	
Crohn's Disease, N (%)		10,664 (35.0)	7,126 (34.6)	3,538 (35.8)	0.045
Ulcerative Colitis, N (%)		16,429 (53.9)	11,948 (58.1)	4,481 (45.3)	<0.001
Indeterminate Colitis, N (%)		3,363 (11.0)	1,501 (7.3)	1,862 (18.8)	<0.001
Male, N (%)		28,500 (93.6)	19,389 (94.2)	9,111 (92.2)	<0.001
Age, years Mean (SD)		60.3 (15.3)	62.3 (14.5)	56.2 (16.0)	<0.001
Race, N (%)					<0.001
	Caucasian	21,010 (69.0)	13,898 (67.5)	7,112 (72.0)	
	African American	2,097 (6.9)	1,199 (5.8)	898 (9.1)	
	Other	491 (1.6)	298 (1.4)	193 (2.0)	
	Unknown or Missing	6,858 (22.5)	5,180 (25.2)	1,678 (17.0)	
Any GI Visit, N (%)		15,832 (51.9)	8,332 (40.5)	7,500 (75.9)	<0.001

\* Includes CS, IS, AS, OS

<https://doi.org/10.1371/journal.pone.0197341.t001>

## Supporting information

**S1 Tables. Supplementary results of patient characteristics and patterns of corticosteroid use.** Supplementary Table A: Patient Characteristics (N = 30,456). Supplementary Table B: Patterns of Corticosteroid user characteristics among Veteran with and without corticosteroids for IBD only.  
(DOCX)

## Reference

- Waljee AK, Wiitala WL, Govani S, Stidham R, Saini S, Hou J, et al. (2016) Corticosteroid Use and Complications in a US Inflammatory Bowel Disease Cohort. PLoS ONE 11(6): e0158017. <https://doi.org/10.1371/journal.pone.0158017> PMID: 27336296