

Supplementary file

Metagenomic evaluation, antimicrobial activities, and immune stimulation of probiotics from dietary supplements and dairy products

Piyaorn Chornchoem¹, Sarunporn Tandhavanant¹, Natnaree Saiprom¹, Anucha Preechanukul^{1,2},
Nartthawee Thongchompoo³, Insee Sensorn³, Wasun Chantratita³, Narisara Chantratita^{1,4*}

¹Department of Microbiology and Immunology, Faculty of Tropical Medicine, Mahidol University, Bangkok, Thailand

²Division of Infection and Immunity, University College London, London, UK


³Center for Medical Genomics, Faculty of Medicine Ramathibodi Hospital, Mahidol University, Bangkok, Thailand

⁴Mahidol-Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine, Mahidol University, Bangkok, Thailand


***Correspondence:** Narisara Chantratita, Department of Microbiology and Immunology, Faculty of Tropical Medicine, Mahidol University 420/6 Rajvithi Road, Bangkok 10400, Tel: +66819099772, E-mail: narisara@tropmedres.ac

This document provides information on 2 supplementary figures and 4 supplement data.

Supplementary figures



Supplementary Figure 1. Percentage of microorganisms labeled on the product (blue bar) and percentage of abundance microorganisms identified by metagenomic analysis (red bar) at the genus level.



Supplementary Figure 2. Percentage of microorganisms labeled on the product (blue bar) and percentage of abundance microorganisms identified by metagenomic analysis (red bar) at the species level.

Supplementary data

Supplementary Data 1 Composition of microorganisms labeled on the product and percentage abundance of microorganisms identified by metagenomic analysis

Supplementary Data 2 Top10 microorganism classification identified by metagenomic analysis

Supplementary Data 3 List of isolated and characterized microorganisms in this study

Supplementary Data 4 Benefit of dietary supplements and dairy products claimed by manufacturers