


Contents lists available at [ScienceDirect](https://www.sciencedirect.com)

Contemporary Clinical Trials Communications

journal homepage: www.elsevier.com/locate/conctc

Corrigendum to “Approach bias retraining to augment smoking cessation: Study protocol for a randomized controlled trial” [Contemp. Clin. Trials Commun. 14 (2019) 100340]

Jasper A.J. Smits^{a,*}, Scarlett O. Baird^a, Mike Rinck^b, David Rosenfield^c,
 Christopher G. Beevers^a, Richard A. Brown^d, Haley E. Conroy^a, Noura Alavi^a,
 Christina D. Dutcher^a, Slaton Z. Freeman^a

^a Department of Psychology, Institute for Mental Health Research, University of Texas at Austin, Austin, TX, United States

^b Behavioural Science Institute, Radboud University, Nijmegen, the Netherlands

^c Department of Psychology, Southern Methodist University, Dallas, TX, United States

^d School of Nursing, The University of Texas at Austin, Austin, TX, United States

The authors regret that errors were made in the description of the procedures in Smits et al., 2019. Specifically, the published article states that eligible participants attended a separate baseline visit prior to completing seven intervention sessions. The protocol did not include a baseline visit or a separate AAT assessment. Instead, participants

completed assessments during screening and as part of the weekly intervention visits (weeks 1–7), as well as at the post-treatment follow-up visits (weeks 9, 10, 14 and 18). The authors would like to apologize for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.conctc.2019.100340>.

* Corresponding author.

E-mail address: smits@utexas.edu (J.A.J. Smits).

<https://doi.org/10.1016/j.conctc.2022.100922>

Available online 4 May 2022

2451-8654/© 2022 The Author(s). Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).