South Asia Update

Comprehensive update on cancer scenario of Bangladesh

Syed Md Akram Hussain

Abstract

Bangladesh, at 142 million people, is the ninth most populous country in the world. There are 13 to 15 lakh cancer patients in Bangladesh, with about two lakh patients newly diagnosed with cancer each year. As an overview, lung cancer and mouth-oropharynx cancer rank as the top two prevalent cancers in males. Other types of cancers are esophagus cancer and stomach cancer. In women, cancer cervix uteri and breast cancer are most prevalent. Other cancer types, which affect women, are mouth and oropharynx cancer, lung cancer, and esophagus cancer. There are around 150 gualified clinical oncologists and 16 pediatric oncologists working in the different parts of the country. Regular cancer treatment is available in 19 hospitals and 465 hospital beds are attached as indoor or day care facilities for chemotherapy in the oncology/radiotherapy departments. There are about 15 linear accelerators, 12 Co-60 teletherapy and 12 brachytherapy units currently available. Approximately, 56 cancer chemotherapeutic agents are obtainable in Bangladesh. Research facilities are available at tertiary care centers and a few multi country collaborative research activities are ongoing. Bangladesh has a unique National Cancer Control Strategy and Plan of Action 2009-2015 formulated with the assistance of WHO with an objective to develop and implement continuum of cancer care through a comprehensive cancer control programe. Preventive measures taken to reduce the incidence of cancer include reduced tobacco smoking, change of dietary habit and reduced food adulteration, ensuring reproductive hygiene, increased physical activity, and reduced occupational hazard. Awareness buildup and media campaign are going on by organizing the general people, opinion leaders of the society, and boy and girl scout. Training of general physicians on cancer warning signs and setup of early cancer detection centers at each medical college and district levels are ongoing. Beside these, some other major cancer programs have taken place for early detection of breast, cervical and oral cancer by Bangladesh Government and NGOs such as ICDDR'B, BRAC, Ahsania Mission Cancer Hospital, BSMMU, Bangladesh Cancer Society, Ashic Foundation, Amader Gram, AK Khan Healthcare Trust, CANSUP, Oncology club etc. Piloting of cervical cancer vaccination has recently been completed. Improving the cancer scenario overnight is not an easy task but policy makers may become interested and push this agenda forward, if the huge health impact and economic loss caused by cancer become evident to them. Besides, Bangladesh has accepted reduction of cancer morbidity and mortality targets set by United Nations and World Health Organization as a part of global non-communicable disease prevention agreement.

Key words: Cancer, prevalence, facilities, prevention, cancer programme, agency, Bangladesh

Basic information on the oncology scenario, including the leading cancers, their prevalence, citing the causes of increased prevalence

Bangladesh, at 142 million people, is the 9th most populous country in the world. There are 13 to 15 lakh cancer patients in Bangladesh, with about 2 lakh patients newly diagnosed with cancer each year.^[1,2]

As an overview, lung cancer and mouth and oropharynx cancer rank as the top 2 prevalent cancers in males. Other types of cancers commonly noted include esophagus cancer, stomach cancer, lymphomas, and multiple myeloma. In women, cervix

Department of Oncology, Khwaja Yunus Ali Medical College Cancer Center, Sirajgonj, Bangladesh

Correspondence to: Prof. Syed Md Akram Hussain, E-mail: syedmdakram@gmail.com

Access this article online				
Quick Response Code:	Website: www.sajc.org			
	DOI: 10.4103/2278-330X.119901			

Table 1: Leading cancers and the prevalence in last5 years in males

v	
Cancer type	Prevalence in last 5 years (%)
Lung cancer	13.1
Lip and oral cavity cancer	11.9
Other pharynx	8.2
Colo-rectal cancer	6.5
Stomach cancer	4.7
Esophageal cancer	4.1
Non-Hodgkin lymphoma	4.7
Hodgkin lymphoma	2.2
Bladder cancer	3.4
Prostate cancer	2.3
Liver cancer	1.5
Leukemia	0.6

uteri cancer and breast cancer are most prevalent. Other cancer types which affect women are mouth and oropharynx cancer, lung cancer, and esophagus cancer.^[1] The prevalence rates of the leading cancers in both males and females are presented in Tables 1 and 2.^[3]

Causes of increased cancer prevalence *Tobacco*

Tobacco smoke contains approximately 4000 chemicals, of which at least 438 can cause cancer. Tobacco is the single most important modifiable risk factor (30%) for cancer.

Table 2: Leading cancers and the prevalence in last5 years in female

Cancer type	Prevalence in last 5 years (%)
Breast cancer	32.8
Cervical cancer	26.1
Lip and oral cavity cancer	6.5
Ovarian cancer	3.3
Colo-rectal cancer	2.7
Lung cancer	2.0
Esophageal cancer	1.9
Stomach cancer	1.8
Non-Hodgkin lymphoma	1.3
Hodgkin lymphoma	0.8
Liver cancer	0.6

Unfortunately, in Bangladesh, cigarette production has grown tremendously since 1980, and bidi production has grown even faster. A WHO study showed that 20 million people in Bangladesh use tobacco in some form, including five million women and 57,000 people die every year due to tobacco-related diseases. Smoking prevalence in Bangladesh is 41% among men aged 15 years and over. In women, it was 1.8% among those aged 15 years and over.^[4]

Sexual and reproductive factors

Sexual and reproductive factors are associated with cancer of the uterine cervix and breast. Sexual behavior factors, like young age at first sexual activity, multiple sexual partners, and poor sexual hygiene, are associated with cancer of the uterine cervix. Human Papilloma Virus (HPV) has now been identified as the etiological agent responsible for cervical cancer. HPV prevalence increases with high-risk sexual behavior and poor sexual hygiene. Late age at marriage, nulliparity, and late menopause have been linked to breast cancer.^[3]

Diet

Foods which are responsible for cancers of oral cavity, pharynx, larynx, esophagus, liver, and breast include red meat (cow, goat), sugar, artificial sweetener, tea, fried food, dried fish, preserved foods, food adulteration and soft drinks. Changing dietary patterns will lead to increased contribution of diet in cancer causation in Bangladesh.^[4] **Obesity**

Physical inactivity

Cancer-causing viral and bacterial infection

Human Papilloma virus, Hepatitis B and Hepatitis C virus, Epstein-Barr virus, Schistosoma haematobium, *Helicobacter Pylori*.

Basic facilities available in various parts of the country

Setting 1: Only basic care facilities

Only basic care and palliative oral treatment can be given in ASHIC Foundation. There are no oncology trained personnel available at the center and no specialized diagnostic facilities like histopathology, flow cytometry are available.

Setting 2: Regular cancer treatment facilities

According to International Atomic Energy Agency (IAEA),

available and not available					
Available drug	Non-available drug				
Anastrozole	Abiraterone Acetate				
Bevacizumab	Ado-Trastuzumab Emtansine				
Bleomycin	Aldesleukin				
Cabazitaxel	Alemtuzumab				
Carboplatin	Aminolevulinic Acid				
Chlorambucil	Aprepitant				
Capecitabine	Arsenic Trioxide				
Cisplatin	Asparaginase Erwinia				
-	chrysanthemi				
Cyclophosphamide	Axitinib				
Dacarbazine	Azacitidine				
Dactinomycin	Bendamustine Hydrochloride				
Daunorubicin Hydrochloride	Bexarotene				
Docetaxel	Bortezomib				
Doxorubicin Hydrochloride	Bosutinib				
Doxorubicin Hydrochloride	Brentuximab Vedotin				
Liposome					
Epirubicin Hydrochloride	Cabozantinib-S-Malate				
Erlotinib Hydrochloride	Carfilzomib				
Etoposide	Cetuximab				
Etoposide Phosphate	Clofarabine				
Everolimus	Crizotinib				
Filgrastim	Cytarabine				
Fludarabine Phosphate	Cytarabine, Liposomal				
Fluorouracil	Dasatinib				
Gefitinib	Decitabine				
Gemcitabine	Degarelix				
HPV Bivalent Vaccine,	Denileukin Diftitox				
Recombinant					
Ifosfamide	Denosumab				
Imatinib	Dexrazoxane Hydrochloride				
Irinotecan Hydrochloride	Eltrombopag Olamine				
Lapatinib	Enzalutamide				
Lapatinib Ditosylate	Eribulin Mesylate				
Lenograstim	Exemestane				
Letrozole	Fulvestrant				
Leucovorin Calcium	Gemtuzumab Ozogamicin				
Leuprolide Acetate	Glucarpidase				
Mesna	HPV Quadrivalent Vaccine,				
	Recombinant				
Methotrexate	Ibritumomab Tiuxetan				
Mitomycin C	Imiquimod				
Oxaliplatin	Ipilimumab				
Paclitaxel	Ixabepilone				
Pegfilgrastim	Lenalidomide				
Prednisone	Liposomal Cytarabine				
Procarbazine Hydrochloride	Lomustine				
Rituximab	Mechlorethamine Hydrochloride				
Sorafenib Tosylate	Nelarabine				
Sunitinib Malate	Nilotinib				

Various common oncology drugs

cont...

2 teletherapy machines and 1 brachytherapy machine are needed for 1 million population. According to this estimation Dhaka city alone needs 20 and the entire

Cont		Cont				
Available drug	Non-available drug	Nati	onal goals and objectives			
Talc	Ofatumumab	Goals	Objective			
Tamoxifen Citrate	Omacetaxine Mepesuccinate	Ensure effective	At a national level, provide a strategic			
Temozolomide	Paclitaxel Albumin-stabilized Nanoparticle Formulation	screening and early detection to reduce	approach to cancer screening, and assessment and surveillance of those			
Thalidomide	Palifermin	cancer incidence and	with familial risk, to ensure quality,			
Trastuzumab	Palonosetron Hydrochloride	mortanty	Establish a process to assess the value of			
Vinblastine Sulfate	Panitumumab		early detection of cancer other than that			
Vincristine Sulfate	Pazopanib Hydrochloride		obtained through organized screening			
Vinorelbine Tartrate	Pegaspargase	Ensure effective	Provide optimal treatment for those with			
Zoledronic Acid	Pemetrexed Disodium	diagnosis and	cancer			
	Pertuzumab	treatment of cancer	Develop defined standards for diagnosis,			
	Plerixafor	to reduce morbidity	treatment, and care for those with cancer			
	Pomalidomide	and mortality	Ensure patient-centered and integrated care			
	Ponatinib Hydrochloride		for those with cancer and their family			
	Pralatrexate	Improve the quality	Establish integrated programs of			
	Raloxifene Hydrochloride	of life for those with	defined leadership			
	Rasburicase	and through support.	Ensure all people with cancer and their			
Recombinant I Regorafenib	Recombinant Interferon Alfa-2b Regorafenib	rehabilitation, and palliative care	families are able to access the appropriate resources for support and rehabilitation			
	Romidepsin	P	that they need			
	Romiplostim		Ensure all survivors of adult, childhood			
	Ruxolitinib Phosphate		and adolescent cancer receive timely			
	Sclerosol Intrapleural Aerosol		and ongoing support and rehabilitation,			
	(Talc)		including early identification of, and			
	Sipuleucel-T		intervention in, late effects			
	Temsirolimus		Ensure that those with cancer and their family have access to high quality			
	Topotecan Hydrochloride		information treatment and care including			
	Toremifene		complementary and alternative medicine			
	Tositumomab and I 131 Iodine		Ensure optimal independence and			
	Tositumomab		function for those with cancer through			
	Vandetanib		systematic assessment and appropriate			
	Vemurafenib		multidisciplinary intervention for their			
	Vincristine Sulfate Liposome		social and vocational needs			
	Vismodegib		Continue to improve access to essential			
	Vorinostat		appropriate symptom relief and emotional			
	Ziv-Aflibercept		spiritual, cultural, and social support for			
			those with cancer and their family			
Various cancer	programs, cancer		Ensure that integrated and comprehensive			
initiatives and N	IGOs in Bangladesh ^[4]		service is provided to all those with cancer			

initiatives and NGOs in Bangladesh [4]

National goals and objectives				
Goals	Objective			
To reduce the incidence of cancer through primary	Reduce the number of people who develop cancers due to tobacco use and second-hand smoke			
prevention	Reduce the number of people developing physical inactivity and obesity-related cancers			
	Reduce the number of people developing nutrition-related cancers			
	Reduce the number of people developing skin cancer due to UV radiation exposure Reduce the number of people developing infectious disease-related cancers			
	Reduce the number of people developing alcohol-related cancers			
	Reduce the number of people developing occupation-related cancers			
	cont			

country needs around 300 Teletherapy (radiotherapy) machines respectively.

who require palliative care and their family

However, in Bangladesh there are 17 radiotherapy centers in public and private sector; only one is situated in a rural area. There are only 15 Linear Accelerators installed in the country with two installed in a rural area. 12 Cobalt- 60 machines and 12 brachytherapy machines are installed in Bangladesh [Table 3].

Bed capacity is around 500 beds all over the country which is insufficient for the current and future needs.^[4] Among these, 64 beds are for day care and remaining are in indoor facility [Table 4].

Oncologist available: There are 150 qualified oncologists. Regular cancer treatment can be made available to patients in: Hospital

National Institute of Cancer Research and Hospital, Dhaka Khwaja Yunus Ali Medical College Hospital (Rural Centre) Dhaka Medical College Hospital Oncology Department BSMMU Chittagong Medical College Hospital Mymensingh Medical College Hospital MAG Osmani Medical College Hospital, Sylhet Sher-e-Bangla Medical College Hospital, Barisal Rajshahi Medical College Hospital Rangpur Medical College Hospital Khulna Medical College Hospital Shaheed Ziaur Rahman Medical College and Hospital, Bogra Delta Oncology Center, Dhaka Ahsania Mission Cancer Hospital, Dhaka Square Hospital, Dhaka United Hospital, Dhaka Bangladesh Cancer Hospital and Welfare Home North East Medical College Hospital, Sylhet Enam Medical College Hospital, Savar

*Most of the public medical college hospitals do not have dedicated beds for cancer patients.^[4]

Setting 3

Tertiary care centers, with research facilities are available in

- Bangabandhu Sheikh Mujib Medical University
- National Institute of Cancer Research and Hospital (NICRH)
- Khwaja Yunus Ali Medical College and Hospital- KYAMC Cancer Center
- Dhaka Medical College Hospital
- Sir Salimullah Medical College Hospital
- Sher-E-Bangla Medical College Hospital, Barisal
- Chittagong Medical College Hospital
- Mymensingh Medical College Hospital
- MAG Osmani Medical College Hospital, Sylhet
- Rajshahi Medical College Hospital
- Rangpur Medical College Hospital

Transplant facility: The only bone marrow transplant facility is available in Dhaka Medical College.

Cancer programs

- Breast Cancer Identifying and Treating Project; Amader Gram an ICT4D initiative of Bangladesh.
- The Government of Bangladesh, with support from UNFPA, has taken initiatives to develop a cervical and breast cancer screening program in Bangladesh.
- International Childhood Cancer Forum: Exploration and setting priorities for an unmet need in Bangladesh.
- The Bangladesh Women Chamber of Commerce and Industry has committed to raise the awareness of cervical cancer in every woman and every child.
- CANSUP, an NGO in Chittagong, is working on breast self-examination and cervical cancer screening with technical assistance from WHO.
- Gonoshasthaya Kendra is heading towards establishing

a cancer hospital for the poor. The Government has already acquired the land, and Gonoshasthaya Kendra has started to mobilize resources and are requesting the philanthropists and donors to come forward in establishing the cancer hospital for the poor adjacent to Savar campus.

- ASHIC Foundation for childhood cancer improves the quality of life for children living with cancer in Bangladesh by providing hope, physical and emotional support, and raising public awareness for early detection, improved treatment, and social acceptance.
- Identifying and Treating Women with Advanced Breast Cancer in Bangladesh by Amader Gram.

NGOs working on cancer

ICDDRB, Ahsania Mission cancer Hospital, Bangladesh Cancer Society, AK Khan Healthcare Trust, Oncology Foundation, Oncology club, ASHIC Foundation, Amader Gram, Center for Cancer Prevention and Research, Cancer Support Society (CANSUP), BRAC, Gonoshasthaya Kendra.

The number of patients annually treated at Khwaja Yunus Ali Medical College and Hospital (KYAMC Cancer Center):

Year 2012						
Radiation th	Chemotherapy					
Teletherapy	Brachytherapy	patients				
2094	600	2507				

Separate facilities of pediatric oncology in Banglasesh:

There are 16 pediatric oncologists in Bangladesh.^[5]

Separate facilities for pediatric oncology are available in:

- Bangabandhu Sheikh Mujib Medical University
- National Institute of Cancer Research and Hospital (NICRH)
- Delta Oncology Center, Dhaka
- Square Hospital, Dhaka
- Dhaka Shishu Hospital
- Dhaka Medical College Hospital
- Sir Salimullah Medical College Hospital
- Sher-E-Bangla Medical College Hospital, Barisal
- Chittagong Medical College Hospital
- Mymensingh Medical College Hospital
- MAG Osmani Medical College Hospital, Sylhet
- Rajshahi Medical College Hospital
- Rangpur Medical College Hospital

Problems being faced in the treatment of cancer patients in Bangladesh

- Financial problem
- Late diagnosis
- Poor radiotherapy facilities

Table	3:	Radiotherapy	facilities	available	in	Bangladesh ^[4]

Hospital	Linear	C060	Deep	Brachytherapy	Simulator	Treatment
	Accelerator	Teletherapy	X-ray			planning system
National Institute of Cancer Research	3	2	0	3	1	2
and Hospital, Dhaka				Ir192/Co60/		
				Cs137		
Khwaja Yunus Ali Medical College	2	0	0	1	2	2
Hospital				Ir192		
Dhaka Medical College Hospital	1	2 (non-functional)	2	1 (non-functional)	1	1
Oncology Department BSMMU	1 (in process)	0	0	1+1 (in process)	1 (in process)	1 (in process)
Chittagong Medical College Hospital	0	1	1	0	0	0
Sher-e-Bangla Medical College Hospital,	0	1	0	0	0	0
Barisal						
Mymensingh Medical College Hospital	0	1	0	0	0	0
MAG Osmani Medical College Hospital,	0	1	0	0	0	0
Sylhet						
Rajshahi Medical College Hospital	0	1	0	0	0	0
Rangpur Medical College Hospital	0	1	0	0	0	0
Delta Oncology Center, Dhaka	1	2	0	1	2	1
Ahsania Mission Cancer Hospital, Dhaka	1 (in process)	0	0	1 (in process)	1 (in process)	1 (in process)
Square Hospital, Dhaka	1	0	0	0	1	1
United Hospital, Dhaka	1	0	0	1	1	1
Khulna Medical College	1 (in process)	0	0	0	1 (in process)	1 (in process)
Shaheed Ziaur Rahman Medical College	1	0	0	0	1	1
and Hospital, Bogra						
Enam Medical College Hospital, Savar	1 (in process)	0	0	1 (in process)	1 (in process)	1 (in process)
North East Medical College Hospital,	1 (in process)	0	0	1 (in process)	1 (in process)	1 (in process)
Sylhet	· · /			· · · /	· · /	× • /
Total	15	12	3	12	14	14

Oncosurgery=Oncosurgery is available in all cancer hospitals

Table 4: Hospital beds attached to oncology/radiotherapy departments^[4]

Name of the hospital	Day care		Indoor		Total	
	Μ	F	Μ	F		
National Institute of Cancer Research and Hospital	8	8	25	25	66	
Khwaja Yunus Ali Medical College and Hospital (Rural Centre)	5	5	24	24	58	
BSMMU Oncology Department	5	5	5	5	20	
Pediatric Hemato-Oncology Unit, Pediatric Deptt., BSMMU	0	0	14	14	28	
Uro -Oncology Unit, Urology Deptt., BSMMU	-	-	9	9	18	
Gyne-Oncology Unit, Gyne and Obstetrics Deptt., BSMMU	-	-	-	11	11	
Dhaka Medical College Hospital	0	0	11	13	24	
Rajshahi Medical College Hospital	0	0	6	4	10	
Mymensingh Medical College Hospital	0	0	10	4	14	
Sylhet Medical College Hospital	0	0	8	4	12	
Chittagong Medical College Hospital	0	0	8	4	12	
Delta Oncology Center	5	3	40	40	88	
Ahsania Mission Cancer Hospital	5	5	16	16	42	
Bangladesh Cancer Society Hospital	0	0	10	10	20	
Cancer Foundation Hospital	5	5	5	5	20	
Enam Medical College Hospital, Savar			10	10	20	
North East Medical College Hospital, Sylhet			10	10	20	
Total					465	

*Most of the public medical college hospitals do not have dedicated beds for cancer patients^[4]

- Unavailability of a complete cancer-specialized hospital
- Poor funding from government for cancer
- Lack of NGOs to tackle the problem

- Lack of cancer registries
- Low levels of awareness.

Priorities to improve the oncology scenario in Bangladesh

To improve the oncology scenario, at first goal set-up is very important as described under National Goals and Objectives.^[4]

To meet these goals, specific objectives have been established, which are given below:

- To create awareness about tobacco-related cancer and harmful effects through anti-tobacco action programs involving student volunteers, scouts, inter-sectoral personnel, medical personnel, and people at large.
- To attain Early Clinical Diagnosis (ECD) of oral, cervical, breast, and other cancers through circulation of warning signs/symptoms, screening and motivation, and expand laboratory diagnostic support through medical university/college hospitals and district level early cancer detection program and early detection center.
- To extend the therapy by introducing minimal therapy for early cancer at the periphery and comprehensive multi-disciplinary protocol-based therapy with early detection in oncology/radiotherapy departments of medical colleges and palliative care at the district level.
- To widen the coverage and reach of palliative care by providing human resource and supplying necessary drugs and equipments to district level, collaborating with NGOs for home care service.
- To improve the quality of life for cancer patients and their family through support, rehabilitation, and palliative care.
- To develop the effective delivery of services across the continuum of cancer control through effective planning, co-ordination, and integration of resources and activity, monitoring, and evaluation.
- To generate essential evidence for effective cancer control through research and surveillance.

Conclusion

Bangladesh is suffering from the double burden of both

communicable and non-communicable diseases. So, improvement of cancer scenario overnight is not very easy for a country like Bangladesh. It is very important to know the cancer burden of Bangladesh. So, it is needed to find out disability-adjusted life year (DALY), Years of Life Lost (YLL) due to premature mortality in the population and the Years Lost due to Disability (YLD) and overall health impact assessment (HIA) for cancer. Policy makers may become interested in these issues when they understand that cancer causes a huge health impact and economic loss for Bangladesh.

Acknowledgment

World Health Organization, Country Office-Bangladesh. Bangabandhu Sheikh Mujib Medical University, Dhaka, Bangladesh. National Institute of Cancer Research and Hospital, Dhaka, Bangladesh. Khwaja Yunus Ali Medical College and Hospital.

References

- 1. Uddin AK, Khan ZJ, Islam J, Mahmud AM. Cancer care scenario in Bangladesh. South Asian J Cancer 2013;2:102-4
- 2. Noronha V, Tsomo U, Jamshed A, Hai MA, Wattegama S, Baral RP, *et al.* A fresh look at oncology facts on south central Asia and SAARC countries. South Asian J Cancer 2012; 1:1-4.
- Cancer Registry Report National Institute of Cancer Research and Hospital 2005-2007. Available from: http://whobangladesh. healthrepository.org/bitstream/123456789/282/1/Publication_ Cancer_Registry_Report.pdf [Last accessed on 2013 May 03].
- National Cancer Control Strategy and Plan of Action 2009-2015. Directorate General of Health Services. Ministry of Health and Family Welfare, Bangladesh. Available from: http://www.ban.searo.who. int/LinkFiles/Publication_Cancer_Strategy.pdf. [Last accessed on 2013 May 02].
- 5. Islam A, Eden T. Brief report on pediatric oncology in Bangladesh. South Asian J Cancer 2013;2:105-6.

How to cite this article: Hussain SM. Comprehensive update on cancer scenario of Bangladesh. South Asian J Cancer 2013;2:279-84. Source of Support: Nil. Conflict of Interest: None declared.

News

Indian Cancer Congress 2013 21st to 24th November 2013 Kempinsky Ambience Hotel, New Delhi, India alongwith 35th Annual Conference of Association of Radiation Oncologists of India (AROI) 27th Annual Conference of Indian Association of Surgical Oncology (IASO) 18th Conference of Indian Society of Medical & Pediatric Oncology (ISMPO) 15th Biennial Conference of Indian Society of Oncology (ISO) Oncology Forum and 25 other organizations