

# Hyperinsulinemia and Poor Coronary Collateral Circulation in Coronary Artery Occlusion: A Novel Finding, Yet of Therapeutic Significance or Not [Letter]

Mahnoor Asif\*, Syeda Sakina Zehra , Tanzila Siddiqui

Karachi Medical and Dental College, Karachi, Pakistan

\*These authors contributed equally to this work

Correspondence: Syeda Sakina Zehra, Tel +92 3322609216, Email szehra362@gmail.com

## Dear editor

We are documenting this to express our appreciation for the recent publication of the research article entitled Hyperinsulinemia Impairs coronary collateral circulation in patients with Chronic Total Coronary Occlusion (CTO) by Zou et al.<sup>1</sup> The authors did fantastic work, and the findings of the study have important clinical relevance as they highlight the effects of hyperinsulinemia on the development of collateral blood vessels in patients with CTO.

While the introduction highlights conditions that impede collateral development, such as diabetes and metabolic syndrome, other potential confounding variables or limits that could affect the study's findings in ultimately finding the essential association of hyperinsulinemia and collateral circulation in patients with CTO would be beneficial. Addressing these limitations up front allows readers to grasp the study's potential consequences and generalizability.

The study tells us that higher fasting insulin levels are associated with poor collateral circulation, which will help us in the future in the management of patients with ischemic heart diseases.

We really appreciate the way the author has explained the relationship between hyperinsulinemia and poor collaterals; this can also be used as a prognostic factor in people with ischemic heart disease. Although further studies should be done to investigate the consideration of hyperinsulinemia as a prognostic marker. Adding on, some targeted approaches to reducing insulin levels can provide a direction towards greater therapeutic value.

The study recognises that the sample size is limited. A larger sample size would give significant statistical strength to the study.

The author correlates the two variables in a systemic way, but a potent stimulator, vascular endothelial growth factor (VEGF), is underemphasized. As insulin regulates VEGF gene expression and is an angiogenic mediator that causes vascularization in the myocardium specifically via the insulin receptor and PI3K/Akt pathway.<sup>2</sup>

The authors investigated the role of hyperinsulinemia on collateral circulation in patients with CTO. However, the available evidence demonstrates that even this type of collateral flow is insufficient to prevent additional ischemia episodes in functional CTOs, pointing to the necessity of revascularization.<sup>3</sup> Hence, in the larger context, the prognostic significance of hyperinsulinemia in saving lives is not established.

The study does not explain whether reducing insulin levels or addressing hyperinsulinemia could improve collateral flow.

The research was conducted at a single hospital, which may limit the general representation of the population. If multiple hospital patients were involved in the study, then the impacts would be of greater significance.

## Disclosure

The authors report no conflicts of interest in this communication.

## References

1. Zou X, Chen M, Sun L, Tan Q. Hyperinsulinemia impaired coronary collateral circulation in patients with chronic total coronary occlusion. *Diabetes Metab Syndr Obes.* 2023;16:1425–1433. doi:10.2147/dmso.s402849
2. He Z, Opland DM, Way KJ, et al. Regulation of vascular endothelial growth factor expression and vascularization in the myocardium by insulin receptor and PI3K/Akt pathways in insulin resistance and ischemia. *Arterioscler Thromb Vasc Biol.* 2006;26(4):787–793. doi:10.1161/01.ATV.0000209500.15801.4e
3. Werner GS, Richartz BM, Gastmann O, Ferrari M, Figulla HR. Immediate changes of collateral function after successful recanalization of chronic total coronary occlusions. *Circulation.* 2000;102(24):2959–2965. doi:10.1161/01.cir.102.24.2959

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Diabetes, Metabolic Syndrome and Obesity 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Diabetes, Metabolic Syndrome and Obesity editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Diabetes, Metabolic Syndrome and Obesity

Dovepress

**Publish your work in this journal**

Diabetes, Metabolic Syndrome and Obesity is an international, peer-reviewed open-access journal committed to the rapid publication of the latest laboratory and clinical findings in the fields of diabetes, metabolic syndrome and obesity research. Original research, review, case reports, hypothesis formation, expert opinion and commentaries are all considered for publication. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/diabetes-metabolic-syndrome-and-obesity-journal>

<https://doi.org/10.2147/DMSO.S423189>