



# Corrigendum: Muscle Twitch Kinetics Are Dependent on Muscle Group, Disease State, and Age in Duchenne Muscular Dystrophy Mouse Models

Kyra K. Peczkowski, Neha Rastogi, Jeovanna Lowe, Kyle T. Floyd, Eric J. Schultz, Tallib Karaze, Jonathan P. Davis, Jill A. Rafael-Fortney and Paul M. L. Janssen\*

Department of Physiology and Cell Biology, College of Medicine, The Ohio State University, Columbus, OH, United States

Keywords: skeletal muscle, muscular dystrophies, contraction, relaxation, age

## **OPEN ACCESS**

#### Approved by:

Frontiers Editorial Office, Frontiers Media SA, Switzerland

#### \*Correspondence:

Paul M. L. Janssen janssen.10@osu.edu

## Specialty section:

This article was submitted to Striated Muscle Physiology, a section of the journal Frontiers in Physiology

Received: 22 November 2021 Accepted: 10 December 2021 Published: 05 January 2022

#### Citation:

Peczkowski KK, Rastogi N, Lowe J, Floyd KT, Schultz EJ, Karaze T, Davis JP, Rafael-Fortney JA and Janssen PML (2022) Corrigendum: Muscle Twitch Kinetics Are Dependent on Muscle Group, Disease State, and Age in Duchenne Muscular Dystrophy Mouse Models. Front. Physiol. 12:820245. doi: 10.3389/fphys.2021.820245

### A Corrigendum on

## Muscle Twitch Kinetics Are Dependent on Muscle Group, Disease State, and Age in Duchenne Muscular Dystrophy Mouse Models

by Peczkowski, K. K., Rastogi, N., Lowe, J., Floyd, K. T., Schultz, E. J., Karaze, T., et al. (2020) Front. Physiol. 11:568909. doi: 10.3389/fphys.2020.568909

## Error in Figure/Table


In the original article, there was a mistake in **Figure 3** as published. In **Figure 3**, the C57 EDL RT50% data (**Figure 3A**, dataset 8) was erroneously duplicated from the C57 DIA RT50% data (**Figure 3A**, dataset 4). This mistake happened when we re-made our figures for the final submission. The data in the text, as well as statistics, all outcomes, and all conclusions, are all based on the correct data. The corrected **Figure 3** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

**Publisher's Note:** All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Peczkowski, Rastogi, Lowe, Floyd, Schultz, Karaze, Davis, Rafael-Fortney and Janssen. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

1



**FIGURE 3 | (A)** Time to peak and 50% relaxation of 52 week old dystrophic and wildtype muscle types. Kinetic analysis was conducted in diaphragm and EDL muscles from the same mice. Mouse models include dystrophic MDX and wildtype C57BL/10. Statistical analysis was conducted using a two-sided t-test.  $^{**}P < 0.01$  and  $^{***}P < 0.001$  compared to C57BL/10 mice. The line represents the group mean; error bars are standard error of mean. **(B)** 50% relaxation of 52 week old dystrophic and wildtype muscle types. Mouse models include dystrophic MDX and wildtype C57BL/10. Statistical analysis was conducted using a two-sided t-test.  $^{**}P < 0.01$  and  $^{***}P < 0.001$  compared to C57BL/10 mice. The line represents the group mean; error bars are standard error of mean. **(C)** Rate constants of individual diaphragm and EDL twitches. Mouse models include dystrophic MDX and wildtype C57BL/10. Statistical analysis was conducted using a two-sided t-test.  $^{**}P < 0.05$ ,  $^{**}P < 0.01$ , and  $^{**}P < 0.001$  compared to C57BL/10 mice. The line represents the group mean; error bars are standard error of mean.