

RECOLLECTION

Jian-Kang Liu: A pioneer of sex determination studies in vertebrates

Li Zhou, Jian-Fang Gui[✉]

State Key Laboratory of Freshwater Ecology and Biotechnology, Institute of Hydrobiology, Chinese Academy of Sciences, Wuhan 430072, China

✉ Correspondence: jfgui@ihb.ac.cn (J.-F. Gui)

Sixty-eight years ago, Dr. W.S. Bullough, a Fellow of the Royal Society, published an article “Hermaphroditism in the lower vertebrates” in *Nature* (Bullough, 1947) and thereby commented a significant finding in lower vertebrate sex mechanism fulfilled by a young Chinese scholar Jian-Kang Liu (刘建康, C.K. Liu) (Fig. 1). At the beginning of the article, Dr. Bullough respectfully acknowledged that: “By the publication in 1944 of a description of the gonads of *Monopterus javanensis* Lac. (Symbranchii; Teleostei) (Liu, 1944a), Liu has furnished new and interesting evidence concerning the mechanism of sex determination in the lower vertebrates, and has opened a fresh field for research into this subject” (Bullough, 1947).

Jian-Kang Liu was born in Wujiang County, Jiangsu Province in 1917. In 1938, he graduated from the Biology Department of Soochow University, and accepted an offer from Institute of Zoology and Botany of Academia Sinica and began his innovative studies on fish biology directed by famous ichthyologist Dr. Xian-Wen Wu (伍献文) (Fig. 2). At that duration of the Anti-Japanese War, the Institute was forced to move from Nanjing to Guangxi, Yangshuo, Changsha, Nanyue, and finally to arrive Chongqing in 1939. Under the difficult conditions, as a young scholar, Jian-Kang Liu studied very hard and became the first to notice an unusual phenomenon about the sexuality of rice field eel (*Monopterus javanensis*) and obtained his early most remarkable achievement when he was only 27 years old. He carefully examined the gonads of 659 specimens ranging from 5.3 to 57.6 cm in total length and revealed hermaphroditism and sex reversal in the lower vertebrate (Liu, 1944a). After the paper was published, Dr. Bullough introduced the interesting findings in his lecture at Utrecht University in Netherlands and commented its scientific significance in *Nature* (Bullough, 1947). At the same time, Jian-Kang Liu also paid his attention to the development of fish secretory cells. He found that Sodium Sulphate can induce the development of “chloride-secreting cells” in

Macropodus besides salinity (Liu, 1942). In 1943, Prof. Joseph Needham at Cambridge University accepted an assignment of the British Council for Cultural exchange with other Countries and cooperated with Institute of Zoology and Botany of Academia Sinica (Fig. 3). Under Prof. Joseph Needham’s recommendation, this work also published in *Nature* as a letter to editor (Liu, 1944b). From 1939 to 1945, young Jian-Kang Liu published a total of 19 research articles (Gui, 2007). From 1946 to 1947, he continued his research with Prof. N.J. Berrill at McGill University of Canada, and obtained his Ph. D. degree. After working for two years in USA, he returned to Shanghai, and was offered a faculty position at the current Institute of Hydrobiology, Chinese Academy of Sciences. Since then, Dr. Liu has developed into a well-known fish biologist and freshwater ecologist, and become a former and honorary director of the Institute. In 1981, he was elected as an Academician of the Chinese Academy of Sciences.

As Dr. Bullough said, the discovery of sex reversal in rice field eel indeed opened a fresh field for sex determination study after several decades in vertebrates, especially in fishes. Up to the present day, a large number of significant breakthroughs have been achieved from the genetic basis to the biotechnological manipulation of fish sexual dimorphism and sex determination (Gui and Zhu, 2012; Gui, 2015a; Mei and Gui, 2015). Because some aquaculture fishes exhibit significant sexual dimorphism in growth rate and body size, there are remarkable economic benefits by producing all-females or all-males for aquaculture, and several generations of fish genetic breeding scientists in the Institute have developed a series of sex control breeding biotechnologies to obtain mono-sex populations. Through heterologous sperm-induced gynogenesis and various reproduction mode utilization, three new unisexual all-female varieties, such as allogynogenetic gibel carp (Jiang et al., 1983), high dorsal allogynogenetic gibel carp (Zhu and Jiang, 1993), and allogynogenetic gibel carp “CAS III” (Wang et al., 2011),



Figure 1. Dr. Jian-Kang Liu in 2014.

were bred in gibel carp and applied to aquaculture practice throughout China (Gui and Zhou, 2010; Gui and Zhu, 2012). By artificial gynogenesis and chromosome set manipulation, all-female hybrid common carp was also produced (Wu et al., 1986). Moreover, some sex-specific or sex chromosome-specific genetic markers were identified from yellow catfish and other bagrid catfish (*Pseudobagrus ussuriensis*) (Wang et al., 2009; Dan et al., 2013; Pan et al., 2015), and all-males of yellow catfish had been massively produced and used for commercial aquaculture (Liu et al., 2013; Gui, 2015b).

As a pioneer of sex determination studies in vertebrates and a founder of freshwater ecology in China, Dr. Liu has made significant contributions to fish biology, lake ecology, and sustainable aquaculture industry. As his fellow scholars, we would like to express our deepest gratitude for his leading role as a front-runner of sex determination studies in fish and express our devout wishes for his health and for his long life.

OPEN ACCESS

This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

REFERENCES

- Bullough WS (1947) Hermaphroditism in the lower vertebrates. *Nature* 160(4053):9–11
- Dan C, Mei J, Wang D, Gui J (2013) Genetic differentiation and efficient sex-specific marker development of a pair of Y- and X-linked markers in yellow catfish. *Int J Biol Sci* 9(10):1043–1049
- Gui JF (2007) Genetic basis and artificial control of sexuality and reproduction in fish. Science Press, Beijing (桂建芳. (2007). 鱼类性别和生殖的遗传基础及其人工控制. 北京: 科学出版社.)
- Gui JF (2015a) Fish biology and biotechnology is the source for sustainable aquaculture. *Sci China Life Sci* 58(2):121–123
- Gui JF (2015b) Scientific frontiers and hot issues in hydrobiology. *Chin Sci Bull* 22(60):2051–2057




Figure 2. Dr. Jian-Kang Liu (front right) with his advisor Dr. Xian-Wen Wu (front left) in 1979.



Figure 3. Dr. Jian-Kang Liu (The first at the front from right), Prof. Joseph Needham (The 2nd at second raw from left), and the principal investigators in Institute of Zoology and Botany of Academia Sinica in 1943.

- Gui JF, Zhou L (2010) Genetic basis and breeding application of clonal diversity and dual reproduction modes in polyploid *Carassius auratus gibelio*. *Sci China Life Sci* 53(4):409–415
- Gui JF, Zhu Z (2012) Molecular basis and genetic improvement of economically important traits in aquaculture animals. *Chin Sci Bull* 57(15):1751–1760
- Jiang Y, Liang SC, Chen BD (1983) Biological effect of heterologous sperm on gynogenetic offspring in *Carassius auratus gibelio*. *Acta Hydrobiol Sin* 7(1):1–13 (蒋一珪, 梁绍昌, 陈本德. (1983). 异源精子在银鲫雌核发育子代中的生物学效应. *水生生物学报* 7(1):1–13.)
- Liu CK (1942) Osmotic regulation and “chloride secreting cells” in the paradise fish, *Macropodus opercularis*. *Sinensia* 13:15–20
- Liu CK (1944a) Rudimentary hermaphroditism in the sybranchoid eel, *Monopterus javanensis*. *Sinensia* 15:1–8
- Liu CK (1944b) Sodium sulphate also can induce the development of the “chloride-secreting cells” in *Macropodus*. *Nature* 153:252
- Liu HQ, Guan B, Xu J, Hou CC, Tian H, Chen HX (2013) Genetic manipulation of sex ratio for the large-scale breeding of YY supermale and XY all-male yellow catfish (*Pelteobagrus fulvidraco* (Richardson)). *Mar Biotechnol* 15:321–328
- Mei J, Gui JF (2015) Genetic basis and biotechnological manipulation of sexual dimorphism and sex determination in fish. *Sci China Life Sci* 58(2):124–136
- Pan ZJ, Li XY, Zhou FJ, Qiang XG, Gui JF (2015) Identification of sex-specific markers reveals male heterogametic sex determination in *Pseudobagrus ussuriensis*. *Mar Biotechnol* 17(4):441–451
- Wang D, Mao HL, Chen HX, Liu HQ, Gui JF (2009) Isolation of Y- and X-linked SCAR markers in yellow catfish and application in the production of all-male populations. *Anim Genet* 40(6):978–981
- Wang ZW, Zhu HP, Wang D, Jiang FF, Guo W, Zhou L, Gui JF (2011) A novel nucleo-cytoplasmic hybrid clone formed via androgenesis in polyploid gibel carp. *BMC Res Notes* 4(82):1–13
- Wu CJ, Ye YZ, Chen RD (1986) Genome manipulation in carp (*Cyprinus carpio* L.). *Aquaculture* 54:57–61
- Zhu LF, Jiang YG (1993) A comparative study of the biological characters of gynogenetic clones of silver crucian carp (*Carassius auratus gibelio*). *Acta Hydrobiol Sin* 17(2):112–120 (朱蓝菲, 蒋一珪. (1993). 银鲫不同雌核发育系的生物学特性比较研究. *水生生物学报* 17(2):112–120.)