

Getting the Word Out: New Approaches for Disseminating Public Health Science

Ross C. Brownson, PhD; Amy A. Eyler, PhD; Jenine K. Harris, PhD; Justin B. Moore, PhD, MS; Rachel G. Tabak, PhD, RD

ABSTRACT

The gap between discovery of public health knowledge and application in practice settings and policy development is due in part to ineffective dissemination. This article describes (1) lessons related to dissemination from related disciplines (eg, communication, agriculture, social marketing, political science), (2) current practices among researchers, (3) key audience characteristics, (4) available tools for dissemination, and (5) measures of impact. Dissemination efforts need to take into account the message, source, audience, and channel. Practitioners and policy makers can be more effectively reached via news media, social media, issue or policy briefs, one-on-one meetings, and workshops and seminars. Numerous "upstream" and "midstream" indicators of impact include changes in public perception or awareness, greater use of evidence-based interventions, and changes in policy. By employing ideas outlined in this article, scientific discoveries are more likely to be applied in public health agencies and policy-making bodies.

KEY WORDS: dissemination, evidence-based, policy, practice, translation

Author Affiliations: Prevention Research Center in St Louis, Brown School, Washington University in St Louis, St Louis, Missouri (Drs Brownson, Eyler, Harris, and Tabak); Department of Surgery (Division of Public Health Sciences) and Alvin J. Siteman Cancer Center, Washington University School of Medicine, Washington University in St Louis, St Louis, Missouri (Dr Brownson); and Departments of Family & Community Medicine and Epidemiology & Prevention, Wake Forest School of Medicine, Winston-Salem, North Carolina (Dr Moore).

Support for this publication came from National Cancer Institute at the National Institutes of Health Mentored Training for Dissemination and Implementation Research in Cancer Program (MT-DIRC) (5R25CA171994); the National Cancer Institute at the National Institutes of Health (5R01CA160327); the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK grant number 1P30DK092950); and Washington University Institute of Clinical and Translational Sciences grant UL1 TR000448 and KL2 TR000450 from the National Center for Advancing Translational Sciences.

The authors appreciate the helpful input of Liz Allen, Charlene Caburnay, and members of the Washington University BIG (Beginning Idea Generator) Group.

R.C.B. conceived the idea for the article. All authors contributed sections to the article, edited the article, and read and approved the final manuscript.

There are no conflict of interest disclosures and no resources to report for any author.

This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial-No Derivatives License 4.0 (CCBY-NC-ND), where it is permissible to download and share the work provided it is properly cited. The work cannot be changed in any way or used commercially without permission from the journal.

Correspondence: Ross C. Brownson, PhD, Prevention Research Center in St Louis, Brown School, Washington University in St Louis, One Brookings Dr, Campus Box 1196, St Louis, MO 63130 (rbrownson@wustl.edu).

Copyright © 2018 The Authors. Published by Wolters Kluwer Health, Inc.

DOI: 10.1097/PHH.0000000000000673

Knowing is not enough; we must apply.

Willing is not enough; we must do.

Johann Wolfgang von Goethe

A research-practice gap exists across all fields of public health and medical practice as well as in other disciplines as diverse as education, engineering, music, psychology, business, and agriculture.^{1,2} Our inability or unwillingness to apply what is known to improve health results in significant health deficits and persistent inequalities. For example, it is estimated that the lives of 6 million children could be saved each year if 23 proven interventions were implemented in 42 countries.³

Numerous examples in public health illustrate the promise and challenges in reducing the gap between research and practice. Successful translation was shown in state-based tobacco control programs in California and Massachusetts.^{4,5} These programs involved multilevel interventions with policy, communication, and dissemination components leading to reduced tobacco use rates. Some of the lessons from these 2 states formed the basis for the *Best Practices for Comprehensive Tobacco Control Programs*,⁶ which has been widely disseminated. Less optimal translation has been observed in the Drug Abuse

Resistance Education program—a widely used, but potentially ineffective, school-based drug use prevention program in the United States.⁷⁻⁹ Evaluations of the Drug Abuse Resistance Education program have shown that the program is either ineffective or shows mixed results in preventing substance use behavior.¹⁰⁻¹²

The so-called “translation gap” is partially due to ineffective dissemination. We have learned numerous lessons regarding the dissemination of public health research to practice and policy audiences. First, passive approaches to dissemination are largely ineffective because uptake does not happen spontaneously.^{13,14} Second, stakeholder engagement in research and evaluation processes is likely to enhance dissemination.^{15,16} Third, the dissemination of research to nonscientists is enhanced when messages are framed in ways that evoke emotion and interest and demonstrate usefulness.¹⁷ Fourth, at an agency level (eg, health departments, community-based organizations), dissemination approaches should be time-efficient, consistent with organizational climate, culture, and resources, and aligned with the skills of staff members.¹⁸ Fifth, dissemination to policy audiences needs to take into account unique characteristics of policy makers as dissemination targets (eg, time horizons, need for local data).^{19,20} And sixth, the objective of research dissemination is to achieve impact; measures of academic impact often differ significantly from the markers of importance to practice and policy audiences.²¹

While a majority of researchers value dissemination²² and many funding agencies now require a plan that outlines dissemination among nonacademic audiences (eg, practitioners, policy makers, the public),²³ specific guidance on how best to accomplish effective dissemination is lacking. To address this gap, in this article, we review lessons from related disciplines, current practices of researchers, key audience characteristics, available tools for dissemination, and measures of impact of dissemination efforts.

What Might We Learn From Diverse Disciplines?

Lessons and theory from several disciplines outside the health sector help inform dissemination of research to practice and policy. A classic communication model was developed by Shannon and Weaver in the middle of the last century—this model has been widely used in diverse fields such as education, business, and psychology.^{24,25} It remains highly relevant today. Through this article, we use this basic model to illustrate key points in the dissemination of research for public health impact (Figure). The model begins with the *message*—that is, What is the information or




FIGURE Model for Dissemination of Research

scientific discovery to be disseminated? It also highlights that dissemination is not a linear process but one with multiple inputs and feedback loops.

Another key set of principles emanates from Diffusion of Innovations Theory, which originated in the agricultural sector.^{26,27} A fundamental premise of Diffusion Theory is that some innovations diffuse quickly and widely, following a classic S-curve. The innovators, individuals who seek novelty, are only a small proportion of the overall population. A subset of early adopters comprises the opinion leaders who contribute greatly to the spread of innovations. Diffusion of Innovations was one of the first attempts to specify the dissemination process through a stage-ordered model of awareness, persuasion, decision, implementation, and confirmation.² Diffusion Theory shows important attributes of the innovation (the message), namely, that it needs to show an advantage over existing practices, it should be tried out on a small scale, and that costs matter.²⁸

Social marketing, first articulated by Kotler and Zaltman in the 1970s,²⁹ uses marketing principles to influence a target audience to voluntarily accept, reject, modify, or abandon a behavior for the benefit of individuals, groups, or society as a whole. The process of social marketing seeks to apply commercial marketing principles to promote positive public health behaviors. Core elements involve a focus on the 4 Ps of product, price, place, and promotion.^{29,30} One of the key lessons from social marketing campaigns is that message-based communication of knowledge alone is unlikely to lead to sustained behavior change.³¹

Finally, a relevant set of concepts from political science comes from Kingdon’s³² agenda setting, multiple streams theory. This framework suggests that policies move forward when elements of 3 “streams” come together. The first of these is the definition of the problem (eg, a high diabetes rate). The second is the development of potential policies to solve that problem (eg, identification of policy measures to achieve an effective diabetes control strategy). Finally, there is the role of politics and public opinion (eg, interest groups supporting or opposing the policy). Policy change occurs when a “window of opportunity” opens and the 3

streams push policy change through. A tenet of Kingdon's model is that policy makers are constantly on the receiving end of sometimes disconnected, random, and chaotic messages.^{32,33}

Motivations and Current Practices Among Researchers (the *Source*)

The methods researchers use to disseminate their findings tend to be passive and traditional among academics and not necessarily those that best connect stakeholders with research evidence. In one study, 75% of public health researchers reported that dissemination to nonresearch audiences was important.³⁴ However, the same study found that the most frequently reported dissemination methods were academic journals (99%), followed by academic conferences (81%).^{22,34} Methods used less commonly included seminars and workshops (69%), face-to-face meetings (50%), press releases (33%), and media interviews (33%), which was similar to findings from researchers in the United Kingdom.³⁵ When rating their dissemination efforts, only 28% of this group reported that their efforts were excellent or good.³⁴ Several factors predicted whether researchers reported excellent or good dissemination efforts, giving some indication of what motivates scientists. These variables included feeling obligated to disseminate their findings; thinking that dissemination is important to their department, employer, or funder; and having worked in a practice/policy setting. A study analyzing data across 3 countries found that factors making it easier to disseminate research findings such as a unit/department/school with a formal communication dissemination strategy were rarely available.³⁶ One approach with potential to improve translation of research to practice is designing for dissemination: an active process that helps ensure that public health interventions, often evaluated by researchers, are developed in ways that match well with adopters' needs, assets, and time frames.²² However, most researchers report rarely engaging in the activities that characterize designing for dissemination (ie, only one-third of respondents to a survey of US scientists always or usually involved stakeholders in the research process).²²

Knowing Whom to Impact (the *Audience*)

The characteristics of the audience are important in shaping a dissemination strategy. The concept of audience segmentation has its roots in social sciences and social philosophy over the past century.³⁷ It is a widely accepted principle in marketing and in shaping effective health communication campaigns. In a social marketing context, the idea is simple—there is

a higher likelihood of success when a product and promotion strategy is targeted to the characteristics of a desired segment. Two key audiences for dissemination are public health practitioners and policy makers—these groups share some characteristics but also have important differences (Table 1).

Framing is another important factor in considering audiences for dissemination. Individuals can interpret the same data in different ways depending on the mental model through which they perceive information.³⁹ A productive way of framing for public health audiences involves weighing the benefits (gains) versus risks (losses).⁴⁰ People often perceive risks and benefits not in scientific terms but in regard to psychological, emotional, moral, or political frameworks.⁴¹ The objective of an effective dissemination strategy is to appeal to an audience in a way in which the benefits (eg, lives saved by a new policy) outweigh the risks (eg, economic or opportunity costs⁴²). In seeking to reach practitioners and policy makers, it is useful to take into account several differences in how decisions are made across these groups (Table 1). We describe key characteristics for 2 audiences (practitioners, policy makers) who are likely targets of dissemination efforts.

Public health practitioners

The workforce in public health practice is diverse in terms of experience and job duties,⁴³ and formal training of persons working in public health is much more variable than that in medicine or other clinical disciplines.⁴⁴ Most public health practitioners lack formal training in 1 or more public health disciplines (eg, epidemiology, health behavior, environmental health). While public health practitioners place value on evidence-based approaches and dissemination of science to practice,⁴³ the heterogeneity of the workforce presents challenges. For example, one of the biggest considerations involves how practitioners learn about the latest evidence.⁴⁵ As noted previously, academic journals and conferences are by far the most common methods by which researchers disseminate their research.^{46,47} Studies among state public health practitioners have shown that only 46% use journals in their day-to-day work⁴⁸ and use is lower (33%) at the local level.⁴⁹ Lack of access is a major barrier to journal use.⁴⁸ Other barriers to use of scientific information include time, resource reliability, trustworthiness/credibility of data, and information overload.⁵⁰ Approaches for connecting practitioners with the generators of evidence need to take into account the barriers to dissemination of research information to day-to-day public health practice. To address access, more journals are moving toward

TABLE 1
Differences in Decision-Making Among Public Health Practitioners and Policy Makers^a

Characteristic	Executive Branch, Public Health Practitioner	Legislative Branch, Elected Official	Legislative Branch, Staff Member
Time in position	Longer	Shorter	Shorter
Accountability	Governor, board of health, agency head	Constituents by whom they are elected, political party	Elected legislator, committee chair
Personal connection to constituents	Moderate	High	High to moderate
Knowledge span	Deeper knowledge on health issues (often more specialized in larger agencies)	Less depth, wider breadth	Less depth, wider breadth
Decision-making based on external factors ^b (aside from research)	Low to moderate	High	High
Time spent on a particular issue	Longer	Shortest	Shorter
Type of evidence relied upon	Science, evidence reviews, experience from the field, personal experience	"Real world" stories, constituents, gatekeepers, party priorities, media, science	"Real world" stories, constituents, gatekeepers, party priorities, media, science

^a Reprinted with permission from Brownson and Jones.³⁸

^b External factors commonly include habit, stereotypes, and cultural norms.

arrangements that allow for freely available content. One approach is open access, where the author purchases the copyright to the article allowing free distribution online under most licenses. While open access provides the most freedom to disseminate, it is also the most costly. An increasing number of journals charge publication fees to authors allowing articles to be fully open access. Many other publications are adopting an alternative approach in which individual articles or full supplemental issues are freely available to nonsubscribers on the journal's Web site after an author pays a sponsorship fee (eg, the *Journal of Public Health Management & Practice*). A few journals have identified external or pooled funding from organizational subscribers to allow for full open access without fees to authors (eg, the *Annual Review of Public Health* now provides open access to all volumes under a Creative Commons license).

Policy makers

Policy makers are key decision makers at the local, state, and federal levels. They may be elected officials or appointed agency leaders. Although policy makers may differ in their role in the policy-making process (Table 1), most have responsibilities and priorities that preclude them from spending a lot of time reading or reviewing in detail the materials provided to them. Studies show that their interest in issues is guided by party priorities and emphasized by "real-world" stories from their constituents.^{38,51} Policy makers seek

out information that is understandable, concise, and unbiased. It is also helpful to provide information to them that is locally relevant (eg, health surveillance data). Recommended actions or options should be included, as well as cost-effectiveness or economic impact if available. In addition to busy schedules, policy makers are often in demand by people and organizations soliciting support for policies or initiatives.⁵² As such, they likely rely on staff to help them discern priority information. Staffers of policy makers are a key target audience for dissemination efforts.^{38,40}

Reaching Your Audience (the Channel)

There are multiple approaches or channels for reaching various audiences. Table 2 provides a cross-setting set of approaches.^{15,22,53-55} It is often most useful to begin by developing a dissemination plan.

News media

The news (traditional) media (radio, television, newspapers) can be an important channel for reaching practitioners and policy makers. The media often sets the agenda and frames public health issues by highlighting which topics are newsworthy at a particular time.^{40,56} Researchers view the media as one of the main ways by which to convey research findings to policy makers,²³ although gaps remain regarding the effectiveness of media in affecting policy.⁵⁷

When linking with the news media for dissemination, it is useful to keep a few issues in mind. While

TABLE 2
Approaches and Tools for Disseminating to Nonresearch Audiences^a

Approach	Tools
Develop a dissemination plan early in the process	https://www.ahrq.gov/professionals/quality-patient-safety/patient-safety-resources/resources/advances-in-patient-safety/vol4/planningtool.html http://www.who.int/tdr/publications/year/2014/participant-workbook5_030414.pdf
Engage with stakeholders for dissemination planning; may include advisors, team members, coauthors	https://researchtoareality.cancer.gov https://ccph.memberclicks.net/ http://ctb.ku.edu/en
Select and use a dissemination framework	Reviews of dissemination frameworks ^{44,45} http://dissemination-implementation.org/index.aspx
Make use of social media	Twitter, Facebook, LinkedIn
Create and share podcasts	YouTube
Describe research in personal blogs	Tumblr, Wordpress
Prepare brief summaries of research (policy briefs, issue briefs)	https://www.cdc.gov/policy/polaris/policy-resources-writing-briefs.html
Seek advice from media and public relations experts	http://bwhresearch.org/wp-content/uploads/2015/10/PCERC-Dissemination-Best-Practices-Resource-Document.pdf http://www.nwcphp.org/communications/news/six-tips-for-effective-media-relations

^aAdapted from Brownson et al,²² Tripathy et al,⁵⁵ and Keown et al.¹⁵

“news media” is a blanket term, within this heading there are many small and large outlets and formats (newspapers, television, radio, blogs). Larger outlets will often have a health reporter whereas smaller organizations will have fewer individuals covering diverse topics. The news media is a business that relies heavily on advertising dollars—and in some cases may avoid offending their advertisers. As such, perceptions of the media as politically biased⁵⁸ or agenda driven⁵⁹ can influence audience receptiveness and response to the stories they publish. There is a sizable body of research showing the characteristics of news stories that typically gain attention.^{40,60} Several key factors include (1) the seriousness of the problem, (2) human interest, often in the form of a personal story, (3) a local angle for a national or state headline, (4) timeliness, and (5) conflict or controversy.

When preparing for interaction (dissemination) with the news media, there are specific recommendations⁶¹:

- Most larger public health organizations (academic institutions, health departments, non-governmental organizations) will have a designated contact person (a press officer or some similar title). That individual can assist with the process (including writing and disseminating a press release, when appropriate).
- Prepare for the interview by learning the deadline for the story, the focus of the piece, and who else will be interviewed.
- Develop a single overriding health communication objective that is the most important thing to

be said to a reporter (and that you hope will appear in the lead of the story).

- Speak in nontechnical language and use numbers sparingly.
- Answer questions appropriately by elaborating key points and avoiding “yes” or “no” answers.

Social media

The percentage of US adults who use at least 1 social media tool has grown from near 0% in 2005 to 69% in 2016,⁶² and there is little difference in social media use by race/ethnicity, sex, income, education, or community type. Scientists and publishers of scientific journals are beginning to recognize the potential of social media for disseminating science to the public^{63,64}; however, one study found that only 15% of health researchers use social media as a dissemination tool.⁶⁴ Of the 100 most-covered 2016 journal articles, health studies were discussed on social media more than any other science topic.⁶⁵ Twitter was the most active platform for disseminating the top articles with more than 1000 tweets per article, followed by online news stories, Facebook, and blogs.⁶⁵ Social media dissemination is significantly positively associated with more downloads and eventual citations^{66,67}; however, it is unclear whether tweeting science influences, or is merely correlated with, citations.⁶⁷

Issue or policy briefs

A brief is a summary of research information in an abbreviated format, usually enhanced with charts,

tables, infographics, or some kind of data visualization that is targeted toward a specific audience and desired action.^{68,69} Briefs have been used in successful advocacy efforts across public health topics, such as sugar sweetened beverage taxes⁷⁰ and active transportation.⁷¹ The first step in developing briefs is to know your audience and tailor the information to them. Multiple studies have shown that developing relationships with those to whom you are providing information is a way to enhance the effectiveness of your brief products.^{52,72} Messages within briefs should be focused, professional (not academic), and succinct.⁶⁸ Incorporating data into briefs can help define a public health problem and demonstrate the magnitude of that problem. Visuals such as tables, charts, or graphs can present data to enhance understanding and interpretation by the audience.⁵² The newer approaches to data visualization (eg, infographics) help in presenting data in an accessible and appealing way to practitioners and policy makers who are often inundated with information.^{73,74} It is also important to include expected benefits from what is being proposed or described. Persuading the audience to know what you want them to know and do what you want them to do should be the key objectives of the brief.⁶⁸

One-on-one meetings

Particularly for policy audiences, one-on-one individual meetings may be an effective means by which to communicate ideas on a particular issue. Elected officials will often remember such individual meetings and consider the input that is made during these interactions. However, time constraints may sometimes render this option impractical or infeasible. Consider that most legislative bodies meet for a specified period of time with a very structured calendar—one that allows little flexibility. In preparing for an interaction with an elected official, it is often important to develop a positive working relationship with her or his legislative staffer(s). These individuals often have a great deal of influence in shaping the activities and priorities of an elected official.

Detailed guides to meeting with policy makers are available elsewhere.^{60,75,76} In brief, when preparing for a one-on-one meeting with a policy maker, here are a few key pointers:

- Select a primary spokesperson if a group is meeting the official.
- Be brief, covering only 1 or 2 topics.
- Have a few pieces of key data at your fingertips that support your position.
- Provide an illustration of the program or policy impact—a human interest story often works best.
- Know precisely what action you are suggesting.
- Anticipate questions so that your answers are well-thought-out.
- Be cordial and always thank the official for his or her time.
- Follow-up with a brief note later.

Workshops and seminars

One of the main ways by which practitioners learn about research is via short courses and webinars. In multiple studies of practitioners,^{49,77} the top method by which state or local public health practitioners learn about new research is via seminars or workshops. These seminars take on multiple formats from short webinars to week-long in-person trainings. While there is limited research on the most effective format,⁷⁸ several key lessons have emerged. To enhance the reach and potential for replications, train-the-trainer models show promise.⁷⁹

The principles of adult learning are likely to be important in these seminars. These issues were articulated by Bryan and colleagues,⁸⁰ who highlighted the need to (1) know why the audience is learning; (2) tap into an underlying motivation to learn by the need to solve problems; (3) respect and build upon previous experience; (4) design learning approaches that match the background and diversity of recipients; and (5) actively involve the audience in the learning process. The endorsement from professional groups (eg, National Association of County & City Health Officials) is likely to be beneficial.

Measuring Impact

Defining and measuring the impacts of research dissemination are challenging.⁸¹ The long-term (downstream) impacts of translating research to practice and policy involve well-known outcomes such as burden of disease (eg, mortality, potential life lost), preventable burden (eg, the product of the burden of disease and the effectiveness of intervention), and economic value (eg, incremental cost-effectiveness).⁸² There are numerous “upstream” and “midstream” indicators of impact that are likely to be related in a range of complex ways to public health outcomes. While not exhaustive, Table 3 provides examples of how the results of dissemination efforts can be measured.

In the near-term, a research discovery might change public perception or awareness of public health benefits (the benefits of healthy eating) or threats (the potential impact of the Ebola virus). At an agency level, a scientific advancement might put new tools in the hands of practitioners or lead to more effective day-to-day practices (eg, use of evidence-based

TABLE 3
Sample Measures of Research Impact by Setting and Time Frame

Time Frame	Setting		
	Academic	Practice	Policy
Short-term	Publication downloads Citation rates	Awareness of an evidence-based practice	Awareness of an evidence-based policy
		Knowledge about an evidence-based practice	Knowledge about an evidence-based policy
		Self-efficacy in using evidence	Self-efficacy in using evidence
		Intentions to use evidence	Intentions to use evidence
Medium-term	Citation networks Social media networks h-index scores Altmetric scores Coverage in mass media	Presence of evidence (eg, recommendations from systematic reviews) in funding announcements	Policy maker support for evidence-based policies
		Use of analytic tools to inform practice	Presence of evidence in development of policy proposals (bills, rules, regulations)
			Altmetric scores
			Observations of use of evidence in policy-making (eg, in hearings)
			Narrative examples that feature scientific evidence
Long-term	Use of individual studies in systematic reviews Use of individual studies in tools for practitioners or policy makers	Uptake of evidence-based interventions	Enactment of evidence-based policies
		Termination of ineffective interventions	Ongoing evaluation of enacted policies

interventions, leadership priority on evidence-based decision making). Scientific evidence can also be used to inform public health policy at all levels (from “small p policy” in organizations to “Big P Policy” in local, state, or national governments). In addition, a significant part of the public health mission involves public health “intangibles” (eg, social justice, health equity) that may be difficult (but not impossible) to measure.⁸³

Different indicators of impact are used for practitioners and policy makers than for scientists. Researchers, especially those in academic settings, tend to value journal metrics such as Journal Impact Factor and h5-index, or author metrics such as h-index or i10-index. Article metrics have traditionally been limited to statistics such as the number of journal citations, article downloads, or views on academic social media sites (eg, ResearchGate). However, traditional journal-level and author-level metrics have been widely criticized as a poor measure of quality or scientific impact.^{84,85} Furthermore, none of the traditional metrics assess dissemination of research to policy makers, the practice community, or the public at large. Consequently, researchers and publishers have turned to alternative metrics, including those offered by companies such as the aptly named Altmetric (altmetric.com). Summarizing a research article in a multicolored “donut,” Altmetric aggregates mentions in outlets such as blogs and traditional online media, forums and discussion sites (eg, Reddit), social media

outlets such as Twitter and Facebook, and use of a journal article in policy documents.⁸⁶ As such, alternative metrics represent an opportunity to measure dissemination to populations more diverse than the scientific community who are closer to implementing the findings into policy and practice. Unfortunately, none of the alternative metric aggregating services are comprehensive, although adding, removing, and vetting potential sources is an ongoing process.⁸⁷

Conclusion: Moving Our Field Forward

In disseminating their science to practice and policy audiences, public health researchers are largely doing things the way they did them several decades ago (journal articles and scientific meetings). These are important methods of dissemination and yet they do not link well with the needs and communication approaches that resonate with adopters (practitioners and policy makers). We offer several ideas that are likely to result in more effective dissemination:

- Shift the academic culture and incentives to include a greater focus on linking scientists with research users (eg, involvement in policy making and practice placements for faculty members).^{45,88,89}
- Enhance expectations from funders of research for more consistent and intentional dissemination.²²

Implications for Policy & Practice

- This review addressed the need to conduct the dissemination of research to practitioners and policy makers in new ways.
- Messages need to be framed in ways that better resonate with the target audience.
- Rather than relying only on journal articles, additional channels are needed to reach practitioners and policy makers, including the news media, social media, policy briefs, one-on-one meetings, and workshops and seminars.
- Practitioners and policy makers should advocate for and support open access journals to improve access to scientific information.
- Administrators in relevant schools (eg, medicine, public health) should consider ways to incorporate dissemination to policy makers and practitioners in tenure and promotion criteria for faculty.

- Identify and emphasize related incentives for dissemination in other organizations with a stake in dissemination (eg, creative approaches among publishers).
- Design studies in a way that emphasizes dissemination early in the research process through involvement of stakeholders.
- Track impact with metrics that focus on use of research outside of academe.

By applying these and other ideas, scientific discoveries will no longer “sit on the shelf” but will realize practice application in public health agencies and policy-making bodies.

References

1. Green LW, Ottoson JM, Garcia C, Hiatt RA. Diffusion theory, and knowledge dissemination, utilization, and integration in public health. *Annu Rev Public Health*. 2009;30:151-174.
2. Rogers EM. *Diffusion of Innovations*. 5th ed. New York, NY: Free Press; 2003.
3. Bryce J, Black RE, Walker N, Bhutta ZA, Lawn JE, Steketee RW. Can the world afford to save the lives of 6 million children each year? *Lancet*. 2005;365(9478):2193-2200.
4. Fichtenberg CM, Glantz SA. Association of the California Tobacco Control Program with declines in cigarette consumption and mortality from heart disease. *N Engl J Med*. 2000;343(24):1772-1777.
5. Koh HK, Judge CM, Robbins H, Celebucki CC, Walker DK, Connolly GN. The first decade of the Massachusetts Tobacco Control Program. *Public Health Rep*. 2005;120(5):482-495.
6. Centers for Disease Control and Prevention. *Best Practices for Comprehensive Tobacco Control Programs—2014*. Atlanta, GA: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health; 2014.
7. Ennett ST, Tobler NS, Ringwalt CL, Flewelling RL. How effective is drug abuse resistance education? A meta-analysis of Project DARE outcome evaluations. *Am J Public Health*. 1994;84(9):1394-1401.
8. Shepard EM. *The Economic Costs of D.A.R.E.* Syracuse, NY: Institute of Industrial Relations; 2001. Research Paper Number 22.
9. Drug Policy Foundation. *Public Policy: Youth Drug Education/The D.A.R.E. Program*. Washington, DC: Drug Policy Foundation; 2003.
10. West SL, O'Neal KK. Project D.A.R.E. outcome effectiveness revisited. *Am J Public Health*. 2004;94:1027-1029.
11. Gorman DM, Huber JC Jr. The social construction of “evidence-based” drug prevention programs: a reanalysis of data from the Drug Abuse Resistance Education (DARE) program. *Eval Rev*. 2009;33(4):396-414.
12. Vincus AA, Ringwalt C, Harris MS, Shamblen SR. A short-term, quasi-experimental evaluation of D.A.R.E.'s revised elementary school curriculum. *J Drug Educ*. 2010;40(1):37-49.
13. Lehoux P, Denis JL, Tailliez S, Hivon M. Dissemination of health technology assessments: identifying the visions guiding an evolving policy innovation in Canada. *J Health Polit Policy Law*. 2005;30(4):603-641.
14. Glasgow RE, Marcus AC, Bull SS, Wilson KM. Disseminating effective cancer screening interventions. *Cancer*. 2004; 101(5 suppl):1239-1250.
15. Keown K, Van Eerd D, Irvin E. Stakeholder engagement opportunities in systematic reviews: knowledge transfer for policy and practice. *J Contin Educ Health Prof*. 2008;28(2):67-72.
16. Minkler M, Salvatore A. Participatory approaches for study design and analysis in dissemination and implementation research. In: Brownson R, Colditz G, Proctor E, eds. *Dissemination and Implementation Research in Health: Translating Science to Practice*. New York, NY: Oxford University Press; 2012:192-212.
17. Milkman KL, Berger J. The science of sharing and the sharing of science. *Proc Natl Acad Sci U S A*. 2014;111(suppl 4): 13642-13649.
18. Jacobs JA, Dodson EA, Baker EA, Deshpande AD, Brownson RC. Barriers to evidence-based decision making in public health: a national survey of chronic disease practitioners. *Public Health Rep*. 2010;125(5):736-742.
19. Brownson RC, Royer C, Ewing R, McBride TD. Researchers and policymakers: travelers in parallel universes. *Am J Prev Med*. 2006;30(2):164-172.
20. Purtle J, Dodson E, Brownson R. Policy dissemination research. In: Brownson R, Colditz G, Proctor E, eds. *Dissemination and Implementation Research in Health: Translating Science to Practice*. 2nd ed. New York, NY: Oxford University Press; 2018. In press.
21. LSE Public Policy Group. *Maximizing the Impacts of Your Research: A Handbook for Social Scientists*. London: LSE Public Policy Group; 2011.
22. Brownson RC, Jacobs JA, Tabak RG, Hoehner CM, Stamatakis KA. Designing for dissemination among public health researchers: findings from a national survey in the United States. *Am J Public Health*. 2013;103(9):1693-1699.
23. Wilkinson C, Weitkamp E. A case study in serendipity: environmental researchers use of traditional and social media for dissemination. *PLoS One*. 2013;8(12):e84339.
24. Shannon C. A mathematical theory of communication. *Bell Syst Tech J*. 1948;27:379-423.
25. Weaver W, Shannon C. *The Mathematical Theory of Communication*. Champaign, IL: University of Illinois Press; 1963.
26. Ryan B, Gross N. The diffusion of hybrid seed corn in two Iowa communities. *Rural Soc*. 1943;8(1):15-24.
27. Dearing J, Kee K. Historical roots of dissemination and implementation science. In: Brownson R, Colditz G, Proctor E, eds. *Dissemination and Implementation Research in Health: Translating Science to Practice*. New York, NY: Oxford University Press; 2012:55-71.
28. Dobbins M, Ciliska D, Cockerill R, Barnsley J, DiCenso A. A framework for the dissemination and utilization of research for health-care policy and practice. *Online J Knowl Synth Nurs*. 2002;9:7.
29. Kotler P, Zaltman G. Social marketing: an approach to planned social change. *J Mark*. 1971;35(3):3-12.
30. Kotler P, Lee N. *Social Marketing: Influencing Behaviors for Good*. 3rd ed. Thousand Oaks, CA: Sage; 2008.
31. Griffiths J, Blair-Stevens C, Parish R. The integration of health promotion and social marketing. *Perspect Public Health*. 2009; 129(6):268-271.
32. Kingdon JW. *Agendas, Alternatives, and Public Policies, Update Edition, With an Epilogue on Health Care*. Updated 2nd ed. New York, NY: Pearson; 2010.

33. McDonough J. *Experiencing Politics. A Legislator's Stories of Government and Health Care*. Berkeley, CA: University of California Press; 2000.
34. Tabak RG, Stamatakis KA, Jacobs JA, Brownson RC. What predicts dissemination efforts among public health researchers in the United States? *Public Health Rep*. 2014;129(4):361-368.
35. Wilson PM, Petticrew M, Calnan MW, Nazareth I. Does dissemination extend beyond publication: a survey of a cross section of public funded research in the UK. *Implement Sci*. 2010;5:61.
36. Tabak RG, Reis RS, Wilson P, Brownson RC. Dissemination of health-related research among scientists in three countries: access to resources and current practices. *Biomed Res Int*. 2015;2015:179156.
37. Slater MD. Theory and method in health audience segmentation. *J Health Commun*. 1996;1(3):267-283.
38. Brownson RC, Jones E. Bridging the gap: translating research into policy and practice. *Prev Med*. 2009;49(4):313-315.
39. Morgan M, Fischhoff B, Bostrom A, Atman C. *Risk Communication: A Mental Models Approach*. Cambridge, United Kingdom: Cambridge University Press; 2002.
40. Nelson D, Hesse B, Croyle R. *Making Data Talk. Communicating Public Health Data to the Public, Policy Makers, and the Press*. New York, NY: Oxford University Press; 2009.
41. Social Issues Research Centre. *Guidelines for Scientists on Communicating With the Media*. Oxford, United Kingdom: Social Issues Research Centre; 2006.
42. Palmer S, Raftery J. Economic notes: opportunity cost. *BMJ*. 1999;318(7197):1551-1552.
43. Ye J, Leep C, Robin N, Newman S. Perception of workforce skills needed among public health professionals in local health departments: staff versus top executives. *J Public Health Manag Pract*. 2015;21(suppl 6):S151-S158.
44. Tilson H, Gebbie KM. The public health workforce. *Annu Rev Public Health*. 2004;25:341-356.
45. Brownson RC, Fielding JE, Green LW. Building capacity for evidence-based public health: reconciling the pulls of practice with the push of research. *Annu Rev Public Health*. 2018. In press.
46. Brownson R. *Research Translation and Public Health Services & Systems Research*. Lexington, KY: Keeneland Conference: Public Health Services & Systems Research; 2013.
47. McVay AB, Stamatakis KA, Jacobs JA, Tabak RG, Brownson RC. The role of researchers in disseminating evidence to public health practice settings: a cross-sectional study. *Health Res Policy Syst*. 2016;14(1):42.
48. Harris JK, Allen P, Jacob RR, Elliott L, Brownson RC. Information-seeking among chronic disease prevention staff in state health departments: use of academic journals. *Prev Chronic Dis*. 2014;11:E138.
49. Fields RP, Stamatakis KA, Duggan K, Brownson RC. Importance of scientific resources among local public health practitioners. *Am J Public Health*. 2015;105(suppl 2):S288-S294.
50. Revere D, Turner AM, Madhavan A, et al. Understanding the information needs of public health practitioners: a literature review to inform design of an interactive digital knowledge management system. *J Biomed Inform*. 2007;40(4):410-421.
51. Brownson RC, Dodson EA, Stamatakis KA, et al. Communicating evidence-based information on cancer prevention to state-level policy makers. *J Natl Cancer Inst*. 2011;103(4):306-316.
52. Kwon H, Nelson D. Communicating research to help influence policy and practice. In: Eyster A, Chiqui J, Moreland-Russell S, Brownson R, eds. *Prevention, Policy, and Public Health*. New York, NY: Oxford University Press; 2016:303-327.
53. Tabak RG, Khoong EC, Chambers DA, Brownson RC. Bridging research and practice: models for dissemination and implementation research. *Am J Prev Med*. 2012;43(3):337-350.
54. Wilson PM, Petticrew M, Calnan MW, Nazareth I. Disseminating research findings: what should researchers do? A systematic scoping review of conceptual frameworks. *Implement Sci*. 2010;5: 91.
55. Tripathy J, Bhatnagar A, Shewade H, Kumar M, Zachariah R, Harries A. Ten tips to improve the visibility and dissemination of research for policy makers and practitioners. *Public Health Action*. 2017;7(1):10-14.
56. Lancaster K, Hughes CE, Spicer B, Matthew-Simmons F, Dillon P. Illicit drugs and the media: models of media effects for use in drug policy research. *Drug Alcohol Rev*. 2011;30(4):397-402.
57. Bou-Karroum L, El-Jardali F, Hemadi N, et al. Using media to impact health policy-making: an integrative systematic review. *Implement Sci*. 2017;12(1):52.
58. Croteau D. Examining the "liberal media" claim: journalists' views on politics, economic and social policy (including health care), and media coverage. *Int J Health Serv*. 1999;29(3):627-655.
59. Wallington SF, Blake K, Taylor-Clark K, Viswanath K. Antecedents to agenda setting and framing in health news: an examination of priority, angle, source, and resource usage from a national survey of U.S. health reporters and editors. *J Health Commun*. 2010;15(1): 76-94.
60. Nelson DE, Brownson RC, Remington PL, Parvanta C, eds. *Communicating Public Health Information Effectively: A Guide for Practitioners*. Washington, DC: American Public Health Association; 2002.
61. Greenwell M. Communicating public health information to the news media. In: Nelson DE, Brownson RC, Remington PL, Parvanta C, eds. *Communicating Public Health Information Effectively: A Guide for Practitioners*. Washington, DC: American Public Health Association; 2002:73-96.
62. Greenwood S, Perrin A, Duggan M. Social media update 2016. <http://www.pewinternet.org/2016/11/11/social-media-update-2016/>. Accessed May 18, 2017.
63. Nature Publishing Group. Article level metrics on nature.com. http://www.nature.com/press_releases/article-metrics.html. Accessed May 18, 2017.
64. Tunnecliff J, Ilic D, Morgan P, et al. The acceptability among health researchers and clinicians of social media to translate research evidence to clinical practice: mixed-methods survey and interview study. *J Med Internet Res*. 2015;17(5):e119.
65. Hitlin P. Health issues topped the list of scientific studies reaching wide audiences in 2016. <http://www.pewresearch.org/fact-tank/2016/12/28/health-issues-topped-the-list-of-scientific-studies-reaching-wide-audiences-in-2016/>. Accessed May 18, 2017.
66. Allen HG, Stanton TR, Di Pietro F, Moseley GL. Social media release increases dissemination of original articles in the clinical pain sciences. *PLoS One*. 2013;8(7):e68914.
67. Eysenbach G. Can tweets predict citations? Metrics of social impact based on Twitter and correlation with traditional metrics of scientific impact. *J Med Internet Res*. 2011;13(4):e123.
68. Ottoson JM, Green LW, Beery WL, et al. Policy-contribution assessment and field-building analysis of the Robert Wood Johnson Foundation's Active Living Research Program. *Am J Prev Med*. 2009;36(2 suppl):S34-S43.
69. Stamatakis K, McBride T, Brownson R. Communicating prevention messages to policy makers: the role of stories in promoting physical activity. *J Phys Act Health*. 2010;7(suppl 1):S00-S107.
70. Healthy Eating Research. Sugar-sweetened beverage taxes and public health. A research brief. <http://healthyeatingresearch.org/research/sugar-sweetened-beverage-taxes-and-public-health-a-research-brief/>. Accessed May 18, 2017.
71. Active Living Research. Moving toward active transportation: how policies can encourage walking and bicycling. http://activelivingresearch.org/sites/default/files/ALR_Review_Active_Transport_January2016.pdf. Accessed May 18, 2017.
72. McBride T, Coburn A, Mackinney C, Mueller K, Sliifkin R, Wakefield M. Bridging health research and policy: effective dissemination strategies. *J Public Health Manag Pract*. 2008;14(2):150-154.
73. Otten JJ, Cheng K, Drewnowski A. Infographics and public policy: using data visualization to convey complex information. *Health Aff (Millwood)*. 2015;34(11):1901-1907.
74. Spiegelhalter D, Pearson M, Short I. Visualizing uncertainty about the future. *Science*. 2011;333(6048):1393-1400.
75. Scholars Strategy Network. Guide to working with policymakers. https://www.scholarsstrategynetwork.org/sites/default/files/guide_to_working_with_policymakers.pdf. Accessed May 18, 2017.
76. Union of Concerned Scientists. How to have an effective visit with your policy maker. <http://www.ucsusa.org/action/>

- meeting-with-legislators.html#.WR3K-NQrJkg. Accessed May 18, 2017.
77. Jacob R, Allen P, Ahrendt L, Brownson R. Learning about and using research evidence among public health practitioners. *Am J Prev Med*. 2017;52(3S3):S304-S308.
 78. Murthy L, Shepperd S, Clarke MJ, et al. Interventions to improve the use of systematic reviews in decision-making by health system managers, policy makers and clinicians. *Cochrane Database Syst Rev*. 2012;9:CD009401.
 79. Yarber L, Brownson CA, Jacob RR, et al. Evaluating a train-the-trainer approach for improving capacity for evidence-based decision making in public health. *BMC Health Serv Res*. 2015;15(1):547.
 80. Bryan RL, Kreuter MW, Brownson RC. Integrating adult learning principles into training for public health practice. *Health Promot Pract*. 2009;10(4):557-563.
 81. Luke D, Sarli C, Suiter A, et al. The translational science benefits model: a new framework for assessing the health and societal benefits of clinical and translational sciences. *Clin Trans Sci*. 2017. In press.
 82. Fielding JE, Teutsch SM. So what? A framework for assessing the potential impact of intervention research. *Prev Chronic Dis*. 2013;10:120160.
 83. Neumann PJ, Jacobson PD, Palmer JA. Measuring the value of public health systems: the disconnect between health economists and public health practitioners. *Am J Public Health*. 2008;98(12):2173-2180.
 84. Gasparyan AY, Nurmashev B, Yessirkepov M, Udovik EE, Baryshnikov AA, Kitas GD. The journal impact factor: moving toward an alternative and combined scientometric approach. *J Korean Med Sci*. 2017;32(2):173-179.
 85. Kreiner G. The slavery of the h-index-measuring the unmeasurable. *Front Hum Neurosci*. 2016;10(556):556.
 86. Thelwall M, Haustein S, Lariviere V, Sugimoto CR. Do altmetrics work? Twitter and ten other social web services. *PLoS One*. 2013;8(5):e64841.
 87. Chavda J, Patel A. Measuring research impact: bibliometrics, social media, altmetrics, and the BJGP. *Br J Gen Pract*. 2016;66(642):e59-e61.
 88. Kerner JF. Integrating research, practice, and policy: what we see depends on where we stand. *J Public Health Manag Pract*. 2008;14(2):193-198.
 89. Longest BB Jr, Huber GA. Schools of public health and the health of the public: enhancing the capabilities of faculty to be influential in policymaking. *Am J Public Health*. 2009;100(1):49-53.