



Impact of Different Therapeutic Strategies With Left Ventricular Assist Devices on Health-Related Quality of Life During Prolonged Device-Based Support

Mariko Asase, RN, MS; Takuya Watanabe, MD, PhD; Misa Takegami, PhD, MPH;
Kunihiro Nishimura, MD, PhD; Kazuko Nin, RN, PhD; Norihide Fukushima, MD, PhD

The authors apologize for the written mistakes in the Result section.

Page 292, right column, lines 29–31

Incorrect:

The scores at 12 months after implantation differed **significantly** between the G-pLVAD and G-BTB groups (P=0.079; **Figure 2**).

Correct:

The scores at 12 months after implantation differed between the G-pLVAD and G-BTB groups (P=0.079; **Figure 2**).

Original article: *Circ Rep* 2023; 5: 289–297 doi:10.1253/circrep.CR-22-0126

Mailing address: Norihide Fukushima, MD, PhD, Department of Transplant Medicine, National Cerebral and Cardiovascular Center, 6-1 Kishibe-Shimmachi, Suita 564-8565, Japan. email: nori@ncvc.go.jp; n-fukushima@cs.kinran.ac.jp

All rights are reserved to the Japanese Circulation Society. For permissions, please email: cr@j-circ.or.jp
ISSN-2434-0790

