

Corrigendum to: Determinants of left atrial reservoir and pump strain and use of atrial strain for evaluation of left ventricular filling pressure

Katsuji Inoue, Faraz H Khan, Espen W Remme, Nobuyuki Ohte, Eusebio García-Izquierdo, Michael Chetrit, Vanessa Moñivas-Palomero, Susana Mingo-Santos, Øyvind S Andersen, Einar Gude, Arne K Andreassen, Tom Kai Ming Wang, Shohei Kikuchi, Marie Stugaard, Jong-Won Ha, Allan L Klein, Sherif F Nagueh, and Otto A Smiseth

European Heart Journal - *Cardiovascular Imaging*, 2022;**23**:61–70

In the originally published version of this manuscript, there was an error in supplementary figure S1, where two of the red dots were almost or completely hidden behind the black dots as they have the same values on the X and Y axis. The figure has been updated online.

© The Author(s) 2021. Published by Oxford University Press on behalf of the European Society of Cardiology.

This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial License (<https://creativecommons.org/licenses/by-nc/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited. For commercial re-use, please contact journals.permissions@oup.com