



## Correction to: Injury Risk in New Zealand Rugby Union: A Nationwide Study of Injury Insurance Claims from 2005 to 2017

Ken Quarrie<sup>1</sup> · Simon Gianotti<sup>2</sup> · Ian Murphy<sup>1</sup>

Published online: 9 October 2019  
© The Author(s) 2019

**Correction to: Sports Medicine**  
<https://doi.org/10.1007/s40279-019-01176-9>

Page 11, column 2, section 4.2 Injury Epidemiology, paragraph 4:

The following sentence, which previously read:

By far the most common injury claim type in New Zealand rugby is for soft-tissue injuries (76%), and almost one third of adult players can expect to make at least one claim for a soft-tissue injury from rugby per year.

should read:

By far the most common injury claim type in New Zealand rugby is for soft-tissue injuries (76%), and about 43% of adult players can expect to make at least one claim for a soft-tissue injury from rugby per year.

**Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

---

The original article can be found online at <https://doi.org/10.1007/s40279-019-01176-9>.

---

✉ Ken Quarrie  
[ken.quarrie@nzrugby.co.nz](mailto:ken.quarrie@nzrugby.co.nz)

<sup>1</sup> New Zealand Rugby, Wellington, New Zealand

<sup>2</sup> Accident Compensation Corporation, Wellington, New Zealand